

Channel Partner Scorecard (CPSC) Monthly Scorecard Guidelines w.e.f 1st October 2018

(Version 4.6)

Modification under V 4.6

- 1) The Payout Slab has been changed
- 2) F4 a – Tata OK penetration parameter has been redefined

Dear Channel Partner,

Based on the feedback received from many of you over the last few months, and the emerging business parameters, we have revised the Channel Partner Scorecard and it will be applicable from the month of April 2018. The new dealer scorecard is aligned with the TML CVBU scorecard and in accord with the objectives adopted by CVBU.

The scorecard has been simplified to increase focus on the key parameters, which is mix of enablers, processes and outcomes. The elements of safety and customer satisfaction act as a qualifiers and a linkage to dealer infrastructure has also been created.

The following are the key changes in the CPSC

- 1) Reduce the overall parameters from 27 to 17
- 2) Covers all the aspects of the business at dealership level, rather than division level.
- 3) LOB wise weightages have been kept same for all the parameters
- 4) All the parameter wise scores will be available at Dealer Level

We sincerely believe that adoption of CPSC in letter & spirit will ensure that we are able to provide a superior customer experience and with that the additional incentives to help improve the profitability of the dealership.

As we move into the next phase of the CPSC program, the new CPSC will be effective from 1st April 2018

Payout

While there is no change in the CPSC payout tiers / slabs, the payout calculation methodology will be basis the below criteria:

Slab structure

S No	Tier	Average Dealer Score	Payout Slabs per vehicle
1	Excellence Tier	Score $\geq$ 800	5000
2	Super Tier	800 > Score $\geq$ 700	4000
3	Standard Tier	700 > Score $\geq$ 600	3000
4	Push-up Tier	600 > Score $\geq$ 500	2000
5	Look-out Tier	Score < 500	Nil

Note: The Parameters will be calculated based on data available with SHQ. There will be no changes accepted after the cutoff date for changes.

- a) Qualifying criteria for payouts : Dealer will have to achieve minimum defined scores in the following parameters to be eligible for any payout
 - Safety Audit Adherence - 100% Compliance
 - PSF SSI Calling scores of 70% and above

- In case PSF SSI Scores are not above 70%, the Payout for the month in Question will be Zero.

- Safety Audit Adherence parameter will be evaluated during Q4 and in case of non-adherence to the above conditions you will be given Zero payouts for the financial year (In case the Q1 to Q3 payouts have been released than in case of non-compliance, TML will raise debit notes of the same amount as the last 3 quarters payout)
- b) In order to further enhance the overall payout for the dealers, we have also initiated the multiplier concept whereby Dealer can earn max. 1.2 times higher payouts by maintaining right kind of network infrastructure. The points cannot be used to move up from one payout tier to another.

Multiplier Effect	200 max
Every Additional 3S after the 3S main facility (As per SNM SHQ records)	25 points
Every 1S/2S (As per SNM SHQ records)	10 points

Example 1:

Dealership has a score of 920 in CPSC. This means he will receive 5000/- per vehicle.

He also has 3 3S Setups and 5 1S Setups. In Such a case his multiplier Effect Value (MEV) is:

$$\text{MEV} = 2(25) + 5(10) = 100$$

$$\text{Thus, his Payout} = 1.1 * 5000 = 5500/- \text{ per vehicle}$$

Example 2:

Dealership has a score of 690 in CPSC. This means he will receive 3000/- per vehicle.

He also has 2 3S Setups and 7 1S Setups. In Such a case his multiplier Effect Value (MEV) is:

$$\text{MEV} = 1(25) + 7(10) = 95$$

$$\text{Thus, his Payout} = 1.095 * 3000 = 3285/- \text{ per vehicle}$$

The CPSC guidelines effective 1st October 2018 are enclosed herewith. Kindly go through the same and ensure that your teams have fully understood the metrics & measures. In addition, dealership will be fully responsible for entering and maintaining, correct data in CRMDMS as we will be using the same for the scoring against many of the parameters.

Please get in touch with the Regional SNM team in case any further clarification is required or email us on cpsc@tatamotors.com

We are confident you & your team will continue to leverage the CPSC monthly score card program and strive for superior performance & customer experience.

Warm Regards,



R Wasan

Vice President (Sales & Marketing, CVBU)

Contents

Monthly Scorecard	5
List of Annexures.....	24

Version	Author	Release
V4.1	SNM Quality	April 2018
V4.2	SNM Quality	May 2018
V4.3	SNM Quality	July 2018
V4.4	SNM Quality	July 2018
V4.5	SNM Quality	September 2018
V4.6	SNM Quality	October 2018

Monthly Score Card

Section	Financial																							
Metrics	Dealer volume offtake numbers																							
Sub Parameter	F1) Achievement % for Sales Volume Offtake																							
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																							
Calculation Guidelines	Actual Offtake ----- X 100 = % Achievement Target Offtake Note: ➤ Offtake for the current month will be net of cancellations ➤ STU sales will not be considered in the target and actuals ➤ Govt. sales will be considered in the target and actuals ➤ T1 Targets will be considered. ➤ Each LOB has 25 points. Final score is sum of all the LOB scores ➤ No change in Targets will be allowed during the course of the month once the Targets are updated in the system.																							
CPSC Data Source	Target source: CRMDMS, Actual source: CRMDMS																							
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>25</td></tr><tr><td>ILCV</td><td>25</td></tr><tr><td>SCV</td><td>25</td></tr><tr><td>CV Pass</td><td>25</td></tr></table> - If achievement % >= 100% , 25 points for LOB - Else if achievement % >= 90% , 13 points for LOB - Else Zero points Note 1: Final Score for parameter will be Aggregate of all mandate LOBs Note 2: If applicable LOB is only 1 than extrapolation will be on the basis of the score in the applicable LOB				LOB	Max .Points	M&HCV	25	ILCV	25	SCV	25	CV Pass	25										
LOB	Max .Points																							
M&HCV	25																							
ILCV	25																							
SCV	25																							
CV Pass	25																							
Illustration	<table><tr><th colspan="4">Achievement % for Sales Volume Offtake LOB example</th></tr><tr><th>Offtake Target for the month</th><th>Offtake Actual for the month</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>100</td><td>>=100%</td><td>25</td></tr><tr><td>100</td><td>90</td><td>>= 90%</td><td>13</td></tr><tr><td>100</td><td>76</td><td><90%</td><td>0</td></tr></table> Scenario : MHCV = 25 points ILCV = 25 points SCV cargo = 13 points CV Pass = 0 points Total Score = 25+25+13+0 = 63 (Out of 100)				Achievement % for Sales Volume Offtake LOB example				Offtake Target for the month	Offtake Actual for the month	Points Slab	Points Achieved	100	100	>=100%	25	100	90	>= 90%	13	100	76	<90%	0
Achievement % for Sales Volume Offtake LOB example																								
Offtake Target for the month	Offtake Actual for the month	Points Slab	Points Achieved																					
100	100	>=100%	25																					
100	90	>= 90%	13																					
100	76	<90%	0																					

Section	Financial												
Metrics	Number of days sales on credit in value terms												
Sub Parameter	F2) Working Capital												
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass												
Calculation Guidelines	➤ A Dealership taking no Deferred Credit will get Full Points ➤ Dealer availing up to 7 days of sales as deferred credits, 100 points ➤ Dealer availing maximum of 15 days of sales as deferred credits, 50 points												
CPSC Data Source	Target source: RCFI (SAP), Actual source: RCFI (SAP)												
Point Calculation Methodology	➤ Dealer availing up to 7 days of sales as deferred credits, 100 points ➤ Dealer availing maximum of 15 days of sales as deferred credits, 50 points ➤ Else, Zero Points												
Illustration	A dealership has a monthly offtake = 30 Cr This means, Daily Offtake Value = 1 Cr Thus, 7 Days Target Value = 7 Cr <table><thead><tr><th>Actual Amount Deferred credit</th><th>Days Deferred Credit</th><th>Points Achieved</th></tr></thead><tbody><tr><td>6 Cr</td><td>< 7 Days</td><td>100</td></tr><tr><td>15 Cr</td><td><= 15 Days</td><td>50</td></tr><tr><td>16 Cr</td><td>>15 Days</td><td>0</td></tr></tbody></table> Note 1: This calculation will be done at time of final CPSC Calculation. Thus, there will not be a predefined fixed target for working capital for the month under calculation. It is the responsibility of the dealership to keep the credit under the limit based on the offtake they expect to do during the month. Note 2 : Till further notice, calculation will be based on the amount outstanding at the end of the month.	Actual Amount Deferred credit	Days Deferred Credit	Points Achieved	6 Cr	< 7 Days	100	15 Cr	<= 15 Days	50	16 Cr	>15 Days	0
Actual Amount Deferred credit	Days Deferred Credit	Points Achieved											
6 Cr	< 7 Days	100											
15 Cr	<= 15 Days	50											
16 Cr	>15 Days	0											

Section	Financial																				
Metrics	Dealer Parts Target vs Achievement %																				
Sub Parameter	F3) De-risk dealer business from cyclicalities by focusing on Parts																				
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																				
Calculation Guidelines	Actual Part Offtake -----X 100 = % Achievement Target Part Offtake Note: ➤ Source of supply could be dealer or/and distributor																				
CPSC Data Source	Target source: Regional Parts Manager, Actual source: Regional Parts Manager																				
Point Calculation Methodology	- If achievement >= 100% , 75 Points - Else if achievement >=90%, 35 Points - Else, Zero Points																				
Illustration	<table><tr><th colspan="4">De-risk dealer business from cyclicalities by focusing on Parts</th></tr><tr><th>Target Parts Offtake</th><th>Actual Parts Offtake from TML</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>100</td><td>>= 100%</td><td>75</td></tr><tr><td>100</td><td>90</td><td>>= 90%</td><td>35</td></tr><tr><td>100</td><td>89</td><td>< 90%</td><td>0</td></tr></table>	De-risk dealer business from cyclicalities by focusing on Parts				Target Parts Offtake	Actual Parts Offtake from TML	Points Slab	Points Achieved	100	100	>= 100%	75	100	90	>= 90%	35	100	89	< 90%	0
De-risk dealer business from cyclicalities by focusing on Parts																					
Target Parts Offtake	Actual Parts Offtake from TML	Points Slab	Points Achieved																		
100	100	>= 100%	75																		
100	90	>= 90%	35																		
100	89	< 90%	0																		

Section	Financial
Metrics	Penetration in Tata OK , Renewal % in Tata Motors Insurance and AMC penetration
Sub Parameter	F4) De-risk dealer business from cyclicity by focusing on Value added services
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass
Target Guidelines	A) Tata Ok Penetration All LOBs - 10% Certified – 30% B) Renewal % in Tata Motors Insurance All LOBs - 30% C) AMC Penetration All LOBs - 20%
Actual Calculation Guidelines	A) Tata OK penetration Total Tata Ok Vehicles ----- X 100 = Achievement % Total Vehicles Retailed Total Certified Tata Ok Vehicles ----- X 100 = Certified % Total Tata OK Vehicles Retailed B) Renewal % in Tata Motors Insurance Total Policy Renewals done in a month ----- X 100 = Achievement % Total Policies due for renewal for the month C) AMC penetration Total AMC policy done in month ----- X 100 = Achievement % Total Vehicles Retailed Note: ➤ All three VAS related opportunities have following weights a) Tata Ok - 20 b) TML Insurance - 10 c) AMC - 20 ➤ CoB of new Tata OK setup would be the qualifying condition. If applicable LOB is only 1 than extrapolation will be on the basis of the score in the applicable LOB ➤ Only CRMDMS data will be considered for calculation

CPSC Data Source	Target source: Fixed , Actual source: CRMDMS																																																							
Point Calculation Methodology	A) Tata OK Points Slab - If Achievement % >=10% and Certified % >= 30% , 20 Points - If Achievement % >=10% and 30% > Certified % >= 24% , 15 Points - If Achievement % >=10% and Certified % < 24% , 10 Points - If Achievement % >= 8% and Certified % >= 24% , 10 Points - If Achievement % >=8% and Certified % < 24% , 5 Points - Else Zero points B) Tata Motors Insurance Slab - If achievement >= 30% , 10 Points - Else If 30% > achievement % >= 20% , 5 point - Else Zero points C) AMC penetration - If achievement >= 20% , 20 points - Else If 20% > achievement % >= 10% , 10 points - Else Zero points																																																							
Illustration	<table><tr><th colspan="3">A) Tata OK</th></tr><tr><th>Achievement %</th><th>Certified %</th><th>Points Achieved</th></tr><tr><td>10%</td><td>30%</td><td>20</td></tr><tr><td>12%</td><td>24%</td><td>15</td></tr><tr><td>8%</td><td>30%</td><td>10</td></tr></table> <table><tr><th colspan="4">B) Tata Motors Insurance Slab</th></tr><tr><th>Target</th><th>Actual</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>30%</td><td>31%</td><td>>= 30%</td><td>10</td></tr><tr><td>30%</td><td>20%</td><td>>= 20%</td><td>5</td></tr><tr><td>30%</td><td>3%</td><td>< 10%</td><td>0</td></tr></table> <table><tr><th colspan="4">C) AMC penetration</th></tr><tr><th>Target</th><th>Actual</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>20%</td><td>21%</td><td>>= 20%</td><td>20</td></tr><tr><td>20%</td><td>10%</td><td>>= 10%</td><td>10</td></tr><tr><td>20%</td><td>3%</td><td>< 10%</td><td>0</td></tr></table>	A) Tata OK			Achievement %	Certified %	Points Achieved	10%	30%	20	12%	24%	15	8%	30%	10	B) Tata Motors Insurance Slab				Target	Actual	Points Slab	Points Achieved	30%	31%	>= 30%	10	30%	20%	>= 20%	5	30%	3%	< 10%	0	C) AMC penetration				Target	Actual	Points Slab	Points Achieved	20%	21%	>= 20%	20	20%	10%	>= 10%	10	20%	3%	< 10%	0
A) Tata OK																																																								
Achievement %	Certified %	Points Achieved																																																						
10%	30%	20																																																						
12%	24%	15																																																						
8%	30%	10																																																						
B) Tata Motors Insurance Slab																																																								
Target	Actual	Points Slab	Points Achieved																																																					
30%	31%	>= 30%	10																																																					
30%	20%	>= 20%	5																																																					
30%	3%	< 10%	0																																																					
C) AMC penetration																																																								
Target	Actual	Points Slab	Points Achieved																																																					
20%	21%	>= 20%	20																																																					
20%	10%	>= 10%	10																																																					
20%	3%	< 10%	0																																																					

Section	Customer																							
Metrics	PSF SSI - TBSS calling %																							
Sub Parameter	C1) Drive Customer Sales Satisfaction																							
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																							
Calculation Guidelines	Refer to SSI Question 1 (in Annexure III A) Number of Response x Customer scores ----- x 100 = SSI Score Total Number of responses For all LoBs ➤ Measure Sales Experience Score of Dealership based on TBSS calling ➤ Retail Sales Data in CRMDMS of previous month is considered for TBSS Calling																							
CPSC Data Source	Target source: Fixed (90%) , Actual source: CRMDMS																							
Point Calculation Methodology	- If SSI Score >=90% , 50 Points - Else If SSI score >= 80%, 25 Points - Else, Zero Points																							
Illustration	<table><tr><th colspan="4">Drive Customer Sales Satisfaction</th></tr><tr><th>Target</th><th>Sales PSF score</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>90%</td><td>90%</td><td>>= 90%</td><td>50</td></tr><tr><td>90%</td><td>80%</td><td>>= 80%</td><td>25</td></tr><tr><td>90%</td><td>79%</td><td>< 80%</td><td>0</td></tr></table>				Drive Customer Sales Satisfaction				Target	Sales PSF score	Points Slab	Points Achieved	90%	90%	>= 90%	50	90%	80%	>= 80%	25	90%	79%	< 80%	0
Drive Customer Sales Satisfaction																								
Target	Sales PSF score	Points Slab	Points Achieved																					
90%	90%	>= 90%	50																					
90%	80%	>= 80%	25																					
90%	79%	< 80%	0																					

Section	Customer																				
Metrics	PSF CEI - TBSS calling %																				
Sub Parameter	C2) Drive Customer Service Satisfaction																				
Function and Applicable LOB's	M&HCV, ILCV, SCV and CV Pass																				
Calculation Guidelines	Sum of Customer engagement scores ----- x 100 = % Satisfaction Maximum score for the total no. of responses For all LoBs ➤ Service Experience Score of Dealership (Refer to CEI Questions in Annexure III B)																				
CPSC Data Source	Target source: Fixed (90%), Actual source: CRMDMS																				
Point Calculation Methodology	- If Achievement >=90%, 50 Points - Else If Achievement >= 80%, 25 Points - Else, Zero Points																				
Illustration	<table><tr><th colspan="4">Drive Customer Service Satisfaction</th></tr><tr><th>Target</th><th>Service PSF score</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>90%</td><td>90%</td><td>>= 90%</td><td>50</td></tr><tr><td>90%</td><td>80%</td><td>>= 80%</td><td>25</td></tr><tr><td>90%</td><td>79%</td><td>< 80%</td><td>0</td></tr></table>	Drive Customer Service Satisfaction				Target	Service PSF score	Points Slab	Points Achieved	90%	90%	>= 90%	50	90%	80%	>= 80%	25	90%	79%	< 80%	0
Drive Customer Service Satisfaction																					
Target	Service PSF score	Points Slab	Points Achieved																		
90%	90%	>= 90%	50																		
90%	80%	>= 80%	25																		
90%	79%	< 80%	0																		

Section	Financial				
Metrics	Dealer CV Market Share (MS) %				
Sub Parameter	C3) Achievement % for Sales Market Share (MS)				
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass				
Calculation Guidelines	➤ Offtake for the current month, net of cancellations will be considered for achievement ➤ TIV for common dealers will same (Common Dealers - 2 or 3 dealers selling across same territory) ➤ Inclusive of STU and Key Account sales ➤ For dealers with limited range the MS will be as applicable for the product range represented ➤ If dealer has only 1 or 2 product lines then the score will be proportionately factored for 50 points				
CPSC Data Source	Target source: SH, Actual source: SH				
Point Calculation Methodology	LOB		Max .Points		
	M&HCV		12.5		
	ILCV		12.5		
	SCV		12.5		
	SCV Pass		6.25		
	Buses & ScPass		6.25		
	Target MS: Target MS would be deemed to be 1% more than higher of the following				
	- Previous 3 months average MS - Market Share for the same month of Previous year				
	M&HCV, ILCV & SCV				
	- 12.5 points if actual MS is equal to or more than target MS - 6.25 points score if MS is equal to or more than higher of the following (a) Previous 3 months average MS and b) Previous Market Share Viz-a-viz the same month				
SCV Pass, Buses & ScPass					
- 6.25 points if actual MS is equal to or more than target MS - 3.12 points score if MS is equal to or more than than higher of the following a) Previous 3 months average MS and b) Previous Year Market Share Viz-a-viz the same month					
Wherever dealer wise Market Share is not available, we will use the value of State Market Share as an alternative.					
Illustration	Achievement % for Sales Market Share (MS) (LOB wise)				
	LOB	Target market share to be achieved by Dealer	Actual market share achieved by the dealer	Points Slab	Points Achieved
	M&HCV	55%	56%	>=100%	12.5
			54% (Previous 3 months avg = 54% or Prevoius same month performance = 42%)	2 nd Slab	6.25

Section	Financial																				
Metrics	Dealer Service Market Share (MS) %																				
Sub Parameter	C4) Achievement % for Service Market Share (MS)																				
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																				
Calculation Guidelines	Actual MS ----- x 100 = % Achievement Target MS Note: ➤ Actual Service MS = 100 * Actual Vehicle inflow / Potential Vehicle inflow ➤ Actual number of vehicle inflow is sum of “Closed job cards” for last 12 months for chassis (Non PDI job cards). ➤ Potential vehicle inflow is equal to “Retail vehicle sales” factored for last 5 years ➤ The Calculation Methodology for Potential Vehicle Inflow has been shared in the ANNEXURE – V ➤ Further details to be shared by State Service team																				
CPSC Data Source	Target source: SSM, Actual source: SSM																				
Point Calculation Methodology	- If % achievement >= 100%, 50 points - Else if Percentage Achievement >=80%, 25 points - Else, Zero points																				
Illustration	<table><tr><th colspan="4">Achievement % for Service Market Share (MS)</th></tr><tr><th>Target market share to be achieved by Dealer</th><th>Actual market share achieved by the dealer</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>100</td><td>>= 100%</td><td>50</td></tr><tr><td>100</td><td>80</td><td>>= 80%</td><td>25</td></tr><tr><td>100</td><td>79</td><td>< 80%</td><td>0</td></tr></table>	Achievement % for Service Market Share (MS)				Target market share to be achieved by Dealer	Actual market share achieved by the dealer	Points Slab	Points Achieved	100	100	>= 100%	50	100	80	>= 80%	25	100	79	< 80%	0
Achievement % for Service Market Share (MS)																					
Target market share to be achieved by Dealer	Actual market share achieved by the dealer	Points Slab	Points Achieved																		
100	100	>= 100%	50																		
100	80	>= 80%	25																		
100	79	< 80%	0																		

Section	Customer																							
Metrics	Customer Complaint resolved within 3 days																							
Sub Parameter	C5) Sales Customer Complaint Resolution																							
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																							
Calculation Guidelines	Sales Complaints Opened in Month -----x 100 = % Complaints Total Retail in month Complaints not closed in 3 days -----x 100 = % Complaints open after 3 Days Sales Complaints Opened in Month % Achievement = 100% - (% Complaints X % Complaints open after 3 Days)																							
CPSC Data Source	Target Source: Fixed(95%) , Actual source: CRMDMS																							
Point Calculation Methodology	- If Achievement %>= 95%, 50 points - Else if 95%> Achievement % >=90% , 25 points - Else, Zero score																							
Illustration	<table><tr><th colspan="4">Sales Customer Complaint Resolution</th></tr><tr><th>Target</th><th>% Achievement</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>95%</td><td>100%</td><td>>= 95%</td><td>50</td></tr><tr><td>95%</td><td>94%</td><td>>= 90%</td><td>25</td></tr><tr><td>95%</td><td>85%</td><td>< 90%</td><td>0</td></tr></table>				Sales Customer Complaint Resolution				Target	% Achievement	Points Slab	Points Achieved	95%	100%	>= 95%	50	95%	94%	>= 90%	25	95%	85%	< 90%	0
Sales Customer Complaint Resolution																								
Target	% Achievement	Points Slab	Points Achieved																					
95%	100%	>= 95%	50																					
95%	94%	>= 90%	25																					
95%	85%	< 90%	0																					

Section	Customer																				
Metrics	Customer Complaint resolved within 24 Hours																				
Sub Parameter	C6) Service Customer Complaint resolution																				
Function and Applicable LOB’s	M&HCV, ILCV, SCV, CV Pass																				
Calculation Guidelines	Service Complaints Opened in Month -----x 100 = % Complaints Total Job Cards Opened in month Complaints not closed in 24 Hours -----x 100 = % Complaints open after 24 Hours Service Complaints Opened in Month % Achievement = 100% - (% Complaints X % Complaints open after 24 Hours)																				
CPSC Data Source	Target source: Fixed (95%), Actual source: CRMDMS																				
Point Calculation Methodology	- If Achievement %>= 95%, 50 points - Else if 95%> Achievement % >=90% , 25 points - Else, Zero score																				
Illustration	<table><tr><th colspan="4">Service Customer Complaint Resolution</th></tr><tr><th>Target</th><th>% Achievement</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>95%</td><td>100%</td><td>>= 95%</td><td>50</td></tr><tr><td>95%</td><td>94%</td><td>>= 90%</td><td>25</td></tr><tr><td>95%</td><td>85%</td><td><90%</td><td>0</td></tr></table>	Service Customer Complaint Resolution				Target	% Achievement	Points Slab	Points Achieved	95%	100%	>= 95%	50	95%	94%	>= 90%	25	95%	85%	<90%	0
Service Customer Complaint Resolution																					
Target	% Achievement	Points Slab	Points Achieved																		
95%	100%	>= 95%	50																		
95%	94%	>= 90%	25																		
95%	85%	<90%	0																		

Section	Process															
Metrics	Adherence to TML Infrastructure norms															
Sub Parameter	P1) Infrastructure Audit															
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass															
Actual Calculation Guidelines	Number of questions marked “YES” ----- x 100 = % Achievement Total Number of questions Note: ➤ Audits will be done on quarterly basis and last released scores will be used for CPSC monthly scores. ➤ For first half of the year we will take scores based on the audit done during June month ➤ The next audit will be done in September ➤ Annexure I Note 1: All Divisions of a Dealership will be considered for audit with the dealer score being average of the division scores															
CPSC Data Source	Target Source: Fixed(100%), Actual Source: TSM															
Point Calculation Methodology	- If Percentage Achievement = 100%, 50 Points - Else if Percentage Achievement >=80%, 25 Points - Else, Zero Points															
Illustration	<table><tr><th colspan="3">Infrastructure Audit</th></tr><tr><th>% Achievement</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100%</td><td>=100%</td><td>50</td></tr><tr><td>85%</td><td>>=80%</td><td>25</td></tr><tr><td>79%</td><td><80%</td><td>0</td></tr></table>	Infrastructure Audit			% Achievement	Points Slab	Points Achieved	100%	=100%	50	85%	>=80%	25	79%	<80%	0
Infrastructure Audit																
% Achievement	Points Slab	Points Achieved														
100%	=100%	50														
85%	>=80%	25														
79%	<80%	0														

Section	Process
Metrics	Activity Adherence and Effectiveness - Sales
Sub Parameter	P2) Stakeholder Engagement - Engagement with Key Partners and Customers
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass
Calculation Guidelines	a) Activity Adherence Actual Number of activities done -----x 100= % Achievement Target number of activities to be done b) Activity Effectiveness Actual number of COs created via defined activities ----- x 100= % Achievement Target Number of COs to be created by defined activities Pre-Qualifying Condition: ➤ Activity Adherence and Activity effectiveness - Both have equal weightage of 50 ➤ Key activities to be covered - a) Financier engagements , b) Body builders engagements and c) Key account engagement as per the list shared by TML ➤ All activities to be Executed by 25th ➤ All activities needs to be status "Executed - Validated by TML"(TSMs) ➤ All COs to be tagged to the activities within 5 days of the activity ➤ In case execution date is not updated activities will not be considered ➤ NEEV activities will also be covered
CPSC Data Source	Target Source: CRMDMS, Actual Source: CRMDMS
Point Calculation Methodology	a) Activity adherence If the Achievement % for activities >= 90%, 50 points Else If the Achievement % for activities >=80% and <90%, 25 points Else , Zero Points b) Activity Effectiveness If the Activity effectiveness % >= 80%, 50 points Else If the Activity effectiveness % >=70% and <80%, 25 points Else , Zero Points

Illustration

Activity Adherence			
Target Number of Activities	Actual number of Activities	Points Slab	Points Achieved
100	91	> =90%	50
100	80	>= 80%	25
100	70	< 80%	0
100	60	< 80%	0

Activity Effectiveness			
Target number of COs to be generated via activities	Actual number of COs to be generated via activities - Sales	Points Slab	Points Achieved
100	81	>= 80%	50
100	80	>= 80%	50
100	70	< 80%	25
100	60	< 70%	0

Total Parameter score will be sum of score in Activity Adherence and Activity effectiveness

Section	Process																				
Metrics	% utilization of CRM DMS																				
Sub Parameter	P3) Digitalization or Tab deployment																				
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																				
Actual Calculation Guidelines	Total number of Optys created with channel as Mobile_opty and Mobile_Product -----x 100 = % Achievement Total Number of CO's generated Note: ➤ All Optys generated by the product app as well as via CRM app will be considered ➤ NEEV opty's will not be considered either in Targets or Actuals.																				
CPSC Data Source	Target source: Fixed (80%), Actual source: CRMDMS																				
Point Calculation Methodology	- If % achievement >= 80% , 25 Points - Else if % achievement > 70% and < 80%, 13 Points - Else, Zero Points																				
Illustration	<table><tr><th colspan="4">Digitalization or Tab deployment</th></tr><tr><th>Target</th><th>Actual % Achievement</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>80%</td><td>81%</td><td>> 80%</td><td>25</td></tr><tr><td>80%</td><td>80%</td><td>> 70% and <= 80%</td><td>13</td></tr><tr><td>80%</td><td>70%</td><td>< 70%</td><td>0</td></tr></table>	Digitalization or Tab deployment				Target	Actual % Achievement	Points Slab	Points Achieved	80%	81%	> 80%	25	80%	80%	> 70% and <= 80%	13	80%	70%	< 70%	0
Digitalization or Tab deployment																					
Target	Actual % Achievement	Points Slab	Points Achieved																		
80%	81%	> 80%	25																		
80%	80%	> 70% and <= 80%	13																		
80%	70%	< 70%	0																		

Section	Process																							
Metrics	DWM Conformance																							
Sub Parameter	P4) Process Effectiveness																							
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																							
Actual Calculation Guidelines	Audit Score = % Availability Note: - ➤ Confirmation by TSM ➤ Annexure II																							
CPSC Data Source	Target source: Fixed (80%), Actual source: TSM																							
Point Calculation Methodology	- If % achievement >= 80% , 50 Points - Else if % achievement >= 70% and < 80% , 25 Points - Else, Zero Points																							
Illustration	<table><tr><th colspan="4">Process Effectiveness</th></tr><tr><th>Target</th><th>Score in DWM audit</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>80%</td><td>81%</td><td>> 80%</td><td>50</td></tr><tr><td>80%</td><td>80%</td><td>> 70% and <= 80%</td><td>25</td></tr><tr><td>80%</td><td>70%</td><td>< 70%</td><td>0</td></tr></table>				Process Effectiveness				Target	Score in DWM audit	Points Slab	Points Achieved	80%	81%	> 80%	50	80%	80%	> 70% and <= 80%	25	80%	70%	< 70%	0
Process Effectiveness																								
Target	Score in DWM audit	Points Slab	Points Achieved																					
80%	81%	> 80%	50																					
80%	80%	> 70% and <= 80%	25																					
80%	70%	< 70%	0																					

Section	Process															
Metrics	Adherence to TML service norms and processes															
Sub Parameter	P5) WAR Conformance															
Function and Applicable LOB’s	M&HCV, ILCV, SCV, CV Pass															
Actual Calculation Guidelines	Actual WAR category = Achievement Category Note: ➤ At dealer level - Average of all Division scores ➤ Audits will be done on half yearly basis and last released scores will be used for CPSC monthly scores															
CPSC Data Source	Target source: Fixed(A+) , Actual source: CRMDMS															
Point Calculation Methodology	- If Achievement Category = "A", 50 Points - Else if Achievement Category = "B", 25 Points - Else, Zero Points															
Illustration	<table><tr><th colspan="3">WAR Conformance</th></tr><tr><th>Target</th><th>Actual</th><th>Points Achieved</th></tr><tr><td>A</td><td>A</td><td>50</td></tr><tr><td>A</td><td>B</td><td>25</td></tr><tr><td>A</td><td>C</td><td>0</td></tr></table>	WAR Conformance			Target	Actual	Points Achieved	A	A	50	A	B	25	A	C	0
WAR Conformance																
Target	Actual	Points Achieved														
A	A	50														
A	B	25														
A	C	0														

Section	Learning and Development																																											
Metrics	Adequacy of Sales manpower - quantity and quality																																											
Sub Parameter	L1.a) Manpower Conformance & Performance																																											
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																																											
Target Setting Guidelines	a) Manpower Conformance Actual number of Manpower ----- x 100 = % Achievement Target number of manpower b) Manpower Performance Actual Sales Manpower in G1 ----- x 100 = % Achievement Total Sales Manpower (DSE) Note: ➤ 25 points for Manpower conformance and 25 points for Manpower quality ➤ NEEV manpower is included ➤ Final data will be validated by TSM ➤ Manpower with updated profiles will be considered for evaluation ➤ Manpower has to be active in the system ➤ LOB wise 80% conformance is required otherwise overall dealer score will be Zero ➤ Quarterly Manpower Target as given by SPM ➤ For manpower quality points Number of DSEs for in G1 category should be 50% of overall population ➤ Should have appeared in 3 Talent online tests and completed trainings - Product, Systems and Skills																																											
CPSC Data Source	Target Source: Manual, Actual Source: CRM system / Talent Scorecard																																											
Point Calculation Methodology	a) Manpower Conformance - If the Percentage of Manpower Available >= 90%, 25 points - Else If the Percentage of Manpower Available >=80% and <90%, 13 points - Else , Zero Points b) Manpower Performance - If the Percentage Achievement for Performance >= 50%, 25 points - Else if Percentage Achievement for Performance >= 40% and < 50%, 13 points - Else , Zero Points																																											
Illustration	<table><tr><th colspan="4">Manpower Conformance</th></tr><tr><th>Total number of Manpower</th><th>Actual Manpower</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>10</td><td>10</td><td>>= 90%</td><td>25</td></tr><tr><td>10</td><td>8</td><td>>= 80%</td><td>13</td></tr><tr><td>10</td><td>5</td><td>< 80%</td><td>0</td></tr><tr><th colspan="4">Manpower Performance</th></tr><tr><th>Actual Manpower</th><th>Actual Sales Manpower in G1</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>10</td><td>6</td><td>>= 50%</td><td>25</td></tr><tr><td>10</td><td>4</td><td>>= 40% and < 50%</td><td>13</td></tr><tr><td>10</td><td>3</td><td>< 40%</td><td>0</td></tr></table>				Manpower Conformance				Total number of Manpower	Actual Manpower	Points Slab	Points Achieved	10	10	>= 90%	25	10	8	>= 80%	13	10	5	< 80%	0	Manpower Performance				Actual Manpower	Actual Sales Manpower in G1	Points Slab	Points Achieved	10	6	>= 50%	25	10	4	>= 40% and < 50%	13	10	3	< 40%	0
Manpower Conformance																																												
Total number of Manpower	Actual Manpower	Points Slab	Points Achieved																																									
10	10	>= 90%	25																																									
10	8	>= 80%	13																																									
10	5	< 80%	0																																									
Manpower Performance																																												
Actual Manpower	Actual Sales Manpower in G1	Points Slab	Points Achieved																																									
10	6	>= 50%	25																																									
10	4	>= 40% and < 50%	13																																									
10	3	< 40%	0																																									

Section	Learning and Development																																											
Metrics	Adequacy of Service manpower - quantity and quality																																											
Sub Parameter	L1.b) Manpower Conformance & Performance																																											
Function and Applicable LOB's	M&HCV, ILCV, SCV, CV Pass																																											
Actual Calculation Guidelines	a) Manpower Conformance Actual number of Manpower -----x100 =% Achievement Target number of manpower b) Manpower Performance Gold certified number of Technicians ----- x100 = % Achievement for Gold Total number of Technicians Silver certified number of Technicians ----- x100 = % Achievement for Silver Total number of Technicians Note: ➤ Final data will be validated by CSM ➤ Manpower with updated profiles will be considered for evaluation ➤ Manpower has to be active in the system ➤ Quarterly Manpower Target as given by SSM																																											
CPSC Data Source	Numerator: Fixed, Denominator: CRMDMS / Service talent management team																																											
Point Calculation Methodology	a) Manpower Conformance - If the Percentage of Manpower Available >= 90%, 25 Points - Else If the Percentage of Manpower Available >=80% and <90%, 13 Points - Else , Zero Points b) Manpower Performance - If the Percentage Achievement Gold >= 25% and percentage Achievement Silver >= 70% , 25 points - Else If the Percentage Achievement Gold (>= 10% and < 25%) and percentage Achievement Silver >= 50% and < 70% , 13 points - Else , Zero Points																																											
Illustration	<table><tr><th colspan="4">a) Manpower Conformance</th></tr><tr><th>Target number of manpower</th><th>Actual number of Manpower</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>10</td><td>10</td><td>>= 90%</td><td>25</td></tr><tr><td>10</td><td>8</td><td>>= 80%</td><td>13</td></tr><tr><td>10</td><td>5</td><td>< 80%</td><td>0</td></tr><tr><th colspan="4">b) Manpower Performance</th></tr><tr><th>% Achievement for Gold</th><th>% Achievement for Silver</th><th colspan="2">Points Achieved</th></tr><tr><td>25%</td><td>70%</td><td colspan="2">25</td></tr><tr><td>10%</td><td>50%</td><td colspan="2">13</td></tr><tr><td>9%</td><td>40%</td><td colspan="2">0</td></tr></table>				a) Manpower Conformance				Target number of manpower	Actual number of Manpower	Points Slab	Points Achieved	10	10	>= 90%	25	10	8	>= 80%	13	10	5	< 80%	0	b) Manpower Performance				% Achievement for Gold	% Achievement for Silver	Points Achieved		25%	70%	25		10%	50%	13		9%	40%	0	
a) Manpower Conformance																																												
Target number of manpower	Actual number of Manpower	Points Slab	Points Achieved																																									
10	10	>= 90%	25																																									
10	8	>= 80%	13																																									
10	5	< 80%	0																																									
b) Manpower Performance																																												
% Achievement for Gold	% Achievement for Silver	Points Achieved																																										
25%	70%	25																																										
10%	50%	13																																										
9%	40%	0																																										

ANNEXURE – I

Infrastructure and CI audit sheet							
Dealer Name				Date:			
Address							
Attribute No.	ATTRIBUTE	Target	Actual	Binary	Rating	Calculations	Weightage
1.1 Signage							
a	Fascia and Monolith / High mast installed is as per Norms			Y/N		0	15
b	The monolith / High mast is VISIBLY LOCATED, CLEAN and in good condition with all fittings intact			Y/N		0	10
c	Monolith lights are in working condition and are switched on from sunset to sunrise (i.e. all night)			Y/N		0	5
d	The "Tata Motors" fascia is having GOOD VISIBILITY and in CLEAN and in good condition with all fittings intact			Y/N		0	10
e	The "Dealer Name" fascia is having GOOD VISIBILITY and in CLEAN and in good condition with all fittings intact			Y/N		0	10
g	Fascia lights are in working condition and switched on from sunset till midnight (i.e. 0000 hrs)			Y/N		0	5
h	The Reception Table is clean and is not cluttered. Table should neat& tidy, free from unwanted papers, books, etc.			Y/N		0	10
I	The Reception Backwall is clean and well maintained & not faded			Y/N		0	10
j	The facility signage is CLEAN and well maintained & not faded			Y/N		0	5
k	External Directional Signs are correctly pointing to the appropriate facilities & visibly located			Y/N		0	10
l	All Internal Locational Signages ("Customer Waiting", "Sales Manager", "Sales", "Accounts", "Meeting Room", "Vehicle Finance" & "Wash Rooms", Works Manager, Utility rooms, Price List for Top 5 Selling Models, Spare parts, Training room, Canteen) are put up in the right place			Y/N		0	10
	Score				0%		100%

2	Showroom / Workshop & Furniture						
a	Approach road to site is good and broad and is clear of parked vehicles			Y/N		0	10
b	Exterior walls have been NEATLY painted with White texture paint or clad with white or silver ACP			Y/N		0	10
c	Paint on internal walls is white and in good condition			Y/N		0	10
d	All walls, floors, roof, electric fittings etc. are free from dirt, dust and cobwebs			Y/N		0	5
e	Showroom and Workshop reception area Floor tiles are as per norms			Y/N		0	5
f	There are no broken glasses nor broken tiles and are clean			Y/N		0	5
I	Stands for brochures is available			Y/N		0	5
j	Each display vehicle should be clean and have one VSU kept next to it			Y/N		0	10
k	Internal Lighting in good condition			Y/N		0	5
l	Branding posters / Boards / Standees / brochures are of latest Version and also in regional languages			Y/N		0	5
m	Clear segregation of customer lounge, Discussion Area, Finance area, DSE Back office area & admin areas available			Y/N		0	10
n	Chairs , Sofas, Tables, Centre tables , side tables , discussion tables used in customer waiting area and sales area are as per approved furniture norms and are in good condition			Y/N		0	10
o	Availability of test drive vehicles as per TML norms and it should be clean			Y/N		0	5
p	Availability of Delivery Area as per TML norms			Y/N		0	5
Score					0%		100%

3	Uniform & Stationery						
a	Receptionist is wearing uniform as per CIP guidelines			Y/N		0	25
b	All the Dealer Sales Executives are wearing uniform as per CIP guidelines			Y/N		0	25
d	Receptionist is having atleast general Visiting card			Y/N		0	10
e	All Dealer Sales people have personal / general Visiting card			Y/N		0	20
f	All the "Visiting cards" are as per CIP guidelines			Y/N		0	10
g	The "Dealer Letterheads" are as per CIP guidelines			Y/N		0	10
Score					0%		100%

4	Customer Experience						
a	Current Newspapers are available in English / Local language at customer lounge			Y/N		0	20
b	Safe drinking water is served to/is easily accessible by the customers			Y/N		0	15
c	Tea/Coffee is served to/ is easily accessible by the customers			Y/N		0	15
d	Glasses/Cups for beverages are in good condition			Y/N		0	10
e	Customer feedback form and drop box available			Y/N		0	10
f	Parking available for atleast 5 customer vehicles			Y/N		0	10
g	Toilets are clean and easily accessible			Y/N		0	10
h	Ladies Washrooms are available in Dealership			Y/N		0	10
	Score				0%		100%

S No	Section	Weightage	Score	Remarks
1	Signage	35%	0.00%	
2	Showroom / Workshop & Furniture	40%	0.0%	
3	Uniform & Stationery	10%	0.0%	
4	Customer Experience	15%	0.00%	
	Total Score	100%	0.00%	

ANNEXURE – II

DWM Audit Sheet					
Dealer Name				Date:	
Address					
S. No.	Checkpoint	Binary	Rating	Score	Weights
1	Timeliness of Activity Plan development & approval	Y/N		0	10
2	Adherence to Activity execution report submission within stipulated time	Y/N		0	20
3	Prospect follow-up sheet updation	Y/N		0	20
4	Raising NFA in system prior to C3	Y/N		0	10
5	Customer Engagement Adherence : a) DP – 1 per week b) GM/AGM – 3 per week c) DSM/DSE – 6 per week	Y/N		0	20
6	a) Daily review meeting b) Dealer Principal report daily c) Nerve Centre updation	Y/N		0	20
			DMW Audit Score	0	

ANNEXURE – III A**Sales Satisfaction Index – TBSS Questionnaire and Script**

Good morning / Afternoon / Evening: Sir / Madam.

My name is ABCD. I am calling on behalf of TATA Motors. Am I speaking to Mr. _____

We understand from our system records that you have purchased a **New** TATA Commercial Vehicle MODEL XYZ

Ask Customer to verify Purchase details in our CRMDMS records : Dealer Name, Dealer City, CV Retail Sale Date

Sir/Madam, **Welcome to Tata motors family.**

This call is made to understand your valuable feedback on the **Sales Experience** May I have your few minutes for the Survey.

If Yes - Thank You Sir / Madam and start SSI Survey

If No – Thank customer and Record response as No.

Note : For CVBU SSI Calling, Please explain the below **10 point scale** to customer.

Rating	Satisfaction Level	Scale
➤ 10 – 9	➤ Very Satisfied	➤ 100%
➤ 8 - 7	➤ Satisfied	➤ 75%
➤ 6 – 5	➤ Neither	➤ 50%
➤ 4 - 3	➤ Dissatisfied	➤ 25%
➤ 2 - 1	➤ Very Dissatisfied	➤ 0%

- Based on the rating given on 10 point scale during the Telephonic survey, TBSS to capture the customer response against the particular customer Name, model, Chassis Number.

Questionnaire for CVBU SSI Calling

Q1. Based on your Overall **SALES** experience, How Satisfied are you with your TML CV Dealership?

Q2. Note to TBSS : Q2a. To be asked to SCV customers **only**.

Q2b. To be asked to LCV, IMHC & Bus customers **only**.

Only for SCV Customer:

Q2a. How satisfied are you with **overall Dealer Facility** of your TML CV Dealership? Did you find the dealership location easy to visit and the office was comfortable? **(Dealer Facility)**

Only for LCV, IM&HCV & Bus customers :

Q2b. How satisfied are you with **overall Dealer Touch point** of your TML CV Dealership? Did your dealership make efforts to reach you on time and DSE had Sales Tools, Calculator, Product Brochure? **(Dealer Touch Point)**

Q3. How satisfied are you with your **Sales Consultant's courtesy and willingness to take the time necessary** to understand your requirements, explain the product features and benefits? **(Sales Consultant)**

Q4. Overall, how satisfied are you with the **Deal obtained, Information on Financing options and the time taken for negotiating the deal?** **(Financial Process)**

Q5. Overall, how satisfied are you with the **Delivery Experience?** Did you get the vehicle delivery in good condition, delivered on time and attention given to you during the delivery. **(Delivery Process)**

Call Closing Script :-Thank you for giving your valuable time and feedback to Tata Motors Have a Nice Day!!!!!!!!!!!!!!

End of SSI Customer Survey

ANNEXURE – III B

Questionnaire for CVBU PSF Calling _ Service

Note: For CVBU PSF Calling, please explain the below **5 point scale** to customer.

- 5: Excellent,
- 4: Very Good,
- 3: Good,
- 2: Poor,
- 1: Very Poor

Q1. Based on your last service experience with the ____ (name of the Tata Motors service dealership), please tell me by choosing the below rating “Was the said Vehicle repair job rectified completely as per your expectation?” (**Repair Quality**)

Q2. Based on your last service experience, In terms of the Support/ assistance & Behavior from service staff, what is your experience / impression about the dealership personnel in terms of the Support & Behavior? (**Staff Behavior**)

Q3. Based on your last service experience, what is your experience / impression on Accuracy of cost estimate provided by the Dealership for Servicing of your vehicle (**Cost Accuracy**)

Q4. Based on your last service experience, please tell me “whether the vehicle was delivered as per time committed by dealership?” (**Timely Delivery**)

Q5. How likely “would you recommend the dealership to your friends/relatives/other CV owners for service/repairs?” (**Recommendation**)

End of PSF Customer Survey

ANNEXURE – IV

Post Completion Approval Form - Safety Assessment for New Dealers workshop				
Dealer Name				Date:
Address				
S. No.	Checkpoint	Max. Score	Actual Score	Remarks/ Observations
1	Factories license available as per the Factories Act	3		
2	Fire NOC for the premises available	2		
3	Consent to operate according to Air Act, Water Act and Hazardous waste rules obtained from the Pollution Control Board	3		
4	Fire (or any other) risks posed by neighboring sites (Eg. Petrol pump, chemical factories etc.,) must be reviewed & mitigated before finalizing the location of the workshop	2		
5	High tension wires should not pass over the workshop site	1		
6	Separate Entry & Exit paths for the workshop	2		
7	Convex mirrors must be installed at the entrance & exit in case any blind turns are present	2		
8	Unidirectional movement of the vehicles to be ensured which reduces too much vehicle movement and also improves the productivity of the workshop	1		
9	It should be ensured that the fire tender can move around the workshop periphery	2		
10	Clear demarcation for people movement to be provided in the workshop (including separate entry and exit	1		
11	All the glasses present in the workshop (Sales, service & spares sections) to be indicated with stickers/designs to avoid any incidents of collision	1		
12	Lightning arrestor/s to be kept at height from which the entire workshop can be protected from the voltage surge because of lightning.	2		
13	Hand rail/s to be provided at all stairs present in the workshop	1		
14	Presence of the gradient/slopes in the workshop to be eliminated/minimized. If present, vehicles should not be parked on the gradient/slopes	1		
15	Designated bays to be marked for parking the vehicles. All the bays in the workshop to be numbered	2		
16	Required number of Plastic wheel chocks (provided by TML) must be present and they must be stored near the designated bays in the workshop	3		
17	1 inspection pit for every 7 working bay to be constructed. Washing pits not to be considered as inspection pits	3		
18	Closing gates to be provided for all the pits/tanks/any enclosed spaces present in the workshop and the pit/tanks/any enclosed spaces must remain closed and are lockable when it is not used.	1		
19	Electrical wirings in the entire premises of the workshop should be properly dressed & insulated.	2		
20	All switch boards and distribution boards must be secured, labeled and lockable	1		

21	Electrical Insulation mats according to IS 15652 must be installed at the electricity panels according to the voltage (Low, Medium & High). Foot mat usage is mandatory for any voltage more than 250V.	3		
22	Grounding of all the electrical equipment must be done through Earth pits.	2		
23	Electrical motors at the washing area to be double grounded with second earthing wire shall be standard green and clearly visible.	3		
24	All the earth pits in the workshop to be numbered	1		
25	Smoke detection systems to be installed in the spare storage areas, offices, record room & waste storage (if it is closed)	2		
26	Fire protecting systems like fire extinguishers, fire hydrant systems and portable sand buckets to be present in the workshop	3		
27	Residual Current Circuit Breaker (RCCB) of 30 mA (milli ampere) for 30 ms (milli second) capacity to be put for all the electrical equipment (including water filters)	3		
28	Flashback arrestor to be installed at the cylinder end of oxygen cylinder	1		
29	Flashback arrestor to be installed at the cylinder end of acetylene (carbide generator is not allowed) cylinders	1		
30	Flashback arrestor to be installed at the both pipes at the torch end.	1		
31	360 degree machine guarding provided for moving parts of the machinery present in the workshop (Pumps/Motors/ Bench grinder/ pedestal fans)	2		
32	Considerable distance to be present between the washing area and the electrical panel/switch and motor system of the high pressure jet to insulate the later from water spray to avoid the potential of short circuit.	1		
33	Flammable materials like paint/solvent/fuel/oil etc., to be stored in a separate infrastructure with good ventilation	2		
34	Separate room to be designated as a battery charging room with good ventilation	2		
35	Waste/used oil to be stored in a separate room/area away from the working area and the presence of electrical connections in that room/area to be minimized.	2		
36	If paint shop is present, good ventilation system to be provided for ensuring that there will not be a buildup of VOC (Volatile Organic Compound).	1		
37	If paint shop is present, no electrical equipment to be put inside the paint room as far as practicable. If any, all electrical fittings & equipment shall be of flame proof type are recommended for such use.	3		
38	If paint shop is present, respective safety interlocks to be provided to ensure safe working conditions for the employees working inside.	2		
39	Eye wash station to be installed near the painting/denting area	2		
40	Portable stairs to be present in the spares/storage room to access the things kept at heights.	1		
41	Separate power cut off switch for the entire workshop to be present in the electrical room (which is located away from working area) away from the other switches.	2		
42	Each power control switch (Example, Electrical switch, Pneumatic valve) should be lockable as required by equipment/machine LOTO (Lock Out Tag Out)	3		
43	ETP must be commissioned and to be operated as per consent conditions issued by local pollution control board	3		

45	All hazardous waste generated at workshop like Used oil, Soak material, Used Batteries shall be stored at specific locations under properly constructed roof with a bund to avoid spillage	1		
48	SHE policy for the workshop to be defined/	3		
49	Separate notice board for safety communication purpose to be set up	2		
50	LOTO equipment(box for keeping vehicle keys, locks & labels) to be procured	1		
51	Lighting level of 300 lux (lumen / m ²) must be maintained (according to IS: 3646) in the workshop. Use LED lights to optimum extent	1		
52	If mobile service station is available, safety kit consisting of all required PPE, first aid kit and torch to be maintained in it.	1		
53	Announcement and alarm systems to be arranged in the workshop	1		
54	Signage showing emergency contacts, assembly points, emergency exits, use of PPE, fire extinguishers, fire hydrants, high voltage panels, PPE usage, No smoking, rotating parts, hot surfaces, emergency exit plan etc., to be displayed	2		
55	Emergency route map to be defined and pasted in every room/ at designated areas	1		
56	Required Personal Protective Equipment(PPE) like helmet, goggles, nose mask/respiratory mask, rubber hand gloves, reflective jacket, safety shoes, gum boots, anti – static shoes etc. to be procured and distributed	3		
57	All the Jack stand are numbered & have load capacity mention on it	2		
Score		100	0	

ANNEXURE – V

- ☐ Service market share is representation of vehicles visits based on potential
- ☐ Potential is calculated based on expected number of visits in each LOB
- ☐ Service market share is considered for the period of 5 year sales

$$\text{Service Market Share} = \frac{\text{Actual vehicle inflow}}{\text{Potential vehicle inflow}}$$

- ☐ Actual vehicle inflow is sum of “Closed job cards” for last 12 months (Non PDI job cards).
- ☐ Potential available is calculated based on “Retail vehicle sales” for last 5 years – Calculation for same is show in next slide

- ☐ Service market share potential calculation: These factors are evaluated based on historical data.

Period	Multiplication Factor						
	Buses	LCV	M&HCV	Pickups	SCV Cargo	SCVPass	Winger
Month 1	0.28	0.36	0.28	0.36	0.45	0.45	0.45
Month 2	0.56	0.72	0.56	0.72	0.90	0.90	0.90
Month 3	0.84	1.08	0.84	1.08	1.35	1.35	1.35
Month 4	1.1	1.4	1.1	1.4	1.8	1.8	1.8
Month 5	1.4	1.8	1.4	1.8	2.3	2.3	2.3
Month 6	1.7	2.2	1.7	2.2	2.7	2.7	2.7
Month 7	2.0	2.5	2.0	2.5	3.2	3.2	3.2
Month 8	2.2	2.9	2.2	2.9	3.6	3.6	3.6
Month 9	2.5	3.2	2.5	3.2	4.1	4.1	4.1
Month 10	2.8	3.6	2.8	3.6	4.5	4.5	4.5
Month 11	3.1	4.0	3.1	4.0	5.0	5.0	5.0
Month 12	3.4	4.3	3.4	4.3	5.4	5.4	5.4
Year 2	4.88	4.26	5.13	4.61	5.50	5.65	5.50
Year 3	6.45	4.25	6.95	4.95	5.65	5.95	5.65
Year 4	6.45	4.25	6.95	4.95	5.65	5.95	5.65
Year 5	6.45	4.25	6.95	4.95	5.65	5.95	5.65

- ☐ These multiplication factors are used to calculate potential vehicle inflow
- ☐ Here month 1 refers to “n-1” month. i.e if we are calculating service market share for the month of September 2017 then Month1 is Aug 2017, month2 is July 2017 and so on, in reverse direction till 5th year. From year 2 onwards till year 5 the total retail vehicle sales for year is taken instead of month wise as expected visits will be same for given year.
- ☐ Vehicle sold within 1 year will have to visit based on elapsed time, different factors are figured for same.
- ☐ M&HCV LOB consists of (MCV Cargo, HCV Cargo, MHCV Construck and ICV Trucks), SCVPass consists (SCVPass & PCV Venture)

- ☐ Example calculation of service market share for LCV North

Multiplication factors

Period	LCV
Month 1	0.36
Month 2	0.72
Month 3	1.08
Month 4	1.4
Month 5	1.8
Month 6	2.2
Month 7	2.5
Month 8	2.9
Month 9	3.2
Month 10	3.6
Month 11	4.0
Month 12	4.3
Year 2	4.26
Year 3	4.25
Year 4	4.25
Year 5	4.25

Multiply respective months & year figs

Retail Sales Nos.

Period	LCV
Month 1	564
Month 2	459
Month 3	543
Month 4	390
Month 5	223
Month 6	1078
Month 7	577
Month 8	512
Month 9	476
Month 10	274
Month 11	612
Month 12	591
Year 2	6700
Year 3	6134
Year 4	5264
Year 5	6894

Potential

= (Retail vehicle sales of respective months)*(Multiplication factors)

In given example of Bus :

Potential =

(564*0.36+459*0.72+543*1.08+390*1.4+223*1.8+1078*2.2+577*2.5+512*2.9+476*3.2+274*3.6+612*4.0+591*4.3+6700*4.26+6134*4.25+5264*4.25+6894*4.25) = **121128**

Actual

= Sum of non PDI closed job cards for 12 months(From Sep 2017 till October 2016) = **64161**

Service market share = 64161/121128 = 52.96%

ANNEXURE – VI

Policy for Test Drive Vehicles for SCV & Pickup Range

We are pleased to introduce a Test Drive Vehicle Policy for SCV & Pickup range at CVBU dealerships.

This Test Drive Vehicle Policy will be effective from 1st May 2014.

1. Models of Test Drive Vehicles

All Dealers handling SCV & Pickups need to position at least one vehicle each of the following models as Test Drive cum demonstration Vehicle -

1. Ace Zip (with LSPV)
2. Super Ace Mint.
3. Xenon Dicor Single Cabin
4. Xenon Dicor Crew Cab 4X2 or 4X4 AC
5. Ace Refresh Dicor (NA or TCIC)
6. Magic Iris (with LSPV)
7. Magic Mantra
8. Ace Mega
9. Venture BS 4 , 1.4 Ltr CRail Engine .

The model list and quantity mandate for Test Drive Vehicles will be updated from time to time as required and when new products are launched. The same will be intimated to the dealerships through proper circulars. The dealer can freeze the variant required in discussion with the Area / Regional Office. Some products mentioned above are shortly going to be introduced in the market.

2. Procurement of Test Drive Vehicles

- New Test Drive Vehicles need to be purchased from the company only & as per specified model only.
- A dealership may choose to capitalize a vehicle from its existing stock, if appropriate model is available provided date of TML invoice is less than 3 months vintage from the month of capitalization.

3. Replenishment of Test Drive Vehicles

- The Test Drive Vehicles replacement cycle will be 15 months or 18,000 km, whichever is earlier.

ANNEXURE – VI

Policy for Test Drive Vehicles for CV Passenger Vehicles

We are pleased to introduce a Test Drive Vehicle Policy for CV Passenger vehicles detailed below at all concerned CVBU dealerships.

This Test Drive Vehicle Policy will be effective from 1st September 2016 and valid for vehicles purchased up till 30th June 2017.

1. Models of Test Drive Vehicles:

This policy is applicable for all variants of **Magic Mantra, Magic Closed Van BSIV (Magic Express), Venture BSIV and Winger Dicor.**

All Dealers handling CV Passenger need to capitalize at least one vehicle each as Test Drive cum demonstration Vehicle as per applicable product range.

The dealer can freeze the variant required in discussion with the Area / Regional Office.

2. Procurement of Test Drive Vehicles

- New Test Drive Vehicles need to be purchased from the company only
- A dealership may choose to capitalize a vehicle from its existing stock, if appropriate model is available provided date of TML invoice is less than 3 months' vintage from the month of capitalization.

3. Other Expenses

Other expenses towards the operation and maintenance of the Test Drive Vehicles (fuel, maintenance, insurance, registration, driver expenses etc.) need to be borne by the dealership.

4. Utilization of Test Drive Vehicles

- Vehicles deployed for Test Drives should be used for offering Test Drives for a maximum period of 15 months or 18,000 km whichever is earlier from the date of invoice.
- Test Drive Manager / DSM to ensure availability of TD vehicles @ min 90% of the time (any vehicle can be in breakdown / maintenance / service for max

Note: This policy has been extended for this year

Monthly Score Summary

Code	Section	Parameter	Key Metrics	Score
F1	Financial	Achievement % for Sales Volume Offtake	Dealer volume offtake numbers	100
F2		Working Capital	Number of days sales on credit in value terms	100
F3		De-risk dealer business from cyclicality by focusing on Parts	Dealer Parts Target vs Achievement %	75
F4		De-risk dealer business from cyclicality by focusing on Value added services	Penetration in Tata OK , Renewal % in Tata Motors Insurance and AMC penetration	50
C1	Customer	Drive Customer Sales Satisfaction	PSF SSI - TBSS calling %	50
C2		Drive Customer Service Satisfaction	PSF CEI - TBSS calling %	50
C3		Achievement % for Sales Market Share (MS)	Dealer CV Market Share (MS) %	50
C4		Achievement % for Service Market Share (MS)	Dealer Service Market Share (MS) %	50
C5		Sales Customer Complaint resolution	Customer Complaint resolved within 3 days	50
C6		Service Customer Complaint resolution	Customer Complaint resolved within 24 Hours	50
P1	Process	Infrastructure Audit	Adherence to TML Infrastructure norms	50
P2		Stakeholder Engagement - Engagement with Key Partners and Customers	Activity Adherence and Effectiveness - Sales	100
P3		Digitalization, or Tab deployment	% utilization of CRM DMS	25
P4		Process Effectiveness	DWM Conformance	50
P5		WAR Conformance	Adherence to TML service norms and processes	50
L1.a	Learning and Development	Manpower Conformance & Performance	Adequacy of Sales manpower - quantity and quality	50
L1.b		Manpower Conformance & Performance	Adequacy of Service manpower - quantity and quality	50
Total				1000

FAQ

Q1) we have received a scorecard wherein for one parameters target is mentioned as zero then how is it possible that I have achievement percentage (%) equal to zero?

Answer: In case the target for any parameter is zero, automatically the achievement percentage will be considered zero as per the CPSC process

Q2) Dealer Team has identified some Discrepancy in Monthly Scorecard. What is the way forward?

Answer: Please raise the issue on the CPSC portal and write an email to the respective State TML team to seek clarity on scoring methodology. Kindly ensure that you raise any request for changes in scorecard on the portal within 7 days of receiving Scorecard as no request will be entertained after this time.

End of Document