

Channel Partner Scorecard (CPSC) Monthly Scorecard Guidelines w.e.f 1st July 2017

(Version 3.3)

Modifications under Version 3.3

Following changes have been made in the new CPSC version in comparison to the version, which was released on 30th June 2017:

- 1) Dealer Sales Manager Availability and Dealer Sales Executive Availability parameters will be considered at Dealer Level i.e all DSEs/ DSMs across 3S / 1S set-ups will be considered based on Job Profile mentioned in CRM and approval from SPM.
- 2) Utilization of Capitalized vehicles – Target is not fixed; it will be given by SPM.
- 3) TOPS ordering and Code Block – For dealers who are mapped to Distributors these parameters will not be evaluated.
- 4) Slabs for Sales Complaint Resolution has been modified as given below (It will be effective from Sept 2017 onwards):

Sales Complaint Resolution		
Target (Sales Complaint Open)	Actual (Sales Complaint Open > 3 days)	Points Achieved
10	4	0
10	0	2

- 5) Non major aggregate was typing error, it was supposed to be Non Aggregate.
- 6) Changes in the CPSC payout structure for MHCV LOB (It will be effective from Oct 2017 onwards)

Modifications under Version 3.2

Based on the Following changes have been made in the new version 3.2 in comparison to the version 3.1, which was released on 27th June 2017:

- 1) Utilization of the Capitalized Vehicles – Targets have been fixed for the number of activities to be conducted.
- 2) For Live Competition Deal Visibility we have changed the scoring slabs.
- 3) Consistency of CRM pipeline (Co and C1) scoring slab modified.
- 4) Under Frequently Asked Question Section, we have added questions addressing certain queries raised by the field team.

Modifications under Version 3.1

Based on the Following changes have been made in the new version 3.1 in comparison to the version 3.0, which was released on 23rd May 2017:

- 1) Slab wise payout details for 4 LOBs have been mentioned – ICV per vehicle payout is similar to LCV per vehicle payout (mentioned on page 2 of the manual)
- 2) For Live Competition Deal Visibility parameter, we have added the scoring slab.
- 3) Consistency of CRM pipeline (Co and C1) scoring slab modified.
- 4) Under Frequently Asked Question Section, we have added questions regarding query resolution, timelines for data entry and Target/ Actual data modification process. (Q10 & Q11). Please go through the same and ensure that we follow the process and timelines.

Dear Channel Partner,

The Channel Partner Scorecard (CPSC) is a strategic tool to help you track the performance of your dealership operations and to take effective decisions based on facts. We sincerely believe that adoption of CPSC in letter & spirit will ensure that we are able to provide a superior customer experience and with that the additional incentives to help improve the profitability of the dealership.

During this journey, we have modified this tool twice to ensure that it remains relevant to changing market dynamics and our business objectives. Now, as we move into the next phase of the CPSC program, the following changes will be effective from 1st July, 2017:

Parameters

1. As per the new TML structure, we have also aligned CPSC to four Line of Business structure – M&HCV(HCV Cargo, MCV trucks and M&HCV Const) , ILCV (ICV and LCV) , SCV (Pickups and SCV Cargo) and CV Pass (Buses, SV Pass, SCPass and PCV Venture)
2. Parameters such as TMFSL collection efficiency, TMFSL RC Book collections, Showroom basic checklist adherence, Dealer Indenting system adherence, Dealer Indenting system accuracy, Customer feedback score – dealership calling and Consumption vs Offtake metric, have been dropped.
3. Parameters related to DSM availability, DSE availability, Availability of Capitalized vehicle, Field sales activity index, DSE productivity, and Workshop basic checklist, have been modified. In addition, weightages of some of the parameters have been changed (available in CPSC reference manual)
4. Consistency of CRM pipeline, C1 to retail conversion <7 days , CRM pipeline data quality, Sales complaint closure, TOPS ordering, Number of Day's code open and Same day delivery parameters have been added

Payout

While there is no change in the CPSC payout tiers / slabs, the payout calculation methodology will be basis the below criteria:

Slab structure

S No	Tier	Average Dealer Score	SCV	ILCV	CV Pass	M&HCV
1	Excellence Tier	Score >= 90	5000	5000	5000	5000
2	Super Tier	90> Score >=80	3000	3000	3000	3000
3	Standard Tier	80> Score >=60	2500	2500	2500	2500
4	Push-up Tier	60> Score >=40	1500	1500	1500	1500
5	Look-out Tier	40> Score	Nil	Nil	Nil	Nil

- a) Qualifying criteria for payouts : Dealer will qualify for the monthly payouts when all the following conditions are met by the dealership:
- Minimum dealer LOB CPSC score of 20 out of 50 in Sales
 - Minimum dealer LOB CPSC score of 20 out of 50 in Aftersales.
- b) Overall Payout Tier will be dependent on the composite score. The payout tier will be arrived at using this composite score and basis the same the payout will be calculated for each Product line.

The following example will clarify on the methodology explained above:

Dealer Name	SCV	ILCV	CV Pass	M&HCV	Average Dealer Score
ABC Dealer – Sales(50 Max)	41	38	41	46	42
ABC Dealer – After Sales (50 Max)	40	45	35	45	41
Total Dealer Score (100 Max)	81	83	76	91	83

Hence, ABC dealer lies in the Super Tier. As a result, for SCV, ILCV and CV Pass it will get Rs 3000 per offtake vehicle and for M&HCV it will get Rs 6000 per offtake vehicle.

IT Support System

We are pleased to share with you that we will be launching the new CPSC online system, which will ensure

- Single dashboard to help you track overall dealer, division wise and LOB wise performance
- Visibility of targets and actuals on daily basis, so that you can plan your activities for improvement on real time basis
- Concurrent Visibility of all the CPSC parameter reports, so that you can do root cause analysis of where your team needs to improve
- Automated Scorecard generation, reducing delays in release of scorecards and in turn release of payouts

The CPSC guidelines effective 1st July 2017 are enclosed herewith. Kindly go through the same and ensure that your teams have fully understood the metrics & measures. In addition, dealership will be fully responsible for entering and maintaining, correct data in CRMDMS as we will be using the same for the scoring against many of the parameters.

Please get in touch with the Regional SNM team in case any further clarification is required or email us on cpsc@tatamotors.com

We are confident you & your team will continue to leverage the CPSC monthly score card program and strive for superior performance & customer experience.

Warm Regards,



R Wasan

Vice President (Sales & Marketing, CVBU)

Contents

Monthly Score Card (Sales).....	4
Monthly Score Card (After Sales).....	20
List of Annexures.....	32

Version	Author	Date
V3.0	SNM Quality	23 rd May 2017
V3.1	SNM Quality	27 th June 2017
V3.2	SNM Quality	30 th June 2017
V3.3	SNM Quality	22 nd Aug 2017

Monthly Score Card (Sales)

Section	S I) Manpower, Infrastructure and Facilities																				
Metrics	S 1.1) Manpower Adequacy																				
Sub Parameter	S 1.1 A) Dealer Sales Manager Availability																				
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, CV Pass																				
Target Setting Guidelines	Number of DSMs (Actual) ----- X 100 = % of DSMs Available Required Number of DSM's (Target) Note: - Quarterly Manpower Target as given by State Product Manager - Actual Number of DSMs updated in CRMDMS system on the first working day of the month, verified by State Product Manager - Neev manpower not considered - Only “Active” status in CRM to be considered - Updated on Dealer LOB level																				
CPSC Data Source	Target source: State Product Manager, Actual source: CRMDMS																				
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>2</td></tr><tr><td>ILCV</td><td>2</td></tr><tr><td>SCV</td><td>2</td></tr><tr><td>CV Pass</td><td>2</td></tr></table> - If the % of DSM's Available = > 100%, 2 points - If the % of DSM's Available < 100% = Zero points	LOB	Max .Points	M&HCV	2	ILCV	2	SCV	2	CV Pass	2										
LOB	Max .Points																				
M&HCV	2																				
ILCV	2																				
SCV	2																				
CV Pass	2																				
Illustration	<table><tr><th colspan="4">DSM Availability</th></tr><tr><th>Target (Required Number of DSEs)</th><th>Actual (Number of DSEs)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>5</td><td>4</td><td>< 100%</td><td>0</td></tr><tr><td>5</td><td>5</td><td>>= 100%</td><td>2</td></tr><tr><td>5</td><td>6</td><td>>= 100%</td><td>2</td></tr></table>	DSM Availability				Target (Required Number of DSEs)	Actual (Number of DSEs)	Points Slab	Points Achieved	5	4	< 100%	0	5	5	>= 100%	2	5	6	>= 100%	2
DSM Availability																					
Target (Required Number of DSEs)	Actual (Number of DSEs)	Points Slab	Points Achieved																		
5	4	< 100%	0																		
5	5	>= 100%	2																		
5	6	>= 100%	2																		

Section	S I) Manpower, Infrastructure and Facilities																											
Metrics	S 1.1) Manpower Adequacy																											
Sub Parameter	S 1.1 B) Dealer Sales Executive Availability																											
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, CV Pass																											
Target Setting Guidelines	Number of DSEs (Actual) -----X 100 = % of DSEs Available Required Number of DSEs (Target) Note: - Manpower Target as given by State Product Manager - Actual Number of DSEs updated in CRMDMS system on the first working day of the month, verified by State Product Manager - Neev manpower not considered - Only “Active” status in CRM to be considered																											
CPSC Data Source	Target source: State Product Manager, Actual source: CRMDMS																											
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>6</td></tr><tr><td>ILCV</td><td>6</td></tr><tr><td>SCV</td><td>6</td></tr><tr><td>CV Pass</td><td>6</td></tr></table> - If the % of DSEs Available >= 90%, 6 points - If the % of DSEs Available >=80% and <90%, 3 points - If the % of DSEs Available <80%, Zero Points				LOB	Max .Points	M&HCV	6	ILCV	6	SCV	6	CV Pass	6														
LOB	Max .Points																											
M&HCV	6																											
ILCV	6																											
SCV	6																											
CV Pass	6																											
Illustration	<table><tr><th colspan="4">DSE Availability</th></tr><tr><th>Target (Required Number of DSEs)</th><th>Actual (Number of DSEs)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>16</td><td>10</td><td>< 80%</td><td>0</td></tr><tr><td>16</td><td>12</td><td>< 80%</td><td>0</td></tr><tr><td>16</td><td>14</td><td>>=80% and <90%</td><td>3</td></tr><tr><td>16</td><td>16</td><td>>= 90%</td><td>6</td></tr></table>				DSE Availability				Target (Required Number of DSEs)	Actual (Number of DSEs)	Points Slab	Points Achieved	16	10	< 80%	0	16	12	< 80%	0	16	14	>=80% and <90%	3	16	16	>= 90%	6
DSE Availability																												
Target (Required Number of DSEs)	Actual (Number of DSEs)	Points Slab	Points Achieved																									
16	10	< 80%	0																									
16	12	< 80%	0																									
16	14	>=80% and <90%	3																									
16	16	>= 90%	6																									

Section	S I) Manpower, Infrastructure and Facilities				
Metrics	S 1.2) Sales Infrastructure & Facilities Measure				
Sub Parameter	S 1.2) Utilization of Capitalized vehicles				
Function and Applicable LOB's	Sales – ILCV, SCV, CV Pass (except Buses)				
Target Setting Guidelines	Number of activities actually done (actuals) -----x 100 = %adherence X activities (trials) per capitalized vehicle per month X will depend on LOB:				
	LOB		Target Activities (Trials)		
	ILCV		2 per vehicle per month		
	SCV and CV pass (Except buses)		6 per vehicle per month		
	Note:				
	<u>For ILCV</u>				
	- 1 Ultra Cargo BS IV				
	<u>For SCV</u>				
	- (Annexure I and Annexure II)				
	Pre-Qualifying Condition:				
- Capitalized vehicle should be available otherwise Zero score.					
CPSC Data Source	Target source: SPM, Actual source: TSM				
Point Calculation Methodology	LOB		Max .Points		
	ILCV		4		
	SCV		6		
	CV Pass (Except Bus)		6		
	Slabs for ILCV:				
	- If % adherence >=90%, 4 points				
	- If % adherence >=80% and < 90%, 2 points				
	- If % adherence <80%, zero points				
	Slabs for SCV and CV Pass:				
	- If % adherence >=90%, 6 points				
- If % adherence >=80% and < 90%, 3 points					
- If % adherence <80%, zero points					
Illustration	Utilization of Capitalized vehicles				
	LOBs	Target	Actual (Number of activities done)	Points Slab	Points Achieved
	CV Pass (Except Bus)	6	3	<80%	0
	CV Pass (Except Bus)	6	6	>=90%	6

Section	S II) Sales Process Effectiveness																									
Metrics	S 2.1) Market Coverage																									
Sub Parameter	S 2.1 A) Overall C0 Target Achievement Index																									
Function and Applicable LOB's	Sales - ILCV, SCV, CV Pass																									
Target Setting Guidelines	Number of C0 in CRMDMS (actuals) ----- x 100 = % Achievement Required Number of C0 (target) Note: - C0, which are punched into the CRMDMS system, will be considered for evaluation - Target will be as per the discussion during DRCD(DEALER RETAIL CLOSING DATE)																									
CPSC Data Source	Target source: CRMDMS , Actual source: CRMDMS																									
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>ILCV</td><td>4</td></tr><tr><td>SCV</td><td>4</td></tr><tr><td>CV Pass</td><td>4</td></tr></table> Slabs for ILCV, SCV and CV Pass - If % achievement >= 80%, 4 points - If % achievement >=70% and <80%, 2 points - If % achievement <70%, Zero points	LOB	Max .Points	ILCV	4	SCV	4	CV Pass	4																	
LOB	Max .Points																									
ILCV	4																									
SCV	4																									
CV Pass	4																									
Illustration	<table><tr><th colspan="5">Overall C0 Target Achievement Index</th></tr><tr><th>LOBs</th><th>Target (Total C0 target)</th><th>Actuals (Actual C0 target)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>ILCV</td><td>100</td><td>55</td><td><70%</td><td>0</td></tr><tr><td>ILCV</td><td>100</td><td>75</td><td>>=70% and <80%</td><td>2</td></tr><tr><td>ILCV</td><td>100</td><td>85</td><td>>= 80%</td><td>4</td></tr></table>	Overall C0 Target Achievement Index					LOBs	Target (Total C0 target)	Actuals (Actual C0 target)	Points Slab	Points Achieved	ILCV	100	55	<70%	0	ILCV	100	75	>=70% and <80%	2	ILCV	100	85	>= 80%	4
Overall C0 Target Achievement Index																										
LOBs	Target (Total C0 target)	Actuals (Actual C0 target)	Points Slab	Points Achieved																						
ILCV	100	55	<70%	0																						
ILCV	100	75	>=70% and <80%	2																						
ILCV	100	85	>= 80%	4																						

Section	S II) Sales Process Effectiveness																									
Metrics	S 2.1) Market Coverage																									
Sub Parameter	S 2.1 B) Field sales activity linked C0 target achievement																									
Function and Applicable LOB's	Sales - M&HCV, ILCV, SCV, CV Pass																									
Target Setting Guidelines	Activity Actual C0 Numbers -----X 100 = Field Sales Activity C0 Target Ach. % Activity Total C0 Target Pre-Qualifying Condition: - Field Sales Activity C0 Targets to be given by State Office - Only activities executed before 26th of the month will be considered. - All the activities planned or executed to be verified by State Product Manager - Minimum Planned vs Actual Activity Completed to be >=70%, else zero points - C0 Data upload within 5 days of each activity completion - Status of the activity should be 'Executed' and Execution date can't be blank																									
CPSC Data Source	Target source: CRMDMS , Actual source: CRMDMS																									
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>4</td></tr><tr><td>ILCV</td><td>4</td></tr><tr><td>SCV</td><td>5</td></tr><tr><td>CV Pass</td><td>5</td></tr></table> Slabs for M&HCV and ILCV : - Field Sales Activity C0 Target Ach. % >= 80%, 4 points - Field Sales Activity C0 Target Ach. % >=70% and <80%, 2 points - Field Sales Activity C0 Target Ach. % <70%, Zero point Slabs for SCV and CV Pass : - Field Sales Activity C0 Target Ach. % >= 80%, 5 points - Field Sales Activity C0 Target Ach. % >=70% and <80%, 3 points - Field Sales Activity C0 Target Ach. % <70%, Zero point	LOB	Max .Points	M&HCV	4	ILCV	4	SCV	5	CV Pass	5															
LOB	Max .Points																									
M&HCV	4																									
ILCV	4																									
SCV	5																									
CV Pass	5																									
Illustration	<table><tr><th colspan="5">Field sales activity linked C0 target achievement</th></tr><tr><th>LOBs</th><th>Target (Total C0 target)</th><th>Actuals (Actual C0 target)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>M&HCV</td><td>100</td><td>55</td><td><70%</td><td>0</td></tr><tr><td>M&HCV</td><td>100</td><td>75</td><td>>=70% and <80%</td><td>2</td></tr><tr><td>M&HCV</td><td>100</td><td>85</td><td>>= 80%</td><td>4</td></tr></table>	Field sales activity linked C0 target achievement					LOBs	Target (Total C0 target)	Actuals (Actual C0 target)	Points Slab	Points Achieved	M&HCV	100	55	<70%	0	M&HCV	100	75	>=70% and <80%	2	M&HCV	100	85	>= 80%	4
Field sales activity linked C0 target achievement																										
LOBs	Target (Total C0 target)	Actuals (Actual C0 target)	Points Slab	Points Achieved																						
M&HCV	100	55	<70%	0																						
M&HCV	100	75	>=70% and <80%	2																						
M&HCV	100	85	>= 80%	4																						

Section	S II) Sales Process Effectiveness																											
Metrics	S 2.2) CRM Pipeline																											
Sub Parameter	S 2.2 A) Consistency of CRM Pipeline (C0 and C1)																											
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, CV Pass																											
Target Setting Guidelines	Actual Number of C0 and C1 from 1 st to 20 th of month ----- X 100 = Achievement % Total number of C0 and C1 from 1 st to 30 th /31 st of the month																											
CPSC Data Source	Target source: CRMDMS , Actual source: CRMDMS																											
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>5</td></tr><tr><td>ILCV</td><td>5</td></tr><tr><td>SCV</td><td>5</td></tr><tr><td>CV Pass</td><td>5</td></tr></table> - Achievement % >=65%, 5 points - Achievement % >=60% & <65%, 3 points - Achievement % >=50% & <60%, 1 point - Achievement % <50%, Zero Points				LOB	Max .Points	M&HCV	5	ILCV	5	SCV	5	CV Pass	5														
LOB	Max .Points																											
M&HCV	5																											
ILCV	5																											
SCV	5																											
CV Pass	5																											
Illustration	<table><tr><th colspan="4">Consistency of CRM Pipeline (C0 and C1)</th></tr><tr><th>Target (Total Number of C0/C1)</th><th>Actuals (Actual number of C0/C1 by 20th of month)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>15</td><td><50%</td><td>0</td></tr><tr><td>100</td><td>55</td><td>>=50% & <60%</td><td>1</td></tr><tr><td>100</td><td>62</td><td>>=60% & <65%</td><td>3</td></tr><tr><td>100</td><td>75</td><td>>=65%</td><td>5</td></tr></table>				Consistency of CRM Pipeline (C0 and C1)				Target (Total Number of C0/C1)	Actuals (Actual number of C0/C1 by 20 th of month)	Points Slab	Points Achieved	100	15	<50%	0	100	55	>=50% & <60%	1	100	62	>=60% & <65%	3	100	75	>=65%	5
Consistency of CRM Pipeline (C0 and C1)																												
Target (Total Number of C0/C1)	Actuals (Actual number of C0/C1 by 20 th of month)	Points Slab	Points Achieved																									
100	15	<50%	0																									
100	55	>=50% & <60%	1																									
100	62	>=60% & <65%	3																									
100	75	>=65%	5																									

Section	S II) Sales Process Effectiveness																																		
Metrics	S 2.2) CRM Pipeline																																		
Sub Parameter	S 2.2 B) C1 to Retail Conversion (less than 7 days)																																		
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, CV Pass																																		
Target Setting Guidelines	No. of C1 to Retail in less than 7 days -----x 100 = % C1 to retail in less than 7 days Total number of C1 to Retail in the month																																		
CPSC Data Source	Target source: CRMDS , Actual source: CRMDMS																																		
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>5</td></tr><tr><td>ILCV</td><td>5</td></tr><tr><td>SCV</td><td>5</td></tr><tr><td>CV Pass</td><td>5</td></tr></table> - % C1 to Retail conversion in 7 days <=30%, 5 points - % C1 to Retail conversion in 7 days >30% & <= 35%, 3 points - % C1 to Retail conversion in 7 days >35% & <=40%, 1 point - % C1 to Retail conversion in 7 days >40%, Zero Points					LOB	Max .Points	M&HCV	5	ILCV	5	SCV	5	CV Pass	5																				
LOB	Max .Points																																		
M&HCV	5																																		
ILCV	5																																		
SCV	5																																		
CV Pass	5																																		
Illustration	<table><tr><th colspan="5">C1 to Retail Conversion (less than 7 days)</th></tr><tr><th>LOBs</th><th>Target (Total Number of C1 to retail)</th><th>Actuals (Number of C1 to Retail in less than 7 days)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>SCV</td><td>100</td><td>44</td><td>>40%</td><td>0</td></tr><tr><td>SCV</td><td>100</td><td>36</td><td>>35% & <=40%</td><td>1</td></tr><tr><td>SCV</td><td>100</td><td>32</td><td>>30% & <=35%</td><td>3</td></tr><tr><td>SCV</td><td>100</td><td>18</td><td><=30%</td><td>5</td></tr></table>					C1 to Retail Conversion (less than 7 days)					LOBs	Target (Total Number of C1 to retail)	Actuals (Number of C1 to Retail in less than 7 days)	Points Slab	Points Achieved	SCV	100	44	>40%	0	SCV	100	36	>35% & <=40%	1	SCV	100	32	>30% & <=35%	3	SCV	100	18	<=30%	5
C1 to Retail Conversion (less than 7 days)																																			
LOBs	Target (Total Number of C1 to retail)	Actuals (Number of C1 to Retail in less than 7 days)	Points Slab	Points Achieved																															
SCV	100	44	>40%	0																															
SCV	100	36	>35% & <=40%	1																															
SCV	100	32	>30% & <=35%	3																															
SCV	100	18	<=30%	5																															

Section	S II) Sales Process Effectiveness																			
Metrics	S 2.2) CRM Pipeline																			
Sub Parameter	S 2.2 C) CRM Pipeline Data Quality																			
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, CV Pass																			
Target Setting Guidelines	No of Mobile numbers not as per Rules ----- x 100 = Technically Invalid Number Total number of opportunities created in last month or updated in last 2 months And No of opportunities where multiple Optys are linked to same Combination of Name and Mobile Number ----- x 100 = Duplicate Optys Total number of opportunities created in last month or updated in last 2 months % for Technically Invalid Number, Duplicate Numbers and Duplicate Optys should not be more than 10%																			
CPSC Data Source	Target source: Fixed , Actual source: Athena report																			
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></table> - % Achievement <= 10%, 3 Points - % Achievement > 10%, Zero points				LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3						
LOB	Max .Points																			
M&HCV	3																			
ILCV	3																			
SCV	3																			
CV Pass	3																			
Illustration	<table><tr><th colspan="4">CRM Pipeline Data Quality</th></tr><tr><th>Target</th><th>Actuals</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>10%</td><td>22%</td><td>>10%</td><td>0</td></tr><tr><td>10%</td><td>8%</td><td><= 10%</td><td>3</td></tr></table>				CRM Pipeline Data Quality				Target	Actuals	Points Slab	Points Achieved	10%	22%	>10%	0	10%	8%	<= 10%	3
CRM Pipeline Data Quality																				
Target	Actuals	Points Slab	Points Achieved																	
10%	22%	>10%	0																	
10%	8%	<= 10%	3																	

Section	S II) Sales Process Effectiveness								
Metrics	S 2.3) Competition Intelligence Index								
Sub Parameter	S 2.3) Live Competition Deal Visibility								
Function and Applicable LOB's	Sales – M&HCV , ILCV and CV Pass(Buses only)								
Target Setting Guidelines	No of Lost Sales in sales pipeline ----- x 100 = % Achievement (Total Industry Volume - TML sales) - Measures the extent of participation in competition deals visible at end of the month Pre-Qualifying Condition a) All the opportunities should be listed under Live Deal as “Y” b) Stage status is selected as “Lost” c) Reason for Win/Lost selected as Lost to Competition “LTC”.								
CPSC Data Source	Target source: State Product Manager(Total Industry Volume), Actual source: CRMDMS								
Point Calculation Methodology	<table border="1"> <thead> <tr> <th>LOB</th><th>Max .Points</th></tr> </thead> <tbody> <tr> <td>M&HCV</td><td>15</td></tr> <tr> <td>ILCV</td><td>3</td></tr> <tr> <td>CV Pass (Buses)</td><td>9</td></tr> </tbody> </table> - Percentage Achievement >=70%, 100% of Max. points - Percentage Achievement >= 60% & <70%, 50% of Max. points - Percentage Achievement <60%, Zero points	LOB	Max .Points	M&HCV	15	ILCV	3	CV Pass (Buses)	9
LOB	Max .Points								
M&HCV	15								
ILCV	3								
CV Pass (Buses)	9								
Illustration	Assume the following: For M&HCV Total Industry Volume= 15 vehicles, TML Sales= 5 vehicles, No. of Lost Sales in pipeline= 5 (at month end) (Total Industry Volume - TML Sales) = 15-5= 10 Live Competition Deal Visibility= No. of Lost Sales in pipeline (divided by) (Total Industry Volume - TML Sales) = 5 (divided by)10 (multiplied by)100= 50%								

Section	S II) Sales Process Effectiveness																										
Metrics	S 2.4) Tata Motors Finance Metric																										
Sub Parameter	S 2.4) TMF RC Book Collection Rate																										
Function and Applicable LOB's	Sales - ILCV, SCV, CV Pass (Except Buses)																										
Target Setting Guidelines	RC Books collected & submitted to TMF Branch -----x 100= TMF RC Book Collection Rate Live Book Note : Live Book = Pending TMF RC Books + Previous 3 months TMF Cases																										
CPSC Data Source	Target source: TMF, Actual source: TMF																										
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass (except Buses)</td><td>3</td></tr></table> - TMF RC Book Collection rate >= 95%, 3 points - TMF RC Book Collection rate >=90% and <95%, 2 points - TMF RC Book Collection rate >=80% and <90%, 1 point - TMF RC Book Collection rate <80%, Zero Points			LOB	Max .Points	ILCV	3	SCV	3	CV Pass (except Buses)	3																
LOB	Max .Points																										
ILCV	3																										
SCV	3																										
CV Pass (except Buses)	3																										
Illustration	<table><tr><th colspan="4">TMF RC Book Collection Rate</th></tr><tr><th>Target (Live Book)</th><th>Actual (RC Book Collected)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>70</td><td><80%</td><td>0</td></tr><tr><td>100</td><td>85</td><td>>=80% and <90%</td><td>1</td></tr><tr><td>100</td><td>92</td><td>>=90% and <95%</td><td>2</td></tr><tr><td>100</td><td>97</td><td>>= 95%</td><td>3</td></tr></table>			TMF RC Book Collection Rate				Target (Live Book)	Actual (RC Book Collected)	Points Slab	Points Achieved	100	70	<80%	0	100	85	>=80% and <90%	1	100	92	>=90% and <95%	2	100	97	>= 95%	3
TMF RC Book Collection Rate																											
Target (Live Book)	Actual (RC Book Collected)	Points Slab	Points Achieved																								
100	70	<80%	0																								
100	85	>=80% and <90%	1																								
100	92	>=90% and <95%	2																								
100	97	>= 95%	3																								

Section	S II) Sales Process Effectiveness																													
Metrics	S 2.5) Manpower Quality																													
Sub Parameter	S 2.5) Dealer Sales Executive Productivity																													
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, CV Pass																													
Target Setting Guidelines	Total Retails from 1 st to 30 th / 31 st of the month -----= DSE Productivity Total Available Number of DSE Note: DSE need to be Drona / Truck Master trained within 30 days of joining																													
CPSC Data Source	Target source: CRMDMS, Actual source: CRMDMS																													
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>5</td></tr><tr><td>ILCV</td><td>6</td></tr><tr><td>SCV</td><td>6</td></tr><tr><td>CV Pass</td><td>6</td></tr></table> Slabs M&HCV - DSE productivity >=5, 5 Points - DSE productivity >=4 and <5, 3 points - DSE productivity <4 , Zero points Slabs ILCV - DSE productivity >=4, 6 Points - DSE productivity >=3 and <4, 3 points - DSE productivity <3 , Zero points Slabs SCV - DSE productivity >=3, 6 Points - DSE productivity >=2.5 and <3, 3 points - DSE productivity <2.5 , Zero points Slabs CV Pass - DSE productivity >=3, 6 Points - DSE productivity >=2 and <3, 3 points - DSE productivity <2 , Zero points					LOB	Max .Points	M&HCV	5	ILCV	6	SCV	6	CV Pass	6															
LOB	Max .Points																													
M&HCV	5																													
ILCV	6																													
SCV	6																													
CV Pass	6																													
Example	<table><tr><th colspan="5">Dealer Sales Executive Productivity</th></tr><tr><th>LOBs</th><th>Target (Total number of DSE)</th><th>Actual (Total retail sales in a month)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>SCV</td><td>10</td><td>20</td><td><2.5</td><td>0</td></tr><tr><td>SCV</td><td>10</td><td>27</td><td>>=2.5 and <3</td><td>3</td></tr><tr><td>SCV</td><td>10</td><td>31</td><td>>=3</td><td>6</td></tr></table>					Dealer Sales Executive Productivity					LOBs	Target (Total number of DSE)	Actual (Total retail sales in a month)	Points Slab	Points Achieved	SCV	10	20	<2.5	0	SCV	10	27	>=2.5 and <3	3	SCV	10	31	>=3	6
Dealer Sales Executive Productivity																														
LOBs	Target (Total number of DSE)	Actual (Total retail sales in a month)	Points Slab	Points Achieved																										
SCV	10	20	<2.5	0																										
SCV	10	27	>=2.5 and <3	3																										
SCV	10	31	>=3	6																										

Section	S III) Customer Engagement																	
Metrics	S 3.1) Customer Engagement Index																	
Sub Parameter	S 3.1 A) Sales Satisfaction Index Score – TBSS Calling																	
Function and Applicable LOB’s	Sales – M&HCV, ILCV, SCV, CV Pass																	
Target Setting Guidelines	Refer to SSI Question 1 (in Annexure III A) Number of Response x Customer scores ----- x 100 = SSI Score Total Number of responses For all LoBs - Measure Sales Experience Score of Dealership based on TBSS calling - Retail Sales Data in CRMDMS of previous month is considered for TBSS Calling																	
CPSC Data Source	SSI Score from TBSS/CRMDMS																	
Point Calculation Methodology	<table border="1"><thead><tr><th>LOB</th><th>Max .Points</th></tr></thead><tbody><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></tbody></table> Customer Engagement Score measured as a % of Maximum Score - If SSI Score >=90%, 3 Point - If SSI Score 80% to 90%, 1 Point - If SSI Score <80%, Zero Point			LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3					
LOB	Max .Points																	
M&HCV	3																	
ILCV	3																	
SCV	3																	
CV Pass	3																	
Example	<table border="1"><thead><tr><th colspan="3">Sales Satisfaction Index Score – TBSS Calling</th></tr><tr><th>Customer Satisfaction Score</th><th>Points Slab</th><th>Points Achieved</th></tr></thead><tbody><tr><td>75%</td><td><80%</td><td>0</td></tr><tr><td>85%</td><td>80% to 90%</td><td>1</td></tr><tr><td>95%</td><td>>=90%</td><td>3</td></tr></tbody></table>			Sales Satisfaction Index Score – TBSS Calling			Customer Satisfaction Score	Points Slab	Points Achieved	75%	<80%	0	85%	80% to 90%	1	95%	>=90%	3
Sales Satisfaction Index Score – TBSS Calling																		
Customer Satisfaction Score	Points Slab	Points Achieved																
75%	<80%	0																
85%	80% to 90%	1																
95%	>=90%	3																

Section	S III) Customer Engagement														
Metrics	S 3.1) Customer Engagement Index														
Sub Parameter	S 3.1 B) Sales Complaint Resolution														
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, CV Pass														
Target Setting Guidelines	Number of Complaints >3 days -----x 100= % Sales Complaint Closed Total Number of complaints open in the month For all LoBs - Only those complaints which have been closed after TBSS has confirmed with the customer will be considered - Complaint should be closed within 3 days														
CPSC Data Source	Target and Actual from TBSS/CRMDMS														
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>2</td></tr><tr><td>ILCV</td><td>2</td></tr><tr><td>SCV</td><td>2</td></tr><tr><td>CV Pass</td><td>2</td></tr></table> For all LOBs, - % Sales complaint Open > 3 Days = 0 ,2 Points - Else, Zero Points			LOB	Max .Points	M&HCV	2	ILCV	2	SCV	2	CV Pass	2		
LOB	Max .Points														
M&HCV	2														
ILCV	2														
SCV	2														
CV Pass	2														
Example	<table><tr><th colspan="3">Sales Complaint Resolution</th></tr><tr><th>Target (Sales Complaint Open)</th><th>Actual (Sales Complaint Open > 3 days)</th><th>Points Achieved</th></tr><tr><td>10</td><td>4</td><td>0</td></tr><tr><td>10</td><td>0</td><td>2</td></tr></table>			Sales Complaint Resolution			Target (Sales Complaint Open)	Actual (Sales Complaint Open > 3 days)	Points Achieved	10	4	0	10	0	2
Sales Complaint Resolution															
Target (Sales Complaint Open)	Actual (Sales Complaint Open > 3 days)	Points Achieved													
10	4	0													
10	0	2													

Monthly Score Card (After Sales)

Section	AF I) Aftersales Infrastructure and Facilities																	
Metrics	AF 1) After Sales Infrastructure Measure																	
Sub Parameter	AF 1) Workshop Basic Checklist Adherence (Hygiene & Safety)																	
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, CV Pass																	
Target Setting Guidelines	Number of questions marked “YES” ----- X 100 = % Adherence Total number of questions Note: Workshop Basic Checklist (attached in Annexure IV) to be physically checked by CSM during monthly visits to the workshop																	
CPSC Data Source	Target : Fixed , Actual source: CSM																	
Point Calculation Methodology	<table border="1"><thead><tr><th>LOB</th><th>Max .Points</th></tr></thead><tbody><tr><td>M&HCV</td><td>5</td></tr><tr><td>ILCV</td><td>5</td></tr><tr><td>SCV</td><td>5</td></tr><tr><td>CV Pass</td><td>5</td></tr></tbody></table> For all LOBs, - If % Adherence = 100%, 5 Points - If % Adherence >=90% and <100%, 3 Points - If % Adherence < 90%, Zero Points			LOB	Max .Points	M&HCV	5	ILCV	5	SCV	5	CV Pass	5					
LOB	Max .Points																	
M&HCV	5																	
ILCV	5																	
SCV	5																	
CV Pass	5																	
Illustration	<table border="1"><thead><tr><th colspan="3">Workshop Basic Checklist Adherence</th></tr><tr><th>Actual</th><th>Points Slab</th><th>Points Achieved</th></tr></thead><tbody><tr><td>85%</td><td>< 90%,</td><td>0</td></tr><tr><td>95%</td><td>>=90% and <100%</td><td>3</td></tr><tr><td>100%</td><td>= 100%</td><td>5</td></tr></tbody></table>			Workshop Basic Checklist Adherence			Actual	Points Slab	Points Achieved	85%	< 90%,	0	95%	>=90% and <100%	3	100%	= 100%	5
Workshop Basic Checklist Adherence																		
Actual	Points Slab	Points Achieved																
85%	< 90%,	0																
95%	>=90% and <100%	3																
100%	= 100%	5																

Section	AF II) Aftersales Process Effectiveness																						
Metrics	AF 2.1) Service Marketing																						
Sub Parameter	AF 2.1) Field Service Activity Index																						
Function and Applicable LOB's	After Sales - M&HCV, ILCV, SCV, CV Pass																						
Target Setting Guidelines	Number of Activities (Actual) -----x 100 = % Adherence Required Number of Activities (Planned) Note: Activities to include all service activities (independent initiatives from Workshop as well as joint initiatives with sales)																						
CPSC Data Source	Target source: State Service Manager, Actual source: CSM																						
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></table> Activities conducted before 26th of the month will only be considered - % Achievement >= 80%, 3 Points - % Achievement >=70% & <80%, 1 Point - % Achievement <70%, Zero Point			LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3										
LOB	Max .Points																						
M&HCV	3																						
ILCV	3																						
SCV	3																						
CV Pass	3																						
Illustration	<table><tr><th colspan="4">Field Service Activity Index</th></tr><tr><th>Target (Required number of activities)</th><th>Actual (Actual Number of activities)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>10</td><td>6</td><td><70%</td><td>0</td></tr><tr><td>10</td><td>7</td><td>>=70% & <80%</td><td>1</td></tr><tr><td>10</td><td>8</td><td>>= 80%</td><td>3</td></tr></table>			Field Service Activity Index				Target (Required number of activities)	Actual (Actual Number of activities)	Points Slab	Points Achieved	10	6	<70%	0	10	7	>=70% & <80%	1	10	8	>= 80%	3
Field Service Activity Index																							
Target (Required number of activities)	Actual (Actual Number of activities)	Points Slab	Points Achieved																				
10	6	<70%	0																				
10	7	>=70% & <80%	1																				
10	8	>= 80%	3																				

Section	AF II) Aftersales Process Effectiveness																						
Metrics	AF 2.2) Doorstep Service Enhancement																						
Sub Parameter	AF 2.2 A) Mobile Service Workshop Availability																						
Function and Applicable LOB's	After Sales - M&HCV, ILCV, SCV, CV Pass																						
Target Setting Guidelines	Number of Mobile Service Workshop (Actual) ----- x 100 = % Availability Required Number of Mobile Service Workshop(Target) Note: - Mobile Service Workshop to be maintained as mandated by Service Circular (SC/2014/16 dtd Sep’14). No deviation will be given from requirements in Mobile Service Workshop Circular. (Annexure 5)																						
CPSC Data Source	Target source: State Service Manager, Actual source: CRMDMS																						
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></table> For All LOBs, - % Availability >= 80%, 3 Points - % Availability >=60% & <80%, 1 points - % Availability <60%, zero point			LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3										
LOB	Max .Points																						
M&HCV	3																						
ILCV	3																						
SCV	3																						
CV Pass	3																						
Illustration	<table><tr><th colspan="4">Mobile Service Workshop Availability</th></tr><tr><th>Target (Required number of MSW)</th><th>Actual (Actual number of MSW)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>4</td><td>2</td><td><60%</td><td>0</td></tr><tr><td>4</td><td>3</td><td>>=60% & <80%</td><td>1</td></tr><tr><td>4</td><td>4</td><td>>= 80%</td><td>3</td></tr></table>			Mobile Service Workshop Availability				Target (Required number of MSW)	Actual (Actual number of MSW)	Points Slab	Points Achieved	4	2	<60%	0	4	3	>=60% & <80%	1	4	4	>= 80%	3
Mobile Service Workshop Availability																							
Target (Required number of MSW)	Actual (Actual number of MSW)	Points Slab	Points Achieved																				
4	2	<60%	0																				
4	3	>=60% & <80%	1																				
4	4	>= 80%	3																				

Section	AF II) Aftersales Process Effectiveness																						
Metrics	AF 2) Doorstep Service Enhancement																						
Sub Parameter	AF 2.2 B) On-Site Job Card target achievement																						
Function and Applicable LOB's	After Sales - M&HCV, ILCV, SCV, CV Pass																						
Target Setting Guidelines	Number of onsite Mobile Service Workshop Job Cards (actuals) ----- x 100 = % Achievement 100 onsite Job Cards per month Per Mobile Service Workshop (target) Pre-Qualifying Condition : Will not be considered if - Job Card closed <= 1 hour - Labor value is less than Rs 50 - Not opened via TAB																						
CPSC Data Source	Target source: Fixed, Actual source: CRMDMS																						
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>2</td></tr><tr><td>ILCV</td><td>2</td></tr><tr><td>SCV</td><td>2</td></tr><tr><td>CV Pass</td><td>2</td></tr></table> - % Achievement >= 90%, 2 Points - % Achievement >=80% and <90%, 1 points - % Achievement <80%, zero point			LOB	Max .Points	M&HCV	2	ILCV	2	SCV	2	CV Pass	2										
LOB	Max .Points																						
M&HCV	2																						
ILCV	2																						
SCV	2																						
CV Pass	2																						
Illustration	<table><tr><th colspan="4">On-site Job Card Target Achievement</th></tr><tr><th>Target</th><th>Actual</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>75</td><td><80%</td><td>0</td></tr><tr><td>100</td><td>85</td><td>>=80% and <90%</td><td>1</td></tr><tr><td>100</td><td>95</td><td>>= 90%</td><td>2</td></tr></table>			On-site Job Card Target Achievement				Target	Actual	Points Slab	Points Achieved	100	75	<80%	0	100	85	>=80% and <90%	1	100	95	>= 90%	2
On-site Job Card Target Achievement																							
Target	Actual	Points Slab	Points Achieved																				
100	75	<80%	0																				
100	85	>=80% and <90%	1																				
100	95	>= 90%	2																				

Section	AF II) Aftersales Process Effectiveness																													
Metrics	AF 2.3) Cost/Time conformance																													
Sub Parameter	AF 2.3 A) Time Estimate Conformance																													
Function and Applicable LOB's	After Sales - M&HCV, ILCV, SCV, CV Pass																													
Target Setting Guidelines	Number of Job Cards with time deviation <10% ----- x 100 = % Achievement Total number of Job cards closed																													
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS																													
Point Calculation Methodology	<table border="1"><thead><tr><th>LOB</th><th>Max .Points</th></tr></thead><tbody><tr><td>M&HCV</td><td>4</td></tr><tr><td>ILCV</td><td>4</td></tr><tr><td>SCV</td><td>4</td></tr><tr><td>CV Pass</td><td>4</td></tr></tbody></table> For all LoBs, - If % Achievement >=90%, 4 Points - If % Achievement >=80% & <90%, 2 Points - If % Achievement <80%, zero point Service Type Considered: AMC – TM, Break-down, All Free Service (As per the applicability) and Paid Service Pre-Qualifying Condition : Will not be considered if a) Job Card closed <= 1 hour b) Labor value is less than Rs 50					LOB	Max .Points	M&HCV	4	ILCV	4	SCV	4	CV Pass	4															
LOB	Max .Points																													
M&HCV	4																													
ILCV	4																													
SCV	4																													
CV Pass	4																													
Illustration	<table border="1"><thead><tr><th colspan="5">Time Estimate Conformance</th></tr><tr><th>Total number of Job-cards closed</th><th>Number of Job-cards with time dev.<10%</th><th>% Achievement</th><th>Points Slab</th><th>Points Achieved</th></tr></thead><tbody><tr><td>100</td><td>75</td><td>75%</td><td><80%</td><td>0</td></tr><tr><td>100</td><td>85</td><td>85%</td><td>>=80% & <90%</td><td>2</td></tr><tr><td>100</td><td>95</td><td>95%</td><td>>=90%</td><td>4</td></tr></tbody></table>					Time Estimate Conformance					Total number of Job-cards closed	Number of Job-cards with time dev.<10%	% Achievement	Points Slab	Points Achieved	100	75	75%	<80%	0	100	85	85%	>=80% & <90%	2	100	95	95%	>=90%	4
Time Estimate Conformance																														
Total number of Job-cards closed	Number of Job-cards with time dev.<10%	% Achievement	Points Slab	Points Achieved																										
100	75	75%	<80%	0																										
100	85	85%	>=80% & <90%	2																										
100	95	95%	>=90%	4																										

Section	AF II) Aftersales Process Effectiveness																													
Metrics	AF 2.3) Cost/Time conformance																													
Sub Parameter	AF 2.3 B) Cost Estimate Conformance																													
Function and Applicable LOB's	After Sales - M&HCV, ILCV, SCV, CV Pass																													
Target Setting Guidelines	Number of Job-cards with cost deviation <10% ----- x 100 = % Achievement Total number of Job-cards closed																													
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS																													
Point Calculation Methodology	<table border="1"><thead><tr><th>LOB</th><th>Max .Points</th></tr></thead><tbody><tr><td>M&HCV</td><td>4</td></tr><tr><td>ILCV</td><td>4</td></tr><tr><td>SCV</td><td>4</td></tr><tr><td>CV Pass</td><td>4</td></tr></tbody></table> For all LoBs, - If % Achievement >=90%, 4 Points - If % Achievement >=80% & <90%, 2 Points - If % Achievement <80%, zero point Service Type Considered: AMC – TM, Break-down, All Free Service (As per the applicability) and Paid Service Pre-Qualifying Condition : Will not be considered if a) Job Card closed <= 1 hour b) Labor value is less than Rs 50					LOB	Max .Points	M&HCV	4	ILCV	4	SCV	4	CV Pass	4															
LOB	Max .Points																													
M&HCV	4																													
ILCV	4																													
SCV	4																													
CV Pass	4																													
Illustration	<table border="1"><thead><tr><th colspan="5">Cost Estimate Conformance</th></tr><tr><th>Total number of Job-cards closed</th><th>Number of Job-cards with time dev.<10%</th><th>% Achievement</th><th>Points Slab</th><th>Points Achieved</th></tr></thead><tbody><tr><td>100</td><td>75</td><td>75%</td><td><80%</td><td>0</td></tr><tr><td>100</td><td>85</td><td>85%</td><td>>=80% & <90%</td><td>2</td></tr><tr><td>100</td><td>95</td><td>95%</td><td>>=90%</td><td>4</td></tr></tbody></table>					Cost Estimate Conformance					Total number of Job-cards closed	Number of Job-cards with time dev.<10%	% Achievement	Points Slab	Points Achieved	100	75	75%	<80%	0	100	85	85%	>=80% & <90%	2	100	95	95%	>=90%	4
Cost Estimate Conformance																														
Total number of Job-cards closed	Number of Job-cards with time dev.<10%	% Achievement	Points Slab	Points Achieved																										
100	75	75%	<80%	0																										
100	85	85%	>=80% & <90%	2																										
100	95	95%	>=90%	4																										

Section	AF II) Aftersales Process Effectiveness																													
Metrics	AF 2.4) Customer Retention/ Acquisition Measure																													
Sub Parameter	AF 2.4 A) Customer Retention Measure																													
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, CV Pass																													
Target Setting Guidelines	Number of Job-cards Open in last 'x'** months ----- = Average Visits per Chassis Total Number of Unique Chassis Visiting the workshop ** Note: - For M&HCV, CV Pass and ILCV: Visits over last 12 months to be considered, x=12 For SCV Cargo, Pickups, SCV Passenger, PCV Venture: Visits over last 9 months to be considered, x=9 Service Type not Considered: PDI Type																													
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS																													
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>4</td></tr><tr><td>ILCV</td><td>4</td></tr><tr><td>SCV</td><td>4</td></tr><tr><td>CV Pass</td><td>4</td></tr></table> For all LoBs (subject to upper threshold) Visits/Chassis >=2.25 & <4.0, 4 Points Visits/Chassis >=1.75 & <2.25, 2 Points Else, Zero points Note: The Visits/ Chassis should not exceed the maximum threshold of 4. In such a case, the parameter score would be 0. For example: if Visits/Chassis is 5 for a particular month, the score on the parameter would be 0.					LOB	Max .Points	M&HCV	4	ILCV	4	SCV	4	CV Pass	4															
LOB	Max .Points																													
M&HCV	4																													
ILCV	4																													
SCV	4																													
CV Pass	4																													
Illustration	<table><tr><th colspan="5">Customer Retention Measure</th></tr><tr><th>Number of Job-cards opened in “X” months (basis LOB)</th><th>Total number of unique chassis visiting workshop</th><th>Average Visits per Chassis</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>20</td><td>5</td><td>Zero Points</td><td>0</td></tr><tr><td>100</td><td>50</td><td>2</td><td>>=1.75 & <2.25</td><td>2</td></tr><tr><td>90</td><td>30</td><td>3</td><td>>=2.25 & <4.0</td><td>4</td></tr></table>					Customer Retention Measure					Number of Job-cards opened in “X” months (basis LOB)	Total number of unique chassis visiting workshop	Average Visits per Chassis	Points Slab	Points Achieved	100	20	5	Zero Points	0	100	50	2	>=1.75 & <2.25	2	90	30	3	>=2.25 & <4.0	4
Customer Retention Measure																														
Number of Job-cards opened in “X” months (basis LOB)	Total number of unique chassis visiting workshop	Average Visits per Chassis	Points Slab	Points Achieved																										
100	20	5	Zero Points	0																										
100	50	2	>=1.75 & <2.25	2																										
90	30	3	>=2.25 & <4.0	4																										

Section	AF II) Aftersales Process Effectiveness																												
Metrics	AF 2.4) Customer Retention/Acquisition Measure																												
Sub Parameter	AF 2.4 B) Customer Acquisition Measure																												
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, CV Pass (as per Athena Logic)																												
Target Setting Guidelines	Number of Job-cards with new chassis acquired during the month -----x100 =% Customer Acquisition Total Job-cards closed during the month Measures the new chassis acquisition as a % of total JCs opened in the month New Chassis – Not serviced during the last X** months by the workshop <u>Service Type not Considered:</u> PDI Type X** month it will depend on sale date of the vehicle: <table><tr><th>LOB</th><th>Sale Date</th><th>X months</th></tr><tr><td>LCV,SCV and CV Pass</td><td>No condition</td><td>9 months</td></tr><tr><td>M&HCV , CV</td><td>Before 2013 / 07</td><td>12 months</td></tr><tr><td>Pass(Buses),ICV</td><td>After 2013 / 07</td><td>18 months</td></tr></table>				LOB	Sale Date	X months	LCV,SCV and CV Pass	No condition	9 months	M&HCV , CV	Before 2013 / 07	12 months	Pass(Buses),ICV	After 2013 / 07	18 months													
LOB	Sale Date	X months																											
LCV,SCV and CV Pass	No condition	9 months																											
M&HCV , CV	Before 2013 / 07	12 months																											
Pass(Buses),ICV	After 2013 / 07	18 months																											
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS																												
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>4</td></tr><tr><td>ILCV</td><td>4</td></tr><tr><td>SCV</td><td>4</td></tr><tr><td>CV Pass</td><td>4</td></tr></table> For All LoBs, - If % Customer Acquisition >= 6%, 4 Points - If % Customer Acquisition >= 3% & <6%, 2 Points - If % Customer Acquisition <3%, zero point				LOB	Max .Points	M&HCV	4	ILCV	4	SCV	4	CV Pass	4															
LOB	Max .Points																												
M&HCV	4																												
ILCV	4																												
SCV	4																												
CV Pass	4																												
Illustration	<table><tr><th colspan="5">Customer Acquisition Measure</th></tr><tr><th>Number of Job-cards through new chassis acquired last month</th><th>Total Job-cards opened last month</th><th>Percentage Customer Acquisition</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>2</td><td>100</td><td>2%</td><td><3%</td><td>0</td></tr><tr><td>5</td><td>100</td><td>5%</td><td>>= 3% & <6%</td><td>2</td></tr><tr><td>7</td><td>100</td><td>7%</td><td>>= 6%</td><td>4</td></tr></table>				Customer Acquisition Measure					Number of Job-cards through new chassis acquired last month	Total Job-cards opened last month	Percentage Customer Acquisition	Points Slab	Points Achieved	2	100	2%	<3%	0	5	100	5%	>= 3% & <6%	2	7	100	7%	>= 6%	4
Customer Acquisition Measure																													
Number of Job-cards through new chassis acquired last month	Total Job-cards opened last month	Percentage Customer Acquisition	Points Slab	Points Achieved																									
2	100	2%	<3%	0																									
5	100	5%	>= 3% & <6%	2																									
7	100	7%	>= 6%	4																									

Section	AF II) Aftersales Process Effectiveness																													
Metrics	AF 2.5) Spares Parts Metric																													
Sub Parameter	AF 2.5 A) TOPS activated Parts billing value																													
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, CV Pass																													
Target Setting Guidelines	TOC / TOPS billing value in Lakhs -----X 100= % Achievement Total Billing value in Lakhs TOPS activated Parts billing value every month should be 35% of monthly total billing																													
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS																													
Point Calculation Methodology	<table border="1"><thead><tr><th>LOB</th><th>Max .Points</th></tr></thead><tbody><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></tbody></table> For all LoBs (subject to upper qualifier), If % Ach > 35% ,3 Points Else, Zero point					LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3															
LOB	Max .Points																													
M&HCV	3																													
ILCV	3																													
SCV	3																													
CV Pass	3																													
Illustration	<table border="1"><thead><tr><th colspan="5">TOPS activated Parts billing value</th></tr><tr><th>(TOC Billing value in Lakhs)</th><th>(Total Billing Value in Lakhs)</th><th>% Achievement</th><th>Points Slab</th><th>Points Achieved</th></tr></thead><tbody><tr><td>10</td><td>100</td><td>10%</td><td><=35%</td><td>0</td></tr><tr><td>35</td><td>100</td><td>35%</td><td><=35%</td><td>0</td></tr><tr><td>54</td><td>100</td><td>54%</td><td>>35%</td><td>3</td></tr></tbody></table>					TOPS activated Parts billing value					(TOC Billing value in Lakhs)	(Total Billing Value in Lakhs)	% Achievement	Points Slab	Points Achieved	10	100	10%	<=35%	0	35	100	35%	<=35%	0	54	100	54%	>35%	3
TOPS activated Parts billing value																														
(TOC Billing value in Lakhs)	(Total Billing Value in Lakhs)	% Achievement	Points Slab	Points Achieved																										
10	100	10%	<=35%	0																										
35	100	35%	<=35%	0																										
54	100	54%	>35%	3																										

Section	AF II) Aftersales Process Effectiveness																							
Metrics	AF 2.5) Spares Parts Metric																							
Sub Parameter	AF 2.5 B) Number of Day’s Code Open																							
Function and Applicable LOB’s	After Sales – M&HCV, ILCV, SCV, CV Pass																							
Target Setting Guidelines	Code should be open at least for 21 days every month																							
CPSC Data Source	Numerator: Fixed, Denominator: CRMDMS																							
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></table> For all LoBs (subject to upper qualifier), If the Number of Days Code Open is >=21 days, 3 Points Else, Zero point				LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3										
LOB	Max .Points																							
M&HCV	3																							
ILCV	3																							
SCV	3																							
CV Pass	3																							
Illustration	<table><tr><th colspan="4">Number of Day’s Code Open</th></tr><tr><th>Targets (Number of Days Code should be open)</th><th>Actual (Number of Days code open)</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>21</td><td>15</td><td>< 21 days</td><td>0</td></tr><tr><td>21</td><td>20</td><td>< 21 days</td><td>0</td></tr><tr><td>21</td><td>21</td><td>>= 21 days</td><td>3</td></tr></table>				Number of Day’s Code Open				Targets (Number of Days Code should be open)	Actual (Number of Days code open)	Points Slab	Points Achieved	21	15	< 21 days	0	21	20	< 21 days	0	21	21	>= 21 days	3
Number of Day’s Code Open																								
Targets (Number of Days Code should be open)	Actual (Number of Days code open)	Points Slab	Points Achieved																					
21	15	< 21 days	0																					
21	20	< 21 days	0																					
21	21	>= 21 days	3																					

Section	AF II) Aftersales Process Effectiveness																				
Metrics	AF 2.6) Service Turn Around Time Adherence																				
Sub Parameter	AF 2.6 A) Service Turnaround Time for Paid Jobs																				
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, CV Pass																				
Target Setting Guidelines	Number of Paid Job-Cards with Turnaround Time 'X'*** -----X 100= % Ach Total number of Paid Job-Cards Note ** TAT Benchmarks for Paid Job Cards are as follows: M&HCV, ILCV, Bus - 6 hours SCV and CV Pass (excluding Buses) - 5 hours <u>Service type Considered</u> AMC – TM , Paid Service <u>Pre-Qualifying Condition</u> : Will not be considered if a) Job Card closed <= 1 hour b) Labor value is less than Rs 50																				
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS																				
Point Calculation Methodology	<table border="1"><thead><tr><th>LOB</th><th>Max .Points</th></tr></thead><tbody><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></tbody></table> For all LoBs, - If % achievement >=80%, 3 Points - If % achievement >=70% & <80%, 1 Point - If % achievement <70% , zero point	LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3										
LOB	Max .Points																				
M&HCV	3																				
ILCV	3																				
SCV	3																				
CV Pass	3																				
Illustration	<table border="1"><thead><tr><th colspan="4">Service Turnaround Time for Paid Jobs</th></tr><tr><th>Total number of paid Job-cards closed</th><th>Number of paid Job-cards with TAT<benchmark</th><th>Points Slab</th><th>Points Achieved</th></tr></thead><tbody><tr><td>100</td><td>65</td><td><70%</td><td>0</td></tr><tr><td>100</td><td>75</td><td>>=70% and<80%</td><td>1</td></tr><tr><td>100</td><td>85</td><td>>=80%</td><td>3</td></tr></tbody></table>	Service Turnaround Time for Paid Jobs				Total number of paid Job-cards closed	Number of paid Job-cards with TAT<benchmark	Points Slab	Points Achieved	100	65	<70%	0	100	75	>=70% and<80%	1	100	85	>=80%	3
Service Turnaround Time for Paid Jobs																					
Total number of paid Job-cards closed	Number of paid Job-cards with TAT<benchmark	Points Slab	Points Achieved																		
100	65	<70%	0																		
100	75	>=70% and<80%	1																		
100	85	>=80%	3																		

Section	AF II) Aftersales Process Effectiveness																							
Metrics	AF 2.6) Service Turn Around Time Adherence																							
Sub Parameter	AF 2.6 B) Service Turnaround Time for Free And Scheduled Service Jobs																							
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, CV Pass																							
Target Setting Guidelines	Number of free & scheduled Job-cards with TAT <benchmark -----X 100= % Ach Total number of free & scheduled service Job-Cards TAT Benchmarks for free & scheduled service JCs are as follows: M&HCV, ILCV- 5 hours LCV, CV Pass, SCV- 4 hours Service type Considered 1 to 10 Free Service (As per the applicability) Pre-Qualifying Condition : Will not be considered if a) Job Card closed <= 30 Mins b) Labor value is less than Rs 50																							
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS																							
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></table> For all LoBs, - If % achievement >=80%, 3 Points - If % achievement >=70% & <80%, 1 Point - If % achievement <70% , zero point				LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3										
LOB	Max .Points																							
M&HCV	3																							
ILCV	3																							
SCV	3																							
CV Pass	3																							
Illustration	<table><tr><th colspan="4">Service Turnaround Time for Free and scheduled Service Jobs</th></tr><tr><th>Total number of free/ scheduled Job-cards closed</th><th>Number of free / scheduled Job-cards with TAT<benchmark</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>100</td><td>65</td><td><70%</td><td>0</td></tr><tr><td>100</td><td>75</td><td>>=70% and <80%</td><td>1</td></tr><tr><td>100</td><td>85</td><td>>=80%</td><td>3</td></tr></table>				Service Turnaround Time for Free and scheduled Service Jobs				Total number of free/ scheduled Job-cards closed	Number of free / scheduled Job-cards with TAT<benchmark	Points Slab	Points Achieved	100	65	<70%	0	100	75	>=70% and <80%	1	100	85	>=80%	3
Service Turnaround Time for Free and scheduled Service Jobs																								
Total number of free/ scheduled Job-cards closed	Number of free / scheduled Job-cards with TAT<benchmark	Points Slab	Points Achieved																					
100	65	<70%	0																					
100	75	>=70% and <80%	1																					
100	85	>=80%	3																					

Section	AF II) Aftersales Customer Engagement																				
Metrics	AF 2.7) Service Turn Around Time Adherence																				
Sub Parameter	AF 2.7) Same Day Delivery																				
Function and Applicable LOB's	Aftersales – M&HCV, ILCV, SCV, CV Pass																				
Target Setting Guidelines	No. of Non accident/non- major aggregate / Non PDI Vehicle delivered on same day ----- x 100 = % Achievement of SDD Total no of non accident /non- major aggregate / Non PDI vehicles serviced Pre-Qualifying Condition : Will not be considered if a) Job Card closed <= 1 Hr b) Labor value is less than Rs 50																				
CPSC Data Source	Target: CRMDMS, Actuals: CRMDMS																				
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>3</td></tr><tr><td>ILCV</td><td>3</td></tr><tr><td>SCV</td><td>3</td></tr><tr><td>CV Pass</td><td>3</td></tr></table> For all LoBs - If % Achievement of SDD >= 90%, 3 point - If % Achievement of SDD >=80% & < 90%, 2 point - If % Achievement of SDD >=70% & < 80%, 1 point - If % Achievement of SDD < 70%, zero point			LOB	Max .Points	M&HCV	3	ILCV	3	SCV	3	CV Pass	3								
LOB	Max .Points																				
M&HCV	3																				
ILCV	3																				
SCV	3																				
CV Pass	3																				
Illustration	<table><tr><th colspan="3">Same Day Delivery</th></tr><tr><th>SDD Score</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>65%</td><td><70%</td><td>0</td></tr><tr><td>75%</td><td>>=70% & < 80%</td><td>1</td></tr><tr><td>85%</td><td>>=80% & <90%</td><td>2</td></tr><tr><td>95%</td><td>>= 90%</td><td>3</td></tr></table>			Same Day Delivery			SDD Score	Points Slab	Points Achieved	65%	<70%	0	75%	>=70% & < 80%	1	85%	>=80% & <90%	2	95%	>= 90%	3
Same Day Delivery																					
SDD Score	Points Slab	Points Achieved																			
65%	<70%	0																			
75%	>=70% & < 80%	1																			
85%	>=80% & <90%	2																			
95%	>= 90%	3																			

Section	AF III) Aftersales Customer Engagement																	
Metrics	AF 3) Customer Engagement Index																	
Sub Parameter	AF 3) CEI (Workshop Post Service Feedback) Score																	
Function and Applicable LOB's	Aftersales – M&HCV, ILCV, SCV, CV Pass																	
Target Setting Guidelines	Sum of Customer engagement scores ----- x 100 = % Satisfaction Maximum score for the total no. of responses For all LoBs - Service Experience Score of Dealership (Refer to CEI Questions in Annexure III B)																	
CPSC Data Source	Target: Fixed, Actuals: CRMDMS																	
Point Calculation Methodology	<table><tr><th>LOB</th><th>Max .Points</th></tr><tr><td>M&HCV</td><td>6</td></tr><tr><td>ILCV</td><td>6</td></tr><tr><td>SCV</td><td>6</td></tr><tr><td>CV Pass</td><td>6</td></tr></table> For all LoBs Customer Engagement Score Measured on a scale of 10 - If % Satisfaction Score >=90%, 6 Points - If % Satisfaction Score >= 80% & <= 90%, 3 points - If % Satisfaction Score <80% , zero point			LOB	Max .Points	M&HCV	6	ILCV	6	SCV	6	CV Pass	6					
LOB	Max .Points																	
M&HCV	6																	
ILCV	6																	
SCV	6																	
CV Pass	6																	
Illustration	<table><tr><th colspan="3">CEI (Post Service Feedback of workshop) Score</th></tr><tr><th>Customer Satisfaction Score</th><th>Points Slab</th><th>Points Achieved</th></tr><tr><td>75%</td><td><80%</td><td>0</td></tr><tr><td>85%</td><td>>= 80% & <= 90%</td><td>3</td></tr><tr><td>95%</td><td>>=90%</td><td>6</td></tr></table>			CEI (Post Service Feedback of workshop) Score			Customer Satisfaction Score	Points Slab	Points Achieved	75%	<80%	0	85%	>= 80% & <= 90%	3	95%	>=90%	6
CEI (Post Service Feedback of workshop) Score																		
Customer Satisfaction Score	Points Slab	Points Achieved																
75%	<80%	0																
85%	>= 80% & <= 90%	3																
95%	>=90%	6																

ANNEXURE – I

Policy for Test Drive Vehicles for SCV & Pickup Range

We are pleased to introduce a Test Drive Vehicle Policy for SCV & Pickup range at CVBU dealerships.

This Test Drive Vehicle Policy will be effective from 1st May 2014.

1. Models of Test Drive Vehicles

All Dealers handling SCV & Pickups need to position at least one vehicle each of the following models as Test Drive cum demonstration Vehicle -

1. Ace Zip (with LSPV)
2. Super Ace Mint.
3. Xenon Dicor Single Cabin
4. Xenon Dicor Crew Cab 4X2 or 4X4 AC
5. Ace Refresh Dicor (NA or TCIC)
6. Magic Iris (with LSPV)
7. Magic Mantra
8. Ace Mega
9. Venture BS 4 , 1.4 Ltr CRail Engine .

The model list and quantity mandate for Test Drive Vehicles will be updated from time to time as required and when new products are launched. The same will be intimated to the dealerships through proper circulars. The dealer can freeze the variant required in discussion with the Area / Regional Office. Some products mentioned above are shortly going to be introduced in the market.

2. Procurement of Test Drive Vehicles

- New Test Drive Vehicles need to be purchased from the company only & as per specified model only.
- A dealership may choose to capitalize a vehicle from its existing stock, if appropriate model is available provided date of TML invoice is less than 3 months vintage from the month of capitalization.

3. Replenishment of Test Drive Vehicles

- The Test Drive Vehicles replacement cycle will be 15 months or 18,000 km, whichever is earlier.

Annexure II

Policy for Test Drive Vehicles for CV Passenger Vehicles

We are pleased to introduce a Test Drive Vehicle Policy for CV Passenger vehicles detailed below at all concerned CVBU dealerships.

This Test Drive Vehicle Policy will be effective from 1st September 2016 and valid for vehicles purchased up till 30th June 2017.

1. Models of Test Drive Vehicles:

This policy is applicable for all variants of **Magic Mantra, Magic Closed Van BSIV (Magic Express), Venture BSIV and Winger Dicor.**

All Dealers handling CV Passenger need to capitalize at least one vehicle each as Test Drive cum demonstration Vehicle as per applicable product range.

The dealer can freeze the variant required in discussion with the Area / Regional Office.

2. Procurement of Test Drive Vehicles

- New Test Drive Vehicles need to be purchased from the company only
- A dealership may choose to capitalize a vehicle from its existing stock, if appropriate model is available provided date of TML invoice is less than 3 months' vintage from the month of capitalization.

3. Other Expenses

Other expenses towards the operation and maintenance of the Test Drive Vehicles (fuel, maintenance, insurance, registration, driver expenses etc.) need to be borne by the dealership.

4. Utilization of Test Drive Vehicles

- Vehicles deployed for Test Drives should be used for offering Test Drives for a maximum period of 15 months or 18,000 km whichever is earlier from the date of invoice.
- Test Drive Manager / DSM to ensure availability of TD vehicles @ min 90% of the time (any vehicle can be in breakdown / maintenance / service for max

ANNEXURE – III A**Sales Satisfaction Index – TBSS Questionnaire and Script**

Good morning / Afternoon / Evening: Sir / Madam.

My name is ABCD. I am calling on behalf of TATA Motors. Am I speaking to Mr. _____

We understand from our system records that you have purchased a **New** TATA Commercial Vehicle MODEL XYZ

Ask Customer to verify Purchase details in our CRMDMS records : Dealer Name, Dealer City, CV Retail Sale Date

Sir/Madam, **Welcome to Tata motors family.**

This call is made to understand your valuable feedback on the **Sales Experience** May I have your few minutes for the Survey.

If Yes - Thank You Sir / Madam and start SSI Survey

If No – Thank customer and Record response as No.

Note : For CVBU SSI Calling, Please explain the below **10 point scale** to customer.

Rating	Satisfaction Level	Scale
➤ 10 – 9	➤ Very Satisfied	➤ 100%
➤ 8 - 7	➤ Satisfied	➤ 75%
➤ 6 – 5	➤ Neither	➤ 50%
➤ 4 - 3	➤ Dissatisfied	➤ 25%
➤ 2 - 1	➤ Very Dissatisfied	➤ 0%

- Based on the rating given on 10 point scale during the Telephonic survey, TBSS to capture the customer response against the particular customer Name, model, Chassis Number.

Questionnaire for CVBU SSI Calling

Q1. Based on your Overall **SALES** experience, How Satisfied are you with your TML CV Dealership?

Q2. Note to TBSS : Q2a. To be asked to SCV customers **only**.

Q2b. To be asked to LCV, IMHC & Bus customers **only**.

Only for SCV Customer:

Q2a. How satisfied are you with **overall Dealer Facility** of your TML CV Dealership? Did you find the dealership location easy to visit and the office was comfortable? **(Dealer Facility)**

Only for LCV, IM&HCV & Bus customers :

Q2b. How satisfied are you with **overall Dealer Touch point** of your TML CV Dealership? Did your dealership make efforts to reach you on time and DSE had Sales Tools, Calculator, Product Brochure? **(Dealer Touch Point)**

Q3. How satisfied are you with your **Sales Consultant's courtesy and willingness to take the time necessary** to understand your requirements, explain the product features and benefits? **(Sales Consultant)**

Q4. Overall, how satisfied are you with the **Deal obtained, Information on Financing options and the time taken for negotiating the deal?** **(Financial Process)**

Q5. Overall, how satisfied are you with the **Delivery Experience?** Did you get the vehicle delivery in good condition, delivered on time and attention given to you during the delivery. **(Delivery Process)**

Call Closing Script :-Thank you for giving your valuable time and feedback to Tata Motors Have a Nice Day!!!!!!!!!!!!!!

End of SSI Customer Survey

ANNEXURE – III B

Questionnaire for CVBU PSF Calling _ Service

Note: For CVBU PSF Calling, please explain the below **5 point scale** to customer.

- 5: Excellent,
- 4: Very Good,
- 3: Good,
- 2: Poor,
- 1: Very Poor

Q1. Based on your last service experience with the ____ (name of the Tata Motors service dealership), please tell me by choosing the below rating “Was the said Vehicle repair job rectified completely as per your expectation?” **(Repair Quality)**

Q2. Based on your last service experience, In terms of the Support/ assistance & Behavior from service staff, what is your experience / impression about the dealership personnel? **(Staff Behavior)**

Q3. Based on your last service experience, What is your experience / impression on Accuracy of cost estimate provided by the Dealership for Servicing of your vehicle **(Cost Accuracy)**

Q4. How likely would you recommend ____ (Dealer Workshop) of ____ (TATA Motors) to friends/relatives/other CV owners for service/repairs?” **(Recommendation)**

Q5. Based on your last service experience, please tell me how would you rate the overall performance of the dealership in terms of After Sales Service / Repair? **(Overall Satisfaction)**

End of PSF Customer Survey

ANNEXURE – IV

Common Service Basic Checklist - All LOBs

Name	ABC motors
Division / Branch	XYZ
Month	23-Feb
Source	CSM
Responsibility	ASM

Service Basic Checklist (Yes/No)		
A)	Hygiene	
1	Cleanliness of Floor & Office Space	
a)	Chairs/Furniture Available	Yes
b)	Neatness of Floor & Office Space	Yes
c)	No oil spillages should be seen on floor – Oil dispensing system is installed such that there is no oil spillages happening in workshop	Yes
2	Cleanliness of Washroom	
a)	Urinals are clean, working and not broken	Yes
b)	Soap availability	Yes
c)	Water availability in washroom	Yes
d)	Floor should not have any stagnation of water	Yes
3	Marked garbage bins - Bio Hazard (flammable , Bio degradable and Non Bio degradable)	Yes
4	Internal Signage's for Customer related areas : Reception , Customer lounge , Driver waiting room , Cash counter , Washroom , Canteen, Parking area, Assembly area	Yes
5	Placement of the tools in designated areas when not in use - All tools should have designated storage space	Yes
6	Service Personnel in prescribed uniform as per current norm	Yes
7	Diagnostic systems - Availability & usage of latest update of diagnostic software with laptop - M&HCV (INSITE) (For full range)	Yes
8	Diagnostic systems - Availability & usage of latest update of diagnostic software with laptop - should include SCV, LCV, ICV, M&HCV (applicable as per the range of workshop)	Yes
9	Mobile Job cards - Availability of tablet and usage	Yes
10	Availability of lubricant disposable system	Yes
11	Dedicated place for storing the lubes with drawing mechanism that ensures "Zero" spillage in and around the store as well as the workshop	Yes
12	Separate area to store AUS 32 under controlled temperature where the max temp is 40 degrees	Yes
13	Lube Audit score - Consumption vs Buying variation (Co-branded oil for Rear Axle, Gear and Engine) shouldn't be more than +/-5%	Yes
B)	Safety	
1	Installation of ELCB(Earth Leakage Circuit Breakers) at following areas: 1) Washing area 2) Body Shop for Welding M/c	Yes
2	Flashback arrestors on Gas Cutting equipment : Installation of Flashback arrestors on gas cutting equipment and assurance of gas hose condition	Yes
3	Earthing of equipment & Healthy Earth Pits - All equipment should be earthed & Earth Pits to be checked and maintained	Yes
4	LOTO – Lock Out Tag Out - Any maintenance activities involving electrical equipment, Lifting equipment, compressors, the equipment should be locked and tagged before initiating the work on the equipment.	Yes
5	Machine Guarding should be done wherein in all rotating and moving parts to be guarded e.g. Grinders, pumps, Pedestal fans etc	Yes
6	Navigation Support for reversing: A navigator/other colleague to assist the driver in reversing the vehicle.	Yes
7	100% Safety Shoes for all Mechanics	Yes
8	Only Authorized drivers (Drivers which have been shortlisted by Dealer and has valid driving license) allowed to drive in Workshop premises	Yes
	Net Score (out of 100)	100%

ANNEXURE V

SERVICE CIRCULAR**TATA MOTORS**

SC/ 2014 / 66	Model : ALL	Group: 00	Sep'14
---------------	-------------	-----------	--------

All Dealers / TASSs

Subject: Introduction of Mobile Workshop

As part of the Customer Care initiative to enhance customer experience, Mobile Workshop has been launched to service vehicles On-site to save time and cost of repair. It shall provide service to all range of vehicles at industrial sites viz. Cement Plants, Ports etc. It shall also support rural markets with low volumes and major high volume markets with workshop capacity constraints.

Mobile Workshop is built on LPT 709 platform. It is equipped with workshop tools and equipments required for schedule service & repairs.



We are enclosing following details

- 1) Concept & features (Annexure 1)
- 2) Basic Design of Mobile Workshop (Annexure 2)
- 3) List of Equipments & Tools (Annexure 3)
- 4) Service Process & Scope of work for Mobile workshop (Annexure 4)
- 5) Support to manufacture Mobile workshop (Annexure 5)
- 6) Quotation from ATS-ELGI (Annexure 6)
- 7) Branding Details (Annexure 7)

CUSTOMER CARE (COMMERCIAL VEHICLE BUSINESS UNIT)

(As per policy of Tata Motors to continuously improve their products, the company reserves the right to make changes of any nature on vehicles and aggregates without any obligation to incorporate them on previous vehicle)

ANNEXURE VI

Monthly Score Summary (Sales)

MONTHLY SCORECARD SUMMARY- SALES					
Parameter	M&HCV	ILCV	SCV	CV Pass	
				CV Pass (without Buses)	CV Pass (Buses)
(S1.1 A) DSM Availability	2	2	2	2	2
(S1.1 B) DSE Availability	6	6	6	6	6
(S1.2) Utilization of Capitalized vehicles	NA	4	6	6	NA
(S2.1 A) Overall C0 target achievement Index	NA	4	4	4	4
(S2.1 B) Field sales activity linked C0 target achievement	4	4	5	5	5
(S2.2 A) Consistency of CRM Pipeline	5	5	5	5	5
(S2.2 B) C1 to Retail conversion < 7 days	5	5	5	5	5
(S2.2 C) CRM Pipeline Data Quality	3	3	3	3	3
(S2.3) Live Competition Deal Visibility	15	3	NA	NA	9
(S2.4) TMF RC Book Collection Rate	NA	3	3	3	NA
(S2.5) Dealer Sales Executive Productivity	5	6	6	6	6
(S3.1 A) Sales Satisfaction Index Score – TBSS Calling	3	3	3	3	3
(S3. 1 B) Sales Complaint closure	2	2	2	2	2
Total	50	50	50	50	50

ANNEXURE VI

Monthly Score Summary (Aftersales)

MONTHLY SCORECARD SUMMARY- AFTERSALES				
Parameter	M&HCV	ILCV	SCV	CV Pass
(AF 1) Workshop Basic Checklist Adherence (Hygiene & Safety)	5	5	5	5
(AF 2.1) Field Service Activity Index	3	3	3	3
(AF 2.2 A) Mobile Service Workshop Availability	3	3	3	3
(AF 2.2 B) On-site Job Card target achievement	2	2	2	2
(AF 2.3 A) Time Estimate Conformance	4	4	4	4
(AF 2.3 B) Cost Estimate Conformance	4	4	4	4
(AF 2.4 A) Customer Retention Measure	4	4	4	4
(AF 2.4 B) Customer Acquisition Measure	4	4	4	4
AF 2.5 A) TOPS activated Parts billing value	3	3	3	3
AF 2.5 B) Number of Day's Code Open	3	3	3	3
(AF 2.6 A) Service Turnaround Time for Paid Jobs	3	3	3	3
(AF 2.6 B) Service Turnaround Time for Free And Scheduled Service Jobs	3	3	3	3
(AF 2.7) Same Day Delivery	3	3	3	3
(AF 3) CEI (workshop Post Service Feedback) Score	6	6	6	6
Total	50	50	50	50

Frequently Asked Questions

Q1) We have received a scorecard wherein for one of the parameters target is mentioned as Zero than how is it possible that I have achievement percentage (%) equal to Zero?

Ans 1) In case the target for any parameter is zero automatically the achievement percentage will be considered Zero as per the CPSC process

Q2) Dealer team has identified some discrepancy in monthly scorecard. What is the way forward?

Ans 2) Please write a mail to CPSC - cpsc@tatamotors.com or respective State TML team to seek clarity on scoring methodology. Kindly ensure that you raise any request for changes in scorecard within 15 days of receiving scorecard.

Q3) How can I check data what is the target for the given month for each parameter considered under CPSC?

Ans 3) Please login to your CRM system and go to CPSC analytics link

Q4) How will the CV Pass Sales score calculation done?

Ans 4) It will be average of CV Pass (without buses) and CV Pass (Buses) as per the applicability of parameters. Under this for common par

Q5) How do you calculate Basic checklist score for Workshops?

Ans 7) We will take average score of all the applicable CPSC divisions

Q6) Certain divisions of my dealership are not covered under CPSC, How can I ensure that those are also added in CPSC evaluation?

Ans 6) To add or delete any division from CPSC please get in touch with the regional Strategic Network Management team member. Please remember CPSC evaluation can only be done for a 3S division.

Q7) I have added new division of my dealership under CPSC but currently I am not eligible for PSF calling. So will I get a full score or will I be given a Zero?

Ans 7) You will be given a Zero as it is a system oriented data and we only take the data as per the CRM PSF report. So whenever you add any new division ensure that all the LOBs are correctly mapped(as per applicability). Ensure PSF calling has started for After sales and Sales (You can get this information by dropping a mail to State Product Manager / State Service Manager).

Q8) What is Lube audit score?

Ans 8) CSM needs to find out (Consumption / Buying) % for Co-branded oil (for Rear Axle, Gear and Engine) and in case it is more than +/-5%. They should put the audit findings as NO (not as per compliance

Q9) Winger will be part of CV Pass (without Buses) or CV pass (Buses).

Ans9) Winger is part of ScPass LOB.

Q10) Is there any cut-off date for target and actual entry.

Ans 10) Yes, all the targets need to be entered by 5th of the month. If data is not entered as per specified timeline, system will automatically assign the target as Zero.

Q11) What is required to be done in case I have any query related to target and actual?

Ans 11) Please escalate it to respective State Product Manager, State Service Manager and State Network Manager as per the following timelines:

- a) Target – Data will be visible to dealer once TML team has entered the data (Email will be send to the dealer team). The target can be modified as per the approval of the field team until 5th of every month. After 5th of the month we have no provision for modifying the targets.
- b) Actual –
 - a. System related data will be updated on daily basis. In case of any concern, please highlight it to team before 10th of next month as after this the actual data can't be modified.
 - b. Manual data – Information is required to be updated by 5th of every month by TML team. The same can be modified till 10th of July after which final scorecard will be released and no further modifications will be considered.

Q12) What is difference between Overall C0 target achievement Index and Field Sales activity linked C0 target achievement?

Ans 12) In Overall C0 target achievement we are considering all the C0 quantity created by dealer whereas for the Field sales activity linked C0 we are only considering C0 count, which are linked to the field activities which have been conducted by the dealer.

Q13) For Field Sales activity linked C0 target achievement we have to update data within 5 days. Now if the activity is conducted on 26th of the month can I updated data on 1st of next month?

Ans 13) No, data has to be updated within 5 days of the activity and within that month itself.

Q13) Under Sales complaint parameter how will you calculate number of complaints closed within 9 days?

Ans 13) (Total number of complaints open as of the end of the month) – (Total number of complaints remaining open as of end of the month)

End of Document