

CV Channel Partner Score Card (CPSC)

Proposed 2017

Monthly Score Card

Discussion during workshop on 8th & 9th November 2016

Commercial Vehicle Business Unit (CVBU)

Strategic Network Management (Quality)

One Indiabulls Center, Tower 2B, 20th Floor, Lower Parel, Mumbai - 400013

Monthly Score Card

Proposed 2017

Sales Section (Max. 50 Points)

Sales section summary

Sales Section	<i>Current Points</i>	<i>Current Weightage %</i>	Proposed Points	Proposed Weightage %
1. Manpower & Facility	10	20%	10	20%
2. Sales Process Effectiveness	32	64%	34	68%
3. Customer Engagement	8	16%	6	12%
Sales Section Total	50	100%	50	100%

- Infrastructure : Sales basic check list (2 points) dropped from monthly & moved to Quarterly Score Card Metric : Showroom CIP Audit by Regn SNM, AM / TSM.

Sales Parameters	M&HCV, ILCV, SCV, Buses	Data Source	Qualitative Check
(S1.1 A) DSM Availability	2	DMS	AM will approve available Manpower, DSE wise Targets in DMS, Daily Pipeline Tracking by TSMs
(S1.1 B) DSE Availability	6	DMS	
(S1.2) Availability of Capitalized & Test Drive vehicles	2		
(S2.1) Field Sales Activity wise C0 Target Achievement	4	DMS	Upload C0 within 1 week of Activity, C0 Tagging
(S2.2 A) Consistency of CRM Pipeline C0, C1, C2 & Retail	5		1 st to 15 th : 40%
(S2.2 B) C1 to Retail Conversion (less than 1 week)	5	DMS	<= 10% in 7 days
(S2.2 C) CRM Pipeline Data Quality	2	DMS	
(S2.3 A) C2 Target achievement (LSCV)	2	DMS	
(S2.3 B) Live Competition Deal Visibility (n-1) (IMHCV and Buses)	2	DMS	
(S2.4) Working Capital Adequacy : Negative Paid up (days)	0 to -5	RCFI	
(S2.5 A) TMF RC Book Collection Rate	3	TMF	
(S2.5 B) TMFSL RC Book Collection Rate	3	TMF	
(S2.5 C) TMFSL Collection Efficiency	2	TMF	
(S2.6) Manpower Quality : DSE Productivity	4	DMS	DSE Productivity Tgt 5
(S2.7) Dealer Indenting System – Accuracy	4	S&OP	
(S3.1) Sales Satisfaction Index Score - TBSS Calling	6	DMS	
SALES SECTION TOTAL	50.00		



Section	S I) Manpower and Facilities
Metrics	S 1.1) Manpower Adequacy
Sub Parameter	S 1.1 A) Dealer Sales Manager (DSM) Availability
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses & Vans
Target Setting Guidelines	Number of DSMs (Actual) ----- X 100 = Percentage of DSMs Available Required Number of DSM's (Target) Note: - Quarterly Manpower Target as given by AM - Actual Number of DSMs updated in CRMDMS system on the first working day of the month, verified & Approved by Area Manager
CPSC Data Source	Target source: AM, Actual source: AM (Division, LoB Level)
Qualifying Criteria to be met	Monthly Available number of DSM system updation to be approved by AM Any New DSM joining & exit (Addition & Deletion) to be approved by AM

LOB	Max .Point
M&HCV	2
ILSCV	2
SCV	2
Buses & Vans	2

Points Calculation methodology :

If the Percentage of DSM's Available = > 100%, 2 Points

If the DSM's Available < 100% = Zero points

If the Qualifying Criteria is not met, then Zero points



Section	S I) Manpower and Facilities
Metrics	S 1.1) Manpower Adequacy
Sub Parameter	S 1.1 B) Dealer Sales Executives (DSEs) Availability
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses & Vans
Target Setting Guidelines	Number of DSEs (Actual) -----X 100 = Percentage of DSEs Available Required Number of DSEs (Target) Note: - Quarterly Manpower Target as given by AM - Actual Number of DSMs updated in CRMDMS system on the first working day of the month, verified & Approved by Area Manager
CPSC Data Source	Target source: AM, Actual source: CRMDMS (Division, LoB Level)
Qualifying Criteria to be met	Actual Number of DSE's will be verified & approved by Area office DSE wise Targets to be given on 1st of the every month in the system DSE wise Daily Pipeline in CRMDMS to be monitored & certified by TSMs If DSE wise Targets & Pipeline <u>Not</u> in CRMDMS then Zero Points

LOB	Max .Point
M&HCV	6
ILCV	6
SCV	6
Buses & Vans	6

Points Calculation methodology :

If the Percentage of DSEs Available >= 90%, 6 Points

If the Percentage of DSEs Available >=80% and <90%, 3 Points

If the Percentage of DSEs Available <80%, Zero Points

If the Qualifying Criteria is not met, then Zero points



Section	S I) Manpower and Facilities
Metrics	S 1.2) Sales Facilities Measure
Sub Parameter	S 1.2) Availability of Capitalized & Test Drive vehicles
Function and Applicable LOB's	Sales - M&HCV, ILCV (Only SCV Cargo & Pickups), SCV Only SCVPass & PCV Venture)
Target Setting Guidelines	<u>Each Dealer Code wise Availability of Capitalized & Test Drive Vehicles</u> <u>For MHCV:</u> 1 Prima LX Tipper / Cargo, 1 Ultra 10.12 <u>For LSCV:</u> As per the policy Actual Available Number of Capitalized & Test drive vehicles ----- X 100 = % Adherence Required Number of Capitalized & Test drive vehicles
CPSC Data Source	Target source: AM, Actual source: AM (Dealer Code, LoB Level)
Qualifying Criteria to be met	Dealer code wise vehicle RC copy to be submitted

LOB	Max .Point
M&HCV	2
ILCV	2
SCV	2
Buses & Vans	2

Points Calculation methodology :
 If Percentage adherence >= 100%, 2 Points
 If Percentage adherence < 100%, zero points

Section	S II) Sales Process Effectiveness
Metrics	S 2.1) Market Coverage
Sub Parameter	S 2.1) Field Sales Activity C0 Target Achievement (Including Neev Activities)
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Activity Actual C0 Numbers -----X 100 = Field Sales Activity C0 Target Ach. % Activity Total C0 Target Note: - Field Sales Activity C0 Targets to be given by Area Office - Only those activities which are executed before 26th of the month would be considered. C0 To be entered in the CRMDMS and verified by AM - Suggest that plan next month activities in the 4th week of previous month along with Area office
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)
Qualifying Criteria to be met	Minimum Planned vs Actual Activity Completed to be >=70%, else zero points Only activities with actual C0 => 30% of C0 Target will be considered in numerator C0 Data upload within 7 days of each activity completion C0 Tagging to each event CRM Data Quality minimum adherence (80% correct customer name & correct 10 digit Mobile numbers

LOB	Max .Point
M&HCV	4
ILSCV	4
SCV	4
Buses	4

Points Calculation methodology :

Field Sales Activity C0 Target Ach.% >= 80%, 4 Points

Field Sales Activity C0 Target Ach.% >=70% and <80%, 2 Points

Field Sales Activity C0 Target Ach.% >=60% and <70%, 1 Points

Field Sales Activity C0 Target Ach.% <60%, Zero point

If the Qualifying Criteria is not met, then Zero points



Section	S II) Sales Process Effectiveness
Metrics	S 2.2) CRM Pipeline
Sub Parameter	S 2.2 A) Consistency of CRM Pipeline C0, C1, C2 & Retail
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses
Norm	1st to 15th of the Month : Actual number of C0,C1, C2 & Retail punched in CRMDMS = 40% of Total Number of C0, C1, C2 & Retail from 1st to 30th / 31st of the month Actual Number of C0, C1, C2 & Retail from 1 st to 15 th of the month -----X 100 = % Consistency Total Number of C0,C1, C2 & Retail from 1 st to 30 th / 31 st of the month
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)
Qualifying Criteria to be met	CRM Data Quality minimum adherence (80% correct customer name & correct 10 digit Mobile numbers)

LOB	Max .Point
M&HCV	5
ILSCV	5
SCV	5
Buses	5

If Data quality check is OK then as per below slabs,

CRM Pipeline consistency Achievement $\geq 40\%$, 5 Points

CRM Pipeline consistency Achievement $\geq 30\%$ & $< 40\%$, 3 Points

CRM Pipeline consistency Achievement $\geq 20\%$ & $< 30\%$, 1 Points

CRM Pipeline consistency Achievement $< 20\%$, Zero Points

If the Qualifying Criteria is not met, then Zero points



Section	S II) Sales Process Effectiveness
Metrics	S 2.2) CRM Pipeline
Sub Parameter	S 2.2 B) C1 to Retail Conversion (less than 7 days)
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses
Norm	C1 to Retail conversion in less than 7 days < = 10% Retail (Date) minus C1 (open Date) = C1 to Retail Conversion days Number of C1 to Retail in less than 7 days ----- X 100 = % of C1 to Retail in less than 7 days Total Number of C1 to Retail in the month
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)
Qualifying Criteria to be met	CRM Data Quality minimum adherence (80% correct customer name & correct 10 digit Mobile numbers)

LOB	Max .Point
M&HCV	5
ILSCV	5
SCV	5
Buses	5

C1 to Retail conversion in 7 days <=10%, 5 Points
 C1 to Retail conversion in 7 days >10% & <=20%, 3 Points
 C1 to Retail conversion in 7 days >20% & <=30%, 1 Point
 C1 to Retail conversion in 7 days >30%, Zero Points
If the Qualifying Criteria is not met, then Zero points



Section	S II) Sales Process Effectiveness
Metrics	S 2.2) CRM pipeline
Sub Parameter	S 2.2 C) CRM Pipeline Data Quality
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	No of Mobile numbers not as per Rules ----- x 100 = Technically Invalid Number Total number of opportunities created in last month or updated in last 2 months And No of opportunities where multiple optys are linked to same Combination of Name, Mobile Number ----- x 100 = Duplicate Optys Total number of opportunities created in last month or updated in last 2 months
CPSC Data Source	Target source: Fixed, Actual source: Athena Report (Division Level)

LOB	Max .Point
M&HCV	2
ILSCV	2
SCV	2
Buses	2

Points Calculation methodology :
Percentage Achievement for Mobile Numbers and Optys >=90%, 2 points
Percentage Achievement < 90% , Zero



Section	S II) Sales Process Effectiveness
Metrics	S 2.3) Customer Coverage
Sub Parameter	S 2.3 A) C2 target achievement Index
Function and Applicable LOB's	Sales – SCV and LCV
Target Setting Guidelines	Actual C2 Numbers ----- X 100 = C2 Target Ach. % Total C2 Target
CPSC Data Source	Target source: AM, Actual source: CRMDMS (Division Level, LoB Level)

LOB	Max .Point
M&HCV	2
ILSCV	2
SCV	2
Buses	2

Points Calculation methodology :
C2 Target Achievement % >= 80%, 2 Points
C2 Target Achievement % <80%, Zero point

Section		S II) Sales Process Effectiveness
Metrics		S 2.3) Competition Intelligence Index
Sub Parameter		S 2.3 B) Live Competition Deal Visibility
Function and Applicable LOB's		Sales – M&HCV, ICV, Buses
Target Setting Guidelines		No of Lost Sales in sales pipeline ----- x 100 = Percentage Achievement (Total Industry Volume - TML sales) -Measures the extent of participation in competition deals visible by month end
CPSC Data Source		Target source: AM-Total Industry Volume, Actual source: CRMDMS (Division Level, LoB Level)
LOB	Max .Point	Points Calculation methodology : Percentage Achievement >=70%, 2 points Percentage Achievement >= 50% & <70%, 1 point Percentage Achievement <50%, Zero point
M&HCV	2	
ILSCV	2	
SCV	2	
Buses	2	

Changes Proposed : TBSS to call customers after the month & verify.
 If any false data leading to =>10% of the lost sales data – zero point
 Field Team Recommends to keep as is

Section	S II) Sales Process Effectiveness
Metrics	S 2.4) Working Capital Management
Sub Parameter	S 2.4) Working Capital Adequacy : Net Paid up Capital (Days)
Function and Applicable LOB's	M&HCV, ILCV, SCV, Buses
Norm : Paid up Capital (in Days) Target Setting Guidelines	Target Equal to or greater than minus 10 days Closing New Vehicle Stock+15 days - (Channel Finance utilized + TML Credit) = Gross Paid up Capital <u>Note</u>: Channel Finance will include credit Lines that have been availed for purposes of Working Capital excluding CC Limits
Points calculation methodology	Score basis Number of Days of Net Paid Up Capital - Gross Paid up Capital >= minus 10 days, Nil points - Gross Paid up Capital < minus 10 days, - 5 points
CPSC Data Source	Target : Fixed & Actual source: RCFI (Dealer Code Level)

LOB	Max .Points	Negative
M&HCV	0	-5
ILCV	0	-5
SCV	0	-5
Buses	0	-5



Section	S II) Sales Process Effectiveness
Metrics	S 2.5) Tata Motors Finance Metric
Sub Parameter	S 2.5 A) TMF RC Book Collection Rate
Function and Applicable LOB's	M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	RC Books collected & submitted to TMF Branch -----x 100= TMF RC Book Collection Rate Live Book
CPSC Data Source	Target source: TMF, Actual source: TMF (Dealer Code Level)

LOB	Max .Points
M&HCV	3
ILCV	3
SCV	3
Buses	3

Points Calculation methodology :

Percentage Achievement >=95%, 3 points

Percentage Achievement >= 90% & <95%, 2 point

Percentage Achievement >= 80% & <90%, 1 point

Percentage Achievement <80%, Zero point



Section	S II) Sales Process Effectiveness
Metrics	S 2.5) Tata Motors Finance Metric
Sub Parameter	S 2.5 B) TMFSL RC Book Collection Rate
Function and Applicable LOB's	M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	$\frac{\text{TMFSL RC Books collected during the month}}{\text{Pending TMFSL RC Books (reducing)}} \times 100 = \text{TMFSL RC Book Collection Rate}$
CPSC Data Source	Target source: TMF, Actual source: TMF (Dealer Code Level)

LOB	Max .Point
M&HCV	3
ILSCV	3
SCV	3
Buses	3

Points Calculation methodology :

TMFSL RC Book Collection rate $\geq 50\%$, Score =3 points

TMFSL RC Book Collection rate $\geq 30\%$ and $< 50\%$, Score= 2 points

TMFSL RC Book Collection rate $\geq 10\%$ and $< 30\%$, Score=1 point

TMFSL RC Book Collection rate $< 10\%$, Zero Point



Section	S II) Sales Process Effectiveness
Metrics	S 2.5) Tata Motors Finance Metric
Sub Parameter	S 2.5 C) TMFSL Collections Efficiency Index
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	$\frac{\text{TMFSL Collections during the month}}{\text{Total Monthly Collectable (OD + Maturity)}} \times 100$
CPSC Data Source	Target source: TMF, Actual source: TMF (Dealer Code, LoB level)

LOB	Max .Point
M&HCV	2
ILSCV	2
SCV	2
Buses	2

Points Calculation methodology :

TMFSL Collections Efficiency > 5%, 2 Points

TMFSL Collections Efficiency > 0% and <=5%, 1 point

TMFSL Collections Efficiency <=0%, Zero Point



Section	S II) Sales Process Effectiveness
Metrics	S 2.6) Manpower Quality
Sub Parameter	S 2.6) DSE Productivity
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Total Retails from 1st to 30th / 31st of the month -----x100 = DSE Productivity Total Available Number of DSE Note: DSE need to be Drona / Truck Master trained within 30 days of joining
CPSC Data Source	Target source: CRMDMS- Auto-calculate, Actual source: CRMDMS (Dealer Code, LoB level)

LOB	Max .Point
M&HCV	4
ILSCV	4
SCV	4
Buses	4

Points Calculation methodology :

DSE productivity >=5, 4 Points

DSE productivity >=4 and <5, 2 point

DSE productivity <4 , Zero point

Changes Proposed : DSE Productivity from DMS

Productivity Target 5 units Retails per month

If DSE is => 3 months & is trained on product+Drona : Target 5 units

If percentage of DSE with less than 6 units sales in last 3 months is > 20%,

score is zero point

Section	S II) Sales Process Effectiveness
Metrics	S 2.7) Dealer Indenting System
Sub Parameter	S 2.7) Dealer Indenting System- Accuracy
Function and Applicable LOB's	Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	$\frac{\text{Actual Offtake} - \text{Planned Indent}}{\text{Planned Indent}} \times 100 = \% \text{ deviation}$
CPSC Data Source	Actual Offtake & Planned Indents from CRMDMS (Dealer Code, LoB level)
Qualifying Criteria to be met	Planned Indent for vehicles is being recorded in the system (before 20th of every month) To be verified by AM based on Market conditions

LOB	Max .Point	Points Calculation methodology :	Points Calculation methodology :
M&HCV	4	> = 30 Units off take Dealers If % deviation <= $\pm 5\%$, 4 Points % deviation > $\pm 5\%$ and <= $\pm 10\%$, 2 Points % deviation > $\pm 10\%$, Zero point If the Qualifying Criteria is not met, then Zero points	Less than 30 Units off take Dealers If % deviation <= $\pm 10\%$, 4 Points % deviation > $\pm 10\%$ and <= $\pm 20\%$, 2 Points % deviation > $\pm 20\%$, Zero point If the Qualifying Criteria is not met, then Zero points Subject to off take of 5 units or more
ILSCV	4		
SCV	4		
Buses	4		



Section	S III) Customer Engagement
Metrics	S 3.1) Customer Engagement Index
Sub Parameter	S 3.1. A) Sales Satisfaction Index Score – TBSS Calling
Function and Applicable LOB's	Sales – All
Target Setting Guidelines	Refer to SSI Question 1 (in Annexure 1) Number of Response x Customer scores ----- x 100 Total Number of responses For all LoBs - Measure Sales Experience Score of Dealership based on TBSS calling - Weighted Average Score is calculated - Retail Sales Data in CRMDMS of previous month
CPSC Data Source	SSI Score from TBSS/CRMDMS (Dealer Code Level)

LOB	Max .Point
M&HCV	6
ILSCV	6
SCV	6
Buses	6

Points Calculation methodology :

Retail Data quality check: Minimum 90% correct customer name, mobile numbers

Else, Nil Points

Customer Engagement Score measured as a %age

<80%, Zero point

80 to 90%, 3 Points

>=90% . 6 Points

If <80% of customer mobile numbers for C3 correct, Zero point

Annexure 1 – Post Sales TBSS Calling Questionnaire

Good morning / Afternoon / Evening: Sir / Madam.

My name is ABCD. I am calling on behalf of TATA Motors. Am I speaking to Mr. _____

We understand from our system records that you have purchased a **New** TATA Commercial Vehicle **MODEL XYZ**

Ask Customer to verify Purchase details in our CRMDMS records : Dealer Name, Dealer City, CV Retail Sale Date

Sir/Madam, **Welcome to Tata motors family.**

This call is made to understand your valuable feedback on the **Sales Experience** May I have your few minutes for the Survey.

If Yes - Thank You Sir / Madam and start SSI Survey

If No – Thank customer and Record response as No.

Note : For CVBU SSI Calling, Please explain the below **10 point scale** to customer.

Rating	Satisfaction Level	Scale
10 – 9	Very Satisfied	100%
8 - 7	Satisfied	75%
6 – 5	Neither	50%
4 - 3	Dissatisfied	25%
2 - 1	Very Dissatisfied	0%

- Based on the rating given on 10 point scale during the Telephonic survey, TBSS to capture the customer response against the particular customer Name, model, Chassis Number.

Questionnaire for CVBU SSI Calling

Q1. Based on your Overall **SALES** experience, How Satisfied are you with your TML CV Dealership?

Q2. Note to TBSS : Q2a. To be asked to SCV customers **only**.

Q2b. To be asked to LCV, IMHC & Bus customers **only**.

Only for SCV Customer:

Q2a. How satisfied are you with **overall Dealer Facility** of your TML CV Dealership? Did you find the dealership location easy to visit and the office was comfortable? (**Dealer Facility**)

Only for LCV, IMHCV & Bus customers :

Q2b. How satisfied are you with **overall Dealer Touch point** of your TML CV Dealership? Did your dealership make efforts to reach you on time and DSE had Sales Tools, Calculator, Product Brochure? (**Dealer Touch Point**)

Q3. How satisfied are you with your **Sales Consultant's courtesy and willingness to take the time necessary** to understand your requirements, explain the product features and benefits? (**Sales Consultant**)

Q4. Overall, how satisfied are you with the **Deal obtained, Information on Financing options and the time taken for negotiating the deal?** (**Financial Process**)

Q5. Overall, how satisfied are you with the **Delivery Experience?** Did you get the vehicle delivery in good condition, delivered on time and attention given to you during the delivery. (**Delivery Process**)

Call Closing Script : Thank you for giving your valuable time and feedback to Tata Motors Have a Nice Day!!!!!!

Aftersales Section (Max. 50 Points)

Aftersales Section	<i>Current Points</i>	<i>Current Weightage %</i>	Proposed Points	Proposed Weightage %
1. Infrastructure & Facility	4	8%	5	10%
2. Aftersales Process Effectiveness	40	80%	39	78%
3. Customer Engagement	6	12%	6	12%
Aftersales Section Total	50	100%	50	100%

After Sales metrics changes proposed in 2017

Aftersales Parameters	M&HCV, ILCV, SCV, Buses	Data Source	Qualitative Check
(AF 1) Workshop Infrastructure Hygiene & Safety	5	ASM	
(AF 2) Field Service Activity Index	3	ASM	
(AF 3 A) Mobile Service Workshop Availability	3	ASM	App for Tracking MSW
(AF 3 B) On-site Job Card target achievement	2	DMS	
(AF 4 A) Time Estimate Conformance	4	DMS	
(AF 4 B) Cost Estimate Conformance	4	DMS	
(AF 5 A) Customer Retention Measure	4	DMS	
(AF 5 B) Customer Acquisition Measure	4	DMS	
(AF 6 A) TOP's Ordering implementation	3	DMS	
(AF 6 B) Code block	3	DMS	
(AF 7 A) Service Turnaround Time for Paid Jobs	3	DMS	
(AF 7 B) Service Turnaround Time for Free & Scheduled Service Jobs	3	DMS	
(AF 8) Same day Delivery (SDD)	3	DMS	
(AF 9) CEI (workshop Post Service Feedback) Score	6	DMS	
AFTERSALES SECTION TOTAL	50		

- For all metric there will be a check if the Job Card has been closed <= 1 hour & If the Job Card has been re opened
- For all metrics the Job card to be considered should have min Labor value of Rs 50.



Section	AF I) Aftersales Infrastructure and Facilities
Metrics	AF) After Sales Infrastructure Measure
Sub Parameter	AF 1) Workshop Basic Checklist Adherence (Hygiene & Safety)
Function and Applicable LOB's	After Sales – IMHCV, LSCV, CV Passenger
Target Setting Guidelines	Number of questions marked “YES” ----- X 100 = % Adherence Total number of questions Note: Workshop Basic Checklist (attached in Annexure IV) to be physically checked by CSM during monthly visits to the workshop
CPSC Data Source	Actual source: CSM

LOB	Max .Point
M&HCV	5
ILSCV	5
SCV	5
Buses	5

Points Calculation methodology :

For all LOBs,

If Percentage Adherence = 100%, 5 Points

If Percentage Adherence >=90% and <100%, 3 Points

If Percentage Adherence < 90%, Zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 2) Service Marketing
Sub Parameter	AF 2) Field Service Activity Index
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Number of Activities (Actual) -----x 100 = % service marketing achievement Required Number of Activities (Planned) Note: Activities to include all service activities (independent initiatives from Workshop as well as joint initiatives with sales)
CPSC Data Source	Target source: ASM, Actual source: CSM

LOB	Max .Point
M&HCV	3
ILSCV	3
SCV	3
Buses	3

Points Calculation methodology :

Activities conducted before 26th of the month will only be considered

If Percentage service marketing achievement $\geq 80\%$, 3 Points

If Percentage service marketing achievement $\geq 70\%$ & $< 80\%$, 1 points

If Percentage service marketing achievement $< 70\%$, Zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 3) Doorstep Service Enhancement
Sub Parameter	AF 3A) Mobile Service Workshop Availability
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	PDF Number of Mobile Service Workshop (Actual) ----- x 100 = % Availability Required Number of Mobile Service Workshop(Target) Note: - Mobile Service Workshop to be maintained as mandated by Service Circular (SC/2014/16 dtd Sep'14). No deviation will be given from requirements in Mobile Service Workshop Circular.
CPSC Data Source	Target source: ASM, Actual source: CRMDMS (Division level)

LOB	Max .Point
M&HCV	3
ILSCV	3
SCV	3
Buses	3

Points Calculation methodology :

For All LOBs,

If Percentage Availability >= 80%, 3 Points

If Percentage Availability >=60% & <80%, 1 points

If Percentage Availability <60%, zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 3) Doorstep Service Enhancement
Sub Parameter	AF 3 B) On-Site Job Card target achievement
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Number of onsite Mobile Service Workshop Job Cards (actuals) -----x 100 = % achievement 100 onsite Job Cards per month Per Mobile Service Workshop (target) Note: - Mobile Service Workshop Job Cards target to be set on the basis of 100 Job Cards per Mobile Service Workshop Vehicle per month opened through smart tab - onsite
CPSC Data Source	Target source: Fixed, Actual source: CRMDMS (MSW Level)

LOB	Max .Point
M&HCV	2
ILSCV	2
SCV	2
Buses	2

Points Calculation methodology :

For All LoB's

If percentage Achievement >= 90%, 2 Points

If percentage Achievement >=80% and <90%, 1 points

If percentage Achievement <80%, zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 4) Cost/Time conformance
Sub Parameter	AF 4 A) Time Estimate Conformance
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Number of Job Cards with time deviation <10% ----- x 100 = % achievement Total number of Job cards closed
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, Lob Level)

LOB	Max .Point
M&HCV	4
ILSCV	4
SCV	4
Buses	4

Points Calculation methodology :

If Percentage Achievement >=90%, 4 Points

If Percentage Achievement >=80% & <90%, 2 Points

If Percentage Achievement <80%, zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 4) Cost/Time conformance
Sub Parameter	AF 4 B) Cost Estimate Conformance
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Number of Job-cards with cost deviation <10% ----- x 100 = % achievement Total number of Job-cards closed
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)

LOB	Max .Point
M&HCV	4
ILSCV	4
SCV	4
Buses	4

Points Calculation methodology :

If Percentage Achievement >=90%, 4 Points

If Percentage Achievement >=80% & <90%, 2 Points

If Percentage Achievement <80%, zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 5) Customer Retention/ Acquisition Measure
Sub Parameter	AF 5 A) Customer Retention Measure
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Number of Job-cards Open in last 'x'** months ----- = Average Visits per Chassis Total Number of Unique Chassis Visiting the workshop ** Note: - For IMHCV, Buses & Vansand LCV: Visits over last 12 months to be considered, x=12 For SCV Cargo, Pickups, SCV Passenger, PCV Venture: Visits over last 9 months to be considered, x=9 Service Type not equal to PDI
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)

LOB	Max .Point
M&HCV	4
ILSCV	4
SCV	4
Buses	4

Points Calculation methodology :
(subject to upper threshold)

Visits/Chassis ≥ 2.25 & < 4.0 , 4 Points

Visits/Chassis ≥ 1.75 & < 2.25 , 2 Points

Else, Zero point

Note: The Visits/ Chassis should not exceed the maximum threshold. In such a case the parameter score would be 0. For example: if Visits/Chassis is 5 for a particular month, the score on the parameter would be 0.



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 5) Customer Retention/Acquisition Measure
Sub Parameter	AF 5 B) Customer Acquisition Measure
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Number of Job-cards with new chassis acquired during the month -----x100 =% Customer Acquisition Total Job-cards closed during the month Measures the new chassis acquisition as a % of total JCs opened in the month New Chassis – Not serviced during the last 12 months by the workshop Service Type is Not equal to PDI
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)

LOB	Max .Point
M&HCV	4
ILSCV	4
SCV	4
Buses	4

Points Calculation methodology :

If Percentage Customer Acquisition >= 6%, 4 Points
 If Percentage Customer Acquisition >= 3% & <6%, 2 Points
 If Percentage Customer Acquisition <3%, zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 6) Spares Parts Metric
Sub Parameter	AF 6A) TOPS activated Parts billing value
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	TOPS activated Parts billing value every month should be 35% of monthly total billing $\frac{\text{TOC / TOPS billing value in Lakhs}}{\text{Total Billing value in Lakhs}} \times 100 = \% \text{ Achievement}$
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Dealer Code Level)

LOB	Max .Point
M&HCV	3
ILSCV	3
SCV	3
Buses	3

Points Calculation methodology :

If percentage Achievement > 35% ,3 Points
Else, Zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 6) Spares Parts Metric
Sub Parameter	AF 6B) Number of Day's Code Open
Function and Applicable LOB's	After Sales – M&HCV, ILCV, SCV, Buses
Target Setting Guidelines	Code should be open at least for 21 days every month
CPSC Data Source	Numerator- System, Denominator - Fixed (Dealer Code Level)

LOB	Max .Point
M&HCV	3
ILSCV	3
SCV	3
Buses	3

Points Calculation methodology :

If the Number of Days Code Open is ≥ 21 days, 3 Points
Else, Zero point



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 7) Service Turn Around Time Adherence
Sub Parameter	AF 7 A) Service Turnaround Time for Paid Jobs
Function and Applicable LOB's	After Sales – M&HCV,ILCV, SCV, Buses
Target Setting Guidelines	Number of Paid Job-Cards with Turnaround Time <benchmark -----X 100= % Achievement Total number of Paid Job-Cards TAT Benchmarks for Paid Job Cards are as follows: IMHCV, LCV, Bus - 6 hours SCV - 5 hours
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)

LOB	Max .Point
M&HCV	3
ILSCV	3
SCV	3
Buses	3

Points Calculation methodology :

If percentage achievement >=80%, 3 Points

If percentage achievement >=70% & <80%, 1 Point

If percentage achievement <70% , zero point



Section		AF I) Aftersales Process Effectiveness
Metrics		AF 7) Service Turn Around Time Adherence
Sub Parameter		AF 7 B) Service Turnaround Time for Free And Scheduled Service Jobs
Function and Applicable LOB's		After Sales – M&HCV,ILCV, SCV, Buses
Target Setting Guidelines		Number of free & scheduled Job-cards with TAT <benchmark $\frac{\text{Number of free \& scheduled Job-cards with TAT <benchmark}}{\text{Total number of free \& scheduled service Job-Cards}} \times 100 = \% \text{ Achievement}$ TAT Benchmarks for free & scheduled service JCs are as follows: IMHCV- 5 hours LCV, Bus, SCV- 4 hours Exclude job cards which are closed in less than or equal to 30 Mins of opening the Job cards
CPSC Data Source		Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)
LOB	Max .Point	Points Calculation methodology : If percentage achievement $\geq 80\%$, 3 Points If percentage achievement $\geq 70\%$ & $< 80\%$, 1 Point If percentage achievement $< 70\%$, zero point
M&HCV	3	
ILSCV	3	
SCV	3	
Buses	3	



Section	AF I) Aftersales Process Effectiveness
Metrics	AF 8) Service Turn Around Time Adherence
Sub Parameter	AF 8) Same Day Delivery
Function and Applicable LOB's	After Sales – M&HCV,ILCV, SCV, Buses
Target Setting Guidelines	No of Non accident/non-major aggregate vehicles delivered on same day ----- x 100 = % achievement of SDD Total no of non accident/non- major vehicles serviced
CPSC Data Source	Numerator: CRMDMS, Denominator: CRMDMS (Division, LoB Level)

LOB	Max .Point
M&HCV	3
ILSCV	3
SCV	3
Buses	3

Points Calculation methodology :

If percentage Achievement of SDD >= 90%, 3 points

If percentage Achievement of SDD >=80% & < 90%, 2 points

If percentage Achievement of SDD >=70% & < 80%, 1 points

If percentage Achievement of SDD < 70%, zero



Section	AF II) Aftersales Customer Engagement
Metrics	AF 9) Customer Engagement Index
Sub Parameter	AF 9) CEI (Workshop Post Service Feedback) TBSS Score
Function and Applicable LOB's	Aftersales – All
Target Setting Guidelines	Sum of Customer engagement scores ----- x 100 = Percentage Satisfaction Maximum score for the total no. of responses For all LoBs - Service Experience Score of Dealership
CPSC Data Source	Target: Fixed, Actuals: CRMDMS (Division Level)

LOB	Max .Point
M&HCV	6
ILSCV	6
SCV	6
Buses	6

Points Calculation methodology :

For all LoBs,

If % Satisfaction Score >=90%, 6 Points

If % Satisfaction Score between 80 to 90%, 3 points

If % Satisfaction Score <80% , zero point

Annexure 2 – Post Service TBSS Calling Questionnaire

Note: For CVBU PSF Calling, please explain the below **5 point scale** to customer.

- 5: Excellent,
- 4: Very Good,
- 3: Good,
- 2: Poor,
- 1: Very Poor

Q1. Based on your last service experience with the ____ (name of the Tata Motors service dealership), please tell me by choosing the below rating “Was the said Vehicle repair job rectified completely as per your expectation?” **(Repair Quality)**

Q2. Based on your last service experience, In terms of the Support/ assistance & Behavior from service staff, what is your experience / impression about the dealership personnel? **(Staff Behavior)**

Q3. Based on your last service experience, What is your experience / impression on Accuracy of cost estimate provided by the Dealership for Servicing of your vehicle **(Cost Accuracy)**

Q4. How likely would you recommend ____ (Dealer Workshop) of ____ (TATA Motors) to friends/relatives/other CV owners for service/repairs?” **(Recommendation)**

Q5. Based on your last service experience, please tell me how would you rate the overall performance of the dealership in terms of After Sales Service / Repair? **(Overall Satisfaction)**



Thank You for your attention

For any query / clarification required, write to :
cpssc@tatamotors.com

Commercial Vehicle Business Unit (CVBU)
Strategic Network Management (Quality)
One Indiabulls Center, Tower 2B, 20th Floor, Lower Parel, Mumbai - 400013