1

GATE 2023 BM 33

EE23BTECH11213 - MUTHYALA NIKHITHA SRI

Question: A continuous time, band-limited signal x(t) has its Fourier transform described by:

$$X(f) = \begin{cases} 1 - \frac{|f|}{200} & \text{if } |f| \le 200\\ 0 & \text{if } |f| > 200 \end{cases}$$

The signal is uniformly sampled at a sampling rate of 600 Hz. The Fourier transform of the signal is $X_s(f)$. What is the value of $\frac{X_s(600)}{X_s(500)}$?

Solution:

| Parameter | Description | Value | |
|-----------|-------------------------------------|--|--|
| X(f) | Fourier transform of $x(t)$ | $\begin{cases} 1 - \frac{ f }{200} \\ 0 \end{cases}$ | $\begin{array}{l} \text{if } f \leq 200 \\ \text{if } f > 200 \end{array}$ |
| $X_s(f)$ | Fourier transform of sampled signal | | ? |
| TABLE I | | | |

INPUT PARAMETERS

$$X_s(f) = \frac{1}{600} \sum_{k=-\infty}^{\infty} X(f - 600k)$$
 (1)

$$\implies X_s(f + 600) = X(f) \tag{2}$$

$$X_s(600) = 1 (3)$$

$$X_s(500) = \frac{1}{2} \tag{4}$$

$$\frac{X_s(600)}{X_s(500)} = 2 \tag{5}$$




Fig. 2. Plot of $X_s(f)$




Fig. 1. Plot of X(f)