

code generation using finetuned model in ai-extension.

Finetune model creation in testleaf.com

The screenshot shows the Testleaf API Finetune interface. On the left is a sidebar with navigation options: GEN AI, Usage, Cost, Keys, Fine-tuning (selected), Storage, Profile, and Logout. The main area is titled "FINE-TUNE" and contains a list of finetuning jobs. The selected job is "ft:gpt-4o-mini-2024-07-18:testleaf-2::DYDDWDyf", created on 2026-04-24 21:19:57 PM. The job details show a status of "succeeded", Job ID "ftjob-RqpvOve4MoCL2Zn0xMbTcvlW", Training Method "supervised", Base Model "gpt-4o-mini-2024-07-18", Output Model "ft:gpt-4o-mini-2024-07-18:testleaf-2::DYDDWDyf", and Created At "24-04-2026 21:19:57". A "+ Create" button is in the top right, and a "Job" button is in the bottom right.

The screenshot shows a VS Code editor with the "ai-extension" project open. The Explorer sidebar on the left shows the project structure, including "assets/images", "lib", "src", and "scripts". The "scripts" folder is expanded, showing "api", "chat.js", "init-colors.js", "init-config.js", "popup.js" (selected), "prompts.js", "tabs.js", and "styles". The "popup.js" file is open in the editor, showing the following code:

```
document.addEventListener('DOMContentLoaded', async () => {
  // Model options by provider
  const modelsByProvider = {
    groq: [
      { value: 'deepseek-r1-distill-llama-70b', label: 'deepseek-r1-distill-llama-70b' },
      { value: 'llama-3.3-70b-versatile', label: 'llama-3.3-70b-versatile' },
    ],
    openai: [
      { value: 'gpt-4o', label: 'GPT-4o' },
      { value: 'gpt-4o-mini', label: 'GPT-4o Mini' },
    ],
    testleaf: [
      { value: 'testleaf-1.0', label: 'TestLeaf 1.0' },
      { value: 'ft:gpt-4o-mini-2024-07-18:testleaf-2::DYDDWDyf', label: 'ft:gpt-4o-mini-2024-07-18:testleaf-2::DYDDWDyf' },
    ],
  };

  // Function to update model options based on selected provider
  function updateModelOptions(provider) {
    modelSelect.innerHTML = `<option value="" disabled>`;
  }
});
```

ai extension with finetune model:

runo AI Browser Extension for Code Generati...  

Code Generator

Settings

Supported Language

Java



Browser Engine

Selenium



Select LLM Provider

Testleaf




Select Model

ft:gpt-4o-mini-2024-07-18:testleaf-2::DYDDW4

Testleaf API Key

.....

Code generation with fine tune model using ai extension:



Code:

Feature: Create Lead in OpenTaps

Scenario Outline: Create a new lead with valid details

Given I open the create lead page

When I enter "<companyName>" as Company Name

And I enter "<firstName>" as First Name

And I enter "<lastName>" as Last Name

And I enter "<email>" as Email Address

And I enter "<phoneNumber>" as Phone Number

And I click on Create Lead button

Then I should see the lead created with "<companyName>" as Company Name

Examples:

companyName	firstName	lastName	email	phoneNumber
Tata Consultancy	Ravi	Sita	Gita	
Infosys				
Wipro				

```
| "Tata Consultancy" | "Ravi" | "Kumar" | "ravi@tcs.com" | "9876543210" |  
| "Infosys" | "Sita" | "Devi" | "sita@infosys.com" | "9876543211" |  
| "Wipro" | "Gita" | "Bai" | "gita@wipro.com" | "9876543212" |
```

```
```plaintext
```

```
```java
```

```
package com.leaf taps.stepdefs;  
  
import io.cucumber.java.en.*;  
import org.openqa.selenium.*;  
import org.openqa.selenium.chrome.ChromeDriver;  
import org.openqa.selenium.support.ui.*;  
  
import static org.junit.Assert.assertEquals;  
  
public class CreateLeadStepDefinitions {  
    private WebDriver driver;  
    private WebDriverWait wait;  
  
    @io.cucumber.java.Before  
    public void setUp() {  
        System.setProperty("webdriver.chrome.driver", "path/to/chromedriver");  
        driver = new ChromeDriver();  
        wait = new WebDriverWait(driver, Duration.ofSeconds(10));  
        driver.manage().window().maximize();  
    }  
}
```

```
@io.cucumber.java.After  
  
public void tearDown() {  
    if (driver != null) driver.quit();  
}
```

```
@Given("I open the create lead page")  
  
public void openCreateLeadPage() {  
    driver.get("https://leaftaps.com/crmsfa/control/createLeadForm");  
}
```

```
@When("I enter {string} as Company Name")  
  
public void enterCompanyName(String companyName) {  
    WebElement el =  
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("createLeadForm_com  
panyName")));  
    el.sendKeys(companyName);  
}
```

```
@When("I enter {string} as First Name")  
  
public void enterFirstName(String firstName) {  
    WebElement el =  
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("createLeadForm_first  
Name")));  
    el.sendKeys(firstName);  
}
```

```
@When("I enter {string} as Last Name")  
  
public void enterLastName(String lastName) {
```

```
        WebElement el =  
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("createLeadForm_last  
Name")));
```

```
        el.sendKeys(lastName);  
    }
```

```
@When("I enter {string} as Email Address")
```

```
public void enterEmail(String email) {
```

```
    WebElement el =  
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("createLeadForm_prim  
aryEmail")));
```

```
    el.sendKeys(email);  
}
```

```
@When("I enter {string} as Phone Number")
```

```
public void enterPhoneNumber(String phoneNumber) {
```

```
    WebElement el =  
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("createLeadForm_prim  
aryPhoneNumber")));
```

```
    el.sendKeys(phoneNumber);  
}
```

```
@When("I click on Create Lead button")
```

```
public void clickCreateLead() {
```

```
    driver.findElement(By.name("submitButton")).click();  
}
```

```
@Then("I should see the lead created with {string} as Company Name")
```

```
public void verifyLeadCreation(String expectedCompanyName) {
```

```

        WebElement companyNameElement =
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("viewLead_companyName_sp"))));

        String actualCompanyName = companyNameElement.getText();

        assertEquals(expectedCompanyName, actualCompanyName);

    }
}

```

Create Lead in LeafTap

Page class file:

```

package com.testleaf.pages;

import org.openqa.selenium.WebElement;
import org.openqa.selenium.support.FindBy;
import org.openqa.selenium.support.PageFactory;

/**
 * Page Object for Create Lead Page
 */
public class CreateLeadPage {

    public CreateLeadPage() {
        PageFactory.initElements(driver, this);
    }

    @FindBy(id = "createLeadForm_companyName")
    private WebElement companyNameField;

    @FindBy(id = "createLeadForm_firstName")
    private WebElement firstNameField;

```

```
@FindBy(id = "createLeadForm_lastName")
```

```
private WebElement lastNameField;
```

```
@FindBy(id = "createLeadForm_dataSourceId")
```

```
private WebElement sourceDropdown;
```

```
@FindBy(id = "createLeadForm_marketingCampaignId")
```

```
private WebElement marketingCampaignDropdown;
```

```
@FindBy(id = "createLeadForm_primaryEmail")
```

```
private WebElement emailField;
```

```
@FindBy(id = "createLeadForm_generalAddress1")
```

```
private WebElement addressLine1Field;
```

```
@FindBy(id = "createLeadForm_generalCity")
```

```
private WebElement cityField;
```

```
@FindBy(id = "createLeadForm_generalStateProvinceGeoid")
```

```
private WebElement stateDropdown;
```

```
@FindBy(id = "createLeadForm_generalPostalCode")
```

```
private WebElement zipCodeField;
```

```
@FindBy(id = "createLeadForm_generalCountryGeoid")
```

```
private WebElement countryDropdown;
```

```
@FindBy(name = "submitButton")
```

```
private WebElement createLeadButton;
```



```
/**
 * Enters the company name in the company name field.
 *
 * @param companyName the company name to enter
 * @return the current CreateLeadPage instance
 */
public CreateLeadPage enterCompanyName(String companyName) {
    companyNameField.sendKeys(companyName);
    return this;
}
```

```
/**
 * Enters the first name in the first name field.
 *
 * @param firstName the first name to enter
 * @return the current CreateLeadPage instance
 */
public CreateLeadPage enterFirstName(String firstName) {
    firstNameField.sendKeys(firstName);
    return this;
}
```

```
/**
 * Enters the last name in the last name field.
 *
 * @param lastName the last name to enter
 * @return the current CreateLeadPage instance
 */
public CreateLeadPage enterLastName(String lastName) {
    lastNameField.sendKeys(lastName);
}
```

```
        return this;
    }
}
```

```
/**
 * Selects the source from the dropdown.
 *
 * @param source the source to select
 * @return the current CreateLeadPage instance
 */
public CreateLeadPage selectSource(String source) {
    selectDropDownByVisibleText(sourceDropDown, source);
    return this;
}
```

```
/**
 * Selects the marketing campaign from the dropdown.
 *
 * @param campaign the campaign to select
 * @return the current CreateLeadPage instance
 */
public CreateLeadPage selectMarketingCampaign(String campaign) {
    selectDropDownByVisibleText(marketingCampaignDropDown, campaign);
    return this;
}
```

```
/**
 * Enters the email in the email field.
 *
 * @param email the email to enter
 * @return the current CreateLeadPage instance
 */
```

```
*/  
  
public CreateLeadPage enterEmail(String email) {  
    emailField.sendKeys(email);  
    return this;  
}
```

```
/**  
 * Enters the address line 1 in the address field.  
 *  
 * @param address the address to enter  
 * @return the current CreateLeadPage instance  
 */
```

```
public CreateLeadPage enterAddressLine1(String address) {  
    addressLine1Field.sendKeys(address);  
    return this;  
}
```

```
/**  
 * Enters the city in the city field.  
 *  
 * @param city the city to enter  
 * @return the current CreateLeadPage instance  
 */
```

```
public CreateLeadPage enterCity(String city) {  
    cityField.sendKeys(city);  
    return this;  
}
```

```
/**  
 * Selects the state from the dropdown.
```

```

*

* @param state the state to select
* @return the current CreateLeadPage instance
*/
public CreateLeadPage selectState(String state) {
    selectDropDownByVisibleText(stateDropDown, state);
    return this;
}

/**
* Enters the zip code in the zip code field.
*
* @param zipCode the zip code to enter
* @return the current CreateLeadPage instance
*/
public CreateLeadPage enterZipCode(String zipCode) {
    zipCodeField.sendKeys(zipCode);
    return this;
}

/**
* Selects the country from the dropdown.
*
* @param country the country to select
* @return the current CreateLeadPage instance
*/
public CreateLeadPage selectCountry(String country) {
    selectDropDownByVisibleText(countryDropDown, country);
    return this;
}

```

```

/**
 * Clicks the create lead button to submit the form.
 *
 * @return the current ViewLeadPage instance
 */
public ViewLeadPage clickCreateLeadButton() {
    createLeadButton.click();
    return new ViewLeadPage();
}

/**
 * Selects an option from a dropdown by visible text.
 *
 * @param dropdown the dropdown element
 * @param visibleText the visible text of the option to select
 */
private void selectDropdownByVisibleText(WebElement dropdown, String visibleText) {
    // Implementation for selecting dropdown option
}
}

```