Starlight Cinemas

PROJECT DOCUMENTATION | Movie Night Website

Student name: Nikoi Cole Student ID: 2201010133

Lecturer: Trevor Williams Course: Dynamic Websites and Applications

Assignment 1 • Due: 17 October 2026, 11:59 PM

GitHub repository: https://github.com/Nikirose93/Starlight-cinema/tree/main

1. Project Overview

Starlight Cinemas is a multi-page, responsive movie-discovery and demonstration booking website for a fictional Jamaican cinema brand. The project follows the "Movie Night" concept in the assignment: visitors can browse films, review showtimes, and request or reserve demo tickets. Additional pages support account registration, profiles, gift previews, ticket retrieval and an administrator demonstration area.

The website uses a consistent black-and-gold appearance intended to suggest a premium cinema experience. All purchases, reservations, cinemas, prices and gift values are illustrative; the system is not connected to real payment processing or live cinema inventory.

2. Audience, Aims and Planning

- Audience: moviegoers who want to discover titles and choose showtimes; secondarily, a cinema operator who needs to update a sample catalogue.
- Primary goal: deliver a clear user journey from movie selection to seats and booking confirmation.
- Other goals: coherent navigation, readable information, accessible labels, responsive layouts and visible feedback after actions.
- Scope decision: keep the application front-end only, using browser storage for classroom interactions instead of an actual payment/backend system.

3. Technology Stack

Technology	Purpose / project evidence
HTML5	14 separate .html files, semantic sections, form inputs, links and navigation.
CSS3	Shared stylesheet, black-and-gold theme, transitions, responsive refinements.
Bootstrap 5.3.3	Responsive navbar and Collapse, movie grid, buttons, details Modal.
JavaScript (ES6+)	Movie arrays, object manipulation, conditions, events, seat booking, confirmation, Admin operations.
jQuery 3.7.1	Delegated movie-search input handler and DOM state update.
localStorage / sessionStorage	Persists demonstration movie edits, tickets and gift records; tracks demo session locally.

4. Project Files and Navigation

```
index.html                Home and featured movies
movies.html               Movie exploration, search, details
schedule.html / booking.html / confirmation.html
```

```
register.html / login.html / profile.html
gifts.html / retrieve.html / admin.html
cinemas.html / prices.html / events.html
css/styles.css              Shared theme and responsive styling
js/app.js                    Main catalogue and UI behavior
js/auth.js                   Demo registration and login logic
js/gift-wallet.js            Experimental gift wallet integration
images/                      Local movie posters
```

The page headers provide links between sections, and common styling promotes consistency. Shared libraries load from external CDNs, so internet access is needed for Bootstrap, jQuery and other hosted resources during the demonstration.

5. Key HTML and CSS Design Decisions

The website separates document structure from presentation: HTML supplies the headings, labels, buttons, input controls and content regions, while css/styles.css handles the brand palette, spacing, transitions and adaptive styling. Movie posters have meaningful alternative text wherever informative. Bootstrap is used alongside—not instead of—the custom theme.

6. Bootstrap Implementation

The header uses classes including navbar, navbar-dark and navbar-expand-xxl. On narrow layouts, the navbar-toggler activates the Bootstrap Collapse target #nav using data-bs-toggle="collapse" and data-bs-target="#nav". The movie details dialog uses a Bootstrap Modal with modal, modal-dialog, modal-content and data-bs-dismiss attributes. Together, Collapse and Modal satisfy the requirement for two Bootstrap JavaScript components.

```
<button class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#nav">…</button>
<div class="modal fade" id="movieDetailsModal">…</div>
```

The movie listing also uses responsive Bootstrap grid classes, while existing custom styles retain the dark cinema look. During the test, the student reported that page resizing and the movie-details dialog worked.

7. JavaScript Fundamentals and Data Handling

The catalogue in js/app.js begins with let movies = [...]. Each movie is an object containing related properties, including id, name, genre, rating, runtime, poster and description. Array filtering, sorting and rendering support interactive discovery. Conditional logic determines whether a title matches active criteria. Functions such as renderDiscovery() build updated cards and use DOM properties such as innerHTML and textContent to update the displayed page.

```
movies.filter(m => /* search and genre/rating conditions */)
document.getElementById('discoverCount').textContent = 'Showing …';
```

JavaScript also attaches event handlers to forms, buttons and seat selections. Ticket quantities and price categories control the amount shown to the customer. Reservation data is stored in localStorage; bookings can then be displayed in the profile and confirmation views.

8. jQuery Integration

A meaningful jQuery feature is implemented in the movie-discovery search. js/app.js uses delegated event handling on document so the listener continues to work with dynamically rendered content. On the input event, it reads the typed query, triggers updated movie results, and changes the results-count state.

```
jQuery(document).on('input', '#discoverQuery', function () { … });
```

The student reported that search and filtering worked. In the demonstration, typing a movie title can show the changed card list and matching count.

9. Main Interactive Workflow: Booking

Step	User action and JavaScript outcome
1	Browse the movie catalogue and open film details.
2	Choose a screening on the schedule or booking page.
3	Set ticket quantities, including available categories.
4	Select seats; the page reflects the chosen seats and price.
5	Confirm a demo reservation and receive a reference.
6	Open the digital ticket/receipt and print it from the browser.
7	Check the signed-in profile for the booking record.

This is a local demonstration of a booking workflow, not a real-time multi-user seat reservation service. The profile, ticket and confirmation views reuse browser-stored information.

10. Forms, Validation and Feedback

Registration and login provide labelled input controls and JavaScript-driven feedback. Booking uses user selections and computed totals. The Admin editor checks required movie details and validates poster/trailer paths before saving; the site displays toast-style feedback. Successful registration, login, booking and printing were reported by the student. Invalid and boundary cases still require separate confirmation.

11. Admin Dashboard and Browser Storage

The Admin page provides a classroom demonstration of catalogue maintenance, showtime and ticket-price editing, booking review and cancellation. It is not secured by role-based authorization. Movie edits saved by the Admin interface live in the browser as starlightAdminMovies; they do not rewrite js/app.js. This explains why code-level movie additions may not appear until “Reset to Code Defaults” clears the stored override.

```
movies = storageGet('starlightAdminMovies', movies);
```

This was encountered and resolved during development and illustrates a practical distinction between source-code defaults and persisted browser data.

12. E-Gift Feature and Honest Limitations

Creating/saving a demo e-gift and displaying it for the sender in the profile were reported as working. The newer recipient-side transfer and gift-wallet workflow was tested and did not display the received gift as expected. Therefore receiving, code claiming and checkout redemption must not be recorded as successfully verified. No email or genuine monetary value is transferred.

13. Testing Results

Test case	Reported outcome
Desktop/narrow-screen responsiveness	PASS — user-reported
Bootstrap movie details popup	PASS — user-reported
Movie search/filter	PASS — user-reported
Booking / Admin operations	PASS — user-reported
Register and sign in	PASS — user-reported
Ticket booking and profile history	PASS — user-reported
Digital ticket and printing	PASS — user-reported
Sender e-gift in own profile	PASS — user-reported
Recipient receives e-gift in profile	FAIL — user-reported

Invalid inputs, keyboard use, mobile menu focus	NOT YET VERIFIED
Cross-device accounts and payments	OUT OF SCOPE

These results come from student manual tests described on 14 October 2026; they are not a claim of independent end-to-end automated testing. Before presentation, repeat core workflows after refreshing the pages and inspect the browser console for errors.

14. Rubric Alignment

Assignment criterion	Evidence / next action
At least 3 HTML pages	14 standalone HTML pages in project.
Semantic HTML, navigation and forms	Present; final markup and image-alt audit recommended.
Bootstrap + two JS components	Responsive Collapse navbar and movie Details Modal.
JavaScript fundamentals	Arrays/objects, functions, conditionals, DOM updates, and events in app.js.
Meaningful jQuery interaction	Movie-search input event handler.
Client-side form validation	Registration/login and Admin checks; test invalid inputs.
Responsive desktop/tablet/mobile	Student tested differing browser sizes.
GitHub with 5 meaningful commits	NOT VERIFIED: repository and history must be checked.
README, documentation, AI disclosure	Included; student must complete placeholders and review.


15. GitHub and Submission Preparation

- Create or verify a GitHub repository containing the project files and folders, including README.md.
- Make at least five meaningful commits reflecting real changes; do not invent or backdate commits.
- Push changes to GitHub and open the repository URL to confirm contents and commit history.
- Submit a document with Student Name, Student ID, GitHub Repository URL and Date Submitted.
- Review every code example and description; include screenshots from your own running website.

16. Screenshots to Insert


The landing page introduces the Starlight Cinemas brand through a dark cinema background, bold heading, gold calls to action, and direct links to showtimes, cinema locations, and ticket booking.

Figure 1. Homepage hero and primary navigation




The homepage guides visitors from the featured trailer area into the movie catalog. Prominent headings and a View All Movies link make exploration straightforward.

Figure 2. Featured trailer area and Now Showing section




Movie cards display posters, titles, genres, runtimes, and actions for booking, trailers, and details. Below them, a dedicate d e-gift banner highlights another customer feature.

Figure 3. Featured movie listings and e-gift promotion



Location cards show the fictional Kingston, Portmore, and Montego Bay cinemas, with links to showtimes. The footer repeats important navigation and reinforces the consistent brand identity.

Figure 4. Cinema locations and footer navigation



Evidence captured: responsive navigation, movie filtering, showtimes, ticket quantities, seat selection, booking confirmation, printable ticket, and Admin management. Additional optional evidence: Bootstrap movie-details modal and VS Code code snippets.

17. Academic Integrity and AI Disclosure

AI assistance disclosure (review and adapt to accurately describe your work): “ChatGPT was used to support planning, drafting, debugging and refinement of the Starlight Cinemas HTML, CSS and JavaScript code, including Bootstrap and jQuery integration and documentation preparation. I reviewed the output, tested the reported user workflows, identified issues, and am responsible for understanding and explaining the code submitted.”

The assignment permits AI as a learning/development aid but requires truthful disclosure, personal testing and understanding. Do not claim code was independently authored if it was AI-generated.

18. Conclusion

Starlight Cinemas demonstrates how HTML, CSS, Bootstrap, JavaScript and jQuery can work together to produce an interactive multi-page cinema website. The main browsing, registration and booking paths have been manually tested by the student. The work is a classroom prototype, with clear limits around backend security, payments, administrator authorization and recipient e-gift functionality.

FINAL STUDENT CHECK: Replace placeholders; add your screenshots; re-test key forms; verify the GitHub URL and five commits; ensure you can explain the submitted code.

Appendix A — Functional Screenshots and Evidence

The following screenshots were provided from the student's Starlight Cinemas demo. Captions describe visible evidence, not independent code or end-to-end verification. Example films, showtimes, ticket amounts and reservations are for demonstration purposes.

A.1 Responsive mobile navigation




Figure A1. Responsive mobile navigation. The navigation collapses to a hamburger control at narrow widths while the hero content and feature cards stack into a readable mobile layout.

A.2 Movie search interaction




Figure A2. Movie search interaction. Entering a partial movie title dynamically narrows the results, demonstrating an interactive filtering workflow.

A.3 Movie genre filtering




Figure A3. Movie genre filtering. Selecting Action in the genre filter reduces the displayed film list and updates the result count.

A.4 Movie rating filtering




Figure A4. Movie rating filtering. Selecting an R rating restricts the visible movie cards to matching entries, providing additional filtering evidence.

A.5 Cinema showtimes




Figure A5. Cinema showtimes. The showtimes page allows visitors to select a cinema, screening date and movie, then view available demo screening times.

A.6 Booking steps and ticket prices




Figure A6. Booking steps and ticket prices. The reservation form combines cinema, date and time with ticket categories, quantity controls and a live booking summary.

A.7 Interactive seating plan




Figure A7. Interactive seating plan. The seat chart distinguishes available, unavailable and selected seats. Selecting C5 updates the booking summary.

A.8 Digital booking confirmation




Figure A8. Digital booking confirmation. A successful demo reservation displays a booking reference, screening details, selected seat, total and demonstration QR code. No real payment is processed.

A.9 Printable ticket preview




Figure A9. Printable ticket preview. The browser print preview confirms that the digital ticket has a clean, printable layout and can be saved as a PDF.

A.10 Admin dashboard overview




Figure A10. Admin dashboard overview. The demo-only command center summarizes movie listings, ticket totals and simulated booking amounts, and exposes management tabs.

A.11 Admin movie library and editing




Figure A11. Admin movie library and editing. The movie library lists the currently configured films with Edit and Delete actions.

A.12 Admin editing form




Figure A12. Admin editing form. The editable movie form includes title, genre, rating, runtime, poster path, trailer link, tagline, colour and description fields.

A.13 Admin showtime management




Figure A13. Admin showtime management. The showtime editor provides per-film time fields, showing how cinema schedules can be changed in the browser demo.

A.14 Admin ticket price management




Figure A14. Admin ticket price management. The demo price form supports changing adult, child and senior ticket prices.

A.15 Admin booking management




Figure A15. Admin booking management. The booking management table lists reservation references, screening details, seat assignments and status with cancellation controls; customer identifiers are hidden in this report.

Appendix B — Final Evidence and Submission Notes

The movie-details Bootstrap Modal and specific source-code examples (Bootstrap classes, jQuery event handling, JavaScript DOM updates) are not shown in the submitted screenshots. If required during assessment, demonstrate them live in the browser and VS Code. Do not label these items screenshot-verified.

The receiving side of e-gifts was reported not to appear in the recipient profile during testing. The project therefore treats cross-account receiving as an unresolved demo limitation. Do not describe it as fully tested or production-ready.

Before submitting: fill in student name, student ID and GitHub repository URL; confirm that the GitHub repository contains the required meaningful commits; review the AI-use disclosure; and inspect the finished PDF or Word document for layout.