Section A — Slicing: Questions 1–30

1. What is the output?

s = "Python"print(s[1:5])

A) Pyth
B) ytho
C) yth
D) ython

2. What is the output?

s = "Python"print(s[:4])

A) Pyth
B) ytho
C) Pytho
D) Python

3. What is the output?

s = "Python"print(s[2:])

A) thon
B) ython
C) tho
D) Python

4. What is the output?

s = "Python"print(s[-4:-1])

A) tho
B) yth
C) hon
D) Pyt

5. What is the output?

s = "Python"print(s[::-1])

A) Python
B) nohtyP
C) nohty
D) Pythno

6. What is the output?

s = "Python"print(s[::2])

A) Pto
B) yhn
C) Pyth
D) Ptohn

7. What is the output?

s = "Python"print(s[1::2])

A) Pto
B) yhn
C) ytho
D) Python

8. What is the output?

s = "abcdef"print(s[5:1:-1])

A) fedc
B) fedcb
C) edcb
D) dcba

9. What is the output?

s = "abcdef"print(s[1:5:-1])

A) bcde
B) edcb
C) Empty string
D) fedc

10. Which slice returns the entire string in reverse?

A) s[-1:]
B) s[::-1]
C) s[::1]
D) s[:-1]

11. What happens here?

s = "Python"print(s[10:])

A) IndexError
B) None
C) Empty string
D) Python

12. What happens here?

s = "Python"print(s[10])

A) Empty string
B) None
C) IndexError
D) Python

13. What is the output?

s = "Programming"print(s[-1])

A) P
B) g
C) n
D) -1

14. What is the output?

s = "Programming"print(s[-3:])

A) ing
B) min
C) ming
D) ng

15. What is the output?

s = "Programming"print(s[:-3])

A) Programm
B) Program
C) Programming
D) ing

16. What is the output?

s = "123456789"print(s[1:8:2])

A) 2468
B) 1357
C) 2345
D) 3579

17. What is the output?

s = "123456789"print(s[-1:-6:-2])

A) 975
B) 864

C) 987
D) 9753

18. Which statement is true about slicing?

A) Slicing modifies the original string
B) Slicing always raises IndexError for an invalid boundary
C) Slicing creates a new sequence
D) Slicing works only with strings

19. What is the output?

s = "Python"print(s[::])

A) Empty string
B) Python
C) nohtyP
D) Error

20. What is the output?

s = "Python"print(s[0:6:3])

A) Pyt
B) Ph
C) Pn
D) y h

21. What is the output?

s = "abcdef"print(s[::-2])

A) fed
B) fdb
C) ace
D) fedc

22. What is the output?

s = "abcdef"print(s[4:0:-1])

A) edcb
B) edcba
C) dcba
D) fedc

23. Which expression removes the first and last characters?

A) s[1:-1]
B) s[:-1]
C) s[1:]
D) s[-1:1]

24. What is the output?

s = "Python"print(s[-2:-6:-1])

A) ohty
B) oht
C) noht
D) ytho

25. Which slice gives alternate characters starting from index 0?

A) s[0:2]
B) s[::2]
C) s[1::2]
D) s[::-2]

26. What is the output?

s = "abcdef"print(s[3:1])

A) cd
B) dc
C) Empty string
D) Error

27. What is the output?

s = "abcdef"print(s[3:1:-1])

A) cd
B) dc
C) c
D) d

28. Can a string be sliced using negative step?

A) No
B) Yes
C) Only Python 2
D) Only lists

29. Which is equivalent to s[::-1]?

A) reversed(s)
B) s.reverse()
C) s[-1:0]
D) s[1::-1]

30. What is the output?

s = "INTERVIEW"print(s[1:-1:2])

A) N E V E
B) N E V
C) T R I W
D) N T R I

Section B — String Functions: Questions 31–65

31. What does len() return?

A) Number of words
B) Number of characters
C) Memory size
D) Last index

32. What is the output?

s = "python"print(s.upper())

A) python
B) PYTHON
C) Python
D) Error

33. What is the output?

s = "PYTHON"print(s.lower())

A) python
B) Python
C) PYTHON
D) Error

34. What is the output?

s = "hello world"print(s.title())

A) HELLO WORLD
B) Hello World

C) hello World
D) Hello world

35. What is the output?

s = "hello WORLD"print(s.capitalize())

A) Hello world
B) HELLO WORLD
C) Hello WORLD
D) hello world

36. What does swapcase() do?

A) Swaps first and last character
B) Converts uppercase to lowercase and vice versa
C) Reverses string
D) Removes spaces

37. What is the output?

s = "Python"print(s.swapcase())

A) PYTHON
B) pYTHON
C) nohtyP
D) Python

38. What is the output?

s = "python"print(s.startswith("py"))

A) True
B) False
C) "py"
D) Error

39. What is the output?

s = "python"print(s.endswith("on"))

A) True
B) False
C) on
D) Error

40. What does find() return if the substring is not found?

A) 0
B) None
C) -1
D) False

41. What is the output?

s = "banana"print(s.find("na"))

A) 1
B) 2
C) 3
D) -1

42. What is the output?

s = "banana"print(s.count("a"))

A) 2
B) 3
C) 4
D) 1

43. What is the output?

s = "banana"print(s.count("ana"))

A) 1
B) 2
C) 3
D) 0

44. Which function replaces occurrences of one substring with another?

A) replace()
B) change()
C) substitute()
D) modify()

45. What is the output?

s = "hello hello"print(s.replace("hello", "hi"))

A) hello hi
B) hi hello
C) hi hi
D) Error

46. What does this do?

s.replace("a", "x", 1)

A) Replaces all a
B) Replaces first occurrence only
C) Replaces last occurrence
D) Removes a

47. What is the output?

s = " Python "print(s.strip())

A) " Python"
B) "Python "
C) "Python"
D) Error

48. What does lstrip() remove by default?

A) Right spaces
B) Left spaces
C) All characters
D) Newlines only

49. What does rstrip() remove by default?

A) Left spaces
B) Right spaces
C) All spaces inside string
D) First character

50. What is the output?

s = "Python"print(s.isalpha())

A) True
B) False
C) Python
D) Error

51. What is the output?

s = "Python123"print(s.isalpha())

A) True
B) False
C) 123
D) Error

52. What is the output?

s = "12345"print(s.isdigit())

A) True
B) False
C) 12345
D) Error

53. What is the output?

s = "Python123"print(s.isalnum())

A) True
B) False
C) Error
D) None

54. What is the output?

s = "Python 123"print(s.isalnum())

A) True
B) False
C) Python123
D) Error

55. What is the output?

s = " "print(s.isspace())

A) True
B) False
C) None
D) Error

56. What is the output?

s = "Python"print(s.islower())

A) True
B) False
C) Python
D) Error

57. What is the output?

s = "PYTHON"print(s.isupper())

A) True
B) False

C) Python
D) Error

58. Which method splits a string into a list?

A) divide()
B) split()
C) break()
D) partition_list()

59. What is the output?

s = "Python is easy"print(s.split())

A) "Python is easy"
B) ["Python", "is", "easy"]
C) ("Python", "is", "easy")
D) ["Python is easy"]

60. What is the output?

s = "a,b,c"print(s.split(","))

A) ["a,b,c"]
B) ["a", "b", "c"]
C) ("a", "b", "c")
D) "abc"

61. Which method joins strings using a separator?

A) combine()
B) merge()
C) join()
D) concat()

62. What is the output?

x = ["Python", "Java", "C"]print("-".join(x))

A) PythonJavaC
B) Python-Java-C
C) ["Python-Java-C"]
D) Error

63. What is the output?

s = "python"print(s.index("t"))

A) 1
B) 2
C) 3
D) -1

64. What is the major difference between find() and index()?

A) find() searches only numbers
B) index() returns -1 if not found
C) find() returns -1 if not found, while index() raises an exception
D) No difference

65. What is the output?

s = "Python"print(s.center(10, "*"))

A) **Python**
B) *Python***
C) ***Python**
D) Python****

Section C — List Functions & Methods: Questions 66–100

66. What is the output?

x = [10, 20, 30]print(len(x))

A) 2
B) 3
C) 30
D) Error

67. Which method adds one element at the end of a list?

A) add()
B) append()
C) insert()
D) extend()

68. What is the output?

x = [1, 2, 3]x.append(4)print(x)

A) [1, 2, 3]
B) [4, 1, 2, 3]
C) [1, 2, 3, 4]
D) Error

69. What is the output?

x = [1, 2, 3]x.append([4, 5])print(x)

A) [1, 2, 3, 4, 5]
B) [1, 2, 3, [4, 5]]
C) [[1,2,3],4,5]
D) Error

70. What is the output?

x = [1, 2, 3]x.extend([4, 5])print(x)

A) [1, 2, 3, [4, 5]]
B) [1, 2, 3, 4, 5]
C) [4, 5, 1, 2, 3]
D) Error

71. What is the key difference between append() and extend()?

A) append() adds multiple elements, extend() adds one
B) append() adds an object as one element, extend() adds elements individually
C) Both work exactly the same
D) extend() works only with strings

72. What is the output?

x = [1, 2, 3]x.insert(1, 10)print(x)

A) [10, 1, 2, 3]
B) [1, 10, 2, 3]
C) [1, 2, 10, 3]
D) [1, 2, 3, 10]

73. What happens if insert() uses an index larger than the list length?

A) Error
B) Element is inserted at the beginning
C) Element is added at the end
D) Element is ignored

74. What is the output?

x = [10, 20, 30, 20]print(x.remove(20))

A) 20
B) None
C) [10, 30, 20]
D) Error

75. Which occurrence does remove() delete?

A) First matching occurrence
B) Last matching occurrence
C) All matching occurrences
D) Random occurrence

76. What does pop() return?

A) Always None
B) Removed element
C) List length
D) Index

77. What is the output?

x = [10, 20, 30]print(x.pop())

A) 10
B) 20
C) 30
D) None

78. What is the output?

x = [10, 20, 30]print(x.pop(0))

A) 10
B) 20
C) 30
D) None

79. What happens when pop() is called on an empty list?

A) Returns None
B) Returns 0
C) IndexError
D) ValueError

80. What is the output?

x = [1, 2, 2, 3]print(x.count(2))

A) 1
B) 2
C) 3
D) 0

81. What does index() return for a list?

A) Number of occurrences
B) Position of the first matching element
C) Last position
D) Element itself

82. What is the output?

x = [10, 20, 30, 20]print(x.index(20))

A) 1
B) 3
C) 20
D) 2

83. What happens if a value is not found using list index()?

A) Returns -1
B) Returns None
C) ValueError
D) IndexError

84. What is the output?

x = [3, 1, 2]x.sort()print(x)

A) [3, 2, 1]
B) [1, 2, 3]
C) [3, 1, 2]
D) Error

85. What does sort() return?

A) Sorted list
B) Original list
C) None
D) True

86. What is the output?

x = [3, 1, 2]y = x.sort()print(y)

A) [1, 2, 3]
B) [3, 1, 2]
C) None
D) Error

87. Which method sorts a list in descending order?

A) sort(reverse=True)
B) sort(desc=True)
C) reverse(sort=True)
D) descending()

88. What is the output?

x = [1, 2, 3]x.reverse()print(x)

A) [1, 2, 3]
B) [3, 2, 1]
C) None
D) Error

89. What does reverse() return?

A) Reversed list
B) None
C) True
D) Index

90. What is the difference between sort() and sorted()?

A) Both modify the original list
B) sort() returns a new list
C) sort() modifies the list, while sorted() returns a new sorted list
D) There is no difference

91. What is the output?

x = [3, 1, 2]y = sorted(x)print(x)

A) [1, 2, 3]
B) [3, 1, 2]
C) None
D) Error

92. What is the output?

x = [1, 2, 3]y = x.copy()y.append(4)print(x)

A) [1, 2, 3, 4]
B) [4, 1, 2, 3]
C) [1, 2, 3]
D) Error

93. What is the output?

x = [1, 2, 3]y = xy.append(4)print(x)

A) [1, 2, 3]
B) [1, 2, 3, 4]
C) None
D) Error

94. Why does the answer to Q93 differ from Q92?

A) copy() creates a separate list object
B) Assignment creates a copy
C) Lists are immutable
D) append() behaves differently

95. What is the output?

x = [1, 2, 3]print(x * 2)

A) [2, 4, 6]
B) [1, 2, 3, 1, 2, 3]
C) [1, 2, 3, 2]
D) Error

96. What is the output?

x = [1, 2, 3]print(x + [4, 5])

A) [1, 2, 3, 4, 5]
B) [5, 7, 8]
C) [1, 2, 3]
D) Error

97. What is the output?

x = [1, 2, 3]print(2 in x)

A) True
B) False
C) 2
D) Error

98. What is the output?

x = [1, 2, 3]x.clear()print(x)

A) None
B) []
C) [1, 2, 3]
D) Error

99. What is the output?

x = [1, 2, 3]y = x.clear()print(y)

A) []
B) [1, 2, 3]
C) None
D) Error

100. What is the output?

x = [1, 2, 3]del x[1]print(x)

A) [1, 3]
B) [1, 2]
C) [2, 3]
D) Error
