

## Mercury Drug Delivery Service - Partner Invite

Mercury - A new drug delivery service in the city is inviting pharmacies to partner with them; promising lightning fast delivery of pharmacy drugs to their customers. Design a partner-invite web page for Mercury to kick start their service. The web page must require the pharmacist to fill in details of the pharmacy.

The following are the screen-shots pertaining to Mercury Drug Delivery Service - Partner Invite

The screenshot shows a web form titled "Mercury Drug Delivery Service - Partner Invite". The form contains the following fields and components, each with a corresponding ID label:

- id=pin**: Pharmacy name\*
- id=qname**: Pin (Primary Location)\*
- id=city**: City\*
- id=phno**: Pharmacy owner\*
- id=email**: Phone number\*
- id=link**: Email\*
- id=primaryArea**: Website Link/ online listing link
- id=cost**: Number of outlets\*, Primary Area of outlet\*, Minimum purchase cost\*, Establishment : Independant/Chain\*
- id=gsi**: Medicines available : ☐ General Sales List Medicines(GSL) ☐ Pharmacy Medicines(P) ☐ Prescription Only Medicines (POM) ☐ Controlled Drugs (CDs)
- id=p**: Retail Drug License(Jpeg/PDF)\*
- id=pom**: GSTIN/PAN\*
- id=cds**: FSSAI(Jpeg/PDF)\*
- id=others**: Facade/Pharmacy-shelves/Refridgerator(Jpeg)\*
- id=pan**: Choose File No file chosen
- id=submit**: ☐ I agree to terms of services
- id=noOfOutlets**: SUBMIT
- id=fssai**: Choose File No file chosen
- id=license**: Choose Files No file chosen

After checking terms of services and on mouse over submit button :

**Use the Label Name and the Component Id as given. The Component Id can be given in any case (Upper case or Lower case or Mixed case). All the necessary attributes for the Components should be given.**

**The Component Id should be specified for each HTML Component. If the Component Id is not provided for a HTML component, marks will not be provided for this component.**

**All Tags, Elements and Attributes should conform to HTML5 Standards. All the fields except website link are mandatory.**

Provide the details as given in the table below.

Re q. #	Req. Name	Req. Description
------------	--------------	------------------

1

Design a Web page “

Mercury Drug Delivery Service - Partner Invite” with the specified fields.

Label Name	Component Id  (Specify it for the “id” attribute)	Description
	pharmacyName	<p>To enter the name of the pharmacy.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Pharmacy name*</b>” should appear by default.</p> <p>It should contain only alphabets, numbers and spaces.</p> <p><b>It should be mandatory.</b></p>
	pin	<p>To enter the pin.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Pin (Primary Location)*</b>” should appear by default.</p> <p>It should contain 6 digits and the first digit must not be 0.</p> <p><b>It should be mandatory.</b></p>

			city	<p>To enter the city.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>City*</b>” should appear by default.</p> <p><b>It should be mandatory.</b></p>
			oname	<p>To enter the name of the pharmacy owner.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Pharmacy owner*</b>” should appear by default.</p> <p>It should contain only alphabets and spaces.</p> <p><b>It should be mandatory.</b></p>

			phno	<p>To enter the phone number.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Phone number*</b>” should appear by default.</p> <p><b>Tips:</b></p> <p>Use <b>type=“tel”</b> or Use <b>type=“text”</b> .</p> <p>Use “pattern” attribute to accept the 10 digit mobile no to start with either one of the following numbers: 7,8 or 9.</p> <p><b>It should be mandatory.</b></p>
			email	<p>To enter the email id.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Email*</b>” should appear by default.</p> <p><b>Tip: Use type=“email”</b></p> <p><b>It should be mandatory.</b></p>

		<div></div> <div>link</div> <div> <p>To enter the website link / online listing link.</p> <p><b>Design Constraints</b></p> <p>The text “<b>Website Link/online listing link</b>” should appear by default.</p> <p>Provide the correct input type to make this component accept a link.</p> </div>
		<div></div> <div>noOfOutlets</div> <div> <p>To enter the number of outlets.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Number of outlets*</b>” should appear by default. Set the <b>min</b> no of outlets as <b>1</b>.</p> <p><b>It should be mandatory.</b></p> </div>
		<div></div> <div>primaryArea</div> <div> <p>To enter the primary area of outlet.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Primary Area of outlet*</b>” should appear by default.</p> <p><b>It should be mandatory.</b></p> </div>

			cost	<p>To enter the minimum purchase cost.</p> <p><b>Design Constraints:</b></p> <p>The text “<b>Minimum purchase cost*</b>” should appear by default. Set the <b>min</b> attribute of cost as <b>200</b>.</p> <p><b>It should be mandatory.</b></p>
			type	<p>To enter the establishment type.</p> <p>An auto-complete feature should be available to the user for the following options “<b>Independant*</b>”, “<b>Chain*</b>”</p> <p><b>Design Constraints</b></p> <p>The text “<b>Establishment : Independant/Chain*</b>” should appear by default.</p> <p>(Use DataList to implement the auto-complete feature. Its id should be “<b>establishmentType</b>” )</p> <p><b>It should be mandatory.</b></p>

		<p>Medicines available</p>	<p>Use "gsl", "p", "pom", "cds" as the component ids for the check box options</p>	<p>To select the medicine types.</p> <p><b>Design Constraints</b></p> <p>Use Check Box with <b>"General Sales List Medicines(GSL)"</b>, <b>"Pharmacy Medicines(P)"</b>, <b>"Prescription Only Medicines (POM)"</b> and <b>"Controlled Drugs (CDs)"</b> as options. Use <b>"items"</b> as the Component Name for check box.</p> <p><b>It should be mandatory.</b></p>
		<p>License(Jpeg/PDF)*</p>	<p>license</p>	<p>To upload License.</p> <p><b>Design Constraints:</b></p> <p>Provide the correct input type to make this component accept an image of type <b>.jpeg</b> or a <b>PDF</b>.</p> <p><b>It should be mandatory.</b></p>

		GSTIN/PAN*	pan	<p>To upload GSTIN/PAN.</p> <p><b>Design Constraints:</b></p> <p>Provide the correct input type to make this component accept an image of type <b>.jpeg</b> or a <b>PDF</b>.</p> <p><b>It should be mandatory.</b></p>
		FSSAI(Jpeg/PDF)*	fssai	<p>To upload FSSAI.</p> <p><b>Design Constraints:</b></p> <p>Provide the correct input type to make this component accept an image of type <b>.jpeg</b> or a <b>PDF</b>.</p> <p><b>It should be mandatory.</b></p>
		Facade/Pharmacy-shelves/Refridgerator(Jpeg)*	others	<p>To upload mutiple images.</p> <p><b>Design Constraints:</b></p> <p>Provide the correct input type to make this component accept multiple image files of type <b>.jpeg</b>.</p> <p><b>It should be mandatory.</b></p>



		<table> <tr> <td></td><td>terms</td><td> <p>To check : <b><i>"I agree to terms of services"</i></b> - a hyperlink.</p> <p><b>Design Constraints</b></p> <p>Use Check Box. Specify href for anchor tag holding hyperlink as <b><i>"#submit"</i></b>. Its <b><i>id</i></b> must be <b><i>terms_ref</i></b>.</p> <p><b>However, it need not be linked to anything.</b></p> </td></tr> <tr> <td></td><td>submit</td><td> <p>The input type <b><i>button</i></b> must be used, with value <b><i>"SUBMIT"</i></b>.</p> <p><b>It is clickable but has no action associated with it.</b></p> </td></tr> </table>		terms	<p>To check : <b><i>"I agree to terms of services"</i></b> - a hyperlink.</p> <p><b>Design Constraints</b></p> <p>Use Check Box. Specify href for anchor tag holding hyperlink as <b><i>"#submit"</i></b>. Its <b><i>id</i></b> must be <b><i>terms_ref</i></b>.</p> <p><b>However, it need not be linked to anything.</b></p>		submit	<p>The input type <b><i>button</i></b> must be used, with value <b><i>"SUBMIT"</i></b>.</p> <p><b>It is clickable but has no action associated with it.</b></p>
	terms	<p>To check : <b><i>"I agree to terms of services"</i></b> - a hyperlink.</p> <p><b>Design Constraints</b></p> <p>Use Check Box. Specify href for anchor tag holding hyperlink as <b><i>"#submit"</i></b>. Its <b><i>id</i></b> must be <b><i>terms_ref</i></b>.</p> <p><b>However, it need not be linked to anything.</b></p>						
	submit	<p>The input type <b><i>button</i></b> must be used, with value <b><i>"SUBMIT"</i></b>.</p> <p><b>It is clickable but has no action associated with it.</b></p>						
<p>NOTE: The text highlighted in bold in the Description needs to be implemented in the code to complete the web page design.</p>								

2

Apply the mentioned styles using CSS to the components

### STYLING WITH ELEMENT SELECTORS

1. The given image must be set as the **background-image** of **BODY** and **font-weight** of the content of the body must be **bold**.

2. **HEADING** should be specified using **<h3>** tag.

Its **color** must be **#FFFFFF** and the **background-color** must be **#800000**.

The margins: **margin-left** and **margin-right** must be **auto**.

The **text-align** must be **center** and **width 60%**.

The **font-family** of the text must be **Verdana**.

The **padding** and **border-radius** must be **3px** and **6px** respectively.

3. **TABLE** must be styled with **width 60%** and **border-style - 3px solid**.

The margins: **margin-left** and **margin-right** must be **auto**.

The **border-spacing** and **border-radius** must be **5px** and **6px** respectively.

4. The **font-size** of **TABLE DATA - td** must be **15px**.

### STYLING WITH ID SELECTORS

1. **SUBMIT** button's text must be colored with **#800000**.

Its **font-weight** must be **bold** and its **background - transparent**.

The **border-radius** must be **6px**.

2. On hovering over submit, its **background color** must turn **#800000** and the **color** of the text must turn **#FFFFFF**

### STYLING WITH CLASS SELECTORS

1. Set '**a**' as **class** for all the components without label and colspan. Specify its **width** as **50%**;

2. Set '**b**' as **class** for the **p** tags 'within which' appear the checkbox with id terms and the submit button.

Specify its **width** as **60%**.

The margins: **margin-left** and **margin-right** must be **auto**.

### STYLING WITH ATTRIBUTE SELECTORS

1. Set a **transparent background** and a **width** of **100%** for the input types :

**text, number, email, tel, url and file**.

2. Set a **transparent background** for the input type **checkbox** and **button**.

3. Change the **color** of the text within anchor tag to **#00800A** on checking. **How** - Pick the input type checkbox with id terms checked + the anchor tag and set it to **#00800A**.

4. Use pseudo element selector to **color placeholder** in **#DCDCDC**.  
[ Use the syntax specific to Chrome/Opera/Safari \*]

Note: Fill in the style tag so as to have the given styles applied to the components.

(Do not use Inline CSS)

