```
LAB-3
                                                         13-10-20
imposet java ettil scannor;
class Book
 Eprivate String name, authori,
  private double price;
  private int numpages;
BOOK ()
 name = "Famous Five"
 author = "Enid blyton";
  price = 200.00;
  num-pages = 350;
  void getDetails()
   Scanner sc = new Scanner (System in);
   System. out. printen ("Enter book rame:");
     name = sc. next ()
   System. out. printer ("Enter author:");
    system-out printly ("Enter the number of pages;"),
      author = sc next();
       numpages = sc next Int();
     System.out. printer ("Enter the price");
       price = sc. nextDouble();
     public steing to string()
       String temp = "Book Name: "+ name + "InAuthor: "+ author
           +" In Number of Pages" + num-pages + "In Price" + price;
          return temp;
    Class Bookmains
       public static void main (Steing args[])
          Scanner Sc=new & Scanner (System. 9n);
```

```
System. out. println ("Enter the number of books: ");

Int n = sc. nextInt();

Book b[] = new Book[n];

for (int i = o', i<n', ite)

$

b[i] = new Book();

for (int i = o', i<n', i+t)

$

System. out. println ("Enter book" f (i+1) + "details:

b[i]. gettle getDetails ();

3

for (int i = o', i < n', i+t)

System. out. println (b[i]);

3

3
```