



Full Stack project








File Edit Selection View Go Run
FullStack
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
EXPLORER
FULLSTACK
Client
node_modules
public
src
app
app-routing.module.ts
app.component.css
app.component.html
app.component.spec.ts
app.component.ts
app.module.ts
marvellous.service.spec.ts
marvellous.service.ts
index.html
main.ts
styles.css
.editorconfig
.gitignore
angular.json
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
OUTLINE
TIMELINE
app.component.html
Client > src > app > app.component.html > ...
<h2>Demonstration of full stack project</h2>
<ul *ngFor="let value of message">
Batch: {{ value.Batch }}
Fees: {{ value.Fees }}

<router-outlet></router-outlet>
Restricted Mode
Ln 7, Col 1 Spaces: 4 UTF-8 CRLF HTML
Type here to search
ENG
16:34
21-12-2024


File Edit Selection View Go Run
FullStack
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
EXPLORER
FULLSTACK
Client
node_modules
public
src
app
app-routing.module.ts
app.component.css
app.component.html
app.component.spec.ts
app.component.ts
app.module.ts
marvellous.service.spec.ts
marvellous.service.ts
index.html
main.ts
styles.css
.editorconfig
.gitignore
angular.json
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
OUTLINE
TIMELINE
app.component.ts
Client > src > app > app.component.ts > ...
import { Component, OnInit } from '@angular/core';
import { MarvellousService } from './marvellous.service';
import { HttpClientModule } from '@angular/common/http';
@Component({
selector: 'app-root',
templateUrl: './app.component.html',
standalone: false,
styleUrl: './app.component.css'
})
export class AppComponent implements OnInit {
public message :any;
constructor(private sobj : MarvellousService)
{}
ngOnInit(): void {
this.sobj.GetBatches().subscribe(data => this.message=data);
}
}
Restricted Mode
Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript
Type here to search
ENG
16:34
21-12-2024


File Edit Selection View Go Run
FullStack
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
EXPLORER
FULLSTACK
Client
node_modules
public
src
app
app-routing.module.ts
app.component.css
app.component.html
app.component.spec.ts
app.component.ts
app.module.ts
marvellous.service.spec.ts
marvellous.service.ts
index.html
main.ts
styles.css
.editorconfig
.gitignore
angular.json
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
OUTLINE
TIMELINE
app.module.ts
Client > src > app > app.module.ts > ...
import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';
import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';
import { HttpClientModule } from '@angular/common/http';
import { HttpClient } from '@angular/common/http';
import { MarvellousService } from './marvellous.service';
@NgModule({
declarations: [
AppComponent
],
imports: [
BrowserModule,
AppRoutingModule,HttpClientModule
],
providers: [MarvellousService],
bootstrap: [AppComponent]
})
export class AppModule { }
Restricted Mode
Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript
Type here to search
ENG
16:34
21-12-2024


File Edit Selection View Go Run
FullStack
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
EXPLORER
FULLSTACK
Client
node_modules
public
src
app
app-routing.module.ts
app.component.css
app.component.html
app.component.spec.ts
app.component.ts
app.module.ts
marvellous.service.spec.ts
marvellous.service.ts
index.html
main.ts
styles.css
.editorconfig
.gitignore
angular.json
package-lock.json
package.json
README.md
tsconfig.app.json
tsconfig.json
OUTLINE
TIMELINE
marvellous.service.ts
Client > src > app > marvellous.service.ts > ...
import { Injectable } from '@angular/core';
import { HttpClient } from '@angular/common/http';
import { Observable } from 'rxjs';
@Injectable({
providedIn: 'root'
})
export class MarvellousService {
constructor(private http : HttpClient)
{
}
public GetBatches():Observable<any>
{
return this.http.get("http://localhost:2700/BatchDetails");
}
}
Restricted Mode
Ln 1, Col 1 Spaces: 2 UTF-8 CRLF TypeScript
Type here to search
ENG
16:34
21-12-2024