

Solutions of Assignment4

1. Basic angular application

The screenshot displays the initial setup of an Angular application. On the left, a file explorer shows the project structure, including folders like `.vscode`, `node_modules`, `public`, and `src`, along with files like `package.json`, `tsconfig.json`, and `README.md`. On the right, a terminal window shows the execution of `npm install` and `ng new MarvellousFirst`, followed by the command `ng serve` to start the development server. The browser window on the left shows the Angular logo and the message "Hello, MarvellousFirst".

```
https://developer.mozilla.org/docs/Web/CSS
]
Do you want to enable Server-Side Rendering (SSR) and Static Site Generation (SSG/Prerendering)? no
CREATE MarvellousFirst/angular.json (2723 bytes)
CREATE MarvellousFirst/package.json (1086 bytes)
CREATE MarvellousFirst/README.md (1103 bytes)
CREATE MarvellousFirst/tsconfig.json (1045 bytes)
CREATE MarvellousFirst/.editorconfig (331 bytes)
CREATE MarvellousFirst/.gitignore (629 bytes)
CREATE MarvellousFirst/tsconfig.spec.json (439 bytes)
CREATE MarvellousFirst/.vscode/extensions.json (134 bytes)
CREATE MarvellousFirst/.vscode/launch.json (490 bytes)
CREATE MarvellousFirst/.vscode/tasks.json (980 bytes)
CREATE MarvellousFirst/src/main.ts (256 bytes)
CREATE MarvellousFirst/src/index.html (314 bytes)
CREATE MarvellousFirst/src/styles.css (81 bytes)
CREATE MarvellousFirst/src/app/app.component.html (20239 bytes)
CREATE MarvellousFirst/src/app/app.component.spec.ts (972 bytes)
CREATE MarvellousFirst/src/app/app.component.ts (324 bytes)
CREATE MarvellousFirst/src/app/app.component.css (0 bytes)
CREATE MarvellousFirst/src/app/app.config.ts (318 bytes)
CREATE MarvellousFirst/src/app/app.routes.ts (80 bytes)
CREATE MarvellousFirst/public/favicon.ico (15086 bytes)
✓ Packages installed successfully.
'git' is not recognized as an internal or external command,
operable program or batch file.
D:\Wikita\Typescript\Assignment4>
```

Angular
Hello, MarvellousFirst
Congratulations! Your app is running. 🎉


```
CREATE MarvellousFirst/src/styles.css (81 bytes)
CREATE MarvellousFirst/src/app/app.component.html (20239 bytes)
CREATE MarvellousFirst/src/app/app.component.spec.ts (972 bytes)
CREATE MarvellousFirst/src/app/app.component.ts (324 bytes)
CREATE MarvellousFirst/src/app/app.component.css (0 bytes)
CREATE MarvellousFirst/src/app/app.config.ts (318 bytes)
CREATE MarvellousFirst/src/app/app.routes.ts (80 bytes)
CREATE MarvellousFirst/public/favicon.ico (15086 bytes)
✓ Packages installed successfully.
'git' is not recognized as an internal or external command,
operable program or batch file.
D:\Wikita\Typescript\Assignment4>cd MarvellousFirst
D:\Wikita\Typescript\Assignment4\MarvellousFirst>ng serve
Initial chunk files | Names | Raw size
polyfills.js | polyfills | 90.20 kB |
main.js | main | 22.70 kB |
styles.css | styles | 95 bytes |
| Initial total | 113.00 kB
Application bundle generation complete. [6.923 seconds]
Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request
transformations.
  Local: http://localhost:4200/
  press h + enter to show help
```

2. Display string on webpage.

The screenshot shows the updated Angular application. The browser window on the left displays the message "Welcome to Marvellous Infosystem's First Application". The terminal window on the right shows the output of the `ng serve` command, indicating that the application bundle generation is complete and the development server is running.

```
D:\Wikita\Typescript\Assignment4\MarvellousFirst>ng serve --o
Initial chunk files | Names | Raw size
polyfills.js | polyfills | 90.20 kB |
main.js | main | 1.54 kB |
styles.css | styles | 95 bytes |
| Initial total | 91.83 kB
Application bundle generation complete. [4.941 seconds]
Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request
transformations.
  Local: http://localhost:4200/
  press h + enter to show help
```

3. Display one textfield and static text.



4. Render Demo component from app component

