




Delete


Mary had a little lamb whose fleece was white as snow. Everywhere that Mary went the lamb was sure to go.


ui-navigation-bar Back A Bit of Poetry Delete ui-bar-button-group ui-align-left ui-bar-button-group ui-align-right ui-bar-button ui-bar-button ui-scroll-container ui-avoid-navigation-bar Mary had a little lamb whose fleece was white as snow.


Everywhere that Mary went


the lamb was sure to go. ui-text-box (<textarea>)














	noteListView (V1)
p	_navigationBar
р	_scrollContainer
р	_listOfNotes
р	_newTextNoteButton
р	_newAudioNoteButton
р	_newImageNoteButton
р	_newVideoNoteButton
р	_createAndEditNote(noteType)
	createNewTextNote()
	editExistingNote (event)
	quitApp()
0	render()
0	renderToElement()
	renderList()
	onOrientationChanged()
0	init(parentElement)
0	initWithOptions(options)
0	destroy()

	property	r/w	read/write	r/o	read-only
р	private	0	override	•	notification

noteListView (V3) _navigationBar _scrollContainer р _listOfNotes р _newTextNoteButton р _newAudioNoteButton р _newImageNoteButton р _newVideoNoteButton р _createAndEditNote(noteType) createNewTextNote() createNewAudioNote() deleteExistingNote() editExistingNote (event) exposeActionForNote () hideActionForNote () quitApp() 0 render() renderToElement() 0 renderList() onOrientationChanged 0 init(parentElement) 0 initWithOptions(options) destroy()

$\overline{}$	
	noteListView (V5)
р	_navigationBar
р	_scrollContainer
р	_listOfNotes
р	_newTextNoteButton
р	_newAudioNoteButton
р	_newImageNoteButton
р	_newVideoNoteButton
р	_createAndEditNote(noteType)
	createNewTextNote()
	createNewAudioNote()
	createNewImageNote()
	createNewVideoNote()
	deleteExistingNote()
	editExistingNote (event)
	exposeActionForNote (target)
	hideActionForNote (target)
р	_hideActions (event)
	quitApp()
0	render()
0	renderToElement()
	renderList()
	onOrientationChanged
0	init(parentElement)
0	initWithOptions(options)
0	destroy()

noteListView (V4) _navigationBar _scrollContainer p _listOfNotes p _newTextNoteButton p p _newAudioNoteButton p _newImageNoteButton р newVideoNoteButton _createAndEditNote(noteType) createNewTextNote() createNewAudioNote() createNewImageNote() deleteExistingNote() editExistingNote (event) exposeActionForNote (target) hideActionForNote (target) _hideActions (event) quitApp() o render() renderToElement() 0 renderList() onOrientationChanged init(parentElement) initWithOptions(options) 0 destroy()

	noteListView (V7)
р	_navigationBar
p	_scrollContainer
p	_listOfNotes
p	_newTextNoteButton
p	_newAudioNoteButton
p	_newImageNoteButton
<u>p</u>	_newVideoNoteButton
p	_createAndEditNote(noteType)
l	createNewTextNote()
l	createNewAudioNote()
l	createNewImageNote()
l	createNewVideoNote()
l	deleteExistingNote()
p	_displayEditView()
l	editExistingNote (event)
l	exposeActionForNote (target)
l	hideActionForNote (target)
p	_hideActions (event)
l	popupActionsForNote()
l	quitApp()
0	render()
0	renderToElement()
l	renderList()
l	onOrientationChanged
0	init(parentElement)
0	initWithOptions(options)
0	destroy()

	textNoteEditView (V1)
р	_backButton
p	_contentsEditor
р	_deleteButton
р	_nameEditor
p	_navigationBar
p	_note
р	_scrollContainer
	deleteNote()
	goBack()
	releaseBackButton()
0	render()
0	renderToElement()
	saveNote()
0	init(parentElement)
0	initWithOptions(options)
0	destroy()

audioNoteEditView
(+textNoteEditView)
_recordAudioButton
_playAudioButton
_audioInformation
render()
renderToElement()
onAudioStopped()
onRecordAudio()
onPlayAudio()
updateAudioInformation()
init(parentElement)
destroy()

noteViewFactory

createNoteEditView (noteType)

	textNoteEditView (V6)
р	_backButton
р	_contentsEditor
р	_deleteButton
р	_nameEditor
р	_navigationBar
р	_note
р	_scrollContainer
р	_shareButton
	deleteNote()
	goBack()
	saveNote()
	shareNote()
	releaseBackButton()
0	render()
0	renderToElement()
0	init(parentElement)
0	initWithOptions(options)
0	destroy()

imageNoteEditView (+textNoteEditView) (V1) _imageContainer _takePictureButton onPhotoCaptured() render() renderToElement() takePicture() updatePhoto() destroy()

0

imageNoteEditView	
(+textNoteEditView) (V6)	
imageContainer	

р	_imageContainer
р	_takePictureButton
	onPhotoCaptured()
0	render()
0	renderToElement()
0	shareNote()
	takePicture()
	updatePhoto()
0	destroy()

	textNoteEditView (V7)
р	_backButton
p	_contentsEditor
p	_deleteButton
p	_nameEditor
p	_navigationBar
p	_note
p	_scrollContainer
p	_shareButton
р	_saveButton
	deleteNote()
	goBack()
	popView()
	saveNote()
	shareNote()
	releaseBackButton()
0	render()
0	renderToElement()
0	init(parentElement)
0	initWithOptions(options)
0	destroy()

	videoNoteEditView (+textNoteEditView) (V1)
р	_videoElementContainer
р	_recordButton
	captureVideo()
	onVideoCaptured()
0	render()
0	renderToElement()
	updateVideo()
0	destroy()

	cameraManager			
r/w	.alsoSaveToPhotoAlbum	= false		
r/w	.cameraDirection	= BACK		
r/w	.cameraSource	= CAMERA		
r/w	.editingAllowed	= false		
r/w	.encodingType	= JPEG		
r/w	.mediaFilter	= PICTURE		
r/w	.quality	= 75		
r/w	.src			
r/w	.targetSize ({width:, height:})			
r/w	.useCorrectOrientation	= true		
p	_buildCaptureOptions()			
p	_captureImage()			
	doesPhotoExist()			
	takePicture()			
0	init()			
•	photoCaptured			

	videoManager	
r/w	.maximumDuration	= -1
r/o	.capturedDuration	
r/w	.src	
р	_buildCaptureOptions()	
р	_captureVideo()	
р	_getCapturedDuration()	
	captureVideo()	
0	init()	
•	videoCaptured	

propertyprivateooverridenotification

	mediaManager			
р	media			
p	_intervalId			
r/o	.duration			
r/o	.isPlaying			
r/o	.isPaused			
r/o	8			
r/o	.isStopped			
r/o				
r/o				
r/w	I			
r/w				
r/o	.state			
p	_createMediaObjectIfNecessary()			
þ	_destroyMediaObjectIfNecessary()			
p	_mediaSuccess()			
p	_updateMediaError()			
p	_updateMediaStatus() _updateStatus()			
p	_updateStatus() play()			
	pause()			
	record()			
	stop()			
0	init()			
0	destroy()			
<u> </u>	error			
\	durationUpdated			
~	mediaAllocated			
•	mediaDestroyed			
 <	positionUpdated			
•	playingStarted			
•	playingStopped			
~	playingPaused			
~	recordingStarted			
•	recordingStopped			
<u> </u>	statusUpdated			

	baseNote
r/w	.uid
r/w	.name
r/w	.textContents
r/w	.mediaContents
r/w	.unitValue
r/o	.formattedUnitValue
r/w	.unitLabels
r/o	.createdDate
r/o	.modifiedDate
r/o	.representation
r/o	.JSON
p	_serialize()
p	_deserialize(data)
0	init(UID)
	initWithJSON (JSON)
0	initWithOptions(options)
•	uidChanged
۸.	nameChanged
۸.	textContentsChanged
•	mediaContentsChanged
•	unitValueChanged
•	unitLabelsChanged

no	teF	ac	to	ry
----	-----	----	----	----

createNote(noteType)
createAssociatedMediaFileName (noteType, uid)

	noteStorage
р	_notes
r/o	.collection
1	loadCollection()
	saveCollection()
	createNote(noteType)
	getNote (UID)
	saveNote (note)
	removeNote (UID)
p	_collectionChangedListener
0	init()
\ <u>`</u>	collectionChanged
١.	collectionLoading
١.	collectionLoaded
\ <u> </u>	collectionFailedLoading
\ \	collectionSaving
\ 	collectionSaved
\ 	collectionFailedSaving
\ <u> </u>	noteChanged
\ \	noteSaved
\ \	noteFailedSaving
\ <u> </u>	noteRemoved
\ \	noteFailedRemoving
\ \	noteCreated

	imageNote (+baseNote)	
r/o	.camera	
p	_updateUnit()	
p	_updateModificationDate)	
0	getFormattedUnitValue()	
lο	setMediaContents (filename)	

	audioNote	(+baseNote)
)	.media	

r/o p _updateUnit()
_updateModificationDate)
setMediaContents (filename) destroy()

o destroy()

videoNote (+baseNote)

_updateUnit()
_updateModificationDate)

setMediaContents (filename)
destroy() 0

. property **p** private

physical	physical	logical
pixel	pixel	pixel
physical pixel	physical pixel	pixel

parent element		
	top: 0	
		- 1
		- 1
		- 1
		- 1
		- 1
left: 0	.ui-container	right: 0
		- 1
		- 1
		- 1
		- 1
	bottom: 0	

.ui-contai	ner	
	top: 0	
left: 0	.ui-navigation-bar	right: 0
	height: 44px	
	top: 0; padding-top: 44px	
left: 0	.ui-scroll-container .ui-avoid-navigation-bar .ui-avoid-tool-bar	right: 0
	bottom: 0; padding-bottom: 44	4px
left: 0	height: 44px .ui-navigation-bar bottom: 0px	right: 0

.ui-split-view-container				
top: 0	top: 0			
left: 0	left: 320px			
.ui-container left-side	.ui-container left-side			
width: 320px	rigl	nt: 0		
bottom: 0	bottom: 0			