15. Create tables instructor_info and Instructor_branch (common attribute is ID) and Write SQL Query to perform following Join Operations

```
-- Create instructor_info table
CREATE TABLE instructor_info (
    ID INT PRIMARY KEY,
    name VARCHAR(100),
    age INT,
    specialization VARCHAR(50)
);

-- Insert data into instructor_info table
INSERT INTO instructor_info VALUES (1, 'John Doe', 35, 'Math');
INSERT INTO instructor_info VALUES (2, 'Alice Smith', 40, 'English');
INSERT INTO instructor_info VALUES (3, 'Bob Johnson', 38, 'Science');

-- Create instructor_branch table
CREATE TABLE instructor_branch (
    ID INT PRIMARY KEY,
    branch VARCHAR(50)
);

-- Insert data into instructor_branch table
INSERT INTO instructor_branch VALUES (1, 'Branch A');
INSERT INTO instructor_branch VALUES (2, 'Branch B');
INSERT INTO instructor_branch VALUES (3, 'Branch C');
INSERT INTO instructor_branch VALUES (4, 'Branch D');

-- Join Operations
-- Natural Join
SELECT * FROM instructor_info NATURAL JOIN instructor_branch;

-- Left Outer Join
SELECT * FROM instructor_info LEFT OUTER JOIN instructor_branch ON
instructor_info.ID = instructor_branch.ID;

-- Right Outer Join
SELECT * FROM instructor_info RIGHT OUTER JOIN instructor_branch ON
instructor_info.ID = instructor_branch.ID;

-- Full Outer Join
SELECT * FROM instructor_info FULL OUTER JOIN instructor_branch ON
instructor_info.ID = instructor_branch.ID;
```