8. Write SQL Query which uses following Commands on Employee table

-- Create Employee table
```
CREATE TABLE Employee (
    employee_id INT PRIMARY KEY,
    name VARCHAR(100),
    department VARCHAR(50),
    salary DECIMAL(10, 2)
);
```

-- Insert data into Employee table
```
INSERT INTO Employee VALUES (1, 'John Doe', 'HR', 50000.00);
INSERT INTO Employee VALUES (2, 'Alice Smith', 'Finance', 60000.00);
INSERT INTO Employee VALUES (3, 'Bob Johnson', 'IT', 70000.00);
INSERT INTO Employee VALUES (4, 'Emma Lee', 'HR', 55000.00);
INSERT INTO Employee VALUES (5, 'Mike Brown', 'IT', 62000.00);
```

-- Group by command example
```
SELECT department, COUNT(*) AS num_employees FROM Employee GROUP BY department;
```

-- Having command example
```
SELECT department, AVG(salary) AS avg_salary FROM Employee GROUP BY department
HAVING AVG(salary) > 60000.00;
```

-- Order by command example
```
SELECT * FROM Employee ORDER BY salary DESC;
```

-- Between command example
```
SELECT * FROM Employee WHERE salary BETWEEN 55000.00 AND 70000.00;
```