

Experiment No. 10

SQL> select *from instinfo;

ID	NAME	AGE	CITY
1	prathamesh	20	karad
2	nikhil	21	karad
3	sumit	21	karad

SQL> select name from instinfo where name not like '%h';

NAME

nikhil

sumit

SQL> select name from instinfo where name like 'n%l';

NAME

nikhil

SQL> select name from instinfo where name like 't%y';

no data found

SQL> select name from instinfo where name like '_u%';

NAME

sumit

SQL> select name from instinfo where name like '_i%';

NAME

nikhil

SQL> select name from instinfo where name like '--%';

no data found

SQL> select name from instinfo where name not like '--%';

NAME

prathamesh

nikhil

sumit

```
SQL> select name from instinfo where name not like 'y%';
```

NAME

prathamesh

nikhil

sumit

```
SQL> Select lower (name)from instinfo;
```

LOWER(NAME)

prathamesh

nikhil

sumit

```
SQL> Select upper (name)from instinfo;
```

UPPER(NAME)

PRATHAMESH

NIKHIL

SUMIT

```
SQL> Select length (name)from instinfo;
```

LENGTH(NAME)

10

6

5

```
SQL> Select lpad (name,2)from instinfo;
```

LPAD(NAME,2)

pr

ni

su

```
SQL> Select rpad (name,2)from instInfo;
```

```
RPAD(NAME,2)
```

```
pr
```

```
ni
```

```
su
```

```
SQL> Select ltrim ('prathamesh','p')from instInfo;
```

```
LTRIM( 'PRATHAMESH' , 'P' )
```

```
rathamesh
```

```
rathamesh
```

```
rathamesh
```

```
SQL> Select rtrim ('nikhil','l')from instInfo;
```

```
RTRIM('NIKHIL','L')
```

```
nikhi
```

```
nikhi
```

```
nikhi
```

```
SQL> Select reverse (name)from instInfo;
```

```
REVERSE(NAME)
```

```
hsemahtar
```

```
lihkin
```

```
timus
```

```
SQL> Select replace ('prathamesh','ajinkya')from instInfo;
```

```
REPLACE('PRATHAMESH','AJINKYA')
```

```
prathamesh
```

```
prathamesh
```

```
prathamesh
```

