BUYMYHOUSE.COM

Hackathon Product Document

Pod 1 | Front-End Build | Seller Funnel UI

CONFIDENTIAL — INTERNAL USE ONLY | LPT Holdings, Inc.

3-Hour Mini Hackathon · Designers & Devs · AI-Assisted · March 2026

Table of Contents

1 Executive Summary & Product Vision
2 Hackathon Goals & Success Criteria
3 Scope
4 The 7-Stage Seller Funnel
4.1–4.7 Stages 1 through 7 (detailed specs)
5 The Dual-Path Offer System
6 Data Sources & Integrations
7 Mock Data Specification
8 Technical Requirements
9 Design Rules & Visual System
10 Team Tracks & Time Plan
11 AI Prompt Templates
12 Demo Script
13 Post-Hackathon Roadmap

1. Executive Summary & Product Vision

BuyMyHouse.com is a seller origination and dual-path conversion platform operated by LPT Holdings, Inc. It is not a standard real estate search site. It is a meticulously engineered multi-stage psychological conversion architecture designed to capture homeowners at the precise moment of financial decision-making — upstream of MLS listings — and move them toward a no-cost, in-person Professional Property Assessment.

```
 CRITICAL REFRAME: This is a SELLER funnel, not a buyer search product.
 The user is a homeowner who may want to sell.
 The product's job is to move them from curious → committed → assessed.
 There are no property listings. There are no buyer-facing features.
 Every UI decision advances the seller through 7 psychological states.
```

The Dual-Path Offer System

The funnel culminates in a Professional Property Assessment where the seller is presented with two executable options:

- **The Certainty Path:** A firm cash offer — speed, certainty, no repairs, no showings.
- **The Market Path:** A traditional listing with a licensed local LPT Realtor — maximum market value.

Both paths are real. The platform's role is to ensure the seller arrives at the assessment in a high-intent, psychologically committed state.

Company Context (from buymyhouse des.pdf)

LPT Holdings operates a Four-Layer Integrated Business Model. BuyMyHouse.com powers Layer 1:

Layer	Name	What It Does
1 — BuyMyHouse.com	Intent Origination	Captures sellers before they reach the open market
2	Transaction Routing	Brokerage control plane with 20,000 managed professionals
3	Agent Products	CRM, lead gen, tech tools sold as SaaS to agent network
4	Placement Layer	Workforce infrastructure — recruits and allocates agents

```
Hackathon Focus: Pod 1 owns everything from the landing page through
Confirmation. Layers 2-4 are downstream and out of scope.
```

2. Hackathon Goals & Success Criteria

2.1 Primary Goal

Ship a working, click-through prototype of all 7 funnel stages — functional in a browser, pixel-honest to the design rules, and demonstrable as a complete user journey from address entry to confirmation.

2.2 Success Criteria (demo by end of Hour 3)

1. **Stage 1:** Landing page renders above the fold at 390px with no scroll. Address input prominent.
2. **Stage 2:** Below-fold trust modules (billboard, 3-step, credibility) visible on scroll.
3. **Stage 3:** Terminal interstitial runs its animation sequence and auto-advances.
4. **Stage 4:** Qualification questions render as tap-friendly cards with progress bar.
5. **Stage 5:** Identity form captures name, email, phone with TCPA notice.
6. **Stage 6:** Expert assignment page with correct headline and body copy.
7. **Stage 7:** Confirmation page shows property summary, next steps. No pricing.

2.3 Stretch Goals

- A/B test variant toggle via URL param (?v=A or ?v=B)
- Mock property lookup — entering a real address populates the interstitial
- Smooth stage-to-stage transitions (fade or slide)
- Deployed to Vercel for a shareable demo URL

3. Scope

3.1 In Scope

Feature	Notes
All 7 funnel stage pages/screens	Complete UI for every stage
Address entry field (Stage 1)	Google Places if key available; fallback to styled text input
Terminal interstitial animation (Stage 3)	Pure CSS/JS, no API needed
Property qualification questions (Stage 4)	Tap-card UI, progress bar, client-side state
Identity capture form (Stage 5)	Name, email, phone — mock submit only
Expert assignment + confirmation (6 & 7)	Static pages with correct spec copy
Two visual modes	Institutional/Calm + Terminal/Precise
Mobile-first, 390px viewport	Desktop secondary; full experience above fold on mobile

Feature	Notes
Mock data layer	address_lookup.json + market_comps.json (mirrors Pod 2 API)

3.2 Out of Scope

Feature	Why
Live Pod 2 API	Requires LPT backend credentials — use mock JSON
Twilio SMS verification	Spec flags OFF at launch — ship OFF
Real CRM / lead submission	Requires LPT backend — console.log mock
GA4 + analytics pipes	Needs GTM + data warehouse — skip
Edge middleware A/B	Too complex for 3 hrs — use URL param
Google Ads conversion tags	No live campaign
Any buyer-facing features	Wrong product — no listings, no search, no map

4. The 7-Stage Seller Funnel

Each stage produces a specific psychological state. Stages are strictly sequential. Do not merge, reorder, or simplify — the conversion architecture collapses.

Stage	Screen	Psych Trigger	Seller State
1	Above the Fold	Cognitive fluency	Low friction — just enter address
2	Below the Fold	Offline recognition + credibility	Doubt resolved
3	Interstitial	Labor illusion + evaluation anxiety	Evaluator → evaluated
4	Qualification	Validation release	'Passed screening' momentum
5	Identity	Micro-commitment escalation	Anonymous → verified lead
6	Expert Assignment	Reciprocity reframe	Platform invests → obligation
7	Confirmation	Commitment & consistency	Socially committed

```
DOCTRINAL WARNING: Combining Stages 4-7 to 'reduce friction' is a documented
conversion killer. Each stage depends on the psychological state created by the
previous stage. Execute with zero deviation.
```

Stage 1	Above the Fold — Landing Page	PSYCHOLOGICAL TRIGGER Cognitive fluency — ad-to-page congruence



→ Interactive mockup: `stage_mockups.html#stage1`

Goal

Pure motion. Get the seller to enter their property address without cognitive overload.

UI Specs

- Google Places autocomplete address field = dominant visual anchor (location pin icon)
- Mobile (390px): entire above-fold experience visible with zero scroll
- **PROHIBITED:** house hero images, FAQs, process graphics above the fold

Copy (exact)

Element	Copy
Headline	Sell Your House for Cash. No Repairs. No Surprises.
Subheadline	Enter your address to check eligibility for a firm cash offer.
CTA Button	Check My Property
Micro Reassurance	Check eligibility first. No contact details required.
Credibility	Backed by LPT Aperture Holdings | Deloitte Fast 500 | Inman Innovator | Training Magazine

Hackathon Approach

- **Google Places:** Use if key available (~5 min). Fallback: styled text input + lookup against address_lookup.json.

Stage 2	Below the Fold — Trust Layer	PSYCHOLOGICAL TRIGGER Offline recognition + institutional credibility



→ Interactive mockup: `stage_mockups.html#stage2`

Goal

Stabilize confidence for sellers who scroll instead of immediately entering their address.

Modules

Module	Content	A/B Test
Billboard Continuity	Photo of real BuyMyHouse.com billboard. “You may have seen us around town.”	None
3-Step Process	1. Enter address, 2. We review details [Split Test 2: ‘with a licensed local Realtor’ vs. ‘Professional Property Assessment’], 3. Receive options	Split Test 2
Credibility	Backed by LPT Aperture Holdings. “Not an automated estimate.”	None
Testimonial	One calm 2–3 sentence homeowner quote. No photos, no stars.	Split Test 3: None vs. one testimonial

Hackathon Approach

- Implement Split Tests 2 & 3 via URL param: ?v=A (default) or ?v=B
- Grey placeholder rectangle for billboard photo (label ‘Billboard photo TBD’)

Stage 3	The Evaluation Interstitial	PSYCHOLOGICAL TRIGGER Labor illusion + evaluation anxiety



→ Dark terminal (animated): `stage3_animated.html` | `Skeuomorphic terminal:`



→ Light variant (animated): `stage3_light.html` | `All Stage 3 variants:`

Goal

Not a loading screen. An “evaluation scene” proving the system is doing real work. Visual aesthetic: serious, technical organization processing your property right now.

UI Specs

- Dark background (#0D1117)
- Monospaced font (Courier New or JetBrains Mono)
- Sequential line rendering with ~400ms delay (typewriter effect)
- Green/teal (#39D353) checkmarks; grey for in-progress
- **PROHIBITED:** progress bars, percentage scores, countdown timers, spinners, fabricated metrics

Terminal Animation Sequence

```
> Locating property details for [entered address]...
  Querying county assessor records...
✓ Property found. Parcel ID confirmed.
> Checking public records...
  Cross-referencing ownership and title history...
✓ Ownership and property profile confirmed.
> Running market alignment check...
  Analyzing current buyer demand in ZIP [XXXXX]...
✓ Initial screening complete — strong alignment with current buying criteria.

  Let's confirm a few details to continue.
```

Alignment Tiers (final line)

- **Strong:** ✓...strong alignment with current buying criteria.
- **Within:** ✓...within current buying criteria.
- **Additional:** ✓...additional details required to confirm alignment.

Hackathon Approach

- Pure CSS/JS typewriter — no API needed
- Inject address + ZIP from address_lookup.json
- Total animation: ~4–6 seconds, then auto-advance to Stage 4
- Use ‘strong’ alignment for all demos

Stage 4	Qualification & Property Refinement	PSYCHOLOGICAL TRIGGER Validation release (Endowed Progress Effect)



→ Interactive mockup: `stage_mockups.html#stage4`

Goal

Collect property data using light, tap-based questions. The seller has “passed” — these feel like formalities. Each tap increases sunk investment.

UI Specs

- Stepped progress bar appears here first (Step 3 of 5 active)
- Mobile tap targets: minimum 48px height, full-width
- One question per screen — no back button visible

Copy

Element	Copy
Headline	Your Property Has Passed Initial Screening.
Subline	To continue, we need a few quick details about the property.
Transition	Thank you. We’re ready to move forward.

Questions

#	Question	Options	Flag
1	Current condition of the property?	Move-in ready / Minor updates / Needs repairs / Major renovation	On
2	How soon looking to sell?	ASAP / 30 days / 1–3 months / Just exploring	On
3	Current occupancy?	Owner / Tenant / Vacant	On
4	Known structural issues?	No known / Yes minor / Yes significant	OFF (feature flag)

Hackathon Approach

- Store answers in component state. Ship Q1–Q3 only (Q4 is flagged OFF).

Stage 5	Identity Confirmation	PSYCHOLOGICAL TRIGGER Micro-commitment escalation



→ Interactive mockup: `stage_mockups.html#stage5`

Goal

Convert anonymous seller into a verified, contactable lead. By this point they've invested effort — revealing contact details feels like a natural next step.

Specs

Element	Spec
Headline	Confirm Your Details to Continue.
Fields	First Name, Last Name, Email, Mobile Phone (all required)
Reassurance	Used only to coordinate next steps. No obligation.
CTA	Confirm My Details
TCPA	Include placeholder: '[TCPA consent language — provided by LPT legal]'
SMS (Twilio)	Built but OFF via feature flag at launch — ship OFF
Progress	Step 4 of 5 active

Hackathon Approach

- Basic form validation. On submit: store to state, advance to Stage 6 (no API).

Stage 6	Resource Commitment & Expert Assignment	PSYCHOLOGICAL TRIGGER Reciprocity reframe



→ Interactive mockup: `stage_mockups.html#stage6`

Goal

Formalize the platform's investment. A licensed professional is being assigned to their property. Creates powerful reciprocity obligation.

Copy (exact)

Element	Copy
Headline	We're Assigning a Property Assessment Expert to Your Property.
Subline	All Property Assessment Experts are licensed local Realtors.
Body	Your assigned expert will reach out within 24 hours to schedule a no-cost, in-person Professional Property Assessment.
CTA	Confirm & Continue
Progress	Step 5 of 5 active

Hackathon Approach

- Static page. Add a ~1 second pulsing dot before content appears to reinforce 'assignment in progress.'

Stage 7	Confirmation Page	PSYCHOLOGICAL TRIGGER Commitment & consistency



→ Interactive mockup: `stage_mockups.html#stage7`

Goal

Final digital impression. Reinforce the decision, set expectations, create clean handoff to offline.

Content

Element	Copy / Content
Headline	You're All Set.
Property summary	Show entered address + qualification answers as read-only card
Next steps	1. Expert calls/texts within 24 hrs. 2. Schedules no-cost assessment. 3. You receive both cash offer and market listing options.
What to expect	Assessment takes 20–30 minutes. No obligation, no cost.
Fallback	Questions? Call or text us at [LPT phone placeholder]

```
PROHIBITED: scheduling widgets, pricing estimates, Zestimate-style numbers, or
any offer amounts on this page.
```

5. The Dual-Path Offer System

The dual-path reveal happens during the in-person assessment — not in the digital funnel. Pod 1's job is to deliver a committed seller.

	Certainty Path	Market Path
Value prop	Speed + certainty. Firm cash. No repairs or showings.	Maximum market value. Licensed LPT Realtor handles transaction.
Who for	Sellers prioritizing convenience/speed	Sellers wanting top dollar
When revealed	During in-person assessment — NOT in digital funnel	During in-person assessment — NOT in digital funnel
Pod 1 role	Do not price, estimate, or preview in UI	Do not price, estimate, or preview in UI

6. Data Sources & Integrations

These integrations are required for production but blocked for the hackathon. Mock JSON files mirror real API shapes.

Integration	What It Provides	Why Blocked	Hackathon Alt
Pod 2 API — Property	Address → parcel, ownership, sqft, year	LPT internal credentials	address_lookup.json (31 addresses)
Pod 2 API — Comps	Comparable sales, buyer demand score	LPT backend + latency infra	market_comps.json (10 ZIPs)
Google Places	Address autocomplete	Billing + charges risk	Styled text input + lookup table
Twilio SMS	Phone verification	OFF via feature flag	Ship flag OFF
GA4 + Ads Tags	Funnel analytics	GTM + data warehouse	console.log placeholders
LPT CRM	Lead submission	LPT API key required	Store to React state + console

7. Mock Data Specification

Two JSON files provided. Place in /src/data/. They mirror Pod 2 API response shapes for post-hackathon drop-in swap.

7.1 address_lookup.json

31 properties keyed by normalized address. On address entry: lowercase + trim, check for match, inject data into Stage 3.

Field	Type	Mirrors
address (key)	string	normalized_address
parcelId	string	parcel_id
zip, city, state	string	municipality fields
beds, baths, sqft, yearBuilt	number	property_attributes
marketDemandScore	number (0–100)	demand_index
alignmentTier	'strong'|'within'|'additional'	Drives interstitial final line

7.2 market_comps.json

10 ZIP code profiles for the interstitial's market analysis animation.

Field	Type	Mirrors
zip	string	zip_code
medianSalePrice	number	median_sold_price_90d
buyerDemandScore	number (0–100)	demand_index
recentComps []	array of {address, soldPrice, soldDate, sqft}	comparable_sales

```
Import directly in React — no fetch() needed. Post-hackathon: replace import
with await fetch('/api/pod2/property?address=...') — same shape.
```

8. Technical Requirements

Requirement	Production Target	Hackathon Approach
Framework	Next.js (SSR) for PPC Quality Score	Next.js or Vite+React (team choice)
LCP	< 1.5s on throttled mobile 4G	Keep bundle lean, < 150 KB JS
FID	< 100ms	Defer non-critical JS
Above-fold weight	< 200 KB total	No large images above fold
A/B Testing	Next.js edge middleware	URL param (?v=A or ?v=B)
Feature Flags	Edge middleware	Boolean constants in /src/config/flags.js
Pod 2 API	< 500ms property; < 1,200ms comps	setTimeout(400ms) + JSON import
Analytics	GA4 + Ads + server-side warehouse	console.log('EVENT:', stage)

Bootstrap Command

```
# Next.js (production-aligned):
npx create-next-app@latest buymyhouse --js --no-tailwind --no-eslint
cd buymyhouse && npm install
npm install -D tailwindcss postcss autoprefixer && npx tailwindcss init -p

# OR Vite (fastest):
npm create vite@latest buymyhouse -- --template react
cd buymyhouse && npm install
npm install -D tailwindcss postcss autoprefixer && npx tailwindcss init -p
```

9. Design Rules & Visual System

Mode	Used On	Palette	Typography
Institutional / Calm	Stages 1, 2, 4, 5, 6, 7	Navy #1B2A4A, Charcoal #222, White, single accent	Sans-serif, high contrast, generous whitespace
Technical / Precise	Stage 3 only	Dark #0D1117, Green #39D353, Grey #AAA	Monospaced (Courier New / JetBrains Mono)

Strict Prohibitions

```
✗ No purple gradients or generic 'AI aesthetic'
✗ No hero images of houses, smiling families, outdoor photos
✗ No Zillow-esque green-and-blue palette
✗ No proptech clichés (illustrated maps, pin icons, neighborhood guides)
✗ No progress bars, percentages, or timers inside Stage 3
✗ No pricing, estimates, or offer amounts anywhere in the funnel
✗ No scheduling widgets on the confirmation page
```

10. Team Tracks & Time Plan

10.1 Tracks

Track	Person(s)	Owns
A — Shell + Stages 1–2	Designer + Dev	App routing, design tokens, landing page, mobile layout
B — Interstitial (Stage 3)	Dev	Terminal animation, address injection, alignment tier, auto-advance
C — Stages 4–7 + Data	Dev	Qualification flow, identity form, expert + confirmation pages, mock data

Track	Person(s)	Owns
D — Polish (Hour 3)	All	Integration, A/B param switching, mobile QA, demo prep

10.2 Hour-by-Hour

Phase	Time	Track A	Track B	Track C
Foundation	0:00–1:00	Scaffold + Stage 1 rendered	Interstitial animation wired	Data imported + Stage 4 rendering
Features	1:00–2:00	Stage 2 complete + mobile QA	Alignment + auto-advance working	Stages 5–7 + form validation
Integration	2:00–2:40	Merge tracks, fix routing	Bug fixes + transitions	A/B params + data injection
Demo	2:40–3:00	Full mobile run-through	Record screen demo	Optional Vercel deploy

11. AI Prompt Templates

Copy directly into Cursor, Claude, or Copilot.

Stage 1 — Address Entry

```
Write a React component called AddressEntry.
Design: Institutional/Calm. Navy #1B2A4A, white, charcoal #222.
Render: bold headline 'Sell Your House for Cash. No Repairs. No Surprises.'
Subheadline: 'Enter your address to check eligibility for a firm cash offer.'
Full-width address input with location pin icon (Lucide React).
Full-width navy CTA: 'Check My Property'
Micro-copy: 'Check eligibility first. No contact details required.'
Must fit above fold at 390px. Tailwind only. No hero images.
```

Stage 3 — Terminal Interstitial

```
Write a React component called EvaluationInterstitial.
Design: Technical/Precise. Background #0D1117. Font: Courier New.
Props: address (string), zip (string), onComplete (callback).
Sequentially type out lines with 400ms delay:
  '> Locating property details for {address}...'
  '  Querying county assessor records...'
  'checkmark Property found. Parcel ID confirmed.' (green #39D353)
  ... (full sequence in Section 4, Stage 3)
After last line, wait 1.5s, call onComplete().
No progress bar. No spinner. No percentage.
```

Stage 4 — Qualification Cards

```
Write a React multi-step form: PropertyQualification.
Design: Institutional/Calm. Navy + white.
Props: onComplete(answers) callback.
One question per screen. 3 questions total.
Each option: full-width tap card, 48px min height, navy border.
Progress bar: 5 steps, step 3 highlighted.
Headline: 'Your Property Has Passed Initial Screening.'
Auto-advance on selection (300ms delay). No back button.
```

12. Demo Script

Use when presenting to LPT stakeholders. Show on a 390px mobile viewport.

8. **Stage 1:** Open landing page on mobile. Full above-fold, no scroll. Type a sample address from address_lookup.json.
9. **Stage 2:** Scroll down. Show billboard, 3-step, credibility, testimonial (?v=B). “These resolve objections before the seller enters their address.”
10. **Stage 3:** Hit CTA. Terminal runs. “This is not a loading screen — this is an evaluation scene. The seller is now being assessed, not assessing us.”
11. **Stage 4:** Tap through 3 qualification questions. Show progress bar + full-width tap cards.
12. **Stage 5:** Fill identity form. Point out TCPA placeholder + reassurance copy.
13. **Stage 6:** Expert assignment. Read headline aloud. “This is the reciprocity moment.”
14. **Stage 7:** Confirmation. No pricing, no scheduling. Property summary + next steps only. “Clean handoff to offline.”

```
Key line: 'All mock data mirrors our Pod 2 API shapes. Post-hackathon it's a
one-line swap — import becomes fetch.'
```

13. Post-Hackathon Roadmap

Priority	Item	Effort
P0	Wire live Pod 2 API (property + comps)	1–2 weeks
P0	Real CRM lead submission on Stage 5	3–5 days
P0	Next.js edge middleware for A/B + feature flags	1 week
P1	Google Places API (address autocomplete)	2–3 days
P1	GA4 + Google Ads conversion tags	3–5 days
P1	TCPA consent + Twilio SMS (enable flag)	1 week (legal)
P1	LCP performance audit + optimization	1 week

Priority	Item	Effort
P2	Structural Issues question (enable Q4 flag)	1 day
P2	Server-side analytics pipeline	2–3 weeks
P3	Dual-path reveal UI (post-assessment)	TBD

14. Visual References & Mockups

The following HTML files are in the same folder as this document. Open each in any browser. They are standalone — no server required.

Stage Wireframes

→ `stage_mockups.html` — All 7 funnel stages as annotated wireframes. Exact spec colors, copy, and layout. Annotation callouts on every stage explain key implementation decisions.

Stage 3 — Animated Terminals

Three working interactive prototypes of the Evaluation Interstitial. All auto-play on load and include a Replay button. Devs can copy JS directly into the Next.js page.

→ `stage3_animated.html` — System-Log / Dark Terminal variant. Sequential line disclosure (PageSpeed-style), sub-source expansion (Kayak-style), labor illusion delay (TurboTax-style), master progress bar, typewriter result reveal, countdown auto-advance. Mechanism labels explain each pattern.

→ `stage3_skeuomorphic.html` — Premium Hardware variant. Same sequence wrapped in a physical chassis: brushed-metal casing, inset CRT display, phosphor scanlines, LED indicators (PROC amber → READY green on completion), corner accent marks, press-depth action button.

→ `stage3_light.html` — Light / Institutional variant. Institutional/Calm palette (navy #1B2B4B, gold #C8A96E, white) — no terminal aesthetics. White card on soft blue-grey background. Micro-animations: spring-complete step dots, progress shimmer, leading-edge gold glow, result card scale+lift reveal, staggered stat counters. Best match for mobile UX and A/B test against dark variant.

```
All four HTML files are self-contained with zero external dependencies.
All Stage 3 variants use pure CSS + vanilla JS — no React needed for prototype.
Address, alignment tier, and score values are hardcoded for hackathon; swap
  to URL params or session state post-hackathon (see Section 7 mock data).
stage_mockups.html embeds static snapshots of all Stage 3 variants with live
  link buttons to open each interactive demo directly from the mockup doc.
```

Based on: BuyMyHouse Pod1 Build Specification.docx + buymyhouse des.pdf (LPT Holdings, Inc.)