

Standard Operating Procedures & CRM Blueprint

END-TO-END TRACKING DEVICE PROCUREMENT, LIFECYCLE OPERATIONS, AND BILLING FRAMEWORK

Document Type:	Operational Workflow & CRM Architecture Blueprint
Target Audience:	Operations Management, Control Room, Billing Team, CRM Developers
Scope:	Procurement, Installation Lifecycle, Job Orders, Service Activation, Variable Charging Architecture

1. Executive Summary & Objective

This document serves as the official operational guide and software specification blueprint for the lifecycle management of vehicle tracking assets, related cellular infrastructure, client services, and billing routines. The workflows defined herein ensure structural integrity across departments—bridging field installations, customer support query resolution, data-driven back-office verification, and commercial finance modules.

The primary objective is to optimize service response times, achieve 100% data fidelity inside the CRM for job orders (e.g., matching structures like standard installation records), and execute flexible billing configurations encompassing One-Time Charges (OTC) and recurring Software-As-A-Service (SAAS) fees seamlessly.

2. Phase 1: Procurement & Asset Pairings

Before any commercial field activity commences, hardware and network connectivity components must undergo inventory initialization and strict data validation pairing:

- **Tracker Hardware Intake:** Bulk procurement of physical asset tracking units. Each unit must have its unique international Mobile Equipment Identity (IMEI) scanned and uploaded to the CRM inventory depot.
- **SIM Card Procurement:** Acquisition of cellular SIM cards with specialized machine-to-machine (M2M) APN profiles. The Integrated Circuit Card Identifier (ICCID) and assigned MSISDN (phone number) are logged.
- **Digital Inventory Pairing:** The CRM system must strictly link one explicit IMEI to one explicit ICCID. A tracking unit cannot be assigned to a vehicle task unless it holds an "Active-Ready" paired state within inventory modules.

3. Phase 2: Query Intake & Lifecycle Categorization

Customer queries enter the pipeline via phone lines, mobile app requests, or enterprise account portals. To ensure accurate execution and appropriate downstream financial routing, every incoming ticket must be instantly tagged into one of the following official classifications:

Query Classification	Operational Scope & Description	CRM Custom Fields Triggered
New Installation	First-time onboarding of a customer vehicle into the active network ecosystem. Requires clean asset deployment.	Standard fields (Vehicle Make, Model, Chassis, Color, Reg No).
Vehicle Transfer	Moving an existing, currently owned tracker from an active vehicle in the customer's fleet to a newly acquired vehicle.	Source Vehicle ID, Target Vehicle ID, Swap Reasons.
Ownership Transfer	Transferring ownership of an already tracked vehicle from the existing contract holder to a completely different customer profile.	Source Customer ID, Target Customer ID, Consent Log.
Reinstallation	Mounting a tracker back into a vehicle after it has been previously uninstalled (e.g., post vehicle body repairs).	Historical Unit Logs, Refit Verification.
Inspection	Physical or remote diagnostics of the hardware setup to check signal stability, hidden wiring, or tampering alerts.	Diagnostic Checklist, Tech Notes.
Replacement	Removing a faulty, old, or legacy network unit from a vehicle and putting a new operational unit in its place.	Old IMEI, New IMEI, Reason for Failure code.
Removal (Temp/Perm)	De-installing a tracker. Temporary for bodywork/leasing periods; Permanent for contractual offboarding.	Return-to-Inventory ID, Recovery Status.

4. Phase 3: Field Execution & Technician Dispatch

Once classified, the CRM dynamically routes tickets to the Field Dispatch Desk. Technicians are provisioned via their mobile application interfaces with precise job tasks.

- **On-Site Security Check:** Technicians must verify vehicle identity metrics (Chassis/Engine stamps) against ticket mandates before dismantling or installing anything.
- **Hardware Execution:** Tracking devices must be safely concealed within deep-dash wiring or structured body chassis coordinates to eliminate easy tampering vector points.
- **Removal Status Protocol:** If a job involves a removal activity, the technician must designate the status within their app as either *Temporary* or *Permanent*. This property acts as a toggle, changing asset location status to either "In Transit / In Repair" or "Back to Central Stock Pile."

5. Phase 4: Customer Job Order (JO) Post-Call & Data Capture

Immediately following the conclusion of physical field activities, the Customer Experience / Provisioning team conducts a verification phone call to compile and finalize the ****Job Order (JO)**** details inside the CRM database.

Data Validation Engine Rule

The data collection configuration strictly mirrors verified structural properties established in benchmark deployment documentation (such as standard enterprise field layouts, e.g., @LE-17-5041 New Installation.xlsx structures).

Data Capture Structural Requirements

1. **For New Installations:** Capture standardized baseline configurations including Client Legal Name, National ID/NTN, Primary Contact Number, Mobile App Alert Profiles, Emergency Contacts, Vehicle Make, Production Year, Chassis Number, Engine Number, Vehicle Registration Mark, and Installer Tech ID.
2. **For Non-New Installation Lifecycle Activities:** The CRM strictly prevents form submission unless specialized **Custom Lifecycle Fields** are fully input. For example, in a *Vehicle Transfer* scenario, custom logs must explicitly show the old decommissioned vehicle parameters tied historically directly to the newly commissioned vehicle profile parameters within the same customer ledger.

6. Phase 5: Digital Control Room & Service Activation

Upon submission and approval of the Job Order data layer, the workflow automates a webhook or notification payload directly to the Secure Control Room Operators to switch on digital entitlements:

- **Message Notification Streams:** Configuration of critical instant alerts (Over-speeding, Geofence breaches, Ignition Status change, Power Disconnect events) to client mobile devices via SMS and Push Gateways.
- **Mobile App Access Provisioning:** Generation of cryptographic tenant tokens and welcome email/SMS containing login credentials for the unified fleet management software platform.
- **Control Room Monitoring:** Inclusion of the tracking unit's active data stream into the live 24/7 central monitoring dashboard matrices for vehicle safety, recovery facilitation, and telemetry auditing.

7. Phase 6: Financial Architecture & Pricing Engine

The commercial system maps out variable and customizable monetary workflows combining combined hardware costs, software subscription structures, and operational field fees.

The system supports an **Enterprise Overrides Engine**. While standard pricing exists, client profile accounts can maintain custom agreed contracts that override system base rates dynamically upon invoice generation.

Commercial Matrix Configuration Table

Operational Activity	Base One-Time Charge (OTC)	Component Allocation Breakdown	Subscription Billing Rules
NEW INSTALLATION	4,000 + Services Balance	Fixed 4,000 strictly for physical tracking hardware. Remaining balance allocates directly to specialized setup software & technician services.	Standard rate of 8,000 dynamically triggered (unless specific override exists).
VEHICLE TRANSFER	3,000 Base	0 for Hardware (Re-use). 100% applied to software reconfiguration and field tech service execution. Adjustable per contract.	Maintains original vehicle's subscription loop or sets up fresh annual baseline.
OWNERSHIP TRANSFER	3,000 Base	Admin, account migration, legal validation tracking, and security token reset fees. Adjustable per contract.	Transfers subscription responsibility to new profile ledger entity.
REINSTALLATION	3,000 Base	Field labor deployment and re-activation of offline inventory data loops. Adjustable per contract.	Re-triggers recurring tracking subscription billing cycles.
INSPECTION	3,000 Base	Diagnostic hardware verification services and physical audit documentation. Adjustable per contract.	No change to baseline subscription billing.
REPLACEMENT	3,000 Base	Hardware cost absorbed via warranty or bundled service terms. Fees apply to localized field tech deployment.	No change to baseline subscription billing.
REMOVALS (TEMP/PERM)	0 (No Charge)	Zero billing generated. Operational cost handled as customer retention or asset recovery expense lines.	Temp: Suspends subscription billing. Perm: Permanently cancels recurring billing.

Important Billing Verification Workflow Rule

Before a finalized invoice passes to payment processing states, the system must crosscheck the Customer Account Matrix to see if a custom-negotiated baseline package exists. If a custom override profile is discovered, the baseline values (e.g., 3,000 lifecycle charge or 8,000 subscription) are dynamically substituted by the billing script engine with the custom contract parameters.