Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for blog.jsx

Checker Input

Show ☐ source   ☐ outline   ☐ image report | Options… |

Check by | file upload ▾ | | Choisir un fichier | Aucun fichier choisi

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

| Check |

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

| Message Filtering |

1. | **Warning** | **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   From line 1, column 1; to line 1, column 26

   `import React from "react";↵impor`

   For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

   If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. | **Error** | **The character encoding was not declared. Proceeding using** `windows-1252`.

3. | **Error** | **Non-space characters found without seeing a doctype first. Expected** `<!DOCTYPE html>`.

   From line 1, column 1; to line 1, column 26

   `import React from "react";↵impor`

4. | **Error** | **Element** [head](#) **is missing a required instance of child element** `title`.

   From line 1, column 1; to line 1, column 26

   `import React from "react";↵impor`

   Content model for element [head](#):

   If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#)

element and no more than one is a <u>base</u> element.

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

5. **Error** **Self-closing syntax (/>) used on a non-void HTML element. Ignoring the slash and treating as a start tag.**

From line 9, column 13; to line 9, column 22

```
        <Header />↵
```

6. **Error** **The main element must not appear as a descendant of the header element.**

From line 10, column 13; to line 10, column 18

```
        <main>↵
```

7. **Error** **Attribute classname not allowed on element img at this point.**

From line 11, column 17; to line 15, column 18

```
        <img↵                        src="../../img/banner.jpg"↵
alt="img du fond"↵            className="img-fluid"↵                /></↵
```

Attributes for element <u>img</u>:

<u>Global attributes</u>

<u>alt</u> — Replacement text for use when images are not available

<u>src</u> — Address of the resource

<u>srcset</u> — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

<u>sizes</u> — Image sizes for different page layouts

<u>crossorigin</u> — How the element handles crossorigin requests

<u>usemap</u> — Name of <u>image map</u> to use

<u>ismap</u> — Whether the image is a server-side image map

<u>width</u> — Horizontal dimension

<u>height</u> — Vertical dimension

<u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element

<u>decoding</u> — Decoding hint to use when processing this image for presentation

<u>loading</u> — Used when determining loading deferral

<u>fetchpriority</u> — Sets the <u>priority</u> for <u>fetches</u> initiated by the element

8. **Info** **Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with unquoted attribute values</u>.**

From line 11, column 17; to line 15, column 18

```
        <img↵                        src="../../img/banner.jpg"↵
alt="img du fond"↵                   className="img-fluid"↵                    />↵
```

9. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 16, column 17; to line 16, column 49

```
        <div className="container-fluid">↵
```

Attributes for element `div`:

Global attributes

10. **Error** **Attribute** `classname` **not allowed on element** `section` **at this point.**

From line 17, column 21; to line 17, column 57

```
        <section className="row box-allBlog">↵
```

Attributes for element `section`:

Global attributes

11. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 18, column 25; to line 18, column 58

```
        <div className="col-12 titleBlog">↵
```

Attributes for element `div`:

Global attributes

12. **Error** **Attribute** `classname` **not allowed on element** `article` **at this point.**

From line 22, column 25; to line 22, column 79

```
        <article className="col-12 col-md-6 col-lg-4 blog-box">↵
```

Attributes for element `article`:

Global attributes

13. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 23, column 29; to line 23, column 50

```
        <div className="card">↵
```

Attributes for element `div`:

Global attributes

14. **Error** **Attribute** `classname` **not allowed on element** `img` **at this point.**

From line 24, column 33; to line 28, column 34

```
        <img↵
src="../../img/blog/coder.jpg"↵
className="card-img-top"↵                    alt="..."↵
```

Attributes for element `img`:

Global attributes

alt — Replacement text for use when images are not available

src — Address of the resource

srcset — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

sizes — Image sizes for different page layouts

crossorigin — How the element handles crossorigin requests

usemap — Name of image map to use

ismap — Whether the image is a server-side image map

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

decoding — Decoding hint to use when processing this image for presentation

loading — Used when determining loading deferral

fetchpriority — Sets the priority for fetches initiated by the element

---

15. **Info**   **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 24, column 33; to line 28, column 34

```
        <img↵
src="../../img/blog/coder.jpg"↵
className="card-img-top"↵                                    alt="..."↵
```

---

16. **Error**   **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 29, column 33; to line 29, column 64

```
        <div className="card-body blog">↵
```

Attributes for element div:

Global attributes

---

17. **Error**   **Attribute** `classname` **not allowed on element** `h5` **at this point.**

From line 30, column 37; to line 30, column 65

```
        <h5 className="card-title 1">Coder
```

---

18. **Error**   **Attribute** `classname` **not allowed on element** `p` **at this point.**

From line 31, column 37; to line 31, column 61

```
        <p className="card-text">↵
```

Attributes for element p:

Global attributes

---

19. **Error** **Attribute** `classname` **not allowed on element** <u>a</u> **at this point.**

From line 35, column 37; to line 35, column 76

```
          <a href="/" className="btn btn-primary">↵
```

Attributes for element <u>a</u>:

Global attributes

<u>href</u> — Address of the <u>hyperlink</u>

<u>target</u> — <u>Navigable</u> for <u>hyperlink</u> <u>navigation</u>

<u>download</u> — Whether to download the resource instead of navigating to it, and its filename if so

<u>ping</u> — <u>URLs</u> to ping

<u>rel</u> — Relationship between the location in the document containing the <u>hyperlink</u> and the destination resource

<u>hreflang</u> — Language of the linked resource

<u>type</u> — Hint for the type of the referenced resource

<u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element

20. **Error** **Attribute** `classname` **not allowed on element** <u>p</u> **at this point.**

From line 39, column 33; to line 39, column 52

```
          <p className="date">Publiã
```

Attributes for element <u>p</u>:

Global attributes

21. **Error** **Attribute** `classname` **not allowed on element** <u>article</u> **at this point.**

From line 42, column 25; to line 42, column 79

```
          <article className="col-12 col-md-6 col-lg-4 blog-box">↵
```

Attributes for element <u>article</u>:

Global attributes

22. **Error** **Attribute** `classname` **not allowed on element** <u>div</u> **at this point.**

From line 43, column 29; to line 43, column 50

```
          <div className="card">↵
```

Attributes for element <u>div</u>:

Global attributes

23. **Error** **Attribute** `classname` **not allowed on element** <u>img</u> **at this point.**

From line 44, column 33; to line 48, column 34

```
          <img↵
src="../../img/blog/croissance.jpg"↵
className="card-img-top"↵                                        alt="..."↵
```

Attributes for element img:

Global attributes

alt — Replacement text for use when images are not available

src — Address of the resource

srcset — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

sizes — Image sizes for different page layouts

crossorigin — How the element handles crossorigin requests

usemap — Name of image map to use

ismap — Whether the image is a server-side image map

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

decoding — Decoding hint to use when processing this image for presentation

loading — Used when determining loading deferral

fetchpriority — Sets the priority for fetches initiated by the element

24. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 44, column 33; to line 48, column 34

```
        <img↵
src="../../img/blog/croissance.jpg"↵
className="card-img-top"↵                                    alt="..."↵
```

25. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 49, column 33; to line 49, column 64

```
        <div className="card-body blog">↵
```

Attributes for element div:

Global attributes

26. **Error** **Attribute** `classname` **not allowed on element** `h5` **at this point.**

From line 50, column 37; to line 50, column 65

```
        <h5 className="card-title 1">Vendre
```

27. **Error** **Attribute** `classname` **not allowed on element** `p` **at this point.**

From line 51, column 37; to line 51, column 61

```
        <p className="card-text">↵
```

Attributes for element p:

Global attributes

28. **Error** **Attribute** `classname` **not allowed on element** `a` **at this point.**

From line 55, column 37; to line 55, column 76

```
          <a href="/" className="btn btn-primary">↵
```

Attributes for element a:

Global attributes

href — Address of the hyperlink

target — Navigable for hyperlink navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the hyperlink and the destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — Referrer policy for fetches initiated by the element

29. **Error** **Attribute** `classname` **not allowed on element** `p` **at this point.**

From line 59, column 33; to line 59, column 52

```
          <p className="date">PubliÃ
```

Attributes for element p:

Global attributes

30. **Error** **Attribute** `classname` **not allowed on element** `article` **at this point.**

From line 62, column 25; to line 62, column 79

```
          <article className="col-12 col-md-6 col-lg-4 blog-box">↵
```

Attributes for element article:

Global attributes

31. **Error** **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 63, column 29; to line 63, column 50

```
          <div className="card">↵
```

Attributes for element div:

Global attributes

32. **Error** **Attribute** `classname` **not allowed on element** `img` **at this point.**

From line 64, column 33; to line 68, column 34

```
          <img↵
src="../../img/blog/google.jpg"↵
className="card-img-top"↵                              alt="..."↵
```

Attributes for element img:

Global attributes

alt — Replacement text for use when images are not available

src — Address of the resource

srcset — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

sizes — Image sizes for different page layouts

crossorigin — How the element handles crossorigin requests

usemap — Name of image map to use

ismap — Whether the image is a server-side image map

width — Horizontal dimension

height — Vertical dimension

referrerpolicy — Referrer policy for fetches initiated by the element

decoding — Decoding hint to use when processing this image for presentation

loading — Used when determining loading deferral

fetchpriority — Sets the priority for fetches initiated by the element

33. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

From line 64, column 33; to line 68, column 34

```
        <img↵
src="../../img/blog/google.jpg"↵
className="card-img-top"↵                              alt="..."↵
```

34. **Error** Attribute `classname` **not allowed on element** `div` **at this point.**

From line 69, column 33; to line 69, column 64

```
        <div className="card-body blog">↵
```

Attributes for element div:

Global attributes

35. **Error** Attribute `classname` **not allowed on element** h5 **at this point.**

From line 70, column 37; to line 70, column 65

```
        <h5 className="card-title 1">Se pos
```

36. **Error** Attribute `classname` **not allowed on element** p **at this point.**

From line 71, column 37; to line 71, column 61

```
        <p className="card-text">↵
```

Attributes for element p:

Global attributes

37. **Error**   **Attribute** `classname` **not allowed on element** `a` **at this point.**

From line 75, column 37; to line 75, column 76

```
            <a href="/" className="btn btn-primary">↵
```

Attributes for element a:

Global attributes

href — Address of the hyperlink

target — Navigable for hyperlink navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the hyperlink and the

destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — Referrer policy for fetches initiated by the element

38. **Error**   **Attribute** `classname` **not allowed on element** `p` **at this point.**

From line 79, column 33; to line 79, column 52

```
            <p className="date">Publí
```

Attributes for element p:

Global attributes

39. **Error**   **Attribute** `classname` **not allowed on element** `article` **at this point.**

From line 82, column 25; to line 82, column 79

```
            <article className="col-12 col-md-6 col-lg-4 blog-box">↵
```

Attributes for element article:

Global attributes

40. **Error**   **Attribute** `classname` **not allowed on element** `div` **at this point.**

From line 83, column 29; to line 83, column 50

```
            <div className="card">↵
```

Attributes for element div:

Global attributes

41. **Error**   **Attribute** `classname` **not allowed on element** `img` **at this point.**

From line 84, column 33; to line 88, column 34

```
            <img↵
src="../../img/blog/screens.jpg"↵
className="card-img-top"↵                                    alt="..."↵
```

Attributes for element <u>img</u>:

   <u>Global attributes</u>

   <u>alt</u> — Replacement text for use when images are not available

   <u>src</u> — Address of the resource

   <u>srcset</u> — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

   <u>sizes</u> — Image sizes for different page layouts

   <u>crossorigin</u> — How the element handles crossorigin requests

   <u>usemap</u> — Name of <u>image map</u> to use

   <u>ismap</u> — Whether the image is a server-side image map

   <u>width</u> — Horizontal dimension

   <u>height</u> — Vertical dimension

   <u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element

   <u>decoding</u> — Decoding hint to use when processing this image for presentation

   <u>loading</u> — Used when determining loading deferral

   <u>fetchpriority</u> — Sets the <u>priority</u> for <u>fetches</u> initiated by the element

---

42. **Info**   **Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

From line 84, column 33; to line 88, column 34

```
          <img↵
src="../../img/blog/screens.jpg"↵
className="card-img-top"↵                                        alt="..."↵
```

---

43. **Error**   **Attribute** `classname` **not allowed on element** <u>div</u> **at this point.**

From line 89, column 33; to line 89, column 64

```
          <div className="card-body blog">↵
```

Attributes for element <u>div</u>:

   <u>Global attributes</u>

---

44. **Error**   **Attribute** `classname` **not allowed on element** <u>h5</u> **at this point.**

From line 90, column 37; to line 90, column 65

```
              <h5 className="card-title 1">Coder
```

---

45. **Error**   **Attribute** `classname` **not allowed on element** <u>p</u> **at this point.**

From line 91, column 37; to line 91, column 61

```
              <p className="card-text">↵
```

Attributes for element <u>p</u>:

   <u>Global attributes</u>

46.   **Error**   **Attribute** `classname` **not allowed on element** <u>a</u> **at this point.**

From line 95, column 37; to line 95, column 76

```
            <a href="/" className="btn btn-primary">↵
```

Attributes for element <u>a</u>:

    Global attributes

    <u>href</u> — Address of the <u>hyperlink</u>

    <u>target</u> — <u>Navigable</u> for <u>hyperlink</u> <u>navigation</u>

    <u>download</u> — Whether to download the resource instead of navigating to it, and its filename if so

    <u>ping</u> — <u>URLs</u> to ping

    <u>rel</u> — Relationship between the location in the document containing the <u>hyperlink</u> and the destination resource

    <u>hreflang</u> — Language of the linked resource

    <u>type</u> — Hint for the type of the referenced resource

    <u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element

47.   **Error**   **Attribute** `classname` **not allowed on element** <u>p</u> **at this point.**

From line 99, column 33; to line 99, column 52

```
            <p className="date">PubliÃ
```

Attributes for element <u>p</u>:

    Global attributes

48.   **Error**   **Attribute** `classname` **not allowed on element** <u>article</u> **at this point.**

From line 102, column 25; to line 102, column 79

```
            <article className="col-12 col-md-6 col-lg-4 blog-box">↵
```

Attributes for element <u>article</u>:

    Global attributes

49.   **Error**   **Attribute** `classname` **not allowed on element** <u>div</u> **at this point.**

From line 103, column 29; to line 103, column 50

```
            <div className="card">↵
```

Attributes for element <u>div</u>:

    Global attributes

50.   **Error**   **Attribute** `classname` **not allowed on element** <u>img</u> **at this point.**

From line 104, column 33; to line 108, column 34

```
            <img↵
src="../../img/blog/seo.jpg"↵
className="card-img-top"↵                              alt="..."↵
```

Attributes for element <u>img</u>:

　　<u>Global attributes</u>

　　<u>alt</u> — Replacement text for use when images are not available

　　<u>src</u> — Address of the resource

　　<u>srcset</u> — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

　　<u>sizes</u> — Image sizes for different page layouts

　　<u>crossorigin</u> — How the element handles crossorigin requests

　　<u>usemap</u> — Name of <u>image map</u> to use

　　<u>ismap</u> — Whether the image is a server-side image map

　　<u>width</u> — Horizontal dimension

　　<u>height</u> — Vertical dimension

　　<u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element

　　<u>decoding</u> — Decoding hint to use when processing this image for presentation

　　<u>loading</u> — Used when determining loading deferral

　　<u>fetchpriority</u> — Sets the <u>priority</u> for <u>fetches</u> initiated by the element

---

51.　 **Info** 　**Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).**

From line 104, column 33; to line 108, column 34

```
        <img↵
src="../../img/blog/seo.jpg"↵
className="card-img-top"↵                                    alt="..."↵
```

52.　 **Error** 　**Attribute `classname` not allowed on element `div` at this point.**

From line 109, column 33; to line 109, column 64

```
        <div className="card-body blog">↵
```

Attributes for element <u>div</u>:

　　<u>Global attributes</u>

53.　 **Error** 　**Attribute `classname` not allowed on element `h5` at this point.**

From line 110, column 37; to line 110, column 65

```
        <h5 className="card-title 1">Techni
```

54.　 **Error** 　**Attribute `classname` not allowed on element `p` at this point.**

From line 111, column 37; to line 111, column 61

```
        <p className="card-text">↵
```

Attributes for element <u>p</u>:

　　<u>Global attributes</u>

55. **Error** **Attribute** `classname` **not allowed on element** <u>a</u> **at this point.**

From line 115, column 37; to line 115, column 76

```
            <a href="/" className="btn btn-primary">↵
```

Attributes for element <u>a</u>:

   Global attributes

   <u>href</u> — Address of the <u>hyperlink</u>

   <u>target</u> — <u>Navigable</u> for <u>hyperlink</u> <u>navigation</u>

   <u>download</u> — Whether to download the resource instead of navigating to it, and its filename if so

   <u>ping</u> — <u>URLs</u> to ping

   <u>rel</u> — Relationship between the location in the document containing the <u>hyperlink</u> and the destination resource

   <u>hreflang</u> — Language of the linked resource

   <u>type</u> — Hint for the type of the referenced resource

   <u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element

56. **Error** **Attribute** `classname` **not allowed on element** <u>p</u> **at this point.**

From line 119, column 33; to line 119, column 52

```
            <p className="date">Publi Ã
```

Attributes for element <u>p</u>:

   Global attributes

57. **Error** **Attribute** `classname` **not allowed on element** <u>article</u> **at this point.**

From line 122, column 25; to line 122, column 79

```
            <article className="col-12 col-md-6 col-lg-4 blog-box">↵
```

Attributes for element <u>article</u>:

   Global attributes

58. **Error** **Attribute** `classname` **not allowed on element** <u>div</u> **at this point.**

From line 123, column 29; to line 123, column 50

```
            <div className="card">↵
```

Attributes for element <u>div</u>:

   Global attributes

59. **Error** **Attribute** `classname` **not allowed on element** <u>img</u> **at this point.**

From line 124, column 33; to line 128, column 34

```
            <img↵
src="../../img/blog/technos.png"↵
className="card-img-top"↵                                    alt="..."↵
```

Attributes for element <u>img</u>:

> <u>Global attributes</u>
>
> <u>alt</u> — Replacement text for use when images are not available
>
> <u>src</u> — Address of the resource
>
> <u>srcset</u> — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
>
> <u>sizes</u> — Image sizes for different page layouts
>
> <u>crossorigin</u> — How the element handles crossorigin requests
>
> <u>usemap</u> — Name of <u>image map</u> to use
>
> <u>ismap</u> — Whether the image is a server-side image map
>
> <u>width</u> — Horizontal dimension
>
> <u>height</u> — Vertical dimension
>
> <u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element
>
> <u>decoding</u> — Decoding hint to use when processing this image for presentation
>
> <u>loading</u> — Used when determining loading deferral
>
> <u>fetchpriority</u> — Sets the <u>priority</u> for <u>fetches</u> initiated by the element

60. **Info** **Trailing slash on void elements <u>has no effect</u> and <u>interacts badly with unquoted attribute values</u>.**

From line 124, column 33; to line 128, column 34

```
        <img↵
src="../../img/blog/technos.png"↵
className="card-img-top"↵                                    alt="..."↵
```

61. **Error** **Attribute `classname` not allowed on element <u>div</u> at this point.**

From line 129, column 33; to line 129, column 64

```
        <div className="card-body blog">↵
```

Attributes for element <u>div</u>:

> <u>Global attributes</u>

62. **Error** **Attribute `classname` not allowed on element <u>h5</u> at this point.**

From line 130, column 37; to line 130, column 65

```
        <h5 className="card-title 1">Appren
```

63. **Error** **Attribute `classname` not allowed on element <u>p</u> at this point.**

From line 131, column 37; to line 131, column 61

```
        <p className="card-text">↵
```

Attributes for element <u>p</u>:

> <u>Global attributes</u>

64. **Error**   **Attribute** `classname` **not allowed on element** `a` **at this point.**

From line 135, column 37; to line 135, column 76

```
            <a href="/" className="btn btn-primary">↵
```

Attributes for element a:

Global attributes

href — Address of the hyperlink

target — Navigable for hyperlink navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the hyperlink and the destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — Referrer policy for fetches initiated by the element

65. **Error**   **Attribute** `classname` **not allowed on element** `p` **at this point.**

From line 139, column 33; to line 139, column 52

```
            <p className="date">Publiá
```

Attributes for element p:

Global attributes

66. **Error**   **The element** `footer` **must not appear as a descendant of the** `header` **element.**

From line 145, column 13; to line 145, column 22

```
            <Footer />↵
```

67. **Error**   **Self-closing syntax (** `/>` **) used on a non-void HTML element. Ignoring the slash and treating as a start tag.**

From line 145, column 13; to line 145, column 22

```
            <Footer />↵
```

68. **Error**   **End tag** `div` **seen, but there were open elements.**

From line 146, column 9; to line 146, column 14

```
>↵          </div>↵      )
```

69. **Error**   **Unclosed element** `footer` **.**

From line 145, column 13; to line 145, column 22

```
                <Footer />↵
```

70.   **Error**   **Unclosed element** header .

From line 9, column 13; to line 9, column 22

```
                <Header />↵
```

Document checking completed.

Used the HTML parser.

Total execution time 10 milliseconds.

About this checker • Report an issue • Version: 24.8.2