

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for accueil.jsx

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Choisir un fichier](#) Aucun fichier choisi

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 26

```
import React from "react";  
import
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

3. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 26

```
import React from "react";  
import
```

4. **Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 1, column 26

```
import React from "react";  
import
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-

level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#)

element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 13, column 13; to line 13, column 22

```
<Header />
```

6. **Error** The `main` element must not appear as a descendant of the `header` element.

From line 14, column 13; to line 14, column 18

```
<main>
```

7. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 16, column 17; to line 16, column 38

```
<div className="fond">
```

Attributes for element `div`:

[Global attributes](#)

8. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 17, column 21; to line 17, column 44

```
<div className="filter">
```

Attributes for element `div`:

[Global attributes](#)

9. **Error** Attribute `classname` not allowed on element `button` at this point.

From line 21, column 25; to line 25, column 25

```
<button type="button"
  className="btn btn-primary btnAbout"
  onClick={aProposScroll}>
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

10. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 31, column 17; to line 31, column 54

```
<div id="apropos" className="apropos">↵
```

Attributes for element `div`:

[Global attributes](#)

11. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 32, column 21; to line 32, column 63

```
<div className="container-fluid box-about">↵
```

Attributes for element `div`:

[Global attributes](#)

12. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 33, column 25; to line 33, column 55

```
<div className="row row-about">↵
```

Attributes for element `div`:

[Global attributes](#)

13. **Error** Attribute `classname` not allowed on element `article` at this point.

From line 34, column 29; to line 34, column 65

```
<article className="col-12 col-md-6">↵
```

Attributes for element `article`:

[Global attributes](#)

14. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 35, column 33; to line 35, column 54

```
<h2 className="title">Ã€ pro
```

15. **Error** Attribute `classname` not allowed on element `article` at this point.

From line 54, column 29; to line 54, column 65

```
<article className="col-12 col-md-6">↵
```

Attributes for element [article](#):

[Global attributes](#)

16. **Error** Attribute `classname` not allowed on element `img` at this point.

From line 55, column 33; to line 59, column 34

```
<img↵                               src="../../../img/john-doe-
about.jpg"↵                           alt="john doe devant son
ordinateur"↵                           className="img-about"↵
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

[fetchpriority](#) — Sets the [priority](#) for [fetches](#) initiated by the element

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 55, column 33; to line 59, column 34

```
<img↵                               src="../../../img/john-doe-
about.jpg"↵                           alt="john doe devant son
ordinateur"↵                           className="img-about"↵
```

18. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 60, column 33; to line 60, column 55

```
<h2 className="title2">Mes co
```

19. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 62, column 33; to line 69, column 33

```

<div
  className="progress"
  role="progressbar"
  aria-label="Success
  example"
  aria-valuenow="90"

```

Attributes for element [div](#):

[Global attributes](#)

20. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 72, column 53

```

tyle={{ width: "90%" }}

```

21. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 72, column 57

```

= {{ width: "90%" }}

```

22. **Warning** Attribute `width:` is not serializable as XML 1.0.

From line 70, column 37; to line 73, column 37

```

<div
  className="progress-bar bg-
danger"
  style={{ width: "90%" }}
></div>

```

23. **Warning** Attribute `"90%"` is not serializable as XML 1.0.

From line 70, column 37; to line 73, column 37

```

<div
  className="progress-bar bg-
danger"
  style={{ width: "90%" }}
></div>

```

24. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 70, column 37; to line 73, column 37

```

<div
  className="progress-bar bg-
danger"
  style={{ width: "90%" }}
></div>

```

25. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 70, column 37; to line 73, column 37

```

<div
  className="progress-bar bg-
danger"
  style={{ width: "90%" }}
></div>

```

Attributes for element [div](#):

[Global attributes](#)

26. **Error** Attribute `width`: not allowed on element [div](#) at this point.

From line 70, column 37; to line 73, column 37

```
<div className="progress-bar bg-  
danger" style={{ width: "90%" }}>  
></div>
```

Attributes for element [div](#):

[Global attributes](#)

27. **Error** Attribute `"90%"` not allowed on element [div](#) at this point.

From line 70, column 37; to line 73, column 37

```
<div className="progress-bar bg-  
danger" style={{ width: "90%" }}>  
></div>
```

Attributes for element [div](#):

[Global attributes](#)

28. **Error** Attribute `}}` not allowed on element [div](#) at this point.

From line 70, column 37; to line 73, column 37

```
<div className="progress-bar bg-  
danger" style={{ width: "90%" }}>  
></div>
```

Attributes for element [div](#):

[Global attributes](#)

29. **Error** Attribute `classname` not allowed on element [div](#) at this point.

From line 76, column 33; to line 83, column 33

```
<div className="progress" role="progressbar" aria-label="Info"  
example" aria-valuenow="80">
```

Attributes for element [div](#):

[Global attributes](#)

30. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 86, column 53

```
tyle={{ width: "80%" }}
```

31. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 86, column 57

```
={{ width: "80%" }}↵
```

32. **Warning** Attribute `width:` is not serializable as XML 1.0.

From line 84, column 37; to line 87, column 37

```
      <div↵                               className="progress-bar bg-
info"↵                               style={{ width: "80%" }}↵
    ></div>
```

33. **Warning** Attribute `"80%"` is not serializable as XML 1.0.

From line 84, column 37; to line 87, column 37

```
      <div↵                               className="progress-bar bg-
info"↵                               style={{ width: "80%" }}↵
    ></div>
```

34. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 84, column 37; to line 87, column 37

```
      <div↵                               className="progress-bar bg-
info"↵                               style={{ width: "80%" }}↵
    ></div>
```

35. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 84, column 37; to line 87, column 37

```
      <div↵                               className="progress-bar bg-
info"↵                               style={{ width: "80%" }}↵
    ></div>
```

Attributes for element `div`:

[Global attributes](#)

36. **Error** Attribute `width:` not allowed on element `div` at this point.

From line 84, column 37; to line 87, column 37

```
      <div↵                               className="progress-bar bg-
info"↵                               style={{ width: "80%" }}↵
    ></div>
```

Attributes for element `div`:

[Global attributes](#)

37. **Error** Attribute `"80%"` not allowed on element `div` at this point.

From line 84, column 37; to line 87, column 37

```
<div↵                               className="progress-bar bg-
info"↵                               style={{ width: "80%" }}↵
></div>
```

Attributes for element `div`:

[Global attributes](#)

38. **Error** Attribute `}}` not allowed on element `div` at this point.

From line 84, column 37; to line 87, column 37

```
<div↵                               className="progress-bar bg-
info"↵                               style={{ width: "80%" }}↵
></div>
```

Attributes for element `div`:

[Global attributes](#)

39. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 90, column 33; to line 97, column 33

```
<div↵                               className="progress"↵
role="progressbar"↵                               aria-label="Warning
example"↵                               aria-valuenow="70"↵
>
```

Attributes for element `div`:

[Global attributes](#)

40. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 100, column 53

```
tyle={{ width: "70%" }}↵
```

41. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 100, column 57

```
={{ width: "70%" }}↵
```

42. **Warning** Attribute `width:` is not serializable as XML 1.0.

From line 98, column 37; to line 101, column 37

```
<div↵                               className="progress-bar bg-
warning"↵                               style={{ width: "70%" }}↵
>
```


43. **Warning** Attribute `"70%"` is not serializable as XML 1.0.

From line 98, column 37; to line 101, column 37

```
<div className="progress-bar bg-  
warning" style={{ width: "70%" }}>  
></div>
```

44. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 98, column 37; to line 101, column 37

```
<div className="progress-bar bg-  
warning" style={{ width: "70%" }}>  
></div>
```

45. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 98, column 37; to line 101, column 37

```
<div className="progress-bar bg-  
warning" style={{ width: "70%" }}>  
></div>
```

Attributes for element `div`:[Global attributes](#)46. **Error** Attribute `width:` not allowed on element `div` at this point.

From line 98, column 37; to line 101, column 37

```
<div className="progress-bar bg-  
warning" style={{ width: "70%" }}>  
></div>
```

Attributes for element `div`:[Global attributes](#)47. **Error** Attribute `"70%"` not allowed on element `div` at this point.

From line 98, column 37; to line 101, column 37

```
<div className="progress-bar bg-  
warning" style={{ width: "70%" }}>  
></div>
```

Attributes for element `div`:[Global attributes](#)48. **Error** Attribute `}}` not allowed on element `div` at this point.

From line 98, column 37; to line 101, column 37

```
<div↵                               className="progress-bar bg-
warning"↵                               style={{ width: "70%" }}↵
></div>
```

Attributes for element [div](#):

[Global attributes](#)

49. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 105, column 33; to line 112, column 33

```
<div↵                               className="progress"↵
role="progressbar"↵                               aria-label="Danger
example"↵                               aria-valuenow="60"↵
```

Attributes for element [div](#):

[Global attributes](#)

50. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 115, column 53

```
tyle={{ width: "60%" }}↵
```

51. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 115, column 57

```
={{ width: "60%" }}↵
```

52. **Warning** Attribute `width:` is not serializable as XML 1.0.

From line 113, column 37; to line 116, column 37

```
<div↵                               className="progress-bar bg-
success"↵                               style={{ width: "60%" }}↵
></div>
```

53. **Warning** Attribute `"60%"` is not serializable as XML 1.0.

From line 113, column 37; to line 116, column 37

```
<div↵                               className="progress-bar bg-
success"↵                               style={{ width: "60%" }}↵
></div>
```

54. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 113, column 37; to line 116, column 37

```
        <div↵                               className="progress-bar bg-
success"↵                               style={{ width: "60%" }}↵
></div>
```

55. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 113, column 37; to line 116, column 37

```
        <div↵                               className="progress-bar bg-
success"↵                               style={{ width: "60%" }}↵
></div>
```

Attributes for element `div`:

[Global attributes](#)

56. **Error** Attribute `width:` not allowed on element `div` at this point.

From line 113, column 37; to line 116, column 37

```
        <div↵                               className="progress-bar bg-
success"↵                               style={{ width: "60%" }}↵
></div>
```

Attributes for element `div`:

[Global attributes](#)

57. **Error** Attribute `"60%"` not allowed on element `div` at this point.

From line 113, column 37; to line 116, column 37

```
        <div↵                               className="progress-bar bg-
success"↵                               style={{ width: "60%" }}↵
></div>
```

Attributes for element `div`:

[Global attributes](#)

58. **Error** Attribute `}}` not allowed on element `div` at this point.

From line 113, column 37; to line 116, column 37

```
        <div↵                               className="progress-bar bg-
success"↵                               style={{ width: "60%" }}↵
></div>
```

Attributes for element `div`:

[Global attributes](#)

59. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 119, column 33; to line 126, column 33

```
<div className="progress"
role="progressbar"
example"
aria-label="Danger
aria-valuenow="50"
```

Attributes for element [div](#):

[Global attributes](#)

60. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 129, column 57

```
tyle={{ width: "50%" }}
```

61. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 129, column 61

```
={{ width: "50%" }}
```

62. **Warning** Attribute `width:` is not serializable as XML 1.0.

From line 127, column 37; to line 130, column 37

```
<div className="progress-bar
bg-primary"
style={{ width: "50%" }}
></div>
```

63. **Warning** Attribute `"50%"` is not serializable as XML 1.0.

From line 127, column 37; to line 130, column 37

```
<div className="progress-bar
bg-primary"
style={{ width: "50%" }}
></div>
```

64. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 127, column 37; to line 130, column 37

```
<div className="progress-bar
bg-primary"
style={{ width: "50%" }}
></div>
```

65. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 127, column 37; to line 130, column 37

```
<div className="progress-bar
bg-primary"
style={{ width: "50%" }}
></div>
```

Attributes for element [div](#):

[Global attributes](#)

66. **Error** Attribute `width`: not allowed on element `div` at this point.

From line 127, column 37; to line 130, column 37

```
<div↵                               className="progress-bar
bg-primary"↵                               style={{ width: "50%" }}↵
></div>
```

Attributes for element [div](#):

[Global attributes](#)

67. **Error** Attribute `"50%"` not allowed on element `div` at this point.

From line 127, column 37; to line 130, column 37

```
<div↵                               className="progress-bar
bg-primary"↵                               style={{ width: "50%" }}↵
></div>
```

Attributes for element [div](#):

[Global attributes](#)

68. **Error** Attribute `}}` not allowed on element `div` at this point.

From line 127, column 37; to line 130, column 37

```
<div↵                               className="progress-bar
bg-primary"↵                               style={{ width: "50%" }}↵
></div>
```

Attributes for element [div](#):

[Global attributes](#)

69. **Error** The element `footer` must not appear as a descendant of the `header` element.

From line 137, column 13; to line 137, column 22

```
<Footer />↵
```

70. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 137, column 13; to line 137, column 22

```
<Footer />↵
```

71. **Error** End tag `div` seen, but there were open elements.

From line 138, column 9; to line 138, column 14

```
>↵      </div>↵    )
```

72. **Error** Unclosed element `footer`.

From line 137, column 13; to line 137, column 22

```
<Footer />↵
```

73. **Error** Unclosed element `header`.

From line 13, column 13; to line 13, column 22

```
<Header />↵
```

Document checking completed.

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.8.2