

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for mentions.jsx

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Choisir un fichier](#) Aucun fichier choisi

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 26

```
import React from "react";  
import
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

3. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 26

```
import React from "react";  
import
```

4. **Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 1, column 26

```
import React from "react";  
import
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-

level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#)

element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 10, column 13; to line 10, column 22

```
<Header />
```

6. **Error** The `main` element must not appear as a descendant of the `header` element.

From line 11, column 13; to line 11, column 18

```
<main>
```

7. **Error** Element `helmet` not allowed as child of element `main` in this context. (Suppressing further errors from this subtree.)

From line 12, column 17; to line 12, column 24

```
<Helmet>
```

Content model for element [main](#):

[Flow content](#).

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 13, column 21; to line 13, column 60

```
<meta name="robots" content="noindex" />
```

9. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 15, column 17; to line 15, column 46

```
<h2 classname="titleMentions">Mentio
```

10. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 16, column 17; to line 16, column 66

```
<div classname="accordion" id="accordionMentions">
```

Attributes for element [div](#):

[Global attributes](#)

11. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 17, column 21; to line 17, column 52

```
<div className="accordion-item">↵
```

Attributes for element [div](#):

[Global attributes](#)

12. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 18, column 25; to line 18, column 57

```
<h2 className="accordion-header">↵
```

13. **Error** Attribute `classname` not allowed on element `button` at this point.

From line 19, column 29; to line 26, column 29

```
<button↵                               className="accordion-button"↵
type="button"↵                        data-bs-toggle="collapse"↵
data-bs-target="#collapseOne"↵        aria-expanded="true"↵
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

14. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 30, column 25; to line 34, column 25

```
<div↵                               id="collapseOne"↵
className="accordion-collapse collapse show"↵                        data-
bs-parent="#accordionMentions"↵        >↵
```

Attributes for element [div](#):

[Global attributes](#)

15. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 35, column 29; to line 35, column 60

```
<div className="accordion-body">↵
```

Attributes for element [div](#):

[Global attributes](#)

16. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 41, column 61

```
tyle={{ color: "black" }}↵
```

17. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 41, column 67

```
{ color: "black" }}↵
```

18. **Warning** Attribute `color:` is not serializable as XML 1.0.

From line 39, column 41; to line 42, column 41

```
<i↵                               className="fa-solid fa-
location-dot"↵                     style={{ color:
"black" }}↵                         ></i>↵
```

19. **Warning** Attribute `"black"` is not serializable as XML 1.0.

From line 39, column 41; to line 42, column 41

```
<i↵                               className="fa-solid fa-
location-dot"↵                     style={{ color:
"black" }}↵                         ></i>↵
```

20. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 39, column 41; to line 42, column 41

```
<i↵                               className="fa-solid fa-
location-dot"↵                     style={{ color:
"black" }}↵                         ></i>↵
```

21. **Error** Attribute `classname` not allowed on element `i` at this point.

From line 39, column 41; to line 42, column 41

```
<i↵                               className="fa-solid
fa-location-dot"↵                     style={{ color:
"black" }}↵                         ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

22. **Error** Attribute `color:` not allowed on element `i` at this point.

From line 39, column 41; to line 42, column 41

```
<i↵                               className="fa-solid
fa-location-dot"↵                               style={{ color:
"black" }}↵                                   ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

23. **Error** Attribute `"black"` not allowed on element `i` at this point.

From line 39, column 41; to line 42, column 41

```
<i↵                               className="fa-solid
fa-location-dot"↵                               style={{ color:
"black" }}↵                                   ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

24. **Error** Attribute `}}` not allowed on element `i` at this point.

From line 39, column 41; to line 42, column 41

```
<i↵                               className="fa-solid
fa-location-dot"↵                               style={{ color:
"black" }}↵                                   ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

25. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 48, column 61

```
tyle={{ color: "black" }}↵
```

26. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 48, column 67

```
{ color: "black" }}↵
```

27. **Warning** Attribute `color:` is not serializable as XML 1.0.

From line 46, column 41; to line 49, column 41

```
<i↵                               className="fa-solid fa-
mobile-screen"↵                    style={{ color:
"black" }}↵                        ></i>↵
```

28. **Warning** Attribute "black" is not serializable as XML 1.0.

From line 46, column 41; to line 49, column 41

```
<i class="fa-solid fa-
mobile-screen" style={{ color:
"black" }}></i>
```

29. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 46, column 41; to line 49, column 41

```
<i↵                               className="fa-solid fa-
mobile-screen"↵                    style={{ color:
"black" }}↵                        ></i>↵
```

30. **Error** Attribute `classname` not allowed on element `i` at this point.

From line 46, column 41; to line 49, column 41

```
<i class="fa-solid fa-mobile-screen" style={{ color: "black" }}>
```

Attributes for element i:

Global attributes

31. **Error** Attribute color: not allowed on element i at this point.

From line 46, column 41; to line 49, column 41

```
<i class="fa-solid fa-mobile-screen" style={{ color: "black" }}>
```

Attributes for element i:

Global attributes

32. **Error** Attribute "black" not allowed on element i at this point.

From line 46, column 41; to line 49, column 41

```
<i class="fa-solid fa-mobile-screen" style={{ color: "black" }}>
```

Attributes for element **i**:

Global attributes

33. **Error** Attribute `}}` not allowed on element `i` at this point.

From line 46, column 41; to line 49, column 41

```
<i↵                               className="fa-solid
fa-mobile-screen"↵                               style={{ color:
"black" }}↵                                     ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

34. **Error** Attribute `classname` not allowed on element `a` at this point.

From line 50, column 41; to line 50, column 84

```
<a className="mobile" href="tel:0620304050">↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

35. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 57, column 61

```
tyle={{ color: "black" }}↵
```

36. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 57, column 67

```
{ color: "black" }}↵
```

37. **Warning** Attribute `color:` is not serializable as XML 1.0.

From line 55, column 41; to line 58, column 41

```
      <i↵                               className="fa-sharp fa-
solid fa-envelope"↵                       style={{ color:
"black" }}↵                               ></i>↵
```

38. **Warning** Attribute `"black"` is not serializable as XML 1.0.

From line 55, column 41; to line 58, column 41

```
      <i↵                               className="fa-sharp fa-
solid fa-envelope"↵                       style={{ color:
"black" }}↵                               ></i>↵
```

39. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 55, column 41; to line 58, column 41

```
      <i↵                               className="fa-sharp fa-
solid fa-envelope"↵                       style={{ color:
"black" }}↵                               ></i>↵
```

40. **Error** Attribute `classname` not allowed on element `i` at this point.

From line 55, column 41; to line 58, column 41

```
      <i↵                               className="fa-sharp
fa-solid fa-envelope"↵                       style={{
color: "black" }}↵                               ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

41. **Error** Attribute `color:` not allowed on element `i` at this point.

From line 55, column 41; to line 58, column 41

```
      <i↵                               className="fa-sharp
fa-solid fa-envelope"↵                       style={{
color: "black" }}↵                               ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

42. **Error** Attribute `"black"` not allowed on element `i` at this point.

From line 55, column 41; to line 58, column 41

```
      <i↵                               className="fa-sharp
fa-solid fa-envelope"↵                       style={{
color: "black" }}↵                               ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

43. **Error** Attribute `}}` not allowed on element `i` at this point.

From line 55, column 41; to line 58, column 41

```
<i↵                               className="fa-sharp
fa-solid fa-envelope"↵                               style={{
color: "black" }}↵                               ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

44. **Error** Attribute `classname` not allowed on element `a` at this point.

From line 59, column 41; to line 59, column 94

```
<a className="email" href="mailto:john.doe@gmail.com">↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

45. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 67, column 25; to line 67, column 56

```
<div className="accordion-item">↵
```

Attributes for element `div`:

[Global attributes](#)

46. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 68, column 29; to line 68, column 61

```
<h2 className="accordion-header">↵
```

47. **Error** Attribute `classname` not allowed on element `button` at this point.

From line 69, column 33; to line 76, column 33

```
<button↵                               className="accordion-button
collapsed"↵                               type="button"↵
data-bs-toggle="collapse"↵                               data-bs-
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

48. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 80, column 29; to line 84, column 29

```
<div id="collapseTwo"
  className="accordion-collapse collapse"
  parent="#accordionMentions"
>
```

Attributes for element `div`:

[Global attributes](#)

49. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 85, column 33; to line 85, column 64

```
<div className="accordion-body">
```

Attributes for element `div`:

[Global attributes](#)

50. **Error** Attribute `classname` not allowed on element `a` at this point.

From line 87, column 33; to line 92, column 33

```
<a className="hebergeur"
  href="https://www.alwaysdata.com/fr/"
  target="_blank"
  rel="noopener noreferrer">
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

51. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 98, column 29; to line 98, column 60

```
<div classname="accordion-item">↵
```

Attributes for element `div`:

[Global attributes](#)

52. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 99, column 29; to line 99, column 61

```
<h2 classname="accordion-header">↵
```

53. **Error** Attribute `classname` not allowed on element `button` at this point.

From line 100, column 33; to line 107, column 33

```
<button↵                               classname="accordion-button
collapsed"↵                               type="button"↵
data-bs-toggle="collapse"↵               data-bs-
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

54. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 111, column 25; to line 115, column 25

```
<div id="collapseThree"
  className="accordion-collapse collapse"
  data-bs-parent="#accordionMentions">
```

Attributes for element `div`:

[Global attributes](#)

55. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 116, column 29; to line 116, column 60

```
<div className="accordion-body">
```

Attributes for element `div`:

[Global attributes](#)

56. **Error** Attribute `classname` not allowed on element `a` at this point.

From line 118, column 29; to line 123, column 29

```
<a className="credits"
  href="https://www.pixabay.com"
  rel="noopener noreferrer"
  target="_blank">
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

57. **Error** The element `footer` must not appear as a descendant of the `header` element.

From line 131, column 13; to line 131, column 22

```
<Footer />
```

58. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 131, column 13; to line 131, column 22

```
<Footer />
```

59. **Error** End tag `div` seen, but there were open elements.

From line 132, column 9; to line 132, column 14

```
> </div> )
```

60. **Error** Unclosed element `footer`.

From line 131, column 13; to line 131, column 22

```
<Footer />
```

61. **Error** Unclosed element `header`.

From line 10, column 13; to line 10, column 22

```
<Header />
```

Document checking completed.

Used the HTML parser.

Total execution time 10 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.8.2