

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contact.jsx

### Checker Input

Show ☐ source ☐ outline ☐ image report

Check by   Aucun fichier choisi

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 1, column 26

```
import React from "react";↵impor
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

3. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 26

```
import React from "react";↵impor
```

4. **Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 1, column 26

```
import React from "react";↵impor
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-

level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#)

element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Self-closing syntax ( `</>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 9, column 13; to line 9, column 22

```
<Header />
```

6. **Error** The `main` element must not appear as a descendant of the `header` element.

From line 10, column 13; to line 10, column 18

```
<main>
```

7. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 11, column 17; to line 11, column 61

```
<div classname="container-fluid box-contact">
```

Attributes for element `div`:

[Global attributes](#)

8. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 12, column 21; to line 12, column 54

```
<div classname="row item-contact">
```

Attributes for element `div`:

[Global attributes](#)

9. **Error** Attribute `classname` not allowed on element `section` at this point.

From line 13, column 25; to line 13, column 65

```
<section classname="col-12 titleContact">
```

Attributes for element `section`:

[Global attributes](#)

10. **Error** Attribute `classname` not allowed on element `section` at this point.

From line 20, column 25; to line 20, column 73

```
<section classname="col-12 col-md-6 formContact">
```

Attributes for element `section`:

[Global attributes](#)

11. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 21, column 29; to line 21, column 54

```
<h2 className="titleForm">Formul
```

12. **Error** Attribute `classname` not allowed on element `form` at this point.

From line 22, column 29; to line 22, column 52

```
<form className="form1"><
```

Attributes for element `form`:

[Global attributes](#)

[accept-charset](#) — Character encodings to use for [form submission](#)

[action](#) — [URL](#) to use for [form submission](#)

[autocomplete](#) — Default setting for autofill feature for controls in the form

[enctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[method](#) — Variant to use for [form submission](#)

[name](#) — Name of form to use in the [document.forms](#) API

[novalidate](#) — Bypass form control validation for [form submission](#)

[target](#) — [Navigable](#) for [form submission](#)

[rel](#)

13. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 23, column 33; to line 23, column 54

```
<div className="mb-3"><
```

Attributes for element `div`:

[Global attributes](#)

14. **Error** Attribute `classname` not allowed on element `input` at this point.

From line 24, column 37; to line 30, column 38

```
<input type="text"
className="form-control" id="name"
placeholder="Votre nom" required={true}>
```

Attributes for element `input`:

[Global attributes](#)

[accept](#) when type is [file](#)

[alt](#) when type is [image](#)

[autocomplete](#) when type is [text](#), [search](#), [url](#), [tel](#), [email](#), [password](#), [date](#), [month](#), [week](#), [time](#), [datetime-local](#), [number](#), [range](#), or [color](#)

[autofocus](#)

[checked](#) when type is [checkbox](#) or [radio](#)

[dirname](#) when type is [text](#) or [search](#)

<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

15. **Error** Bad value `{true}` for attribute `required` on element `input`.

From line 24, column 37; to line 30, column 38

```

<input type="text"
className="form-control"
placeholder="Votre nom"
required={true}
id="name"

```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 24, column 37; to line 30, column 38

```

      <input type="text"
      className="form-control"
      placeholder="Votre nom"
      id="name"
      required={true}

```

17. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 32, column 33; to line 32, column 54

```

      <div className="mb-3">

```

Attributes for element `div`:

[Global attributes](#)

18. **Error** Attribute `classname` not allowed on element `input` at this point.

From line 33, column 37; to line 39, column 38

```

      <input type="email"
      className="form-control"
      id="email"
      placeholder="Votre adresse email"
      required=

```

Attributes for element `input`:

[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>

<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

19. **Error** Bad value `{true}` for attribute `required` on element `input`.

From line 33, column 37; to line 39, column 38

```

<input type="email"
className="form-control"
placeholder="Votre adresse email"
required=

```

20. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 33, column 37; to line 39, column 38

```

<input type="email"
className="form-control"
placeholder="Votre adresse email"
required=

```

21. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 41, column 33; to line 41, column 54

```

<div classname="mb-3">

```

Attributes for element `div`:

[Global attributes](#)

22. **Error** Attribute `classname` not allowed on element `input` at this point.

From line 42, column 37; to line 48, column 38

```

<input type="tel"
className="form-control"
placeholder="Votre numéro de téléphone"

```

Attributes for element [input](#):[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

23. **Error** Bad value `{true}` for attribute `required` on element `input`.

From line 42, column 37; to line 48, column 38

```
<input type="tel"
className="form-control"
placeholder="Votre numÃ©ro de tÃ©lÃ©phone"
id="phone"/>
```

24. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 42, column 37; to line 48, column 38

```
<input type="tel"
className="form-control"
placeholder="Votre numÃ©ro de tÃ©lÃ©phone"
id="phone"/>
```

25. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 50, column 33; to line 50, column 54

```
<div classname="mb-3">
```

Attributes for element `div`:[Global attributes](#)26. **Error** Attribute `classname` not allowed on element `input` at this point.

From line 51, column 37; to line 57, column 38

```
<input type="text"
className="form-control"
placeholder="Sujet"
id="subject"
required={true}"/>
```

Attributes for element `input`:[Global attributes](#)

<a href="#">accept</a>	when type is <a href="#">file</a>
<a href="#">alt</a>	when type is <a href="#">image</a>
<a href="#">autocomplete</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">autofocus</a>	
<a href="#">checked</a>	when type is <a href="#">checkbox</a> or <a href="#">radio</a>
<a href="#">dirname</a>	when type is <a href="#">text</a> or <a href="#">search</a>
<a href="#">disabled</a>	
<a href="#">form</a>	
<a href="#">formaction</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formenctype</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formmethod</a>	when type is <a href="#">submit</a> or <a href="#">image</a>



<a href="#">formnovalidate</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">formtarget</a>	when type is <a href="#">submit</a> or <a href="#">image</a>
<a href="#">height</a>	when type is <a href="#">image</a>
<a href="#">list</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">range</a> , or <a href="#">color</a>
<a href="#">max</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">maxlength</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">min</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">multiple</a>	when type is <a href="#">email</a> or <a href="#">file</a>
<a href="#">name</a>	
<a href="#">pattern</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">placeholder</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , or <a href="#">number</a>
<a href="#">readonly</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , or <a href="#">number</a>
<a href="#">required</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , <a href="#">password</a> , <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , <a href="#">checkbox</a> , <a href="#">radio</a> , or <a href="#">file</a>
<a href="#">size</a>	when type is <a href="#">text</a> , <a href="#">search</a> , <a href="#">url</a> , <a href="#">tel</a> , <a href="#">email</a> , or <a href="#">password</a>
<a href="#">src</a>	when type is <a href="#">image</a>
<a href="#">step</a>	when type is <a href="#">date</a> , <a href="#">month</a> , <a href="#">week</a> , <a href="#">time</a> , <a href="#">datetime-local</a> , <a href="#">number</a> , or <a href="#">range</a>
<a href="#">type</a>	
<a href="#">value</a>	when type is not <a href="#">file</a> or <a href="#">image</a>
<a href="#">width</a>	when type is <a href="#">image</a>

27. **Error** Bad value `{true}` for attribute `required` on element `input`.

From line 51, column 37; to line 57, column 38

```

<input↵                                     type="text"↵
className="form-control"↵                  id="subject"↵
placeholder="Sujet"↵                      required={true}↵

```

28. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 51, column 37; to line 57, column 38

```

<input↵                                     type="text"↵
className="form-control"↵                  id="subject"↵
placeholder="Sujet"↵                      required={true}↵

```

29. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 59, column 33; to line 59, column 54

```
<div className="mb-3">↵
```

Attributes for element [div](#):

[Global attributes](#)

30. **Error** Attribute `classname` not allowed on element `textarea` at this point.

From line 60, column 37; to line 66, column 37

```
<textarea↵                               className="form-
control"↵                               id="message"↵
rows="3"↵                               placeholder="Votre message"↵
```

Attributes for element [textarea](#):

[Global attributes](#)

[autocomplete](#) — Hint for form autofill feature

[cols](#) — Maximum number of characters per line

[dirname](#) — Name of form control to use for sending the element's [directionality](#) in [form submission](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[maxlength](#) — Maximum [length](#) of value

[minlength](#) — Minimum [length](#) of value

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[placeholder](#) — User-visible label to be placed within the form control

[readonly](#) — Whether to allow the value to be edited by the user

[required](#) — Whether the control is required for [form submission](#)

[rows](#) — Number of lines to show

[wrap](#) — How the value of the form control is to be wrapped for [form submission](#)

31. **Error** Bad value `{true}` for attribute `required` on element `textarea`.

From line 60, column 37; to line 66, column 37

```
<textarea↵                               className="form-
control"↵                               id="message"↵
rows="3"↵                               placeholder="Votre message"↵
```

32. **Error** Attribute `classname` not allowed on element `button` at this point.

From line 68, column 33; to line 68, column 90

```
<button type="submit" className="btn btn-primary btnForm">↵
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

33. **Error** Attribute `classname` not allowed on element `div` at this point.

From line 73, column 25; to line 73, column 67

```
<div className="col-12 col-md-6 box-Coord">↵
```

Attributes for element [div](#):

[Global attributes](#)

34. **Error** Attribute `classname` not allowed on element `h2` at this point.

From line 74, column 29; to line 74, column 55

```
<h2 className="titleCoord">Mes co
```

35. **Error** Attribute `classname` not allowed on element `address` at this point.

From line 75, column 29; to line 75, column 58

```
<address className="addresss">↵
```

Attributes for element [address](#):

[Global attributes](#)

36. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 78, column 53

```
tyle={{ color: "black" }}↵
```

37. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 78, column 59

```
{ color: "black" }}↵
```

38. **Warning** Attribute `color:` is not serializable as XML 1.0.

From line 76, column 33; to line 79, column 33

```
        <i↵                               className="fa-solid fa-
location-dot"↵                               style={{ color: "black" }}↵
    ></i>↵
```

39. **Warning** Attribute `"black"` is not serializable as XML 1.0.

From line 76, column 33; to line 79, column 33

```
        <i↵                               className="fa-solid fa-
location-dot"↵                               style={{ color: "black" }}↵
    ></i>↵
```

40. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 76, column 33; to line 79, column 33

```
        <i↵                               className="fa-solid fa-
location-dot"↵                               style={{ color: "black" }}↵
    ></i>↵
```

41. **Error** Attribute `classname` not allowed on element `i` at this point.

From line 76, column 33; to line 79, column 33

```
        <i↵                               className="fa-solid fa-
location-dot"↵                               style={{ color: "black" }}↵
    ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

42. **Error** Attribute `color:` not allowed on element `i` at this point.

From line 76, column 33; to line 79, column 33

```
        <i↵                               className="fa-solid fa-
location-dot"↵                               style={{ color: "black" }}↵
    ></i>↵
```

Attributes for element `i`:

[Global attributes](#)

43. **Error** Attribute `"black"` not allowed on element `i` at this point.

From line 76, column 33; to line 79, column 33

```
      <i↵                               className="fa-solid fa-
location-dot"↵                         style={{ color: "black" }}↵
    ></i>↵
```

Attributes for element [i](#):

[Global attributes](#)

44. **Error** Attribute `}}` not allowed on element [i](#) at this point.

From line 76, column 33; to line 79, column 33

```
      <i↵                               className="fa-solid fa-
location-dot"↵                         style={{ color: "black" }}↵
    ></i>↵
```

Attributes for element [i](#):

[Global attributes](#)

45. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 84, column 53

```
    tyle={{ color: "black" }}↵
```

46. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 84, column 59

```
    { color: "black" }}↵
```

47. **Warning** Attribute `color:` is not serializable as XML 1.0.

From line 82, column 37; to line 85, column 37

```
      <i↵                               className="fa-solid fa-mobile-
screen"↵                               style={{ color: "black" }}↵
    ></i>↵
```

48. **Warning** Attribute `"black"` is not serializable as XML 1.0.

From line 82, column 37; to line 85, column 37

```
      <i↵                               className="fa-solid fa-mobile-
screen"↵                               style={{ color: "black" }}↵
    ></i>↵
```

49. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 82, column 37; to line 85, column 37

```
<i                                     className="fa-solid fa-mobile-  
screen"                               style={{ color: "black" }}  
></i>
```

50. **Error** Attribute `classname` not allowed on element `i` at this point.

From line 82, column 37; to line 85, column 37

```
<i                                     className="fa-solid fa-mobile-  
screen"                               style={{ color: "black" }}  
></i>
```

Attributes for element `i`:

[Global attributes](#)

51. **Error** Attribute `color:` not allowed on element `i` at this point.

From line 82, column 37; to line 85, column 37

```
<i                                     className="fa-solid fa-mobile-  
screen"                               style={{ color: "black" }}  
></i>
```

Attributes for element `i`:

[Global attributes](#)

52. **Error** Attribute `"black"` not allowed on element `i` at this point.

From line 82, column 37; to line 85, column 37

```
<i                                     className="fa-solid fa-mobile-  
screen"                               style={{ color: "black" }}  
></i>
```

Attributes for element `i`:

[Global attributes](#)

53. **Error** Attribute `}}` not allowed on element `i` at this point.

From line 82, column 37; to line 85, column 37

```
<i                                     className="fa-solid fa-mobile-  
screen"                               style={{ color: "black" }}  
></i>
```

Attributes for element `i`:

[Global attributes](#)

54. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 93, column 50

```
yle={{ border: "0" }}↵
```

55. **Error** Quote `"` in attribute name. Probable cause: Matching quote missing somewhere earlier.

At line 93, column 52

```
e={{ border: "0" }}↵
```

56. **Warning** Attribute `border` is not serializable as XML 1.0.

From line 90, column 29; to line 97, column 29

```
<iframe↵
.....
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2782.6271...
e2b9!2s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1sfr!2sfr!4v17116369
```

57. **Warning** Attribute `"0"` is not serializable as XML 1.0.

From line 90, column 29; to line 97, column 29

```
<iframe↵
.....
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2782.6271...
e2b9!2s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1sfr!2sfr!4v17116369
```

58. **Warning** Attribute `}}` is not serializable as XML 1.0.

From line 90, column 29; to line 97, column 29

```
<iframe↵
.....
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2782.6271...
e2b9!2s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1sfr!2sfr!4v17116369
```

59. **Error** Attribute `border` not allowed on element `iframe` at this point.

From line 90, column 29; to line 97, column 29

```
<iframe↵
.....
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2782.6271...
e2b9!2s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1sfr!2sfr!4v17116369
```

Attributes for element `iframe`:

[Global attributes](#)

[src](#) — Address of the resource

[srcdoc](#) — A document to render in the `iframe`

[name](#) — Name of [content navigable](#)

[sandbox](#) — Security rules for nested content

[allow](#) — [Permissions policy](#) to be applied to the `iframe`'s contents

[allowfullscreen](#) — Whether to allow the `iframe`'s contents to use [requestFullscreen\(\)](#)

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[loading](#) — Used when determining loading deferral

60. **Error** Attribute `"0"` not allowed on element `iframe` at this point.

From line 90, column 29; to line 97, column 29

```
<iframe↵
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2782.6271...
e2b9!2s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1sfr!2sfr!4v17116369
```

Attributes for element `iframe`:

[Global attributes](#)

[src](#) — Address of the resource

[srcdoc](#) — A document to render in the `iframe`

[name](#) — Name of [content navigable](#)

[sandbox](#) — Security rules for nested content

[allow](#) — [Permissions policy](#) to be applied to the `iframe`'s contents

[allowfullscreen](#) — Whether to allow the `iframe`'s contents to use [requestFullscreen\(\)](#).

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[loading](#) — Used when determining loading deferral

61. **Error** Attribute `}}` not allowed on element `iframe` at this point.

From line 90, column 29; to line 97, column 29

```
<iframe↵
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d2782.6271...
e2b9!2s40%20Rue%20Laure%20Diebold%2C%2069009%20Lyon!5e0!3m2!1sfr!2sfr!4v17116369
```

Attributes for element `iframe`:

[Global attributes](#)

[src](#) — Address of the resource

[srcdoc](#) — A document to render in the `iframe`

[name](#) — Name of [content navigable](#)

[sandbox](#) — Security rules for nested content

[allow](#) — [Permissions policy](#) to be applied to the `iframe`'s contents

[allowfullscreen](#) — Whether to allow the `iframe`'s contents to use [requestFullscreen\(\)](#).

[width](#) — Horizontal dimension

[height](#) — Vertical dimension



[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element  
[loading](#) — Used when determining loading deferral

62. **Error** The element `footer` must not appear as a descendant of the `header` element.

From line 102, column 13; to line 102, column 22

```
<Footer />
```

63. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

From line 102, column 13; to line 102, column 22

```
<Footer />
```

64. **Error** End tag `div` seen, but there were open elements.

From line 103, column 9; to line 103, column 14

```
> </div> )
```

65. **Error** Unclosed element `footer`.

From line 102, column 13; to line 102, column 22

```
<Footer />
```

66. **Error** Unclosed element `header`.

From line 9, column 13; to line 9, column 22

```
<Header />
```

Document checking completed.

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.8.2