Visoka škola strukovnih studija za informacione i komunikacione tehnologije



Online prodavnica sladoleda

"Sladolino"

Radio:Nikola Đurić 79/21

Smer:Internet tehnologije

Modul:Web programiranje

Predmet:Web programiranje PHP1

Sadržaj:

Contents

Uvod	4
Korišćeni programski jezici	4
Opis funkcionalnosti	4
Organizacija	6
Struktura foldera	6
Struktura baze	8
Organizacija sajta i funkcionalnosti na tim delovima	9
Stranica index.php	9
News_stranica.php	11
Cenovnik.php	12
Locations.php	13
Ukusi.php	14
O nama.php	16
register.php	17
Login.php	18
Order.php	19
Korak 1	19
U slučaju dostave	20
Korak 2	20
Korak 3	21
Korak 4	21
Korak 5	21
Prikaz porudžbine na stranici porudžbine.php	23
Autor.php	23
Kod	23
PHP	23
Index.php	23

	Fixed/head.php	24
	Fixed/nav.php	26
	tittlePages.php	29
	User_acc.php	29
	About_us.php	31
	Autor.php	33
	Cenovnik.php	34
	Flavors.php	36
	FlavourLocationDDL.php	37
	Info.php	38
	Locations.php	40
	Login.php	43
	Lokacija_home.php	44
	News_article.php	45
	News_stranica.php	46
	News.php	47
	Order.php	48
	Pitanja.php	49
	popModal.php	50
	Porudzbine.php	51
	Register.php	55
	swiperHome.php	59
	ukusiKategorije.php	61
	Data_connector.php	61
Já	avaScript	62
С	SS	116
	Style.css	116
v	MI	17/

Uvod

Korišćeni programski jezici

- HTML5
- CSS3
- Bootstrap
- Adobe Photoshop
- jQuery
- JavaScript
- PHP
- XML(sitemap)

Opis funkcionalnosti

Dinamičko učitavanje navigacije i footera.

Dinamičko učitavanje članaka. Klikom na članak se prikazuje njegov sadržaj.

Dinamičko učitavanje lokacija. Klikom na ikonu sa desne strane se otvara mapa koja prikazuje lokaciju sladoledžinice. Takodje je prikazana lista ostalih lokacija na koje ako se klikne vode do tih lokacija.

Dinamičko učitavanje ukusa sladoleda. Moguće je filtriranje sladoleda po lokaciji i po ukusima koje ta lokacija sadrži kao i po kategoriji ukusa.

Porudžbina je moguća samo ako korisnik ima nalog. Prilikom klika na porudžbinu prikazaće se opcija da izabere opciju porudžbine kao i grad u kojem će se izvršiti ta porudžbina. Korisnik može izabrati da li hoće da mu se isporuči kutija sladoleda ili da ga sačeka u izabranoj sladoledžinici. Ukoliko se izabere opcija preuzimanje prikazaće se lista

svih sladoledžinica koje se nalaze u datom gradu u kojima se može izvršiti porudžbina. Nakon toga korisnik bira koju veličinu kutije želi da izabere. Zatim se prikazuje lista ukusa koji se mogu poručiti u zavisnosti od toga koje ukuse ta sladoledžinica poseduje. Ovde je takodje moguće filtriranje po kategoriji ukusa. Moguće je poručiti više kutija jednom porudžbinom kao i više veličina kutija. Na kraju korisnik treba da izabere vreme i dan kada želi da mu se porudžbina spremi kao i način plaćanja. Nakon toga korisnik je obavešten da je uspešno poručio. U slučaju da je korisnik izabrao opciju dostava, mora izabrati grad u kojem će se izvršiti dostava i da unese ulicu, sprat i interfon. Validacija podataka se izvršava i na klijentskoj i na serverskoj strani. Ako korisnik želi može da odustane od porudžbine.

Na stranici porudžbina je izvršeno dinamičko učitavanje svih porudžbina gde korisnik može da vidi kada je poručio,i kada treba da preuzme kutiju ili kada treba da mu bude dostavljena u zavisnosti od opcije koju je izabrao kao i sve ostale neophodne podatke. Ako nema porudžbina korisnik će biti obavešten.


Stranice login i register su sekcije za prijavu i registraciju korisnika. Validacija podataka se izvršava na serverskoj i na klijentskoj strani.


Na stranci novosti se nalaze svi članci, gde je moguće filtriranje po kategoriji članaka. Po svakoj strani se nalaze tri članka.


Anketa se nalazi na početnoj stranici,koja kada korisnik odgovori nestaje i više se ne prikazuje jer su odgovori zapamćeni.

Organizacija


Struktura foldera








Struktura baze



ncolo

Organizacija sajta i funkcionalnosti na tim delovima

Stranica index.php





▼Koji ukus vam je omiljen?

Straćatela

▼Koliko cesto kupujete sladoled?

jednom mesečno

▼ Da li vise volite sladoled u kornetu ili casici?

kornet

Submit

Hvala vam

Vasi odgovori su:

Koji ukus vam je omiljen: Straćatela

Koliko cesto kupujete sladoled: jednom mesečno

Da li vise volite sladoled u kornetu ili čašici: kornet

News_stranica.php







Cenovnik.php




Locations.php




Ukusi.php





O nama.php



register.php





REGISTRACIJA

Ime Prezime

Ime mora sadrzati veliko slovo,bez brojeva.

Prezime mora poceti velikim slovom

Dica Ulica

Morate uneti ispravan naziv ulice.
Primergocanska 12

Broj Korisnicko Ime

Morate uneti ispravan korisnicko Ime

Morate uneti ispravan broj. Morate uneti ispravno korisnicko ime Minimum 8 koraktera

E-mail dndjuric73@gmail.com

Diczinka Ponovite lozinku

Lozinka Ponovite lozinku

Niste uneti ispravnu lozinku

REGISTRACIJA

Ime Prezime
Nikola Djuric

Grod Ulica
Beograd Grocanska 12

Broj Korisnicko Ime
+38163445511 DjuraUbica

E-mail
dndjuric73@gmail.com

Korisnik sa unetim emailom već postoji.




Login.php




Order.php

Korak 1




U slučaju dostave




Korak 2




Korak 3



Korak 4



Korak 5



Prikaz porudžbine na stranici porudžbine.php



Autor.php



Kod

PHP

Index.php

```
<?php
include "models/setup.php";
include "views/fixed/head.php";</pre>
```

```
?>
<?php
    include "views/fixed/nav.php";
    include "views/swiperHome.php";

    include "views/lokacija_home.php";
    include "views/News.php";

    include "views/Info.php";
    include "views/pitanja.php";
    include "views/fixed/footer.php";
}>
```

Fixed/head.php

```
<!DOCTYPE html>
<html Lang="en">
    <?php
    $path=$ SERVER['REQUEST URI'];
         $path_info= explode('/',$path);
         if(!in array("views",$path info)): ?>
    <meta charset="UTF-8">
    <?php if(basename($ SERVER['PHP SELF']) == 'index.php'):?>
    <meta name="description" content="Dobro došli na zvanični sajt sladoledžinice
Sladolino.Ovde možete saznati sve o našim ukusima i novostima iz naše
sladoledžinice.">
    <?php endif ?>
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
    <link rel="stylesheet" href="assets/css/style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.4.0/css/all.min.css" integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/
ZpiBw==" crossorigin="anonymous" referrerpolicy="no-referrer" />
    <link rel="stylesheet" href="assets/css/swiper-bundle.min.css">
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Bungee&display=swap"</pre>
rel="stylesheet">
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
href="https://fonts.googleapis.com/css2?family=Handlee&family=Marck+Script&family
=Patrick+Hand&family=Salsa&display=swap" rel="stylesheet">
<link rel="icon" type="image/x-icon" href="assets/img/logo IceCream.png">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Sladolino</title>
    </head>
    <?php endif ?>
<?php if(in_array("views",$path_info)): ?>
    <meta charset="UTF-8">
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous">
    <link rel="stylesheet" href="../assets/css/style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.4.0/css/all.min.css" integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH0H/
ZpiBw==" crossorigin="anonymous" referrerpolicy="no-referrer" />
    <link rel="stylesheet" href="../assets/css/swiper-bundle.min.css">
    <link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link rel="stylesheet" href="https://unpkg.com/leaflet@1.9.4/dist/leaflet.css"</pre>
integrity="sha256-p4NxAoJBhIIN+hmNHrzRCf9tD/miZyoHS5obTRR9BMY=" crossorigin="" />
<script src="https://unpkg.com/leaflet@1.9.4/dist/leaflet.js" integrity="sha256-</pre>
20nQCchB9co0qIjJZRGuk2/Z9VM+kNiyxNV1lvTlZBo=" crossorigin=""></script>
<link href="https://fonts.googleapis.com/css2?family=Bungee&display=swap"</pre>
rel="stylesheet">
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
k
href="https://fonts.googleapis.com/css2?family=Handlee&family=Marck+Script&family
=Patrick+Hand&family=Salsa&display=swap" rel="stylesheet">
<link rel="icon" type="image/x-icon" href="../assets/img/logo IceCream.png">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Sladolino</title>
</head>
<?php endif ?>
```

Fixed/nav.php

```
<?php include "head.php" ;</pre>
      if(!in_array('views',$path_info)){
        require once "models/setup.php";
        include "models/functions.php";
      else{
        require_once "../models/setup.php";
        include "../models/functions.php";
      $linkovi=dohvatiLinkove();
      //echo "obrisati sesiju kad zavrsim korpu";
<body>
<div class="body_wrapper h-100 mx-auto d-flex flex-column bg-white">
<header>
  <?php
      if(!in_array('views',$path_info)):
  ?>
    <nav class="navbar navbar-expand-lg bg-white navigacija d-flex justify-</pre>
content-center ">
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse flex-grow-0 p-3 px-5"</pre>
id="navbarSupportedContent">
  <?php if(isset($ SESSION['korisnik'])): ?>
```

```
<a href="views/porudzbine.php" class="text-decoration-none")</pre>
porudzbineLink font-Linotte sign up m-3">Porudžbine </a>
             <?php endif ?>
    items-center">
   <
     <a class="navbar-brand p-3" href="#"><img
src="assets/img/logo_IceCream.png" alt="Sladolino logo" width="100" height="100"
class="Logo "></a>
     <?php foreach($linkovi as $link): ?>
   <a class="nav-link font-Linotte" href="./views/<?=$link-</pre>
>link?>"><?=$link->naziv?> <span class="sr-only"></span></a>
     <?php endforeach ?>
   <div class="user d-flex justify-content-center align-items-center">
<?php if(!isset($ SESSION['korisnik'])): ?>
             <a href="views/login.php?dugmeUloguj=true" class="text-decoration-</pre>
none font-Linotte sign up m-3">Uloguj se </a>
             <a href="views/register.php" class="text-decoration-none font-</pre>
Linotte sign_up m-3">Registruj se </a>
             <?php endif?>
             <?php if(isset($_SESSION['korisnik'])): ?>
             <a href="models/izloguj.php" class="text-decoration-none font-</pre>
Linotte sign_up m-3">Izloguj se </a>
             <?php endif ?>
     <a href="views/order.php"><img src="assets/img/ice cream cart.png"</pre>
alt="Kolica sa sladoledom" width="30" height="30"></a></a>
     <?php include "user_acc.php" ?>
   </div>
  </div>
</nav>
<?php endif ?>
   </header>
       <?php if(in array('views',$path info)): ?>
         <nav class="navbar navbar-expand-lg bg-white navigacija d-flex</pre>
justify-content-center shadow-sm">
```

```
<?php if(!in array('order.php',$path info)): ?>
         <a href="order.php" class="poruciteDugme2 font-Linotte text-</pre>
white">Poručite</a>
             <?php endif ?>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-</pre>
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
         <span class="navbar-toggler-icon"></span>
       </button>
       <div class="collapse navbar-collapse flex-grow-0 p-3 px-5"</pre>
id="navbarSupportedContent">
        <?php if(isset($ SESSION['korisnik'])): ?>
             <a href="porudzbine.php" class="text-decoration-none porudzbineLink"
font-Linotte sign_up m-3">Porudžbine </a>
             <?php endif ?>
         align-items-center">
         <1i>>
           <a class="navbar-brand p-3" href="../index.php"><img</pre>
src="../assets/img/logo_IceCream.png" width="100" height="100" class="Logo "></a>
           <?php foreach($linkovi as $link): ?>
    <a class="nav-link font-Linotte" href="<?=$link->link?>"><?=$link-</pre>
>naziv?> <span class="sr-only"></span></a>
     <?php endforeach ?>
    <div class="user d-flex justify-content-center align-items-center">
           <?php if(!isset($ SESSION['korisnik'])): ?>
             <a href="login.php?dugmeUloguj=true" class="text-decoration-none")</pre>
font-Linotte sign up m-3">Uloguj se </a>
             <a href="register.php" class="text-decoration-none font-Linotte"</pre>
sign_up m-3">Registruj se </a>
             <?php endif ?>
             <?php if(isset($ SESSION['korisnik'])): ?>
             <a href="../models/izloguj.php" class="text-decoration-none font-</pre>
Linotte sign up m-3">Izloguj se </a>
            <?php endif ?>
```

```
<a href="order.php"><img src="../assets/img/ice_cream_cart.png"</pre>
width="30" height="30"></a>
            <?php include "user_acc.php" ?>
          </div>
        </div>
      </nav>
        <?php endif ?>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js
 integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJ1+0I4"
crossorigin="anonymous"></script>
    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js"</pre>
integrity="sha384-
q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.14.7/dist/umd/popper.min.js"
integrity="sha384-
UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@4.3.1/dist/js/bootstrap.min.js"
integrity="sha384-
JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>
```

tittlePages.php

User_acc.php

```
<?php
```

```
if(isset($_SESSION['korisnik'])): ?>
 <?php
      if(!in_array('views',$path_info)):
  ?>
<a href="views/porudzbine.php" class="text-decoration-none">
<div class="user acc m-2">
    <div class="user_acc_wrapp text-center" id='user' data-</pre>
User='<?=$ SESSION['korisnik']->id korisnik?>'>
        <div class="user_icon">
        <?php
      if(!in_array('views',$path_info)):
  ?>
        <img src="assets/img/user.png" alt="korisnikova slika" width="25px"</pre>
height="25px">
    <?php endif ?>
    <?php
      if(in_array('views',$path_info)):
  ?>
        <img src="../assets/img/user.png" alt="korisnikova slika" width="25px"</pre>
height="25px">
    <?php endif ?>
    </div>
        <div class="user name font-Linotte text-decoration-none text-</pre>
braon"><?=$ SESSION['korisnik']->korisnicko ime ?></div>
    </div>
</div>
</a>
<?php else: ?>
    <a href="porudzbine.php" class="text-decoration-none">
<div class="user acc m-2">
    <div class="user acc wrapp text-center" id='user' data-</pre>
User='<?=$_SESSION['korisnik']->id_korisnik?>'>
        <div class="user icon">
        <?php
      if(!in array('views',$path info)):
```

```
?>
        <img src="assets/img/user.png" alt="korisnikova slika" width="25px"</pre>
height="25px">
    <?php endif ?>
    <?php
      if(in_array('views',$path_info)):
  ?>
        <img src="../assets/img/user.png" alt="korisnikova slika" width="25px"</pre>
height="25px">
    <?php endif ?>
    </div>
        <div class="user_name font-Linotte text-braon"><?=$_SESSION['korisnik']-</pre>
>korisnicko_ime ?></div>
    </div>
</div>
</a>
<?php endif ?>
<?php endif ?>
```

About us.php

```
Naša avantura počinje sada već davne 2018. godine kada
smo nakon decenije iskustva u pravljenju sladoleda odlučili da napravimo svoj
brend.Iskustvo je bilo tu,ideje su bile tu,samo je trebalo da se počne.
                    </span>
            </div>
            <div class="timeline">
        <div class="container ab us right-container">
            <div class="circle"><img src="../assets/img/ice_cream_van.png"></div>
            <div class="text-box">
                <h4>Skromni početak</h4>
                <small>2018</small>
                <P>Naš prvi lokal se nalazio na Kanarevom Brdu u Rakovici, tada je
sladoledžinica Sladolino brojala 15 ukusa od kojih su najprodavaniji bili
sladoled sa mentom i čokoladnim mrvicama i sladoled sa karamelom i pekan orasima.
            </P>
                <span class="right-container-arrow"></span>
            </div>
        </div>
        <div class="container_ab_us left-container">
        <div class="circle"><img src="../assets/img/globe.png"></div>
            <div class="text-box">
                <h4>Nove destinacije</h4>
                <small>2020</small>
                Otvaramo sladoledžinice na lokacijama: Banjica u ulici Paunove
66 i Vidikovac u ulici Vidikovački venac 80. </P>
                <span class="left-container-arrow"></span>
            </div>
        </div>
        <div class="container ab us right-container">
        <div class="circle"><img src="../assets/img/ice_cream_stand.png"></div>
            <div class="text-box">
                <h4>Više radnika=Više ideja</h4>
                <small>2021</small>
                <P>Sladoledžinica sladolino trenutno ima preko 50 zaposlenih
medju kojima su prodavci, web programeri i savetnici. </P>
                <span class="right-container-arrow"></span>
            </div>
        </div>
        <div class="container_ab_us left-container">
```

<div class="circle"></div>

Autor.php

```
<?php include "fixed/head.php";</pre>
    include "fixed/nav.php";
      ?>
      <div><h3 cLass="naslov h3 Bungee text-center m-3">Autor</h3></div>
      <div class="autor_wrapp d-flex flex-md-row flex-column justify-content-</pre>
center align-items-center">
               <div class="text_autor d-flex flex-row justify-content-center"</pre>
align-items-center m-3">
                  item"><span>Ime:</span>Nikola
                     item"><span>Prezime:</span>Durić
                     item"><span>Index:</span>79/21
                     item"><span>Smer:</span>Internet tehnologije
                     <span>Modul:</span>Web
programiranje
                     item"><span>Godište:</span>2002
                  </div>
               <div class="slika autor">
```

Cenovnik.php

```
<?php
      include 'fixed/nav.php';
      $artikli=dohvatiIzBaze('velicina');
      $kutije=dohvatiIzBaze('kutija');
?>
<div class="main_tittle text-center cene_bg m-auto d-flex justify-content-center</pre>
novosti_bg">
        <div class="naslov_stranice w-75 d-flex justify-content-center flex-</pre>
column">
             <h2 class="w-50 mx-auto naslov h2">Cene</h2>
             </div>
</div>
        <div class=" w-100 cenovnik naslov text-white m-auto d-flex align-items-</pre>
center justify-content-center my-5">
             <h3 class="Bungee naslov cenovnik text-white text-</pre>
center">Sladoledi</h3>
        </div>
        <div class="d-flex flex-lg-row flex-column justify-content-center align-</pre>
items-center">
        <div class="d-flex flex-md-row flex-column justify-content-center align-</pre>
items-center">
            <img src="../assets/img/article_design_ice_cream.png" width="150"</pre>
height="150" class="m-3">
```

```
<div class="cene d-flex flex-row justify-content-center align-items-</pre>
center">
            <div class="d-flex flex-column cenovnik red justify-content-</pre>
center ">
                <?php foreach($artikli as $artikal): ?>
                <div class="d-flex flex-row naziv artikal cenovnik ">
            <h4 class="font-Patrick "><?=mb_strtoupper($artikal->naziv)?></h4>
            <i>\&nbsp (<?=\$artikal->kolicina ukusa?> ukusa) </i>
            <span>&nbsp <?=$artikal->cena?>din</span>
            </div>
            <?php endforeach ?>
            </div>
        </div>
        </div>
        <div class="d-flex flex-md-row flex-column justify-content-center align-</pre>
items-center">
            <img src="../assets/img/article_design_box1.png" width="150"</pre>
height="150" class="m-3">
        <div class="cene d-flex flex-row justify-content-center align-items-</pre>
center">
            <div class="d-flex flex-column cenovnik_red justify-content-</pre>
center ">
                <?php foreach($kutije as $kutija): ?>
                <div class="d-flex flex-row naziv artikal cenovnik ">
            <h4 class="font-Patrick "><?=mb_strtoupper($kutija->naziv_kutije).'
'.$kutija->kolicina kg?>KG</h4>
            <i>\&nbsp (<?=\$kutija->kolicina ukusa?> ukusa) </i>
            <span>&nbsp <?=$kutija->cena?>din</span>
            </div>
            <?php endforeach ?>
            </div>
        </div>
        </div>
```

Flavors.php

```
<?php
include "fixed/nav.php";
include "fixed/tittlePages.php";
$ukusi=dohvatiIzBaze('sladoledi');
$kategorije=dohvatiIzBaze('kategorije');
?>
<div class="flavours-intro">
   <h1 class="Bungee text-center">Ponude u lokalima</h1>
    <span class="MarckScript underTittle">Pronadjite ukuse</span>
</div>
<?php include "FlavourLocationDDL.php" ?>
<div class="flavours section">
   <?php include "ukusiKategorije.php"; ?>
   <div class="flavours list">
       </div>
   <?php if(!isset($ SESSION['korisnik'])): ?>
   <div class="delivery_block">
       <div class="delivery wrapp d-flex justify-content-center align-items-</pre>
center">
   <div class="deliver link block">
    <span class="MarckScript underTittle text-center">Zasto da se cimate?</span>
   Odmah porucite svoj omiljeni sladoled klikom na
dugme.
    <a href="login.php?dugmeUloguj=true" class="button text-decoration-</pre>
none">Porucite</a>
   </div>
       <div class="img_cart_block">
   <img src="../assets/img/ice-cream-truck.png" width="150" height="120" >
```

```
</div>
    </div>
    <?php endif ?>
      <?php if(isset($ SESSION['korisnik'])): ?>
    <div class="delivery block ">
        <div class="delivery wrapp d-flex justify-content-center align-items-</pre>
center">
    <div class="deliver_link_block">
    <span class="MarckScript underTittle text-center">Zasto da se cimate?</span>
    class="font-Linotte">Odmah porucite svoj omiljeni sladoled klikom na
dugme.
    <a href="order.php" class="button text-decoration-none">Porucite</a>
    </div>
        <div class="img cart block">
    <img src="../assets/img/ice-cream-truck.png" width="150" height="120" >
    </div>
    </div>
    <?php endif ?>
</div>
<?php
include "fixed/footer.php";
?>
```

FlavourLocationDDL.php

```
</div>
   </div>
   <hr>>
   <div class="list-unselected " id="loc unselected">
                   <?php foreach($gradovi as $grad):?>
                     <?php foreach($lokacije as $lokacija): ?>
                      <?php if($lokacija->id grad == $grad->id grad): ?>
                      items-center lokacija" data-lokacija='<?=$grad->naziv?>' data-idLok='<?=$grad-
>id grad?>' data-adresa='<?=$lokacija->naziv ulice?>'>
                         <?=$grad-</pre>
>naziv?>
                         <?=$lokacija-</pre>
>naziv ulice?>
                      <?php endif ?>
                      <?php endforeach ?>
                      <?php endforeach ?>
                   </div>
</div>
```

Info.php

```
</div>
    <div class="text-block-about mx-auto w-100 d-flex flex-column justify-</pre>
content-center align-items-center">
      <h3 class="text-center MarckScript underTittle">Mi smo drugačiji</h3>
      <div</pre>
class="dot"></div>preko 14 ukusa <img src="assets/img/ice-cream3.png"</pre>
class="iceIcon3" width="50" height="50">
       <div</pre>
class="dot"></div>Dostupni tokom cele nedelje<img src="assets/img/ice-cream2.png"</pre>
class="iceIcon4" width="50" height="50">
       <div</pre>
class="dot"></div>Ukusni i hrskavi korneti <img</pre>
src="assets/img/SladoledKutija.png" class="iceIcon1" width="50" height="50">
       <div</pre>
class="dot"></div>Savremena tehnologija <img src="assets/img/ice-cream4.png"</pre>
class="iceIcon2" width="50" height="50">
```

```
<div class="d-flex justify-content-between">
</div>
</div>
</div>
</div>
```

Locations.php

```
  include "fixed/head.php";
  include "fixed/nav.php";

  $prodavnice=dohvatiProdavnice();
  $gradovi =dohvatiIzBaze('gradovi');
  $radno vreme=dohvatiIzBaze('radno vreme');
}
```

```
include "popModal.php";
?>
<div class="main tittle text-center m-auto d-flex justify-content-</pre>
center lokacije bg">
        <div class="naslov stranice w-75 d-flex justify-content-center flex-</pre>
column">
            <h2 class="w-50 mx-auto naslov h2">Lokacije</h2>
            </div>
</div>
<div class="location wrapp my-5">
<?php foreach($gradovi as $grad): ?>
<div class="lokacije d-flex flex-lg-row flex-column ">
    <div class="tittle_location">
        <h1><?=$grad->naziv ?></h1>
    </div>
    <div class="locations info w-100 ">
    <?php foreach($prodavnice as $prodavnica): ?>
        <?php if($prodavnica->id grad == $grad->id grad): ?>
    <div class="locations w-100 ">
        <div class="d-flex align-items-center justify-content-between</pre>
locations info location wrapp">
        <Div class="locations info wrapp ">
        <h2 class="font-Linotte"><?=$prodavnica->naziv ulice?></h2>
        <Div class="d-flex locations basic info">
        <svg width="20px" height="20px" viewBox="0 0 24 24" fill="none"</pre>
xmlns="http://www.w3.org/2000/svg">
<path d="M22 12.2039V13.725C22 17.6258 22 19.5763 20.8284 20.7881C19.6569 22</pre>
17.7712 22 14 22H10C6.22876 22 4.34315 22 3.17157 20.7881C2 19.5763 2 17.6258 2
13.725V12.2039C2 9.91549 2 8.77128 2.5192 7.82274C3.0384 6.87421 3.98695 6.28551
5.88403 5.10813L7.88403 3.86687C9.88939 2.62229 10.8921 2 12 2C13.1079 2 14.1106
2.62229 16.116 3.86687L18.116 5.10812C20.0131 6.28551 20.9616 6.87421 21.4808
7.82274" stroke="#fbbb3e" stroke-width="1.5" stroke-linecap="round"/>
<path d="M15 18H9" stroke="#fbbb3e" stroke-width="1.5" stroke-linecap="round"/>
</svg>
       <?=$prodavnica->naziv ulice.' '.$prodavnica->broj ulice?>
```

```
<svg width="20px" height="20px" viewBox="0 0 24 24" fill="none"</pre>
xmlns="http://www.w3.org/2000/svg">
<path d="M20 14C20 17.7712 20 19.6569 18.8284 20.8284C17.6569 22 15.7712 22 12</pre>
22C8.22876 22 6.34315 22 5.17157 20.8284C4 19.6569 4 17.7712 4 14V10C4 6.22876 4
4.34315 5.17157 3.17157C6.34315 2 8.22876 2 12 2C15.7712 2 17.6569 2 18.8284
3.17157C20 4.34315 20 6.22876 20 10" stroke="#fbbb3e" stroke-width="1.5" stroke-
linecap="round"/>
<path d="M15 19H9" stroke="#fbbb3e" stroke-width="1.5" stroke-linecap="round"/>
</svg>
       <?=$prodavnica->telefon?>
       </Div>
       <div class="d-flex locations working info">
           <?php foreach($radno vreme as $rv): ?>
               <?php if($prodavnica->id radno vreme == $rv->id radno vreme): ?>
       <strong>RADNO VREME <?=substr($rv->pocetak,0,strpos($rv-
>pocetak,":")).'h-'.substr($rv->kraj,0,strpos($rv->kraj,":")).'h'?>
&nbsp</strong>
       <?php endif ?>
       <?php if($prodavnica->id radno vreme dostave == $rv->id radno vreme): ?>
       <strong>DOSTAVA <?=substr($rv->pocetak,0,strpos($rv->pocetak,":")).'h-
 .substr($rv->kraj,0,strpos($rv->kraj,":")).'h'?></strong>
       <?php endif ?>
       <?php endforeach ?>
       </div>
       </Div>
       <div class="location" id="modal pop<?=$prodavnica->id lokacija?>">
<svg width="40px" height="40px" viewBox="0 0 24 24" fill="none"</pre>
xmlns="http://www.w3.org/2000/svg">
<path d="M12 21C15.5 17.4 19 14.1764 19 10.2C19 6.22355 15.866 3 12 3C8.13401 3 5</pre>
6.22355 5 10.2C5 14.1764 8.5 17.4 12 21Z" stroke="#972c0f" stroke-width="2"
stroke-linecap="round" stroke-linejoin="round"/>
<path d="M12 13C13.6569 13 15 11.6569 15 10C15 8.34315 13.6569 7 12 7C10.3431 7 9</pre>
stroke-linecap="round" stroke-linejoin="round"/>
</svg>
       </div>
       </div>
    <hr>>
    </div>
    <?php endif ?>
    <?php endforeach ?>
   </div>
```

```
</div>
<?php if($grad != end($gradovi)): ?>
<hr class="mx-5">
<?php endif ?>
<?php endforeach ?>
</div>
</php include "fixed/footer.php" ?>
</div>
```

Login.php

```
<?php
if(isset($_GET['dugmeUloguj'])):
        include "fixed/head.php";
        include "fixed/nav.php";
        if(isset($_SESSION['zapamcenEmail'])){
            $zEmail=$_SESSION['zapamcenEmail'];
        eLse{
            $zEmail='';
        if(isset($_SESSION['zapamcenaLozinka'])){
            $zLozinka=$_SESSION['zapamcenaLozinka'];
        else{
            $zLozinka='';
<div class="w-100 order_bg d-flex justify-content-center align-items-center m-</pre>
auto">
    <div class="order_stage1 m-auto my-3 p-lg-5 d-flex flex-column justify-</pre>
content-center w-100 align-items-center align-items-lg-center">
        <form action="../models/logovanje.php" class="w-50" method="POST"</pre>
id="logovanje">
            <h3 class="Bungee text-center">Prijavi se</h3>
            <div class=" d-flex flex-lg-row flex-column justify-content-center"</pre>
align-items-center m-3">
```

```
<div class="input w-100 w-lg-50 d-flex flex-column m-3">
               <label class="text-center">Email</label>
               <input type="text" name="Email" value="<?=$zEmail?>">
               <?php if(isset($ SESSION['porukaErrorEmail'])): ?>
               <?=$_SESSION['porukaErrorEmail']?>
               <?php endif ?>
               </div>
           </div>
           <div class=" d-flex flex-lg-row flex-column justify-content-center"</pre>
align-items-center m-3">
               <div class="input w-100 w-lg-50 d-flex flex-column m-3">
               <label class="text-center">Lozinka</label>
               <input type="password" name="Lozinka" value="<?=$zLozinka?>">
               <?php if(isset($_SESSION['porukaErrorLozinka'])): ?>
               <?=$ SESSION['porukaErrorLozinka']?>
               <?php endif ?>
               </div>
           </div>
           <div class="d-flex justify-content-start align-items-start m-</pre>
3"><input type="submit" name="btnProvera" id='loginBtn' class="login_button"</pre>
value="Prijavi se"></div>
       </form>
   </div>
</div>
<?php
       include "fixed/footer.php";
<?php else: http response code(403); ?>
<?php endif ?>
```

Lokacija_home.php

News_article.php

```
<?php include "fixed/head.php";</pre>
include "fixed/nav.php";
if(isset($ GET['id'])){
        $id=$_GET['id'];
eLse{
        $id=null;
$clanak=dohvatiClanak($id);
?>
<div class="main tittle text-center m-auto d-flex justify-content-center</pre>
novosti_bg">
        <div class="naslov_stranice w-75 d-flex justify-content-center flex-</pre>
column">
            <h2 class="w-50 mx-auto naslov_h2">Novosti</h2>
            </div>
</div>
<?php if(isset($_GET['id'])): ?>
<div class="article wrapp container-fluid m-auto d-flex flex-column justify-</pre>
content-center align-items-start">
        <div class="article_image d-flex justify-content-center align-items-</pre>
center">
                 <img src="<?=$clanak->slika ?>" class="img-fluid m-5" >
        </div>
        <div class="social media d-flex ">
```

```
<a class="m-1 text-decoration-none" href="#"><i class="fab fa-facebook-f</pre>
"></i>>
        <a class="m-1 text-decoration-none" href="#"><i class="fab fa-twitter"</pre>
"></i></a>
        <a class="m-1 text-decoration-none" href="#"><i class="fab fa-instagram"</pre>
"></i></a>
        </div>
        <div class="article_text align-items-start">
            <h1 class="Bungee"><?=$clanak->naslov ?></h1>
                    <?=$clanak->tekst ?></h2>
</div>
</div>
<?php endif ?>
<?php if(!isset($ GET['id'])): ?>
        <h3 class="Bungee d-flex justify-content center align-items-center m-</pre>
auto"> Doslo je do greske :(</h3>
        <?php endif ?>
<?php include "fixed/footer.php"?>
```

News_stranica.php

News.php

```
<?php
        $clanciHome=dohvatiBrojClankova(2);
?>
<div class=" text-center d-flex flex-column justify-content-center align-items-</pre>
center"><h3 class="naslov h3 Bungee">Novosti</h3>
underTittle">Iz sveta sladoleda</div>
<div class="box-wrapp d-flex justify-content-center">
<?php foreach($clanciHome as $clanak):</pre>
        $stariFormat=strtotime($clanak->datum);
        $noviFormat = date('Y/m/d H:i', $stariFormat);
        ?>
<Div class="news_stories_home m-2 d-flex flex-column align-items-center">
<a href="views/news article.php?id=<?=$clanak->id clanak ?>"
class="news info home mx-4 d-flex flex-column justify-content-start text-
decoration-none">
<Div class="news image home">
        <?php if(str_starts_with($clanak->slika,'https://')): ?>
                <img src="<?=substr($clanak->slika,strpos($clanak-
>slika,"../"))?>">
               <?php else: ?>
                        <img src="<?=substr($clanak->slika,strpos($clanak-
>slika,"..")+1)?>">
               <?php endif ?>
```

Order.php

```
<?php
        include "../models/setup.php";
        if(!isset($_SESSION['korisnik'])){
                 redirect('login.php?dugmeUloguj=true');
        include "fixed/head.php";
        include "fixed/nav.php" ;
?>
<?php if(isset($_SESSION['korisnik'])): ?>
<Div id="order body">
<div class="w-100 order bg d-flex flex-column justify-content-center align-items-</pre>
center m-auto" >
    <div class="order_button_wrapper_1">
   <div class="order_type">
            <button class="m-1 order type button" data-ot="dostava" data-</pre>
otId='1'>Dostava</button>
            <button class="m-1 order_type_button" data-ot="preuzimanje" data-</pre>
otId='2'>Preuzimanje</button>
   </div>
    <hr>>
   <div class="location_order">
            <button class="m-1 location_order_button" data-</pre>
city='Beograd'>Beograd</button>
            <button class="m-1 location_order_button" data-city='Novi Sad'>Novi
Sad</button>
   </div>
   </div>
   <div class="order_step2 " id="order_step_2"></div>
```

Pitanja.php

```
<?php
$pitanja=dohvatiIzBaze('pitanja');
<?php if(isset($ SESSION['korisnik'] )): if(</pre>
!daLiJeKorisnikOdgovorio($_SESSION['korisnik']->id_korisnik)): ?>
<div id="carouselExampleIndicators" class="carousel slide pitanja" data-bs-</pre>
ride="carousel">
<div class="text-block mx-auto">
        <h3 class="text-center Bungee naslov h3">Anketa</h3>
      </div>
            <div class=" m-auto my-5 d-flex flex-md-row flex-column justify-</pre>
content-center align-items-center ">
      <div class="pitanje">
      <div class="pitanje_sadrzaj">
            <form class="pitanja_forma" method="POST" id="myform">
                   <?php foreach($pitanja as $pitanje):</pre>
                         $odgovori=dohvatiOdgovorePitanja($pitanje->id pitanje);
                         ?>
```

```
<div>
            <i class="fas fa-caret-down text-pitanje strelica"></i></i>
    <label class='font-Linotte text-pitanje'><?=$pitanje->Tekst?></label>
                <div class="odgovor m-3">
                  <Div class="d-flex align-items-center justify-content=center">
    </Div>
    <select class="pitanja_ddl">
            <?php foreach($odgovori as $odgovor): ?>
                <option id="odgovor<?=$odgovor->id_odgovor?>"
dataidOdg='<?=$odgovor->id_odgovor?>'><?=$odgovor->Tekst?></option>
                <?php endforeach ?>
    </select>
    </div>
    </div>
      <?php endforeach ?>
                  <input type="submit" class="button">
            </form>
           <div id="form_output"></div>
      </div>
      </div>
      </div>
      </div>
    <?php endif ?>
    <?php endif ?>
```

popModal.php

```
<div class="modal_wrapp d-none justify-content-center align-items-center w-100 h-
100" id="modal_map">
```

```
<div class="bg_modal" id="map"></div>
<div class="pop m-auto h-50 d-flex align-items-center justify-content-center" >
    <div class="d-flex flex-lg-row flex-column-reverse align-items-center</pre>
justify-content-center bg-white" >
   <div class="location_map_list">
               <?php foreach($gradovi as $grad): ?>
               <h2 class="Bungee text-start"><?=$grad->naziv?></h2>
               <l
               <?php foreach($prodavnice as $prodavnica): ?>
                  <?php if($prodavnica->id_grad == $grad->id grad): ?>
                  >id lokacija?>"><?=$prodavnica->naziv ulice?>
                  <?php endif ?>
                  <?php endforeach ?>
               <?php endforeach ?>
              <button id="mapaIzlaz" class="order_button">Izađi/button>
           </div>
<div class="Google map" >
               <div id="mapTiler"></div>
           </div>
           </div>
       </div>
       </div>
```

Porudzbine.php

```
<div class="PorudzbineKorisnik">
  <?php if(count($porudzbine) != 0): ?>
        <h3 class="Bungee text-center m-3">Porudžbine</h3>
        <?php foreach($porudzbine as $porudzbina): ?>
           <Div class="d-flex flex-md-row flex-column justify-content-start
align-items-center">
           <span class="Bungee text-braon ime vrste dostave"</pre>
><?=dohvatiVrstuPorudzbine($porudzbina->id vrsta)->naziv?></span>
           <span class="datum_kreiranja_porudzbine Bungee text-</pre>
braon"><?=$porudzbina->datum kreiranja?></span>
           </Div>
           <hr class="imeDostave linija">
           <div class="tabelaPorudzbine wrapp">
        Kutija
           Gramaža
           Ukus1
           Ukus2
           Ukus3
           Ukus4
           količina
           cena
           <?php foreach($kutijePorudzbine as $kp): ?>
              <?php if($kp->id porudzbina==$porudzbina->id narudzbina): ?>
           <?php foreach($naruceneKutije as $nk): ?>
                 <?php if($nk->id porucena kutija == $kp-
>id_porucena_kutija): ?>
                     <span class="Bungee text-braon">
<?=dohvatiKutiju($nk->id_kutija)->naziv_kutije?></span>
                 <span class="Bungee text-braon">
<?=dohvatiKutiju($nk->id kutija)->kolicina kg*1000 ?>gr
                    <img src="../assets/img/<?=dohvatiUkus($nk-
>id slad)->slika?>" width="50" height="50">
           <?=dohvatiUkus($nk-</pre>
>id slad)->naziv?>
```

```
<img src="../assets/img/<?=dohvatiUkus($nk->id_slad2)-
>slika?>" width="50" height="50">
            <?=dohvatiUkus($nk->id_slad2)-
>naziv?>
            <img src="../assets/img/<?=dohvatiUkus($nk->id_slad3)-
>slika?>" width="50" height="50">
            <?=dohvatiUkus($nk->id slad3)-
>naziv?>
            <?php if($nk->id slad4 !=null): ?>
            <img src=".../assets/img/<?=dohvatiUkus($nk->id_slad4)-
>slika?>" width="50" height="50">
            <?=dohvatiUkus($nk->id slad4)-
>naziv?>
            <?php else: ?>
               <i class="fas fa-times"></i>
            <?php endif ?>
            <?=$nk->kolicina?>
                 <?=$nk-
>kolicina*dohvatiKutiju($nk->id kutija)->cena?>.00 RSD
               <?php endif ?>
               <?php endforeach ?>
            <?php endif ?>
            <?php endforeach ?>
         </div>
         <?php if(dohvatiVrstuPorudzbine($porudzbina->id vrsta)->naziv ==
'Preuzimanje'): ?>
         <div class="informacije">
               <h3 class=" Bungee">Narucilac</h3>
               Ime Prezime
                     Grad
                     Mesto preuzimanja
                     Email
```

```
Dan i vreme preuzimanja
                      >način plaćanja
                      Ukupna cena
                   <span><?=$porudzbina->Ime ?> <?=$porudzbina-
>Prezime ?></span>
                      <span><?=dohvatiGrad($porudzbina->id grad)->naziv
?></span>
                      <span><?=dohvatiLokaciju($porudzbina-
>id lokacija)->naziv ulice ?> <?=dohvatiLokaciju($porudzbina->id lokacija)-
>broj_ulice ?></span>
                      <span> <?=$porudzbina->Email ?></span>
                            <span> <?=$porudzbina->dan?> <?=$porudzbina-</pre>
                      >vreme?></span>
                      <span><?=dohvatiPlacanje($porudzbina-
>id_placanje)->naziv?> </span>
                      <span><?=$porudzbina->ukupna cena?>.00
RSD</span>
                   </div>
            <?php elseif(dohvatiVrstuPorudzbine($porudzbina->id_vrsta)->naziv
== 'Dostava'): ?>
            <div class="informacije">
                <h3 class=" Bungee">Narucilac</h3>
                >
                      Ime Prezime
                      Grad
                      Ulica
                      sprat i interfon
                      Email
                      Dan i vreme dostave
                      >način plaćanja
                      Ukupna cena
                   <span><?=$porudzbina->Ime ?> <?=$porudzbina-
>Prezime ?></span>
                      <span><?=dohvatiGrad($porudzbina->id_grad)->naziv
?></span>
```

```
<span><?=$porudzbina->ulica ?> <?=$porudzbina-
>broj ?></span>
                          <span><?=$porudzbina->sprat ?>,
<?=$porudzbina->interfon ?></span>
                          <span> <?=$porudzbina->Email ?></span>
                                 <span> <?=$porudzbina->dan?> <?=$porudzbina-</pre>
>vreme?></span>
                          <span><?=dohvatiPlacanje($porudzbina-
>id_placanje)->naziv?> </span>
                          <span><?=$porudzbina->ukupna cena?>.00
RSD</span>
                      </div>
              <?php endif ?>
              <div class="napomena">
               <h4 class="Bungee text-braon">Napomena</h4>
               <?php if($porudzbina->napomena != null): ?>
               <span class="font-Linotte"><?=$porudzbina->napomena?></span>
               <?php else: ?>
                   <span class="font-Linotte">Nema napomene</span>
               <?php endif?>
              </div>
           <?php endforeach ?>
           <?php else: ?>
           <h3 class="naslov h3 Bungee text-braon text-center</pre>
nemaPorudzbina">Nema porudzbina</h3>
               <?php endif?>
</div>
<?php include "fixed/footer.php"; ?>
```

Register.php

```
<?php
    include "../models/setup.php";
    include "fixed/head.php";
    include "fixed/nav.php";</pre>
```

```
if(isset($ SESSION['zapamcenoIme'])){
          $zIme= $ SESSION['zapamcenoIme'];
        $zPrezime=$ SESSION['zapamcenoPrezime'];
        $zGrad=$_SESSION['zapamcenGrad'];
        $zUlica=$ SESSION['zapamcenaUlica'];
        $zBroj=$ SESSION['zapamcenBroj'];
        $zKorIme=$_SESSION['zapamcenoKorisnicko_Ime'];
        $zEmail=$ SESSION['zapamcenEmailRegister'];
        $zLozinka=$ SESSION['zapamcenaLozinkaRegister'];
        else{
            $zIme='';
            $zPrezime='';
            $zGrad='';
            $zUlica='';
            $zBroj='';
            $zKorIme='';
            $zEmail='';
           $zLozinka='';
<div class="w-100 order bg d-flex justify-content-center align-items-center m-</pre>
auto">
    <div class="order stage1 m-auto my-3 p-lg-5 d-flex flex-column justify-</pre>
content-center w-100 align-items-start align-items-lg-center">
        <form action="../models/registracija.php" class="w-50" method="POST"</pre>
id="registracija">
            <h3 class="Bungee text-center">Registracija</h3>
            <div class=" d-flex flex-lg-row flex-column justify-content-center"</pre>
align-items-center m-3">
                <div class="input w-100 w-lg-50 d-flex flex-column m-3">
                <label>Ime</label>
                <input type="text" name="Ime" value='<?=$zIme?>'>
                <?php if(isset($_SESSION['RegistracijaImeError'])): ?>
class="loginGreska"><?=$ SESSION['RegistracijaImeError']?>
                    <?php endif ?>
                </div>
                <div class="input w-100 w-lg-50 d-flex flex-column m-3">
                <label>Prezime</label>
```

```
<input type="text" name="Prezime" value='<?=$zPrezime?>'>
                <?php if(isset($ SESSION['RegistracijaPrezimeError'])): ?>
class="loginGreska"><?=$ SESSION['RegistracijaPrezimeError']?>
                    <?php endif ?>
                </div>
            </div>
            <div class=" d-flex flex-lg-row flex-column justify-content-center"</pre>
align-items-center m-3">
                <div class="input w-100 w-lg-50 d-flex flex-column m-3">
                <label>Grad</label>
                <input type="text" name="Grad" value='<?=$zGrad?>'>
                <?php if(isset($_SESSION['RegistracijaGradError'])): ?>
class="loginGreska"><?=$_SESSION['RegistracijaGradError']?>
                    <?php endif ?>
                </div>
                <div class="input w-100 w-lg-50 d-flex flex-column m-3">
                <label>Ulica</label>
                <input type="text" name="Ulica" value='<?=$zUlica?>'>
                <?php if(isset($ SESSION['RegistracijaUlicaError'])): ?>
class="loginGreska"><?=$ SESSION['RegistracijaUlicaError']?>
                    <?php endif ?>
                </div>
            </div>
            <div class=" d-flex flex-lg-row flex-column justify-content-center"</pre>
align-items-center m-3">
                <div class="input w-100 w-lg-50 d-flex flex-column justify-</pre>
content-start m-3">
                <label>Broj</label>
                <input type="text" name="Broj" value='<?=$zBroj?>'>
                <?php if(isset($ SESSION['RegistracijaBrojError'])): ?>
class="loginGreska"><?=$ SESSION['RegistracijaBrojError']?>
                    <?php endif ?>
                </div>
                <div class="input w-100 w-lg-50 d-flex flex-column justify-</pre>
content-start m-3">
                <label>Korisnicko Ime</label>
                <input type="text" name="korisnickoIme" value='<?=$zKorIme?>'>
                <?php if(isset($_SESSION['RegistracijaKorisnickoImeError'])): ?>
class="loginGreska"><?=$_SESSION['RegistracijaKorisnickoImeError']?>
                   <?php endif ?>
```

```
</div>
            </div>
            <div class=" d-flex flex-lg-row flex-column justify-content-center"</pre>
align-items-center m-3">
                <div class="input w-100 w-lg-50 d-flex flex-column align-items-</pre>
start justify-content-start m-3">
                <label>E-mail</label>
                <input type="text" class="w-100" name="Email"</pre>
value='<?=$zEmail?>'>
                <?php if(isset($ SESSION['RegistracijaEmailError'])): ?>
class="loginGreska"><?=$ SESSION['RegistracijaEmailError']?>
                    <?php endif ?>
                </div>
            </div>
            <div class=" d-flex flex-lg-row flex-column justify-content-center"</pre>
align-items-center m-3">
                <div class="input w-100 w-lg-50 d-flex flex-column m-3">
                <label>Lozinka</label>
                <input type="text" name="Lozinka" value='<?=$zLozinka?>'>
                <?php if(isset($_SESSION['RegistracijaLozinkaError'])): ?>
class="loginGreska"><?=$ SESSION['RegistracijaLozinkaError']?>
                    <?php endif ?>
                </div>
                <div class="input w-100 w-lg-50 d-flex flex-column m-3">
                <label>Ponovite lozinku</label>
                <input type="password" name='Lozinka2'>
                <?php if(isset($ SESSION['LozinkeSeNePoklapaju'])): ?>
class="loginGreska"><?=$_SESSION['LozinkeSeNePoklapaju']?>
                    <?php endif ?>
                </div>
                <input type="hidden" name="status" value="2">
            </div>
            <div class="d-flex justify-content-start align-items-start m-</pre>
3"><input type="submit" name="registerSubmit" class="register_button"</pre>
value="Registruj se"></div>
            <?php if(isset($ SESSION['KorisnikVecPostoji'])): ?>
class="loginGreska"><?=$_SESSION['KorisnikVecPostoji']?>
                    <?php endif ?>
        </form>
    </div>
```

```
</div>
</php

include "fixed/footer.php";

?>
```

swiperHome.php

```
<div class="slider container">
<div class="swiper main tittle content">
    <div class="swiper-wrapper d-flex">
        <div class="swiper-slide d-flex justify-content-center">
        <div class="main tittle home text-lg-start text-center m-auto d-flex</pre>
justify-content-start " id="mainTittle">
    <div class="img banner p-0">
    <a href="views/order.php" class="poruciteDugme font-Linotte text-</pre>
white">Poručite</a>
    <div class="spikes_upper"></div>
    <img src="assets/img/banner1.jpg" alt="sladoled sa visnjom" class="w-</pre>
100 img-fluid p-0">
    <div class="spikes down"></div>
    </div>
        <div class="naslov w-75 d-flex justify-content-center flex-column">
            <h2 class="w-50 naslov h2">Višnja i samo višnja</h2>
            class="naslov p">Dođite i probajte naš sladoled od višnje,sa
naravno,komadićima višnje u sebi.Nećete zažaliti.
            <div class="spikes down d-lg-none"></div>
            </div>
</div>
</div>
<div class="swiper-slide">
<div class="main tittle home text-lg-start text-center m-auto d-flex justify-</pre>
content-start " id="mainTittle">
   <div class="img banner p-0">
```

```
<a href="views/order.php" class="poruciteDugme font-Linotte text-</pre>
white">Poručite</a>
    <div class="spikes_upper"></div>
    <img src="assets/img/banner2.jpg" alt="sladoled sa pekan orasima" class="w-</pre>
100 img-fluid p-0">
    <div class="spikes down"></div>
    </div>
        <div class="naslov w-75 d-flex justify-content-center align-items-start</pre>
flex-column">
            <h2 class="w-50 naslov_h2">Novo u ponudi!</h2>
            Sladoled sa ukusom američke pite sa pekan
orasima!
            <div class="spikes_down d-lg-none"></div>
            </div>
</div>
</div>
<div class="swiper-slide ">
<div class="main_tittle_home text-lg-start text-center m-auto d-flex flex-row"</pre>
justify-content-start " id="mainTittle">
<div class="img banner p-0">
<a href="views/order.php" class="poruciteDugme font-Linotte text-</pre>
white">Poručite</a>
    <div class="spikes upper"></div>
    <img src="assets/img/banner4.jpg" alt="sladoled sa mentom i coko mrvicama"</pre>
class="w-100 img-fluid p-0">
    <div class="spikes down"></div>
    </div>
        <div class="naslov w-75 d-flex justify-content-center align-items-start</pre>
flex-column">
            <h2 class="w-50 naslov h2">UVEK SA VAMA!</h2>
            Sladoled sa mentom i mrvicama cokolade je
oduvek bio nas hit, dodjite i saznajte zasto je bas ovaj sladoled omiljen medju
nasim musterijama!
            <div class="spikes down d-lg-none"></div>
            </div>
            </div>
</div>
```

```
</div>
<div class="swiper-pagination"></div>
</div>
</div>
</div>
```

ukusiKategorije.php

Data_connector.php

```
define("USERNAME",'root');
    define("PASSWORD",'anagard');
    define("DATABASE",'sladolino');
    define("SERVER",'localhost');

    try{
        $conn= new

PDO('mysql:host='.SERVER.";dbname=".DATABASE.";charset=utf8",USERNAME,PASSWORD);
        $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,PDO::FETCH_OBJ);
        $conn->setAttribute(PDO::ATTR_ERRMODE,PDO::ERRMODE_EXCEPTION);
}

catch(PDOException $ex){
        echo $ex->getMessage();
}

?>
```

JavaScript

```
function vratiRVreme(nizL, nizRV){
  for(var i=0;i < nizL.length;i++){</pre>
    if(nizL[0][i]['id_radno_vreme']==[nizRV[0][i]['id_radno_vreme']]){
      return ` <span>${nizRV[0][i]['pocetak'].split(":",2).join(":")}-
${nizRV[0][i]['kraj'].split(":",2).join(":")}</span>`
function dohvatiKorisnika(id){
  var korisnici=AjaxCallBack('korisniciAjax','JSON');
  for(var k=0; k<korisnici.length;k++){</pre>
    if(korisnici[k]['id_korisnik']==id){
      return korisnici[k];
function izbrisi(kutijaID){
  var korpa2=JSON.parse(localStorage.getItem('korpa2'));
  var novaKorpa2=[];
  var korpa=JSON.parse(localStorage.getItem('korpa'));
  var novaKorpa=[];
  for(var x =0;x < korpa2.length;x++){</pre>
    if(kutijaID!=korpa2[x]['id_NarucenaKutija']){
      novaKorpa2.push(korpa2[x]);
  localStorage.setItem('korpa2', JSON.stringify(novaKorpa2));
  for(var x =0;x < korpa.length;x++){</pre>
    if(kutijaID!=korpa[x]['id_NarucenaKutija']){
      novaKorpa.push(korpa[x]);
  localStorage.setItem('korpa', JSON.stringify(novaKorpa));
  if(novaKorpa.length == 0 || novaKorpa2.length == 0){
    location.reload();
  ispisiKorpu();
```

```
function izbrisi2(kutijaID){
  var korpa2=JSON.parse(localStorage.getItem('korpa2'));
  var novaKorpa2=[];
  var korpa=JSON.parse(localStorage.getItem('korpa'));
  var novaKorpa=[];
  for(var x = 0; x < korpa2.length; x++){
    if(kutijaID!=korpa2[x]['id_NarucenaKutija']){
      novaKorpa2.push(korpa2[x]);
  localStorage.setItem('korpa2', JSON.stringify(novaKorpa2));
  for(var x =0;x < korpa.length;x++){</pre>
    if(kutijaID!=korpa[x]['id_NarucenaKutija']){
      novaKorpa.push(korpa[x]);
  localStorage.setItem('korpa', JSON.stringify(novaKorpa));
  if(novaKorpa.length == 0 || novaKorpa2.length == 0){
    location.reload();
  document.getElementById('order_items').innerHTML=ispisiKorpu2();
  var kolicinaInput=document.getElementsByClassName('item count');
for(var k=0;k<kolicinaInput.length;k++){</pre>
 $(kolicinaInput[k]).children('#plus').on('click',function(){
  povecajKol2($(this).parent().attr('data-nark'));
 $(kolicinaInput[k]).children('#minus').on('click',function(){
  smanjiKol2($(this).parent().attr('data-nark'));
 })
 var dugmeObrisi=document.getElementsByClassName('delete');
  for(var d=0;d<dugmeObrisi.length;d++){</pre>
    $(dugmeObrisi[d]).on('click',function(){
      izbrisi2($(this).attr('data-del'));
    })
```

```
function ispisiKorpu(){
  document.getElementById('order body').innerHTML=`
        <div class='cart body'>
          <button class="flavors_backBtn" id="flavors_back_btn2"</pre>
>Odustani</button>
                <h3 class='Bungee'>Vaša korpa</h3>
            <div class='korpa'>
                <hr>>`
              +dohvatiSladoledePoKutiji()+
            `<div class="dugme"><button</pre>
id='porudzbina_kraj2'>poruči</button></div></div>
         </div>
 var kolicinaInput=document.getElementsByClassName('item count');
 for(var k=0;k<kolicinaInput.length;k++){</pre>
  $(kolicinaInput[k]).children('#plus').on('click',function(){
    povecajKol($(this).parent().attr('data-nark'));
     })
  $(kolicinaInput[k]).children('#minus').on('click',function(){
    smanjiKol($(this).parent().attr('data-nark'));
  })
 var dugmeObrisi=document.getElementsByClassName('delete');
 for(var d=0;d<dugmeObrisi.length;d++){</pre>
 $(dugmeObrisi[d]).on('click',function(){
    izbrisi($(this).attr('data-del'));
 })
 var dugmeKorpaOdustani=document.getElementById('flavors back btn2');
 dugmeKorpaOdustani.addEventListener('click',function(){
 localStorage.removeItem('korpa');
 localStorage.removeItem('korpa2');
 localStorage.removeItem('adresa');
 window.location.reload();
 })
 var zavrsiKupovinu2=document.getElementById('porudzbina kraj2');
```

```
zavrsiKupovinu2.addEventListener('click',function(){
ispisiNarudzbinu()
var napraviPorudzbinu=document.getElementById('kreirajPorudzbinu');
napraviPorudzbinu.addEventListener('click',function(){
  var ukC=$('.totalSvega').children('h3').html();
  var orderInfo=JSON.parse(localStorage.getItem('orderInfo'));
  var korpa2=JSON.parse(localStorage.getItem('korpa2'));
  var ukkc=0;
  for(var k=0; k<korpa2.length;k++){</pre>
      ukkc+=korpa2[k]['ukupnaCena'];
  console.log(ukkc);
  orderInfo['ukupnaCena']=ukkc;
  localStorage.setItem('orderInfo', JSON.stringify(orderInfo));
  var counter=5;
  UspesnoPoruceno=`<div class='d-flex flex-column justify-content-center align-
items-center porudzbinaUspeh'><h3 class='Bungee'>Uspešno ste poručili! :)</h3> <p
class='Bungee'>${counter}</div>`;
  var korpa=JSON.parse(localStorage.getItem('korpa'));
  var porudzbina=JSON.parse(localStorage.getItem('orderInfo'));
 if(porudzbina['nacin Placanja'] !=0 && porudzbina['nacin Placanja'] !=null &&
porudzbina['dan'] != null && porudzbina['vreme'] != null) {
console.log('uspeh');
for(var k=0; k<korpa.length;k++){</pre>
AjaxForward('poruceniUkusi','JSON',korpa[k]);
AjaxForward('napraviPorudzbinu','JSON',porudzbina);
document.getElementById('order_body').innerHTML=UspesnoPoruceno;
 setInterval(function(){
 counter--;
  document.getElementById('order body').innerHTML=`<div class='d-flex flex-column</pre>
justify-content-center align-items-center porudzbinaUspeh'><h3
class='Bungee'>Uspešno ste poručili! :)</h3> class='Bungee'>Uspešno ste poručili! :)</h3> 
class='Bungee'>${counter}</div>`;
```

```
console.log(counter);
  if(counter == 0){
    window.location.reload();
}, 1000);
 });
 function povecajKol2(kutijaID){
  var korpaLS=JSON.parse(localStorage.getItem('korpa2'));
  var korpaZaSlanje=JSON.parse(localStorage.getItem('korpa'));
  var novaKorpaZaSlanje=[];
  var novaKorpaZaLS=[];
 for(var k=0; k <korpaLS.length;k++){</pre>
    var objekat={};
    objekat['ukusi']=korpaLS[k]['ukusi'];
    objekat['cena']=korpaLS[k]['cena'];
    objekat['kutijaId']=korpaLS[k]['kutijaId'];
    objekat['kolicina']=korpaLS[k]['kolicina'];
    objekat['ukupnaCena']=korpaLS[k]['cena']*korpaLS[k]['kolicina'];
    objekat['id_NarucenaKutija']=korpaLS[k]['id_NarucenaKutija'];
    objekat['id_korisnik']=korpaLS[k]['korisnik'];
    if(korpaLS[k]['id_NarucenaKutija']==kutijaID){
      objekat['kolicina']=korpaLS[k]['kolicina']+1;
      objekat['ukupnaCena']=korpaLS[k]['cena']*objekat['kolicina'];
    novaKorpaZaLS.push(objekat);
  localStorage.setItem('korpa2', JSON.stringify(novaKorpaZaLS));
   for(var x=0;x< korpaZaSlanje.length;x++){</pre>
      var objekatZaKorpuZaSlanje={};
      objekatZaKorpuZaSlanje['cena']=korpaZaSlanje[x]['cena'];
      objekatZaKorpuZaSlanje['id ukus0']=korpaZaSlanje[x]['id ukus0'];
```

```
objekatZaKorpuZaSlanje['id ukus1']=korpaZaSlanje[x]['id ukus1'];
      objekatZaKorpuZaSlanje['id ukus2']=korpaZaSlanje[x]['id ukus2'];
      objekatZaKorpuZaSlanje['id_NarucenaKutija']=korpaZaSlanje[x]['id_NarucenaKu
tija'];
      objekat['id_korisnik']=korpaZaSlanje[x]['korisnik'];
      if(korpaZaSlanje[x]['id ukus3'] !=null){
        objekatZaKorpuZaSlanje['id ukus3']=korpaZaSlanje[x]['id ukus3'];
      objekatZaKorpuZaSlanje['id kutija']=korpaZaSlanje[x]['id kutija'];
      objekatZaKorpuZaSlanje['korisnik']=korpaZaSlanje[x]['korisnik'];
      objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina'];
          if(kutijaID==korpaZaSlanje[x]['id_NarucenaKutija']){
            objekatZaKorpuZaSlanje['id NarucenaKutija']=korpaZaSlanje[x]['id Naru
cenaKutija'];
            objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina']+1;
          novaKorpaZaSlanje.push(objekatZaKorpuZaSlanje);
  localStorage.setItem('korpa',JSON.stringify(novaKorpaZaSlanje));
  document.getElementById('order items').innerHTML=ispisiKorpu2();
  var kolicinaInput=document.getElementsByClassName('item_count');
  for(var k=0;k<kolicinaInput.length;k++){</pre>
   $(kolicinaInput[k]).children('#plus').on('click',function(){
    povecajKol2($(this).parent().attr('data-nark'));
     })
   $(kolicinaInput[k]).children('#minus').on('click',function(){
    smanjiKol2($(this).parent().attr('data-nark'));
   })
   var dugmeObrisi=document.getElementsByClassName('delete');
   for(var d=0;d<dugmeObrisi.length;d++){</pre>
    $(dugmeObrisi[d]).on('click',function(){
      izbrisi2($(this).attr('data-del'));
    })
```

```
function smanjiKol2(kutijaID,){
  var korpaLS=JSON.parse(localStorage.getItem('korpa2'));
 var novaKorpaZaLS=[];
 var korpaZaSlanje=JSON.parse(localStorage.getItem('korpa'));
  var novaKorpaZaSlanje=[];
 var inputVr=$(this).siblings('input');
 var ukCena;
 for(var k=0; k <korpaLS.length;k++){</pre>
    var objekat={};
   objekat['ukusi']=korpaLS[k]['ukusi'];
    objekat['cena']=korpaLS[k]['cena'];
    objekat['kutijaId']=korpaLS[k]['kutijaId'];
    objekat['kolicina']=korpaLS[k]['kolicina'];
    objekat['ukupnaCena']=korpaLS[k]['cena']*korpaLS[k]['kolicina'];
    objekat['id NarucenaKutija']=korpaLS[k]['id NarucenaKutija'];
    objekat['id_korisnik']=korpaLS[k]['korisnik'];
    if(korpaLS[k]['id_NarucenaKutija']==kutijaID){
      if(objekat['kolicina'] >1){
        objekat['kolicina']=korpaLS[k]['kolicina']-1;
      objekat['ukupnaCena']=korpaLS[k]['cena']*objekat['kolicina'];
    novaKorpaZaLS.push(objekat);
 localStorage.setItem('korpa2', JSON.stringify(novaKorpaZaLS));
 for(var x=0;x< korpaZaSlanje.length;x++){</pre>
   var objekatZaKorpuZaSlanje={};
    objekatZaKorpuZaSlanje['cena']=korpaZaSlanje[x]['cena'];
    objekatZaKorpuZaSlanje['id_ukus0']=korpaZaSlanje[x]['id_ukus0'];
    objekatZaKorpuZaSlanje['id_ukus1']=korpaZaSlanje[x]['id_ukus1'];
    objekatZaKorpuZaSlanje['id_ukus2']=korpaZaSlanje[x]['id_ukus2'];
    objekatZaKorpuZaSlanje['id_NarucenaKutija']=korpaZaSlanje[x]['id_NarucenaKuti
```

```
objekat['id_korisnik']=korpaZaSlanje[x]['korisnik'];
    if(korpaZaSlanje[x]['id_ukus3'] !=null){
      objekatZaKorpuZaSlanje['id_ukus3']=korpaZaSlanje[x]['id_ukus3'];
    objekatZaKorpuZaSlanje['id_kutija']=korpaZaSlanje[x]['id_kutija'];
    objekatZaKorpuZaSlanje['korisnik']=korpaZaSlanje[x]['korisnik'];
    objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina'];
        if(kutijaID==korpaZaSlanje[x]['id NarucenaKutija']){
          objekatZaKorpuZaSlanje['id_NarucenaKutija']=korpaZaSlanje[x]['id_Naruce
naKutija'];
          if(objekatZaKorpuZaSlanje['kolicina'] >1){
            objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina']-1;
        novaKorpaZaSlanje.push(objekatZaKorpuZaSlanje);
localStorage.setItem('korpa', JSON.stringify(novaKorpaZaSlanje));
document.getElementById('order_items').innerHTML=ispisiKorpu2();
var kolicinaInput=document.getElementsByClassName('item_count');
for(var k=0;k<kolicinaInput.length;k++){</pre>
 $(kolicinaInput[k]).children('#plus').on('click',function(){
  povecajKol2($(this).parent().attr('data-nark'));
   })
 $(kolicinaInput[k]).children('#minus').on('click',function(){
  smanjiKol2($(this).parent().attr('data-nark'));
 })
 var dugmeObrisi=document.getElementsByClassName('delete');
   for(var d=0;d<dugmeObrisi.length;d++){</pre>
```

```
$(dugmeObrisi[d]).on('click',function(){
      izbrisi2($(this).attr('data-del'));
    })
function povecajKol(kutijaID){
  var korpaLS=JSON.parse(localStorage.getItem('korpa2'));
  var korpaZaSlanje=JSON.parse(localStorage.getItem('korpa'));
  var novaKorpaZaSlanje=[];
  var novaKorpaZaLS=[];
 for(var k=0; k <korpaLS.length;k++){</pre>
    var objekat={};
    objekat['ukusi']=korpaLS[k]['ukusi'];
    objekat['cena']=korpaLS[k]['cena'];
    objekat['kutijaId']=korpaLS[k]['kutijaId'];
    objekat['kolicina']=korpaLS[k]['kolicina'];
    objekat['ukupnaCena']=korpaLS[k]['cena']*korpaLS[k]['kolicina'];
    objekat['id NarucenaKutija']=korpaLS[k]['id NarucenaKutija'];
    objekat['id korisnik']=korpaLS[k]['korisnik'];
    if(korpaLS[k]['id NarucenaKutija']==kutijaID){
      objekat['kolicina']=korpaLS[k]['kolicina']+1;
      objekat['ukupnaCena']=korpaLS[k]['cena']*objekat['kolicina'];
    novaKorpaZaLS.push(objekat);
  localStorage.setItem('korpa2', JSON.stringify(novaKorpaZaLS));
   for(var x=0;x< korpaZaSlanje.length;x++){</pre>
      var objekatZaKorpuZaSlanje={};
      objekatZaKorpuZaSlanje['cena']=korpaZaSlanje[x]['cena'];
      objekatZaKorpuZaSlanje['id_ukus0']=korpaZaSlanje[x]['id_ukus0'];
      objekatZaKorpuZaSlanje['id_ukus1']=korpaZaSlanje[x]['id_ukus1'];
      objekatZaKorpuZaSlanje['id ukus2']=korpaZaSlanje[x]['id ukus2'];
```

```
objekatZaKorpuZaSlanje['id_NarucenaKutija']=korpaZaSlanje[x]['id_NarucenaKu
tija'];
      objekat['id_korisnik']=korpaZaSlanje[x]['korisnik'];
      if(korpaZaSlanje[x]['id ukus3'] !=null){
        objekatZaKorpuZaSlanje['id_ukus3']=korpaZaSlanje[x]['id_ukus3'];
      objekatZaKorpuZaSlanje['id kutija']=korpaZaSlanje[x]['id kutija'];
      objekatZaKorpuZaSlanje['korisnik']=korpaZaSlanje[x]['korisnik'];
      objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina'];
          if(kutijaID==korpaZaSlanje[x]['id_NarucenaKutija']){
            objekatZaKorpuZaSlanje['id_NarucenaKutija']=korpaZaSlanje[x]['id_Naru
cenaKutija'];
            objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina']+1;
          novaKorpaZaSlanje.push(objekatZaKorpuZaSlanje);
  localStorage.setItem('korpa', JSON.stringify(novaKorpaZaSlanje));
  ispisiKorpu();
function smanjiKol(kutijaID,){
  var korpaLS=JSON.parse(localStorage.getItem('korpa2'));
  var novaKorpaZaLS=[];
  var korpaZaSlanje=JSON.parse(localStorage.getItem('korpa'));
  var novaKorpaZaSlanje=[];
  var inputVr=$(this).siblings('input');
  var ukCena;
 for(var k=0; k <korpaLS.length;k++){</pre>
    var objekat={};
    objekat['ukusi']=korpaLS[k]['ukusi'];
```

```
objekat['cena']=korpaLS[k]['cena'];
    objekat['kutijaId']=korpaLS[k]['kutijaId'];
    objekat['kolicina']=korpaLS[k]['kolicina'];
    objekat['ukupnaCena']=korpaLS[k]['cena']*korpaLS[k]['kolicina'];
    objekat['id_NarucenaKutija']=korpaLS[k]['id_NarucenaKutija'];
    objekat['id_korisnik']=korpaLS[k]['korisnik'];
    if(korpaLS[k]['id NarucenaKutija']==kutijaID){
      if(objekat['kolicina'] >1){
        objekat['kolicina']=korpaLS[k]['kolicina']-1;
      objekat['ukupnaCena']=korpaLS[k]['cena']*objekat['kolicina'];
    novaKorpaZaLS.push(objekat);
 localStorage.setItem('korpa2', JSON.stringify(novaKorpaZaLS));
 for(var x=0;x< korpaZaSlanje.length;x++){</pre>
   var objekatZaKorpuZaSlanje={};
    objekatZaKorpuZaSlanje['cena']=korpaZaSlanje[x]['cena'];
    objekatZaKorpuZaSlanje['id_ukus0']=korpaZaSlanje[x]['id_ukus0'];
    objekatZaKorpuZaSlanje['id ukus1']=korpaZaSlanje[x]['id ukus1'];
    objekatZaKorpuZaSlanje['id_ukus2']=korpaZaSlanje[x]['id_ukus2'];
    objekatZaKorpuZaSlanje['id_NarucenaKutija']=korpaZaSlanje[x]['id_NarucenaKuti
ja'];
    objekatZaKorpuZaSlanje['id_korisnik']=korpaZaSlanje[x]['korisnik'];
    if(korpaZaSlanje[x]['id ukus3'] !=null){
      objekatZaKorpuZaSlanje['id_ukus3']=korpaZaSlanje[x]['id_ukus3'];
    objekatZaKorpuZaSlanje['id_kutija']=korpaZaSlanje[x]['id_kutija'];
    objekatZaKorpuZaSlanje['korisnik']=korpaZaSlanje[x]['korisnik'];
    objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina'];
        if(kutijaID==korpaZaSlanje[x]['id_NarucenaKutija']){
          objekatZaKorpuZaSlanje['id_NarucenaKutija']=korpaZaSlanje[x]['id_Naruce
naKutija'];
          if(objekatZaKorpuZaSlanje['kolicina'] >1){
            objekatZaKorpuZaSlanje['kolicina']=korpaZaSlanje[x]['kolicina']-1;
```

```
novaKorpaZaSlanje.push(objekatZaKorpuZaSlanje);
localStorage.setItem('korpa', JSON.stringify(novaKorpaZaSlanje));
  ispisiKorpu();
function ispisiSladoledePoKutiji(nizNaziva){
  var ispis2="";
    for(var n =0;n<nizNaziva.length;n++){</pre>
      ispis2+=nizNaziva[n]+',';
      ispis2=ispis2.slice(0,-1);
      return ispis2;
function dohvatiSladoledePoKutiji(){
  var nizNaziva=[];
  var nizObjKutija=[];
  var ispis="";
        var izvucenaKorpa=JSON.parse(localStorage.getItem('korpa'));
        var sladoledNazivi=AjaxCallBack('sladolediAjax','JSON');
       var kutije=AjaxCallBack('kutijeAjax','JSON');
       for(var i=0;i < izvucenaKorpa.length;i++){</pre>
        nizNaziva=[];
        var objKutija={
          ukusi:[],
          kutijaId:'',
```

```
for(const [key,value] of Object.entries(izvucenaKorpa[i])){
          if(key.startsWith('id_ukus')){
            for(var s=0;s<sladoledNazivi[0].length;s++){</pre>
                  if(value == sladoledNazivi[0][s]['id_sladoled']){
                    nizNaziva.push(sladoledNazivi[0][s]['naziv']);
            objKutija['id NarucenaKutija']=i+1;
            objKutija['ukusi']=nizNaziva;
            objKutija['kutijaId']=izvucenaKorpa[i]['id_kutija'];
            objKutija['cena']=izvucenaKorpa[i]['cena'];
            objKutija['kolicina']=1;
            objKutija['ukupnaCena']=objKutija['cena']*objKutija['kolicina'];
            objKutija['id_korisnik']=izvucenaKorpa[i]['korisnik'];
            nizObjKutija.push(objKutija);
          if(localStorage.getItem('korpa2') == null ||
localStorage.getItem('korpa2') == []){
            localStorage.setItem('korpa2', JSON.stringify(nizObjKutija));
          var korpa2LS=JSON.parse(localStorage.getItem('korpa2'));
          var ukupnaCenaSvega=0;
            for(var o=0; o< korpa2LS.length;o++){</pre>
            ukupnaCenaSvega+=korpa2LS[o]['ukupnaCena'];
             for(var x=0; x< kutije[0].length;x++){</pre>
              if(kutije[0][x]['id_kutija']==korpa2LS[0]['kutijaId']){
                var kutija=kutije[0][x];
```

```
ispis+=`<div class='row1 flex-md-row flex-column'>
              <div class='cart item info d-flex flex-column '>
              <h5 class='font-linotte' id='nameItem'>${kutija['naziv kutije']}
${kutija['kolicina_kg']*1000}gr:`+ispisiSladoledePoKutiji(korpa2LS[o]['ukusi'])+`
</h5>
              ${korpa2LS[o]['cena']}.00RSD
              <div class='d-flex flex-row justify-content-center align-items-</pre>
center'>
              <div class='item count d-flex' data-</pre>
narK='${korpa2LS[o]['id NarucenaKutija']}'>
                        <span id='minus' >-</span>
                        <input type='number' readonly</pre>
value='${korpa2LS[o]['kolicina']}' class='input_count'>
                        <span id='plus' >+</span>
              </div>
              <div class='total' id='total'>
                      <span class='font-Linotte</pre>
ukCena'>${korpa2LS[o]['ukupnaCena']}</span><span class="font-Linotte">RSD</span>
              </div>
              <div class="delete m-3" id='delete' data-</pre>
del='${korpa2LS[o]['id NarucenaKutija']}'><i class="fas fa-minus-
circle"></i></div>
              </div>
          </div>
           ispis+=`<hr><div class="totalSvega"><h3 class='font-</pre>
Linotte'>${ukupnaCenaSvega}.00RSD</h3></div>
 return ispis;
function ispisiKorpu2(){
  var ispis=`
        <div class='cart_body'>
```

```
<div class='korpa'>
             +dohvatiSladoledePoKutiji()+
           `</div>
        </div>
 return ispis;
function ispisiKategorijeSlad(){
      var kategorije = AjaxCallBack('kategorijeAjax','JSON');
     var ispis='';
     for(var i=0;i <kategorije[0].length;i++){</pre>
       ispis+=`
           category='${kategorije[0][i]['naziv']}'>${[kategorije[0][i]['naziv']]}
       return ispis;
function filtriraj(kliknutaKategorija,SladNiz){
  var SladNiz=document.querySelectorAll('.flavour_content');
 for(var z = 0;z < SladNiz.length;z++){</pre>
   if(kliknutaKategorija != 'SVI SLADOLEDI'){
 if($(SladNiz[z]).data('category') == kliknutaKategorija){
 SladNiz[z].classList.add('vidljivost');
 SladNiz[z].classList.remove('poluvidljivost');
 else{
 SladNiz[z].classList.remove('vidljivost');
```

```
SladNiz[z].classList.add('poluvidljivost');
eLse{
SladNiz[z].classList.add('vidljivost');
SladNiz[z].classList.remove('poluvidljivost');
function IzabranaKutija(kutijaId){
  var kutijaNiz=AjaxCallBack('kutijeAjax','JSON');
  var kutija={};
  for(var k =0; k< kutijaNiz[0].length;k++){</pre>
    if(kutijaNiz[0][k]['id_kutija']==kutijaId){
      kutija=kutijaNiz[0][k];
  return kutija;
function novSlad(niz){
  var niz=document.querySelectorAll('.flavour content');
  for(var y = 0; y < niz.length;y++){</pre>
    var razlika=Math.abs(Date.parse(Date())-
Date.parse(niz[y].children[0].getAttribute('data-date')));
    var razlikaDana=Math.ceil(razlika/(1000*60*60*24));
    if(razlikaDana > 60){
      niz[y].removeChild(niz[y].children[0]);
function ispisiSladolede(niz){
  var kategorije= AjaxCallBack('kategorijeAjax','JSON');
  var listaUkusa=document.getElementById('ukusIspis');
  var ispis='';
  for(var s =0;s<niz[0].length;s++){</pre>
```

```
var nazivKat='';
    for(var k=0;k <kategorije[0].length;k++){</pre>
      if(niz[0][s].kategorija_id == kategorije[0][k].id_kategorija){
          nazivKat= kategorije[0][k].naziv;
    ispis+=`
    <div class="flavour content vidljivost" data-category='${nazivKat}'>
            <div class="novo" data-date="${niz[0][s].datum_izlaska}"></div>
            <img src="../assets/img/${niz[0][s].slika}" class="img-fluid</pre>
slad order" data-sladOrderID="${niz[0][s].id_sladoled}">
        <span class="text-center">${niz[0][s].naziv}</span>
    </div>
    listaUkusa.innerHTML=ispis;
  var sladdNiz=document.querySelectorAll('.flavour content');
  novSlad(sladdNiz);
function dohvatiSladoled(id){
  nizSlad=AjaxCallBack('sladolediAjax','JSON');
 var sladoled={};
 for(var s=0;s <nizSlad[0].length;s++){</pre>
    if(nizSlad[0][s]['id_sladoled']==id){
    sladoled=nizSlad[0][s];
  return sladoled;
var swiper = new Swiper(".clients", {
    slidesPerView: 3,
    spaceBetween: 10,
    loop: true,
```

```
pagination: {
    el: ".swiper-pagination",
    clickable: true,
  breakpoints:{
    0:{
      slidesPerView:1,
    },
    720:{
      slidesPerView:2,
    },
    950:{
      slidesPerView:3,
    },
  },
});
var swiper2 = new Swiper(".categoriesH", {
  slidesPerView: 1,
  spaceBetween: 30,
  loop: true,
  autoplay:{
      delay:0
  speed:8000,
  preventInteractionOnTransition: true,
  pagination: {
    el: ".swiper-pagination",
    clickable: true,
  },
  navigation: {
    nextEl: ".swiper-button-next",
    prevEl: ".swiper-button-prev",
  },
});
var swiper3 = new Swiper(".main_tittle_content", {
  slidersPerView: 1,
  spaceBetween: 30,
  loop: true,
  autoplay:{
    delay:5000
```

```
},
  fadeEffect:{crossFade:true},
  virtualTranslate:true,
  effect:"fade",
});
var swiper4 = new Swiper(".news", {
  slidersPerView: 1,
  spaceBetween: 30,
  loop: true,
  breakpoints:{
    0:{
     slidesPerView:1,
    },
    720:{
     slidesPerView:1,
    },
    993:{
     slidesPerView:4,
    },
  },
  pagination: {
    el: ".swiper-pagination",
    clickable: true,
  },
  navigation: {
    nextEl: ".swiper-button-next",
    prevEl: ".swiper-button-prev",
  },
});
window.onload=function(){
var stranica=window.location.pathname.split("/").pop();
```

```
function AjaxCallBack(fajl,tip){
  var podaci;
  $.ajax({
      async:false,
      url:"../models/"+fajl+'.php',
      type:"GET",
      dataType:tip,
      success:function(data){

      podaci=data;
      },
      error:function(error){
      console.log(error);
      }

  })
  return podaci;
}
```

```
function AjaxCallBackNovosti(fajl,tip,start,limit,kategorija){
  var podaci;
   $.ajax({
          async:false,
          url:"../models/"+fajl+'.php?start='+start+'&limit='+limit+'&category='+
kategorija,
          type:"GET",
          dataType:tip,
          success:function(data){
            podaci=data;
          },
          error:function(error){
            console.log(error);
    return podaci;
 function AjaxForward(fajl,tip,podaciZaSlanje){
 $.ajax({
   async:false,
```

```
url:"../models/"+fajl+'.php',
  type: "POST",
  data:podaciZaSlanje,
  dataType:tip,
  success:function(response){
    console.log(response);
  },
  error:function(error){
    console.log(error);
var modal=document.querySelectorAll('.location');
var map_wrapp=document.getElementById('modal_map');
var map=document.getElementById('map')
var bg_map=document.getElementById('bg_map');
if(stranica == 'locations.php'){
 var mapTilers=L.map('mapTiler').setView([44.81809,20.46272],1);
 var lokacije=AjaxCallBack('lokacijeAjax',"JSON");
  var radno vreme=AjaxCallBack('radnoVremeAjax',"JSON");
  function PopUp(id,niz){
    map_wrapp.classList.remove('d-none');
    map wrapp.classList.add('d-flex');
    mapTilers.invalidateSize()
    mapTilers.flyTo([niz[id][0],[niz[id][1]]],17,{
      duration:0.5
    });
  function PopOut(){
    map_wrapp.classList.remove('d-flex');
    map wrapp.classList.add('d-none');
```

```
var coords=[];
    for(var y=0; y < lokacije[0].length;y++){</pre>
      coords[y]=Array(lokacije[0][y]['latituda'],lokacije[0][y]['longituda']);
     $(map).click(PopOut);
     for(var i=0; i < modal.length; i++) {</pre>
      modal[i].addEventListener('click',function(){
        var ids= ''+$(this).attr('id').match(/[0-9]/)-1;
        PopUp(ids,coords)
      });
     L.tileLayer('https://api.maptiler.com/maps/streets-
v2/{z}/{x}/{y}.png?key=k5vWKT6tHIQDsKUFUVMk',{
      attribution: <a href="https://www.maptiler.com/copyright/"
target="_blank">© MapTiler</a> <a</pre>
href="https://www.openstreetmap.org/copyright" target="_blank">©
OpenStreetMap contributors</a>',
      center:[
        44.81714,
        20.46374
      maxZoom:80,
      tileSize:512,
      zoomOffset:-1,
  }).addTo(mapTilers);
  var cene=['800','1800','1300','1440','1500'];
  mapTilers.setZoom(17)
  var l=coords.length;
```

```
var locations=document.getElementsByClassName('lokacijaJS');
  function OtvorenoZatvoreno(nizL, nizRV){
    var trenutnoVreme=new Date().toLocaleTimeString('en-US',{hour12:false});
   for(var i=0;i < nizL.length;i++){</pre>
      if(nizL[0][i]['id_radno_vreme']==[nizRV[0][i]['id_radno_vreme']]){
        if(trenutnoVreme > nizRV[0][i]['pocetak'] && trenutnoVreme <</pre>
nizRV[0][i]['kraj']){
          return ` <span class="text-success">Otvoreno</span>`
        else{
          return ` <span class="text-danger">Zatvoreno</span>`
 for(let i = 0;i <1;i++){</pre>
    var marker = L.marker(coords[i]).addTo(mapTilers);
    var toollip=L.tooltip({
      permanent:true
    }).setContent(
      `<div class="d-flex flex-column justify-content-center align-items-center">
    <h3 class="tooltipStyle">${lokacije[0][i]['naziv_ulice']+'
'+lokacije[0][i]['broj_ulice']}</h3>
    <a href='#' class="text-decoration-none">${lokacije[0][i]['telefon']}</a>
    <b>Radno
vreme</b>`+vratiRVreme(lokacije,radno_vreme)+``+OtvorenoZatvoreno(lokacije,radno_
vreme)+`
    </div>`);
    marker.bindTooltip(toollip)
    locations[i].addEventListener("click",()=>{
```

```
mapTilers.flyTo(coords[i], 17,{
       animate:true,
       duration:0.5
     });
   })
 var dugmeIzadjiIzMape=document.getElementById('mapaIzlaz');
 dugmeIzadjiIzMape.addEventListener('click',function(){
   PopOut();
 })
  if(stranica == 'flavors.php' ){
   var strela = document.getElementById('arrow');
   var lista=document.getElementById('loc_unselected');
   var klikLokacija=document.getElementsByClassName('lokacija');
   strela.addEventListener('click',function(){
       lista.classList.toggle('d-flex');
       if(strela.style.transform=='rotate(45deg)' || strela.style.transform==
''){
         strela.style.transform='rotate(225deg)';
       else{
         strela.style.transform='rotate(45deg)';
   })
     for(var l=0;l< klikLokacija.length;l++){</pre>
       $(klikLokacija[1]).on('click',function(){
         //promena selektovane lokacije
```

```
var mesto = $(this).attr('data-lokacija');
      var adresa = $(this).attr('data-adresa');
      var idLok=$(this).attr('data-idLok');
      document.getElementById('Town').innerHTML=mesto;
      document.getElementById('address').innerHTML=adresa;
      var podaciZa={
        id:idLok,
        adresaLok:adresa
      AjaxForward('sladProdavnice','JSON',podaciZa);
     var sladoledi= AjaxCallBack('sladProdavnice','JSON');
     ispisiSladolede(sladoledi);
     $('.kategorije').removeClass('activeCategory');
     $("[data-category|='SVI SLADOLEDI']").addClass('activeCategory');
   })
  window.onload=function(){
    var sladZaIspis=AjaxCallBack('sladolediAjax','JSON');
    ispisiSladolede(sladZaIspis);
var kategorije = document.querySelectorAll('.kategorije');
for(var i = 0; i < kategorije.length; i ++){</pre>
  kategorije[i].addEventListener('click',function(){
    var klikKategorija=$(this).attr('data-category');
    filtriraj(klikKategorija,sladZaIspis);
    $('.kategorije').removeClass('activeCategory');
    $(this).addClass('activeCategory');
 })
novSlad(sladZaIspis);
```

```
document.getElementById('Town').innerHTML=$(klikLokacija[1]).attr('data-
lokacija');
        document.getElementById('address').innerHTML=$(klikLokacija[1]).attr('dat
a-adresa');
      if(stranica =='news stranica.php'){
        var brStr=AjaxCallBack('brojStranicaClanakaAjax','JSON');
        var brCl=AjaxCallBack('brojClanakaAjax','JSON');
   function ispisKategorije(nizKat){
    var ispis='';
    for(var i=0; i <nizKat[0].length; i++){</pre>
      ispis+=`<div class="swiper-slide">
      <button class="categorie button" data-</pre>
id='${nizKat[0][i]['id kategorija clanka']}'>${nizKat[0][i]['naziv']}</button>
      </div>`;
    document.getElementById('categoriesArticle').innerHTML=ispis;
   function ispisClanaka(nizClanaka){
    var ispis='';
    var ispis2='';
    for(var i=0; i <nizClanaka[0].length; i++){</pre>
      ispis+=`<a href="news article.php?id=${nizClanaka[0][i]['id clanak']}"</pre>
class="text-decoration-none text-black d-flex justify-content-center justify-
content-sm-start">
      <Div class="news stories m-md-5 d-flex">
         <Div class="news image">
                 <img src="${nizClanaka[0][i]['slika']}">
         </Div>
         <div class="news_info mx-sm-4 d-flex flex-column justify-content-start">
             <h2>${nizClanaka[0][i]['naslov']}</h2>
```

```
<span>${nizClanaka[0][i]['datum'].slice(0,nizClanaka[0][i]['datum'].
lastIndexOf(':'))}</span>
             ${nizClanaka[0][i]['tekst'].substring(0,nizClanaka[0][i]['tekst']
.indexOf('.')+1)}..
         </div>
      </Div>
      </a>`;
     for(var b=0;b<br$str;b++){</pre>
      ispis2+=` <span class="Bungee text-braon paginacijaDugme" data-</pre>
str='${b*3}'>${b+1}</span>`;
   document.getElementById('Novosti').innerHTML=ispis;
   document.getElementById('Paginacija').innerHTML=ispis2;
     var dugmad= document.getElementsByClassName('paginacijaDugme')
    for(var d=0;d< dugmad.length;d++){</pre>
      dugmad[d].addEventListener('click',function(){
        novaStr($(this).attr('data-str'));
      })
function novaStr(start){
  var obj={
    startStr:start
  AjaxForward('ClanciAjax','JSON',obj)
  var niz=AjaxCallBackNovosti('ClanciAjax','JSON',start,3,4);
  console.log(niz);
 ispisClanaka(niz);
   function filtrirajNovosti(klikKat){
          var noviNiz=[[]];
          var nizClanaka=AjaxCallBackNovosti('clanciAjax','JSON',0,3,klikKat);
          for(var n=0;n<nizClanaka[0].length;n++){</pre>
            if(nizClanaka[0][n]['id kategorija']==klikKat){
              noviNiz[0].push(nizClanaka[0][n]);
          if(klikKat == 4){
              noviNiz=AjaxCallBackNovosti('clanciAjax','JSON',0,3,4);
```

```
ispisClanaka(noviNiz);
   if(stranica == 'news_stranica.php'){
     var kategorijeArtikla= AjaxCallBack('kategorijeClanciAjax','JSON');
     var clanci=AjaxCallBackNovosti('clanciAjax','JSON',0,3,4);
      var categories=document.getElementById('categoriesArticle');
      window.onload=function(){
        ispisKategorije(kategorijeArtikla);
        ispisClanaka(clanci);
        var KategorijeButtons=
document.getElementsByClassName('categorie_button');
          for(var i =0;i<KategorijeButtons.length;i++){</pre>
            $(KategorijeButtons[i]).on('click',function(){
            var kliknutaKat=$(this).attr('data-id');
                  filtrirajNovosti(kliknutaKat);
            })
$(document).ready(function () {
        $('#myform').on('submit', function(e) {
          e.preventDefault();
          var ddl=document.getElementsByClassName('pitanja_ddl')
          var obj={
            odgovor1:ddl[0].options[ddl[0].selectedIndex].getAttribute('dataidodg
            odgovor2:ddl[1].options[ddl[1].selectedIndex].getAttribute('dataidodg
```

```
odgovor3:ddl[2].options[ddl[2].selectedIndex].getAttribute('dataidodg
'),
        $.ajax({
            url : 'models/unosOdgovora.php',
            type: "POST",
            data: obj,
            success: function (data) {
                  $("#form output").html(data);
                  setTimeout(function(){$('#form output').fadeOut() },5000)
            },
            error: function (jXHR, textStatus, errorThrown) {
                alert(errorThrown);
        });
   });
});
var praznaPolja;
var regexUlica=/[A-Z][a-z]{3,}$/;
var regexUlicaBroj=/[0-9]{1,}$/;
var regexSpratInterfon=/(^[0-9]{1,},[0-9]{1,}$){1}/;
var podaciZaLS={};
function
PorudzbinaFormaAdrese(kliknutoDugmeTipa,kliknutoDugmeLokacije,nizAdresa,nizVremen
    var gradovi= AjaxCallBack('GradoviAjax','JSON');
    var ispis="";
    var lokacija=$(kliknutoDugmeLokacije).attr('data-city');
    var idGrad;
```

```
for(var y=0;y <gradovi[0].length;y++){</pre>
      if(gradovi[0][y]['naziv']==lokacija){
          idGrad=gradovi[0][y]['id_grad'];
    podaciZaLS['id grad']=idGrad;
    podaciZaLS['ukupnaCena']=0;
    podaciZaLS['id_korisnik']=document.getElementById('user').getAttribute('data-
user');
    var id_korisnika=document.getElementById('user').getAttribute('data-user');
    var korisnik=dohvatiKorisnika(id korisnika);
    podaciZaLS['Ime']=korisnik['Ime'];
    podaciZaLS['Prezime']=korisnik['Prezime'];
    podaciZaLS['Email']=korisnik['Email'];
    podaciZaLS['Telefon']=korisnik['Broj'];
    if($(kliknutoDugmeTipa).attr('data-ot')=="preuzimanje" &&
$(kliknutoDugmeLokacije).attr('data-city') == 'Beograd'){
      for(var y=0;y <gradovi[0].length;y++){</pre>
      for(var i=0;i < nizAdresa[0].length;i++){</pre>
        if(nizAdresa[0][i]['id_grad'] == gradovi[0][y]['id_grad'] &&
gradovi[0][y]['naziv']=="Beograd"){
        ispis+=`<div class="adresses_buttons d-flex flex-column justify-content-
center align-items-center poluvidljivost" data-id="${i}" data-
lok="${nizAdresa[0][i]['id_lokacija']}" data-gradID=${nizAdresa[0][i]['id_grad']}
data-adresa="${nizAdresa[0][i]['naziv_ulice']}">
        <div class="address name">
                <button class="address_button">${nizAdresa[0][i]['naziv_ulice']+'
'+nizAdresa[0][i]['broj ulice']}</button>
        </div>
        <div class="working time">
                `+vratiRVreme(nizAdresa,nizVremena)+`
        </div>
        <div class="check">
        <em class="unchecked">√</em>
        </div>
  </div>`;
```

```
if($(kliknutoDugmeTipa).attr('data-ot')=="preuzimanje" &&
$(kliknutoDugmeLokacije).attr('data-city') == 'Novi Sad'){
     ispis='';
     for(var y=0;y <gradovi[0].length;y++){</pre>
     for(var i=0;i < nizAdresa[0].length;i++){</pre>
       if(nizAdresa[0][i]['id grad'] == gradovi[0][y]['id grad'] &&
gradovi[0][y]['naziv']=="Novi Sad"){
       ispis+=`<div class="adresses buttons d-flex flex-column justify-content-
center align-items-center poluvidljivost" data-id="${i}" data-
lok="${nizAdresa[0][i]['id_lokacija']}">
       <div class="address name">
               <button class="address button" data-</pre>
locID="">${nizAdresa[0][i]['naziv ulice']+'
'+nizAdresa[0][i]['broj ulice']}</button>
       </div>
       <div class="working time">
               `+vratiRVreme(nizAdresa,nizVremena)+`
       </div>
       <div class="check">
       <em class="unchecked">√</em>
       </div>
  </div>`:
   if($(kliknutoDugmeTipa).attr('data-ot')=="dostava"){
     podaciZaLS['id_lokacija']=null;
     ispisForme='';
     ispisForme+=`<form class='order form font-Linotte'>
     <div class='d-flex flex-column justify-content-center align-items-center m-</pre>
2 w-100'>
         <input type="text" name='Ulica' class="input order" placeholder="Ulica"</pre>
id='UlicaOrder'>
         </div>
         <div class='d-flex flex-column justify-content-center align-items-</pre>
center m-2 w-100'>
         <input type="text" name='BrojUlice' class="input_order"</pre>
placeholder="Broj ulice" id='UlicaBrojOrder'>
```

```
</div>
         <div class='d-flex flex-column justify-content-center align-items-</pre>
center m-2 w-100'>
         <input type="text" name='SpratInterfon' class="input order"</pre>
placeholder="Sprat,interfon" id='SpratInterfonOrder'>
         </div>
     </form>`
   if(document.getElementsByClassName('checked').length == 0 ){
     document.getElementById("order step 2").innerHTML=ispis;
   if( $(kliknutoDugmeTipa).attr('data-ot') == 'dostava'){
     document.getElementById("order_step_2").innerHTML=ispisForme;
     var poljaHTML=$('.input_order');
     var polja=Array.from(poljaHTML);
     praznaPolja=polja;
     var inputUlica=document.getElementById('UlicaOrder');
     var inputUlicaBroj=document.getElementById('UlicaBrojOrder');
     var inputSpratInterfon=document.getElementById('SpratInterfonOrder');
     inputUlica.addEventListener('blur',function(){
      if(regexUlica.test(inputUlica.value.trim()) ){
       var indexZaBrisanje=praznaPolja.lastIndexOf($(this)[0]);
       if(indexZaBrisanje != -1){
         praznaPolja.splice(indexZaBrisanje,1);
       document.getElementById('porukaErrorUlica').innerHTML='';
       podaciZaLS['ulica']=$(this).val();
      else{
       if(!praznaPolja.includes($(this)[0])){
         praznaPolja.push($(this)[0]);
       document.getElementById('porukaErrorUlica').innerHTML='Ime ulice ne sme
sadrzati broj';
```

```
inputUlicaBroj.addEventListener('blur',function(){
        if(regexUlicaBroj.test(inputUlicaBroj.value) ){
          var indexZaBrisanje=praznaPolja.lastIndexOf($(this)[0]);
          if(indexZaBrisanje != -1){
            praznaPolja.splice(indexZaBrisanje,1);
          document.getElementById('porukaErrorBrojUlice').innerHTML='';
          podaciZaLS['broj']=$(this).val();
      eLse{
        if(!praznaPolja.includes($(this)[0])){
          praznaPolja.push($(this)[0]);
          document.getElementById('')
        document.getElementById('porukaErrorBrojUlice').innerHTML='Morate uneti
ispravan broj ulice';
      })
      inputSpratInterfon.addEventListener('blur',function(){
        if(regexSpratInterfon.test(inputSpratInterfon.value) ){
          var indexZaBrisanje=praznaPolja.lastIndexOf($(this)[0]);
          if(indexZaBrisanje != -1){
            praznaPolja.splice(indexZaBrisanje,1);
          document.getElementById('porukaErrorSpratInterfon').innerHTML='';
          var vrednost=$(this).val();
          podaciZaLS['sprat']=vrednost.substring(0, vrednost.indexOf(","));
          podaciZaLS['interfon']=vrednost.split(',').pop();
      else{
   if(!praznaPolja.includes($(this)[0])){
          praznaPolja.push($(this)[0]);//porukaErrorUlica
```

```
document.getElementById('porukaErrorSpratInterfon').innerHTML='Morate
uneti sprat i br. interfona';
     })
function cekirajAdresu(kliknutaAdresa,ostaleAdrese){
   if($(kliknutaAdresa).children('.check').children('').hasClass('unchecked')){
   for(var z=0;z < ostaleAdrese.length;z++){</pre>
      $(ostaleAdrese[z]).children('.check').children('.checked').removeClass('che
cked');
      $(ostaleAdrese[z]).children('.check').children().addClass('unchecked');
      $(ostaleAdrese[z]).addClass('poluvidljivost');
    $(kliknutaAdresa).children('.check').children('.unchecked').addClass('checked
');
    $(kliknutaAdresa).children('.check').children('.unchecked').removeClass('unch
   $(kliknutaAdresa).removeClass('poluvidljivost');
   dohvatiIdLok(kliknutaAdresa);
function dohvatiIdLok(SelektovanaLokacija){
    var lokacije=AjaxCallBack('lokacijeAjax','JSON');
    var adresa={};
    for(var 1 = 0; 1 < lokacije[0].length;l++){</pre>
            if(lokacije[0][1]['id_lokacija']==SelektovanaLokacija.attr('data-
lok')){
              adresa=lokacije[0][1];
```

```
localStorage.setItem('adresa', JSON.stringify(adresa));
       podaciZaLS['id_lokacija']=adresa['id_lokacija'];
    return adresa;
if(stranica == "order.php"){
  function ispisiOstatakDana(){
        const datum=new Date();
        const dan=datum.getDay();
        const sat=datum.getHours();
        var ispis="";
        switch(dan){
          case 0: ispis=`<option value="1">Ponedeljak</option><option</pre>
value="2">Utorak</option><option value="3">Sreda</option><option
value="4">Cetvrtak</option><option value='5'>Petak</option><option
value="6">Subota</option><option value="0">Nedelja</option>`;
          case 1: ispis=`<option value="1">Ponedeljak</option><option</pre>
value="2">Utorak</option><option value="3">Sreda</option><option
value="4">Cetvrtak</option><option value='5'>Petak</option><option
value="6">Subota</option><option value="0">Nedelja</option>`;
          break
          case 2: ispis=`<option value="2">Utorak</option><option</pre>
value="3">Sreda</option><option value="4">Cetvrtak</option><option
value='5'>Petak</option><option value="6">Subota</option><option
value="0">Nedelja</option>`;
          case 3: ispis=`<option value="3">Sreda</option><option</pre>
value="4">Cetvrtak</option><option value='5'>Petak</option><option</pre>
value="6">Subota</option><option value="0">Nedelja</option>`;
          break
          case 4: ispis=`<option value="4">Cetvrtak</option><option</pre>
value='5'>Petak</option><option value="6">Subota</option><option
value="0">Nedelja</option>`;
          break
          case 5: ispis=`<option value='5'>Petak</option><option</pre>
value="6">Subota</option><option value="0">Nedelja</option>`;
          break
          case 6: ispis=`<option value="6">Subota</option><option</pre>
value="0">Nedelja</option>`;
```

```
break
    return ispis;
function ispisiMinimumSati(izabranDan){
 var ispis=`<option value='0'>Izaberite vreme</option>`;
 var pocetak;
 var limit;
 var trenutniDan=new Date().getDay();
 var trenutnoSati=new Date().getHours();
  if(trenutniDan == izabranDan){
    if(new Date().getHours() < 10){</pre>
      pocetak=10*60;
    else{
     if(new Date().getMinutes() < 30){</pre>
     pocetak=new Date().getHours()*60+30;
    else{
      pocetak=new Date().getHours()*60+60;
    limit = 22*60;
 else{
     pocetak=10*60;
    limit=22*60;
  console.log(izabranDan);
 var sat=new Date().getHours();
 var hours, minutes, ampm;
 for(var i = pocetak; i <= limit; i += 30){</pre>
      hours = Math.floor(i / 60);
      minutes = i % 60;
      if (minutes < 10){</pre>
          minutes = '0' + minutes; // adding leading zero
```

```
ampm = hours % 24 < 12 ? 'AM' : 'PM';
     hours = hours % 12;
      if (hours === 0){
          hours = 12;
   if(izabranDan !='Izaberite dan'){
     ispis+=`<option value='${i}'>${hours}:${minutes}:${ampm}</option>`
  else{
   ispis='<option value="Izaberite vreme">Izaberite vreme</option>';
document.getElementById('vreme').innerHTML=ispis;
function ispisiNarudzbinu(){
 var id_korisnika=document.getElementById('user').getAttribute('data-user');
 var korisnik=dohvatiKorisnika(id_korisnika);
console.log(korisnik);
 var podaciNarudzbine=JSON.parse(localStorage.getItem('orderInfo'));
 var adresa=JSON.parse(localStorage.getItem('adresa'));
 var gradovi=AjaxCallBack('GradoviAjax','JSON');
 for(var g=0; g< gradovi[0].length;g++){</pre>
        if(gradovi[0][g]['id_grad']==podaciNarudzbine['id_grad']){
          var grad=gradovi[0][g];
 function ispisiAdresu(){
   var ispis="";
   if(podaciNarudzbine['tip Porudzbine']==1){
        ispis=`${podaciNarudzbine['ulica']} ${podaciNarudzbine['broj']}`;
   if(podaciNarudzbine['tip_Porudzbine']==2){
          ispis=`${adresa['naziv_ulice']} ${adresa['broj_ulice']}`;
```

```
return ispis;
    function ispisiTipPorudzbine(){
      ispis="";
      if(podaciNarudzbine['tip_Porudzbine']==1){
        ispis="dostava"
      if(podaciNarudzbine['tip_Porudzbine']==2){
        ispis="preuzimanje"
      return ispis;
    var ispis=`<div class='order info'>
            <div class='d-flex flex-column flex-md-row justify-content-center</pre>
align-items-start'>
                   <div class="order location info d-flex flex-column justify-</pre>
content-center align-items-center m-3">
                     <img src="../assets/img/ice_cream_cart.png" width="110"</pre>
height="100">
                     <div class="d-flex flex-column justify-content-center align-</pre>
items-center ">
                         <h4 class='font-Linotte
order type'>`+ispisiTipPorudzbine()+`</h4>
                         <span class='Bungee order town'>${grad['naziv']}</span>
                         <span class='font-Linotte</pre>
order street'>`+ispisiAdresu()+`</span>
                         <hr class='w-100'>
                     </div>
                   </div>
                   <div class="order_items_form m-3" ><div id='order_items'>`
                     +ispisiKorpu2()+
                 `</div>
                 <div class="orderFinal form w-100">
                       <form class="d-flex flex-column -justify-content-center"</pre>
align-items-center ">
                       <div class="d-flex flex-md-row flex-column justify-content-</pre>
center align-items-center">
                       <label>Izaberite</label>
                       <select class='inputFinaleForm' id="dan" name='dan'>
                       <option>Izaberite dan</option>
                       ${ispisiOstatakDana()}
                       </select>
                       <select class='inputFinaleForm' id='vreme' name='vreme'>
                       <option>Izaberite vreme</option>
```

```
</select>
                  </div>
                  <input type="text" name="ImePrezime"</pre>
class='inputFinaleForm' placeholder="Ime i prezime" value='${korisnik['Ime'] }
${korisnik['Prezime']}' id='ImePrezimePorudzbina'>
                  <input type="email" name="email" class='inputFinaleForm'</pre>
value="${korisnik['Email'] }" placeholder="Email">
                  <input type="text" name="Telefon" class='inputFinaleForm'</pre>
value="${korisnik['Broj'] }" placeholder="Telefon">
                  <select class="inputFinaleForm" name="NacinPlacanja">
                  <option value="0">Nacin placanja</option>
                    <option value="1">Karticom</option>
                    <option value="2">pouzećem</option>
                  </select>
                  <textarea class="inputFinaleForm" placeholder="Napomena"
name='Napomena' rows='7'></textarea>
                 <div class="dugme"><button id="kreirajPorudzbinu"</pre>
type="button">Završi porudžbinu</button></div>
                  </form >
             </div>
               </div>
          </div>
   </div>`; //action="../models/napraviNarudzbinu.php" method="POST"
   document.getElementById('order body').innerHTML=ispis;
   var kolicinaInput=document.getElementsByClassName('item_count');
   for(var k=0;k<kolicinaInput.length;k++){</pre>
    $(kolicinaInput[k]).children('#plus').on('click',function(){
     var korpa2=JSON.parse(localStorage.getItem('korpa2'));
     povecajKol2($(this).parent().attr('data-nark'));
     })
    $(kolicinaInput[k]).children('#minus').on('click',function(){
```

```
smanjiKol2($(this).parent().attr('data-nark'));
    })
    var dugmeObrisi=document.getElementsByClassName('delete');
    for(var d=0;d<dugmeObrisi.length;d++){</pre>
     $(dugmeObrisi[d]).on('click',function(){
        izbrisi2($(this).attr('data-del'));
     })
   var DanDDL=document.getElementById('dan');
   DanDDL.addEventListener('change',function(){
     ispisiMinimumSati(DanDDL.value);
   })
   var regexTelefon=/[\+]?[(]?[0-9]{3}[)]?[-\s\.]?[0-9]{3}[-\s\.]?[0-9]{4,6}/
   var regexEmail=/^[\w-\.]+@([\w-]+\.)+[\w-]{2,4}$/
   var regexImePrezime=/^[A-Z][a-z]{2,}\s[A-Z][a-z]{2,}
   var finalnaForma=document.getElementsByClassName('inputFinaleForm');
   var finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
   var novOrderInfo={};
  for(var f=0; f< finalnaForma.length;f++){</pre>
        finalnaForma[f].addEventListener('change',function(){
          console.log();
          if($(this).attr('name') == 'ImePrezime' &&
regexImePrezime.test($(this).val())){
            var fullIme=$(this).val().split(' ');
            var ime=fullIme[∅];
            var prezime=fullIme[fullIme.length-1];
            novOrderInfo['Email']=finalnaFormaLS['Email'];
            novOrderInfo['Ime']=ime;
            novOrderInfo['Prezime']=prezime;
            novOrderInfo['Telefon']=finalnaFormaLS['Telefon'];
            novOrderInfo['broj']=finalnaFormaLS['broj'];
            novOrderInfo['id grad']=finalnaFormaLS['id grad'];
            novOrderInfo['id_korisnik']=finalnaFormaLS['id_korisnik'];
            novOrderInfo['interfon']=finalnaFormaLS['interfon'];
            novOrderInfo['sprat']=finalnaFormaLS['sprat'];
            novOrderInfo['tip Porudzbine']=finalnaFormaLS['tip Porudzbine'];
            novOrderInfo['ulica']=finalnaFormaLS['ulica'];
            novOrderInfo['id lokacija']=finalnaFormaLS['id lokacija'];
            novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
            localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
```

```
finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
          if($(this).attr('name') == 'email' && regexEmail.test($(this).val())){
            var NovEmail=$(this).val();
            novOrderInfo['Email']=NovEmail;
            novOrderInfo['Ime']=finalnaFormaLS['Ime'];
            novOrderInfo['Prezime']=finalnaFormaLS['Prezime'];
            novOrderInfo['Telefon']=finalnaFormaLS['Telefon'];
            novOrderInfo['broj']=finalnaFormaLS['broj'];
            novOrderInfo['id_grad']=finalnaFormaLS['id_grad'];
            novOrderInfo['id korisnik']=finalnaFormaLS['id korisnik'];
            novOrderInfo['interfon']=finalnaFormaLS['interfon'];
            novOrderInfo['sprat']=finalnaFormaLS['sprat'];
            novOrderInfo['tip_Porudzbine']=finalnaFormaLS['tip_Porudzbine'];
            novOrderInfo['ulica']=finalnaFormaLS['ulica'];
            novOrderInfo['id lokacija']=finalnaFormaLS['id lokacija'];
            novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
            localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
            finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
          if($(this).attr('name') == 'Telefon' &&
regexTelefon.test($(this).val())){
            var NovTelefon=$(this).val();
            novOrderInfo['Email']=finalnaFormaLS['Email'];
            novOrderInfo['Ime']=finalnaFormaLS['Ime'];
            novOrderInfo['Prezime']=finalnaFormaLS['Prezime'];
            novOrderInfo['Telefon']=NovTelefon;
            novOrderInfo['broj']=finalnaFormaLS['broj'];
            novOrderInfo['id grad']=finalnaFormaLS['id grad'];
            novOrderInfo['id_korisnik']=finalnaFormaLS['id_korisnik'];
            novOrderInfo['interfon']=finalnaFormaLS['interfon'];
            novOrderInfo['sprat']=finalnaFormaLS['sprat'];
            novOrderInfo['tip_Porudzbine']=finalnaFormaLS['tip_Porudzbine'];
            novOrderInfo['ulica']=finalnaFormaLS['ulica'];
            novOrderInfo['id lokacija']=finalnaFormaLS['id lokacija'];
            novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
            localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
            finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
```

```
if($(this).attr('name') == 'NacinPlacanja' && $(this).val() != 0 ){
  var nacin Placanja=$(this).val();
  console.log(nacin Placanja);
 novOrderInfo['Email']=finalnaFormaLS['Email'];
 novOrderInfo['Ime']=finalnaFormaLS['Ime'];
  novOrderInfo['Prezime']=finalnaFormaLS['Prezime'];
  novOrderInfo['Telefon']=finalnaFormaLS['Telefon'];
  novOrderInfo['broj']=finalnaFormaLS['broj'];
  novOrderInfo['id grad']=finalnaFormaLS['id grad'];
  novOrderInfo['id korisnik']=finalnaFormaLS['id korisnik'];
  novOrderInfo['interfon']=finalnaFormaLS['interfon'];
 novOrderInfo['sprat']=finalnaFormaLS['sprat'];
  novOrderInfo['tip_Porudzbine']=finalnaFormaLS['tip_Porudzbine'];
  novOrderInfo['ulica']=finalnaFormaLS['ulica'];
  novOrderInfo['nacin_Placanja']=nacin_Placanja;
 novOrderInfo['id_lokacija']=finalnaFormaLS['id_lokacija'];
  novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
  localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
  finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
if($(this).attr('name') == 'NacinPlacanja' ){
 var nacin Placanja=$(this).val();
  novOrderInfo['Email']=finalnaFormaLS['Email'];
  novOrderInfo['Ime']=finalnaFormaLS['Ime'];
  novOrderInfo['Prezime']=finalnaFormaLS['Prezime'];
 novOrderInfo['Telefon']=finalnaFormaLS['Telefon'];
  novOrderInfo['broj']=finalnaFormaLS['broj'];
 novOrderInfo['id_grad']=finalnaFormaLS['id_grad'];
  novOrderInfo['id korisnik']=finalnaFormaLS['id korisnik'];
  novOrderInfo['interfon']=finalnaFormaLS['interfon'];
  novOrderInfo['sprat']=finalnaFormaLS['sprat'];
  novOrderInfo['tip Porudzbine']=finalnaFormaLS['tip Porudzbine'];
  novOrderInfo['ulica']=finalnaFormaLS['ulica'];
 if(nacin Placanja !=0){
  novOrderInfo['nacin Placanja']=nacin Placanja;
 document.getElementById('FinalPlacanjeGreska').innerHTML='';
else{
 novOrderInfo['nacin Placanja']=0;
```

```
document.getElementById('FinalPlacanjeGreska').innerHTML='Morate
izabrati način plaćanja';
            novOrderInfo['id lokacija']=finalnaFormaLS['id lokacija'];
            novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
            localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
            finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
          if($(this).attr('name') == 'Napomena'){
            var napomena=$(this).val();
            novOrderInfo['Email']=finalnaFormaLS['Email'];
            novOrderInfo['Ime']=finalnaFormaLS['Ime'];
            novOrderInfo['Prezime']=finalnaFormaLS['Prezime'];
            novOrderInfo['Telefon']=finalnaFormaLS['Telefon'];
            novOrderInfo['broj']=finalnaFormaLS['broj'];
            novOrderInfo['id_grad']=finalnaFormaLS['id_grad'];
            novOrderInfo['id korisnik']=finalnaFormaLS['id korisnik'];
            novOrderInfo['interfon']=finalnaFormaLS['interfon'];
            novOrderInfo['sprat']=finalnaFormaLS['sprat'];
            novOrderInfo['tip_Porudzbine']=finalnaFormaLS['tip_Porudzbine'];
            novOrderInfo['ulica']=finalnaFormaLS['ulica'];
            novOrderInfo['nacin Placanja']=finalnaFormaLS['nacin Placanja'];
            novOrderInfo['napomena']=napomena;
            novOrderInfo['id lokacija']=finalnaFormaLS['id lokacija'];
            novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
            localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
            finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
          if($(this).attr('name') == 'dan'){
            var dan=$(this).val();
            console.log(dan);
            novOrderInfo['Email']=finalnaFormaLS['Email'];
            novOrderInfo['Ime']=finalnaFormaLS['Ime'];
            novOrderInfo['Prezime']=finalnaFormaLS['Prezime'];
            novOrderInfo['Telefon']=finalnaFormaLS['Telefon'];
            novOrderInfo['broj']=finalnaFormaLS['broj'];
            novOrderInfo['id grad']=finalnaFormaLS['id grad'];
            novOrderInfo['id korisnik']=finalnaFormaLS['id korisnik'];
            novOrderInfo['interfon']=finalnaFormaLS['interfon'];
            novOrderInfo['sprat']=finalnaFormaLS['sprat'];
            novOrderInfo['tip Porudzbine']=finalnaFormaLS['tip Porudzbine'];
```

```
novOrderInfo['ulica']=finalnaFormaLS['ulica'];
            novOrderInfo['nacin_Placanja']=finalnaFormaLS['nacin_Placanja'];
            novOrderInfo['napomena']=finalnaFormaLS['napomena'];
            novOrderInfo['id lokacija']=finalnaFormaLS['id lokacija'];
            if(dan != 'Izaberite dan' ){
              novOrderInfo['dan']=dan;
              document.getElementById('danGreska').innerHTML='';
           else{
            novOrderInfo['dan']=null;
            novOrderInfo['vreme']=null;
            document.getElementById('danGreska').innerHTML='Morate uneti ispravan
dan';
            novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
            localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
            finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
          if($(this).attr('name') == 'vreme'){
            var vreme=$(this).val();
            console.log(vreme);
            novOrderInfo['Email']=finalnaFormaLS['Email'];
            novOrderInfo['Ime']=finalnaFormaLS['Ime'];
            novOrderInfo['Prezime']=finalnaFormaLS['Prezime'];
            novOrderInfo['Telefon']=finalnaFormaLS['Telefon'];
            novOrderInfo['broj']=finalnaFormaLS['broj'];
            novOrderInfo['id grad']=finalnaFormaLS['id grad'];
            novOrderInfo['id korisnik']=finalnaFormaLS['id korisnik'];
            novOrderInfo['interfon']=finalnaFormaLS['interfon'];
            novOrderInfo['sprat']=finalnaFormaLS['sprat'];
            novOrderInfo['tip Porudzbine']=finalnaFormaLS['tip Porudzbine'];
            novOrderInfo['ulica']=finalnaFormaLS['ulica'];
            novOrderInfo['nacin Placanja']=finalnaFormaLS['nacin Placanja'];
            novOrderInfo['napomena']=finalnaFormaLS['napomena'];
            novOrderInfo['dan']=finalnaFormaLS['dan'];
            novOrderInfo['id_lokacija']=finalnaFormaLS['id_lokacija'];
            if(vreme != ∅){
              novOrderInfo['vreme']=vreme;
              document.getElementById('VremeGreska').innerHTML='';
           else{
           novOrderInfo['vreme']=null;
```

```
document.getElementById('VremeGreska').innerHTML='Morate uneti
ispravno vreme';
            novOrderInfo['ukupnaCena']=finalnaFormaLS['ukupnaCena'];
            localStorage.setItem('orderInfo', JSON.stringify(novOrderInfo));
            finalnaFormaLS=JSON.parse(localStorage.getItem('orderInfo'));
        })
var id;
 window.onload=function(){
    localStorage.removeItem('korpa');
    localStorage.removeItem('korpa2');
    localStorage.removeItem('orderInfo');
    localStorage.removeItem('adresa');
   id=document.getElementById('user').getAttribute('data-User');
  var Adrese = AjaxCallBack('lokacijeAjax','JSON');
  var RadnoV = AjaxCallBack('radnoVremeAjax','JSON');
  var kliknut1;
  var kliknut2;
  var tipDostave;
  var kliknutaAdresa;
    var dugmeDostava = document.getElementsByClassName('order type button');
   for(var i=0;i < dugmeDostava.length;i++){</pre>
      dugmeDostava[i].addEventListener('click',function(){
        localStorage.removeItem('adresa');
        $(".order type button").removeClass('aktivnoDugmeOrder');
        $(this).addClass("aktivnoDugmeOrder");
        tipDostave=$(this).attr('data-otid');
       podaciZaLS['tip_Porudzbine']=tipDostave;
       podaciZaLS['ulica']='';
        kliknut1=$(this);
        if(kliknut1 !=null && kliknut2 != null){
        PorudzbinaFormaAdrese(kliknut1,kliknut2,Adrese,RadnoV);
```

```
var adrese = document.querySelectorAll('.adresses buttons');
        for(var z=0;z <adrese.length;z++){</pre>
          adrese[z].addEventListener('click',function(){
            var trenutnaAdresa=$(this);
            var ostaleAdrese=Array.from(adrese).filter(x=> x.getAttribute('data-
id') != trenutnaAdresa.attr('data-id'));
          cekirajAdresu($(this), ostaleAdrese);
          kliknutaAdresa=$(this)
          })
      })
    var dugmeLokacije = document.getElementsByClassName('location order button');
    for(var y=0;y < dugmeLokacije.length;y++){</pre>
      dugmeLokacije[y].addEventListener('click',function(){
        kliknut2=$(this);
        if(kliknut1 !=null && kliknut2 != null){
          document.getElementById('order step 2').innerHTML='';
          PorudzbinaFormaAdrese(kliknut1,kliknut2,Adrese,RadnoV);
          var adrese = document.querySelectorAll('.adresses buttons');
        for(var z=0;z <adrese.length;z++){</pre>
          adrese[z].addEventListener('click',function(){
            var trenutnaAdresa=$(this);
            var ostaleAdrese=Array.from(adrese).filter(x=> x.getAttribute('data-
id') != trenutnaAdresa.attr('data-id'));
            var podaciZa={
              id:trenutnaAdresa.attr('data-gradID'),
              adresaLok:trenutnaAdresa.attr('data-adresa')
           AjaxForward('sladProdavnice','JSON',podaciZa);
          cekirajAdresu($(this),ostaleAdrese);
          })
```

```
})
  var dugmeLokacija = document.getElementsByClassName('location order button');
    var adresa=JSON.parse(localStorage.getItem('adresa'));
    for(var i=0;i < dugmeLokacija.length;i++){</pre>
      dugmeLokacija[i].addEventListener('click',function(){
        $(".location order button").removeClass('aktivnoDugmeOrder');
        $(this).addClass("aktivnoDugmeOrder");
      })
    var dugmeKutija = document.getElementById('step3 button');
    var kutije = AjaxCallBack('kutijeAjax','JSON');
    function ispisiKutije(){
      var ispis=` <div class="boxes d-flex flex-column justify-content center"</pre>
align-items-center">
      <h3 class="Bungee">Izaberite pakovanje sladoleda</h3>
      <div class="collection boxes d-flex flex-row justify-content-center align-</pre>
items-center">`;
      for(var k=0;k<kutije[0].length;k++){</pre>
        ispis+=`
        <div class="box_info d-flex flex-column justify-content-center align-</pre>
items-center" data-id='${kutije[0][k]['id_kutija']}'>
        <img src="../assets/img/kutijaSlad.png">
        <span>${kutije[0][k]['kolicina kg']}KG</span>
        ${kutije[0][k]['cena']}rsd
        </div>
      ispis+=`
      </div><div class="dugme korpa m-4" >
      <button class="button_order" id="step4_button">Izaberite sladoled</button>
  </div>
  </div>
  if(podaciZaLS != {}){
    localStorage.setItem('orderInfo', JSON.stringify(podaciZaLS));
```

```
return ispis;
    dugmeKutija.addEventListener('click',function(){
      if(document.getElementsByClassName('checked').length !=0 || praznaPolja ==
0){
      document.getElementById('order_body').innerHTML=
          ispisiKutije()
      var izabranaKutija;
      function obelezenaKutija(klikKutija){
        idKutije=$(klikKutija).attr('data-id');
        izabranaKutija=IzabranaKutija(idKutije);
        $('.box_info').removeClass('box_info_kliknuta');
        $(klikKutija).addClass('box info kliknuta');
       var kutijaInfo=document.getElementsByClassName('box info');
      for(var k=0;k<kutijaInfo.length;k++){</pre>
           kutijaInfo[k].addEventListener('click',function(){
               obelezenaKutija($(this));
           })
  var dugmeSladoledi=document.getElementById('step4_button');
  var putaKlik=0;
  var NizNarucenihSladoleda=[];
  var NizKutija=[];
  function ispisiPonuduSladoleda(nizSlad,izKutija,){
    putaKlik=0;
    if(nizSlad==undefined){
        nizSlad=AjaxCallBack('sladolediAjax','JSON');
   var kolicina max=izKutija['kolicina ukusa'];
```

```
document.getElementById('order body').innerHTML=`
   <div class="flavours section">
   <div class="flavours order">
   <button class="flavors_backBtn" id="flavors_back_btn" >Odustani
   <div class="kutija d-flex justify-content-center align-items-center flex-md-</pre>
row flex-column" id="cart_info_order">
   <div class="d-flex flex-row justify-content-center align-items-center">
         <div class="kutija_info d-flex flex-column justify-content-center"</pre>
align-items-center">
            <span class="font-Linotte">${izKutija['kolicina kg']*1000}gr</span>
            <small class="font-Linotte">${izKutija['cena']} RSD</small>
         </div>
         <div class="kutija_kolicina">
            <div class="input_kutija" id="kutija_sadrzaj">
            </div>
        </div>
         </div>
         <div class="dugme korpa">
            <button id="dodajKorpa">Dodaj u korpu</button>
         <div id="poruka max slad" data-errMessage=''></div>
   </div>
   <hr>>
</div>
<div class="flavors categories">
     `+ispisiKategorijeSlad()+`
     </div>
 <div class="flavours list">
     <!--IspisAJAX-->
     </div>
```

```
</div>
</div>
    if(kolicina_max ==4){
        document.getElementById('kutija sadrzaj').style.width="200px";
    var dugmeUkusiNarudzbinaNazad=document.getElementById('flavors back btn');
    dugmeUkusiNarudzbinaNazad.addEventListener('click',function(){
      localStorage.removeItem('korpa');
      localStorage.removeItem('korpa2');
      localStorage.removeItem('orderInfo');
      localStorage.removeItem('adresa');
          window.location.reload();
    })
    ispisiSladolede(nizSlad);
    console.log(nizSlad);
    var kategorijeHTML=document.querySelectorAll('.kategorije');
    var kategorijeSladOrder=Array.from(kategorijeHTML);
    for(var k=0; k < kategorijeSladOrder.length;k++){</pre>
      kategorijeSladOrder[k].addEventListener('click',function(){
        filtriraj($(this).attr('data-category'),nizSlad);
      })
    $('.slad_order').on('click', function_() {
      var kutija kolicina=document.getElementById('kutija sadrzaj');
      var maks kolicina=izabranaKutija['kolicina ukusa'];
       var idNarucenog=$(this).attr('data-sladOrderID');
      if(putaKlik ==maks kolicina){
           $('#poruka_max_slad').attr('data-errMessage', Ne mozete uneti vise od
${maks_kolicina} ukusa`);
           $("#poruka max slad").show().delay(3000).fadeOut();
      if($('#kutija_sadrzaj').children('.item_box').length < maks_kolicina &&</pre>
putaKlik <maks_kolicina && $('#kutija_sadrzaj') !=null &&</pre>
$(this).parent('.flavour content').hasClass('vidljivost')){
```

```
putaKlik+=1;
      var slika=$(this).parent('.flavour_content').find("img").eq(0)[0].src;
       var cart = $('.input_kutija');
       var imgtodrag = $(this).parent('.flavour_content').find("img").eq(0);
       if (imgtodrag) {
           var imgclone = imgtodrag.clone()
               .offset({
               top: imgtodrag.offset().top,
               left: imgtodrag.offset().left
           })
               .css({
                'opacity': '0.8',
                    'position': 'absolute',
                    'height': '150px',
                    'width': '150px',
                    'z-index': '100'
           })
                .appendTo($('body'))
                .animate({
                'top': cart.offset().top + 10,
                    'left': cart.offset().left + 50,
                    'width': 75,
                    'height': 75
           }, 1000, 'easeInOutExpo');
           imgclone.animate({
                'width': 0,
                    'height': 0
           }, function () {
             if(maks_kolicina ==4){
               document.getElementById('kutija sadrzaj').innerHTML+=`<div</pre>
class="item box d-flex flex-column" style="max-width:20% !important"><img</pre>
src="${slika}" data-sladID='${idNarucenog}'><button class="del" data-</pre>
Rem='${idNarucenog}'>x</button></div>`;
             if(maks kolicina == 3){
               document.getElementById('kutija_sadrzaj').innerHTML+=`<div</pre>
class="item box d-flex flex-column"><img src="${slika}" ><button class="del"
data-Rem='${idNarucenog}'>x</button></div>`;
```

```
$(this).detach()
               var
itemsUKorpi=Array.from(document.getElementsByClassName('del'));
               NizNarucenihSladoleda.push(dohvatiSladoled(idNarucenog));
   for(var i=0; i <itemsUKorpi.length;i++){</pre>
     itemsUKorpi[i].addEventListener('click',function(){
       $(this).parent().remove();
       putaKlik-=1;
       var index= NizNarucenihSladoleda.findIndex(x=>x['id sladoled'] ==
$(this).attr('data-Rem'));
       NizNarucenihSladoleda.splice(index,1);
     })
           });
  });
  var objNarUkusa={};
  var nizIdUkusa=[];
  var brojac=1;
      function dodajuKorpu(){
        var maks_kolicina=izabranaKutija['kolicina_ukusa'];
        objNarUkusa={};
        if(NizNarucenihSladoleda.length ==maks_kolicina){
          for(var i=0; i< NizNarucenihSladoleda.length;i++){</pre>
              objNarUkusa["id_ukus"+i]=NizNarucenihSladoleda[i]['id_sladoled']
          objNarUkusa['id_kutija']=izabranaKutija['id_kutija'];
```

```
objNarUkusa['id NarucenaKutija']=brojac;
          objNarUkusa['cena']=izabranaKutija['cena'];
          objNarUkusa['korisnik']=document.getElementById('user').getAttribute('d
ata-user');
          objNarUkusa['kolicina']=1;
          nizIdUkusa.push(objNarUkusa);
          NizKutija.push(NizNarucenihSladoleda);
          NizNarucenihSladoleda=[];
          this.localStorage.setItem('korpa', JSON.stringify(nizIdUkusa));
          korpaLocal=localStorage.getItem('korpa');
          document.getElementById('cart info order').innerHTML=`
          <button class="order_button" id="ponovna_kupovina">nastavite
kupovinu</button>
          <button class="order_button" id="porudzbina_kraj">zavrsite
porudzbinu</button>`
    else{
      $('#poruka_max_slad').attr('data-errMessage', morate uneti bar
${maks kolicina} ukusa`);
      $("#poruka_max_slad").show().delay(3000).fadeOut();
    brojac++
      function ponovnaKupovina(){
        document.getElementById('order body').innerHTML=ispisiKutije();
    var kutijaInfo=document.getElementsByClassName('box info');
       for(var k=0;k<kutijaInfo.length;k++){</pre>
           kutijaInfo[k].addEventListener('click',function(){
               obelezenaKutija($(this));
           })
```

```
function dohvatiKutije(){
        var nizKutija=[];
              var izvucenaKorpa=JSON.parse(localStorage.getItem('korpa'));
              var kutije=AjaxCallBack('kutijeAjax','JSON');
             for(var i=0;i < izvucenaKorpa.length;i++){</pre>
              nizNaziva=[];
              for(const [key,value] of Object.entries(izvucenaKorpa[i])){
                if(key.startsWith('id_kutija')){
                  for(var s=0;s<kutije[0].length;s++){</pre>
                        if(value == kutije[0][s]['id_kutija']){
                          nizKutija.push(kutije[0][s]);
              return nizKutija;
      function porucivanje(){
        var sladoledi = AjaxCallBack('sladProdavnice','JSON');
ispisiPonuduSladoleda(sladoledi,izabranaKutija);
var dugme=document.getElementById('dodajKorpa');
dugme.addEventListener('click',function(){
```

```
dodajuKorpu();
      var ponKup=document.getElementById('ponovna_kupovina');
 ponKup.addEventListener('click',function(){
    ponovnaKupovina();
   document.getElementById('step4_button').addEventListener('click',function(){
      porucivanje();
   })
  });
 var zavrsiKupovinu=document.getElementById('porudzbina_kraj');
  zavrsiKupovinu.addEventListener('click',function(){
    ispisiKorpu();
 });
})
 dugmeSladoledi.addEventListener('click',function(){
  porucivanje();
 });
   })
```

CSS

Style.css

```
*{
    margin: 0;
    padding: 0;
```

```
.navbar{
   position: relative;
    z-index: 3;
.user{
   position: absolute;
    top: 5%;
   right: 5%;
.navbar-nav li{
   font-size: 1rem !important;
.main_tittle_home{
    position: relative;
   width: 100%;
.main_tittle_home .img_banner{
   z-index: 1;
   width: 100%;
   height: 100%;
   position: absolute;
   top: 0;
    left: 0;
table{
   width: 100%;
th{
        color: #972c0f;
.tabelaPorudzbine td{
   padding: 10px;
   background-color: #f2c883;
    color: #972c0f;
    font-weight: bold;
.informacije{
   margin-bottom: 40px;
.imeDostave_linija{
```

```
color: #972c0f;
    opacity: 1;
    border: 3px solid #972c0f;
    margin: 0 !important;
.tabelaPoruciocInfo span{
        font-family: 'Linotte';
tr{
.borderPorudzbina{
   border-bottom: 6px solid #fff;
.datum_kreiranja_porudzbine{
    font-family: 'Linotte';
    padding: 10px;
.red{
    background-color: #f2c883;
   margin: 10px;
.celija{
   width: 10%;
   text-align: center;
.celija p,img{
   color: #fff;
.text-braon{
    color: #972c0f !important;
.footer_text ul li{
   font-size: 1.2vw ;
.main_tittle_home .naslov{
    z-index: 1;
   min-height: 20rem;
```

```
.poruciteDugme{
  text-decoration: none;
   height: fit-content;
   margin: 10px;
   position: absolute;
   width: 130px;
   text-align: center;
   font-size: 20px;
   padding: 20px 0 10px 0;
   background-color: #7a3e27;
 border-bottom-left-radius: 10px;
 border-bottom-right-radius:10px;
   right: 10%;
   top: -3%;
.poruciteDugme2{
   text-decoration: none;
    height: fit-content;
    margin: 10px;
    position: absolute;
    width: 130px;
    text-align: center;
    font-size: 20px;
    padding: 20px 0 10px 0;
    background-color: #7a3e27;
  border-bottom-left-radius: 10px;
  border-bottom-right-radius:10px;
    right: 10%;
    top: 93%;
.main_tittle_content{
   z-index: 3 !important;
```

```
.swiper-button-next::after{
    color: #972c0f;
.swiper-button-prev::after{
    color: #972c0f;
.main tittle{
    width: 100%;
            height: fit-content;
            position: relative;
            background-image:url("../img/banner2.jpg");
            background-repeat: no-repeat;
            background-size: cover;
            background-position:center;
           padding: 100px;
.main_tittle::before{
    content:'';
    position:absolute;
    top:0;
    left:0;
    width: 100%;
    height: 24px;
    z-index: 3;
    background: linear-gradient(-135deg, #ffff 12px, transparent 0%), linear-
gradient(135deg,#fff 12px,transparent 0%);
    background-size: 24px;
.main_tittle::after{
    content:'';
    position:absolute;
    bottom:0;
    left:0;
    width: 100%;
    height: 24px;
    z-index: 3;
    background: linear-gradient(-45deg,#fff 12px,transparent 0%), linear-
gradient(45deg,#fff 12px,transparent 0%);
    background-size: 24px;
.img_banner {
    position: relative;
.spikes upper {
```

```
position: relative;
.spikes_down {
    position: relative;
.spikes_upper::before{
   content:'';
    position:absolute;
    top:0;
    left:0;
   width: 100%;
    height: 24px;
    z-index: 3;
    background: linear-gradient(-135deg,#ffff 12px,transparent 0%), linear-
gradient(135deg,#fff 12px,transparent 0%);
    background-size: 24px;
  .spikes_down::after{
   content:'';
    position:absolute;
   bottom:0;
    left:0;
   width: 100%;
   height: 24px;
    z-index: 3;
    background: linear-gradient(-45deg,#fff 12px,transparent 0%), linear-
gradient(45deg,#fff 12px,transparent 0%);
    background-size: 24px;
.body_wrapper{
    border-right: 3px solid #a52a2a;
    border-left: 3px solid brown;
    box-shadow: 0 0 12px ;
    position: relative;
@keyframes bounce-background {
    from {
        background-position:inherit;
    100% {
```

```
background-position: bottom;
    to{
        background-position: bottom;
@font-face {
    font-family: "RetroDay";
    src: url("../fonts/Retroday.otf");
@font-face {
    font-family: "Linotte";
    src: url("../fonts/LinotteRegular.otf");
.nav-item:hover{
   font:bold;
    color: #a15537;
   transition: 1s;
.naslov_h2{
   font-family: 'Bungee', sans-serif;
    font-size: 3em !important;
    color: #fff;
.text-box h4{
   font-family: 'Bungee', sans-serif;
    color: #972c0f;
.naslov_h3{
   font-size:3rem;
.naslov_p{
   font-family: "Linotte";
    font-size: 1.1vw !important;
    color: #fff;
.linija{
    opacity: 1 !important;
size{
```

```
width: 40px;
   text-align: center;
.products{
   width: 33%;
.product wrap{
   padding-left: 20%;
   padding-right: 20%;
.size:hover:first-child{
   background-color: rgb(248, 163, 7);
   transition: 0.3s;
.size:hover:nth-child(2){
   background-color: rgb(205, 131, 215);
   transition: 0.3s;
.size:hover:nth-child(3){
   background-color: rgb(0, 105, 252);
   transition: 0.3s;
.font-Linotte{
   font-family: "Linotte" !important;
.font-Patrick{
   font-family: 'Patrick Hand', cursive !important;
.font-RetroDay{
   font-family: "RetroDay";
.wrapperCategorieH{
   height: 20em;
.swiper-wrapper{
   transition-timing-function: linear;
.categoriesH{
   display: flex;
   overflow: hidden;
   max-width: 1500px;
   width: 100%;
```

```
margin: auto;
   align-items: center;
.main_tittle_content{
   display: flex;
   overflow: hidden;
   width: 100%;
   margin: auto;
   align-items: center;
.categorieHome{
   padding: 10px;
   background-color: #972c0f;
   border-radius: 50%;
   height: 150px;
   width: 180px;
   align-items: center;
   justify-content: center;
   display: flex;
.slajder{
   width: 100%;
   height: fit-content !important;
.img-block{
   margin: 10px;
.img-block img{
   height: auto;
   width: 100%;
.button{
   padding: 10px 20px;
   margin: 10px;
   border: 3px solid #972c0f;
   color: #f5a217;
.button:hover{
   background-color: #f5a217;
```

```
color: #fff;
   transition: .1s;
.news{
   color:#972c0f;
.location{
   color: #972c0f;
   cursor: pointer;
.img_block_location_home img{
   height: auto;
   width: 80%;
.card-img-top{
   min-height: 250px;
   max-height: 250px;
   max-width: 150px;
   display: flex;
   justify-content: center;
   align-items: center;
   margin: auto;
.products{
   transition: 0.5s;
.products:hover{
   transform: scale(110%);
   transition: 0.5s;
   cursor: pointer;
   color: #972c0f;
.List li{
      font-size: 1.1vw;
       font-weight: bold;
       width: fit-content;
       font-family: "Linotte";
       padding: 10px;
.dot{
   padding: 8px;
   margin: 10px;
```

```
border-radius: 50%;
   max-width: 3px;
   max-height: 3px;
   background-color: #bc8462;
.odgovor{
   display: flex;
   flex-direction: column;
.text-pitanje{
   color:#f5a217;
   font-size: 2rem;
   font-weight: bold;
.pitanje{
   width: 50%;
.pitanja_forma input[type=submit]{
   padding: 10px;
   background-color: #fff;
.pitanja_forma input[type=submit]:hover{
   padding: 10px;
   background-color: #f5a217;
.text-pitanje2{
   color: #9c4444;
   font-size: 2rem;
   font-weight: bold;
.text-pitanje3{
   color: #cf7521 ;
   font-size: 2rem;
   font-weight: bold;
.radio_input{
   display: none;
.radio__radio{
   width: 20px;
```

```
height: 20px;
    padding: 2px;
    border: 1px solid grey;
    border-radius: 50%;
    margin: auto 0;
    margin-right: 4px;
.radio__radio::after{
   content: "";
   width: 100%;
   height: 100%;
   display: block;
background: #cf7521;
   border-radius: 50%;
   transform: scale(∅);
    transition: 0.15s;
h3{
   color:#972c0f;
h2{
    color:#972c0f;
h1{
    color:#972c0f;
.radio_input:checked + .radio__radio::after{
   transform: scale(1) !important;
   transition: 0.15s;
.text-block-about p,li{
    font-size:0.90vw;
.clients{
    display: flex;
```

```
overflow: hidden;
 max-width: 1500px;
 width: 100%;
 margin: auto;
 align-items: center;
.swiper-slide{
   display: flex;
   align-items: center;
   justify-content: center;
.client_container{
   background-color: white !important;
   box-shadow: 0 0 3px 0;
   border-radius: 10px;
   text-align: center;
   margin: 20px;
.client_container:nth-child(1){
.swiper-slide:nth-child(1) .client_container .bg{
   background-color: #9c4444 !important;
.swiper-slide:nth-child(1) .client_container .wave_wrapp{
   background-color: #9c4444 !important;
   margin-top: -1px;
.client_container:nth-child(3){
.swiper-slide:nth-child(3) .client_container .bg{
   background-color: #f5a217 !important;
   margin-top:-1px;
```

```
.swiper-slide:nth-child(3) .client_container .wave_wrapp{
   background-color: #f5a217 !important;
.client_info{
   padding: 30px;
   margin-top: -115px;
   position: relative;
   z-index: 3;
.wave_wrapp{
   transform: rotate(180deg);
   border-top-right-radius:10px;
   border-top-left-radius:10px;
   margin-top:0px;
   background-color:#f2c883 ;
.bg{
   background-color: #f2c883;
   border-top-right-radius: 10px;
   border-top-left-radius: 10px;
   height: 40px;
   width: 100%;
.wave_wrapp2{
   margin-top: -30%;
   position: relative;
.wave2{
   color:white
.wave{
   transform: scaleY(0.5);
.client_picture{
   border-radius: 50%;
   width: 100px;
   height: 100px;
.client underline{
   background-color: black;
   opacity: 1 !important;
   padding: 1px;
   border: 1px solid black;
```

```
border-radius: 5px !important;
.footer_wrap{
    margin-top: 100px;
.firstLayer{
    background-color: #c06e4e;
    font-family: 'Bungee', sans-serif;
    font-size: 5vw;
    align-items: center;
   display: flex;
    justify-content: center;
    color:#a15537;
.Bungee{
    font-family: 'Bungee', sans-serif;
.secondLayer{
   background-color:#a15537 ;
    position: relative;
.sign_up {
    color: rgba(0,0,0,.55);
.sign_up:hover {
    color: #7a3e27;
.secondLayer::before{
   content:'';
   position:absolute;
   top:0;
   left:0;
   width: 100%;
    height: 24px;
    background: linear-gradient(-135deg,#c06e4e 12px,transparent 0%), linear-
gradient(135deg,#c06e4e 12px,transparent 0%);
    background-size: 24px;
  .secondLayer h4{
    font-weight: bold;
    font-size: 1.5vw;
 .secondLayer ul li{
```

```
list-style: none;
 padding: 0;
.Lok_nav_footer{
 text-decoration: none;
 color: #fff !important;
.tittle location{
 font-family: 'Bungee', sans-serif;
 margin: 20px;
 height: 100%;
.contact_section{
 height: 700px;
 margin: auto 0 auto 0;
.tittle_location{
 min-width: 225px;
.categorie_button{
 outline: none;
 border: 2px solid #f2c883;
 background-color: #fff !important;
 margin: 20px;
 font-size: 1em;
 border-radius: 50px;
 padding: 10px;
 min-width: 150px;
 font-family: 'Bungee', sans-serif;
 color: #972c0f;
.categorie_button:hover{
 border:2px solid #f5a217;
 transition: 0.5s;
.news{
 margin: 0 !important;
.news_stories{
 cursor: pointer;
```

```
.news_stories_home{
 cursor: pointer;
 max-width: 550px;
.news_image img{
 width: 275px;
 height: 275px;
 border-radius: 15px;
.news_image_home img{
 width: 100%;
 height: 400px;
 border-radius: 15px;
.news_info_home{
 width: 100%;
.news_info h2{
 font-family: 'Bungee', sans-serif;
 font-size: 2rem;
 max-width: 90%;
.news_info_home h2{
 font-family: 'Bungee', sans-serif;
 font-size: 1.6vw;
.news_info_home p{
 font-family: 'Linotte', sans-serif;
.news_info span{
 font-family: 'Linotte';
 margin: 10px;
.article_image img{
 width: fit-content !important;
.social_media a {
 font-size: 1.5em;
 border-radius: 50%;
 border: 1px solid #972c0f;
```

```
padding: 0.5rem;
 .social media a i{
   width: 1.25rem;
   height: 1.25rem;
   margin: auto;
   color: #972c0f;
   text-align: center;
   display: flex;
   justify-content: center;
   align-items: center;
.article wrapp{
   max-width: 600px;
   .timeline{
       position: relative;
       max-width: 100%;
       margin:100px auto;
       width: 100%;
   .container_ab_us{
       padding: 10px 50px;
       position: relative;
       width: 50%;
     animation: movedown 1s linear forwards;
     opacity: 0;
   @keyframes movedown {
       0%{
           opacity: 1;
           transform: translateY(-30px);
           position: relative;
           z-index: 3;
           transition: .5s;
       100%{
           opacity: 1;
           transform: translateY(0px);
           position: relative;
```

```
z-index: 3;
        transition: .5s ease-in;
.container_ab_us:nth-child(1){
    animation-delay: 0s;
.container_ab_us:nth-child(2){
    animation-delay: 1.5s;
.container_ab_us:nth-child(3){
    animation-delay: 3s;
.container_ab_us:nth-child(4){
    animation-delay: 4.5s;
.circle{
   position: absolute;
    border-radius: 50%;
    background-color: #fff;
    border:2px solid #cf7521;
   width: 60px;
    height: 60px;
    top:32px;
    z-index:10;
    display: flex;
    justify-content: center;
    align-items: center;
.circle img{
    width: 50px;
   height: 50px;
.left-container .circle{
    right:-30px;
.right-container .circle{
    left:-30px
.text-box{
   padding:20px 30px;
```

```
background: #fff;
     position: relative;
     border-radius: 6px;
     font-size: 0.75vw;
 .left-container{
     left:0;
 .left-container h2{
     font-family: 'Bungee', sans-serif;
 .right-container{
     left: 50%;
.slika_autor img{
border-radius: 50%;
border: 3px solid #a15537;
height: auto;
width: 250px;
.text autor ul{
border: 3px solid #7a3e27;
.text_autor ul li{
border-bottom: 3px solid #7a3e27;
font-family: 'Linotte';
font-size: 15px;
.text_autor ul li span{
font-weight: bold;
color: #7a3e27;
.text_autor ul li:nth-last-child(1){
border-bottom:none !important;
 .right-container h2{
     font-family: 'Bungee', sans-serif;
 .timeline::after{
    content: '';
```

```
position: absolute;
    width: 6px;
    height: 100%;
    background: #fff;
    border-right: 2px solid #cf7521;
    border-left: 2px solid #cf7521;
    top: 0;
    left:50%;
    margin-left: -3px;
    z-index: 1;
    animation: moveline 6s linear forwards;
@keyframes moveline{
    0%{
        height: 0;
    100%{
        height: 100%;
.left-container-arrow{
    height: 0;
    width: 0;
    position: absolute;
    top: 28px;
    z-index: 1;
    border-top: 15px solid transparent;
    border-bottom: 15px solid transparent;
    border-left: 15px solid rgb(255, 255, 255);
    right: -15px;
.right-container-arrow{
    height: 0;
    width: 0;
    position: absolute;
    top: 28px;
    z-index: 1;
    border-top: 15px solid transparent;
    border-bottom: 15px solid transparent;
    border-right: 15px solid rgb(255, 255, 255);
    left: -15px;
.flavors_categories ul li{
        margin: 0.5em;
        font-family: 'Linotte';
```

```
font-size: 1rem;
         background-color: #f5a217;
         color: #972c0f;
         font-weight: bold;
         padding: 3px 6px;
         border-radius: 5px;
 .activeCategory{
     background-color: #bc8462 !important;
     color: #fff !important;
 .aktivnoDugmeOrder{
    background-color: #bc8462 !important;
    color: #fff !important;
    border: 2px solid #bc8462 !important;
.porudzbineLink{
position: absolute;
left: 0;
top: 0;
color: #7a3e27;
.vidljivost{
opacity: 1;
transition: 0.3s;
.poluvidljivost{
opacity: 0.2;
transition: 0.3s;
.flavours_location{
    display: flex;
justify-content: center;
flex-direction: column;
align-items: center;
position: relative;
 .flavours_location hr{
    margin-bottom: 0 !important;
 .flavour_content{
    position: relative;
 .novo::before{
    content: 'Novo!';
```

```
font-size: 0.7rem;
    position: absolute;
    font-family: 'Linotte';
   border-radius: 50%;
   top: 0;
   right: 20%;
   padding: 10px;
   background-color: #c06e4e;
   color: #fff;
.input kutija{
   width: 160px;
   height: 60px;
   border: 2px solid #7a3e27;
   border-radius: 40px;
   display: flex;
   justify-content: center;
   align-items: center;
.nemaPorudzbina{
   height: 10em;
   display: flex;
   justify-content: center;
   align-items: center;
.input_kutija .item_box{
   max-width: 30%;
.kutija_kolicina{
   position: relative;
#poruka max slad{
   display: none;
   #poruka_max_slad::after{
   content: attr(data-errMessage);
   padding: 10px;
   background-color: rgb(136, 41, 41);
   position: absolute;
 margin-left: auto;
 margin-right: auto;
 left: 0;
```

```
right: 0;
  border-radius: 10px;
  text-align: center;
  font-family: 'Linotte';
  color: #fff;
  width: 250px;
.dugme_korpa button{
    padding: 10px;
    border: 3px solid #7a3e27;
    background-color: #fff;
    color: #7a3e27;
    font-family: 'Bungee';
    margin: 10px;
.dugme button{
    padding: 10px;
    border: 3px solid #7a3e27;
    background-color: #fff;
    color: #7a3e27;
    font-family: 'Bungee';
   margin: 10px;
.dugme button:active{
    background-color: #bc8462;
    color: #fff;
    border: 3px solid #bc8462;
.order_button{
        padding: 10px;
        border: 3px solid #7a3e27;
        background-color: #fff;
        color: #7a3e27;
        font-family: 'Bungee';
       margin: 10px;
.flavours_location hr{
    border: 2px solid #f5a217;
   width: 100%;
   opacity: 1;
    margin-top: -4px;
.box info{
```

```
margin: 50px;
    border: 3px solid #7a3e27;
    padding: 20px;
    transition: .1s ease-in-out;
    cursor: pointer;
.box_info img{
   width: 80px;
   height: auto;
.box_info span{
   width: 60px;
   text-align: center;
    background-color: #7a3e27;
    font-family: "Linotte";
    font-weight: bold;
    color: #fff;
.box_info p{
    text-align: center;
    font-family: "Linotte";
.box_info:hover{
    transform:scale(110%);
.box_info_kliknuta{
    background-color: #bc8462;
    color: #fff;
.flavors_backBtn{
    background-color: #882929;
    padding: 10px;
    border: none;
    color: #fff;
    font-family: 'Bungee';
    margin: 10px;
    border: 3px solid #882929;
```

```
align-items: center;
.flavors backBtn:active{
    background-color: #fff;
    color: #882929;
.item_box{
    position: relative;
.del{
  display: flex;
   justify-content: center;
   align-items: center;
   border: none;
   position: absolute;
   bottom: 0;
    right: 50%;
   left: 50%;
    background-color: #882929;
    border-radius: 50%;
   width: 20px;
    height: 20px;
    transform: translate(-50%,0);
    text-align: center;
    color: #fff;
.flavours_order hr{
    border: 2px solid #f5a217;
   width: 100%;
    opacity: 1;
.text-flavours{
   display: flex;
    flex-direction: column;
    justify-content: center;
   align-items: center;
   width: 70%;
```

```
.flavours-intro{
     display: flex;
     flex-direction: column;
     justify-content: center;
     align-items: center;
  .flavours-intro span{
     font-weight: bold;
     color: #c06e4e;
 .Salsa{
     font-family: 'Salsa', cursive;
  .MarckScript{
     font-family: 'Marck Script', cursive;
 .underTittle{
     font-size: 1.6vw;
     font-weight: bold;
     color: #a15537;
.button flavours{
 display: flex;
 justify-content: center;
 flex-direction: row;
 align-items: center;
 padding: 20px 0;
 min-width: 380px;
 max-width: 380px;
 border: 3px solid #f5a217;
 position:relative;
.list-unselected{
 display: none;
 justify-content: center;
 flex-direction: row;
 align-items: center;
 padding: 20px;
 min-width: 380px;
 max-width: 380px;
 border: 3px solid #f5a217;
 border-top: none;
```

```
position: absolute;
   bottom: 0;
  transform: translate(0,100%);
   z-index: 300;
   background-color: #fff;
 .list-unselected ul li{
   font-size: 0.9rem;
   cursor: pointer;
 .flavors_categories ul{
   display: flex;
 flex-wrap: wrap;
 justify-content: center;
 .flavors_categories ul li{
   max-width: 200px;
   text-align: center;
 .locationSelected{
   color: #972c0f;
.flavours_list ul{
   margin: 10px auto;
   display: grid;
   grid-template-columns: repeat(auto-fill,minmax(16rem, 1fr));
.flavours_list ul li{
   flex:20%;
   margin:10px 0;
 .flavour_content{
   display: flex;
   flex-direction: column;
   justify-content: center;
   align-items: center;
 .flavour_content img{
   width: 70%;
 .flavour_content span{
```

```
font-family: 'Linotte';
 max-width:20rem;
.flavour_content span:hover{
     color: #972c0f;
     transition: .5s;
     cursor: pointer;
.arrow{
 border:solid #972c0f;
 border-width: 0 3px 3px 0;
 padding: 6px;
 transform: rotate(45deg);
 float: right;
 cursor: pointer;
 position: absolute;
 right: 10%;
 transition: 0.3s;
.kategorije{
 cursor: pointer;
.delivery_block {
 position: relative;
 display: flex;
 height: fit-content !important;
 width: 100%;
 padding: 20px;
 z-index: 31 !important;
 background-color: #f2c883;
.delivery_wrapp{
 margin: 20px auto;
.delivery_block::before{
 content:'';
 position:absolute;
 top:0;
 left:0;
 width: 100%;
```

```
height: 24px;
    background: linear-gradient(-135deg, #ffff 12px, transparent 0%), linear-
gradient(135deg,#fff 12px,transparent 0%);
    background-size: 24px;
  .delivery_block::after{
   content:'';
   position:absolute;
    bottom:0;
    left:0;
    width: 100%;
    height: 24px;
    background: linear-gradient(-45deg,#ffff 12px,transparent 0%), linear-
gradient(45deg,#fff 12px,transparent 0%);
    background-size: 24px;
  .img_cart_block{
   margin: 10px;
  .deliver_link_block span{
   color: #c06e4e;
    font-size: 2vw;
  .deliver_link_block p{
    color: #fff;
    font-size: 0.9vw;
  .cenovnik naslov{
    position: relative;
   height: 10rem;
   background-color: #c06e4e;
  .cenovnik naslov::after{
   content:'';
   position:absolute;
   bottom:0;
    left:0;
   width: 100%;
    height: 24px;
    background: linear-gradient(-45deg,#ffff 12px,transparent 0%), linear-
gradient(45deg,#fff 12px,transparent 0%);
```

```
background-size: 24px;
  .cenovnik_naslov::before{
   content:'';
   position:absolute;
   top:0;
   left:0;
   width: 100%;
   height: 24px;
   background: linear-gradient(-135deg,#ffff 12px,transparent 0%), linear-
gradient(135deg,#fff 12px,transparent 0%);
   background-size: 24px;
  .naslov_cenovnik{
   font-size: 5vw;
 .cene{
   text-align: start;
  .cenovnik_red{
   width: fit-content;
   margin: auto;
  .naziv_artikal_cenovnik h4{
   color: #9c4444;
   font-weight: bold;
  .naziv_artikal_cenovnik span{
   color: #9c4444;
   font-weight: bold;
   font-family: 'Patrick Hand', cursive !important;
   font-size: 25px;
  .about_us_line{
   border-top: 2px solid #cf7521;
   border-bottom: 2px solid #cf7521;
   padding: 1px;
   width: 75%;
   margin: auto;
   opacity: 1;
```

```
.order_stage1 form label{
  font-family: 'Linotte';
.order_stage1 form input{
  outline: none;
  border-bottom:2px solid #a52a2a;
  border-top: none;
  border-left: none;
  border-right: none;
.order step2{
  display: flex;
  flex-wrap: wrap;
.register_button{
  background-color: #a52a2a;
   color: #fff;
  padding: 10px;
.login button{
  background-color: #a52a2a;
   color: #fff;
  padding: 10px;
.register_button:hover{
  background-color: #fff;
  color: #a52a2a;
  outline: 3px solid #a52a2a;
   cursor: pointer;
  transition: 0.1s;
.login_button:hover{
  background-color: #fff;
  color: #a52a2a;
```

```
outline: 3px solid #a52a2a;
   border-bottom: none;
   cursor: pointer;
   transition: 0.1s;
.step-wizard{
   height:100vh;
   position: absolute;
   left: 10%;
   display: flex;
   justify-content: center;
   align-items: center;
.step-wizard-list{
   background: #fff;
   box-shadow: 0 15px 25px rgba(0,0,0,0.1);
   color: #333;
   list-style-type: none;
   border-radius: 10px;
   display: flex;
   flex-direction: column;
   padding: 20px 10px;
   position: relative;
   z-index: 10;
.step wizard-item{
   padding: 0 20px;
   flex-basis: 0;
   -webkit-box-flex:1;
   -ms-flex-positive:1;
   flex-grow:1;
   max-width: 100%;
   display: flex;
   flex-direction: column;
   text-align: center;
   min-width: 170px;
   position: relative;
.step_wizard-item + .step_wizard-item:after{
   content:"";
   position:absolute;
   left:50%;
```

```
top:19px;
   background: #21d4fd;
   width: 80%;
   height: 2px;
   transform: translateX(-50%) rotate(90deg);
   z-index: -10;
.step_wizard-item:nth-last-child(1):after{
   content: "";
   width: 0% !important;
.progress-count{
   height: 40px;
   width:40px;
   display: flex;
   align-items:center;
   justify-content: center;
   border-radius: 50%;
   font-weight: 600;
   margin: 0 auto;
   position: relative;
   z-index:10;
   color:transparent;
.progress-count:after{
   content:"";
   height: 40px;
   width: 40px;
   background: #21d4fd;
   position: absolute;
   left:50%;
   top:50%;
   transform: translate(-50%,-50%);
   border-radius: 50%;
   z-index: -10;
.progress-count:before{
   content:"";
   height:10px;
   width: 20px;
   border-left:2px solid #fff;
   border-bottom:2px solid #fff;
   position: absolute;
   left:50%;
```

```
top: 50%;
   transform: translate(-50%,-60%) rotate(-45deg);
   transform-origin: center center;
.progress-label{
   font-size: 14px;
   font-weight: 600;
   margin-top: 10px;
.current-item .progress-count:before,
.current-item ~ .step_wizard-item .progress-count:before{
   display: none;
.current-item ~ .step_wizard-item .progress-count:after{
   height: 10px;
   width: 10px;
.current-item ~ .step wizard-item .progress-label{
   opacity: 0.5;
.current-item .progress-count:after{
   background: #fff;
   border:2px solid #21d4fd;
.current-item .progress-count:after{
   background: #fff;
   border: 2px solid #21d4fd;
.current-item .progress-count{
   color: #21d4fd;
.location_map_list{
   background-color: #fff;
   padding: 20px;
.modal_wrapp{
   z-index: 5;
   position: fixed;
   top: 50%;
   left: 50%;
   transform: translate(-50%,-50%);
```

```
.bg_modal{
    width: 100%;
   height: 100%;
    position: fixed;
    z-index: 6;
    background-color: rgba(19, 19, 19, 0.259);
.pop{
   z-index: 9;
.Google_map{
   width: 60vw;
   height: 80vh;
   position: relative;
#mapTiler{
    position: absolute;
    height: 100%;
   width: 100%;
.tooltipStyle{
    font-size: 0.8rem;
    color: black;
.location_map_list ul{
    list-style-type:none;
    display: flex;
   justify-content: center;
    align-items: start;
    flex-direction: column;
    font-family: 'linotte';
.location_map_list h2{
    cursor: pointer;
.location_map_list ul li{
   font-size: 1rem ;
    cursor: pointer;
.pitanja_ddl{
   border-radius: 10px;
   border: 3px solid #a15537;
  padding: 10px;
```

```
outline: none;
   color: #a15537;
   font-weight: bold;
   font-family: 'Linotte';
   transition: 0.5s;
.pitanja_ddl option{
   font-weight: bold;
   transition: 0.5s;
.pitanja ddl option:hover{
   background-color: #7a3e27;
   color: #fff;
   transition: 0.5s;
.obavestenje_pitanje{
   background-color: #fff;
   border: 3px solid #972c0f;
   font-family: 'Linotte';
.obavestenje pitanje p{
   text-decoration: underline;
   text-decoration-color: #a15537;
   text-decoration-thickness: 10%;
.order_bg{
   margin: auto;
.location_order button{
       min-width: 150px;
       padding: 5px 10px;
       border: 2px solid #7a3e27;
       font-family: 'Bungee';
       background-color: #fff;
       color: #7a3e27;
       cursor: pointer;
.order_step2{
   margin: 10px;
```

```
min-height: 20rem;
.order_type button{
   min-width: 150px;
   padding: 5px 10px;
   border: 2px solid #7a3e27;
  font-family: 'Bungee';
  background-color: #fff;
  color: #7a3e27;
  cursor: pointer;
.adresses_buttons{
   margin: 10px;
   min-width: fit-content;
.address_button{
   padding: 0 10px;
   background-color: #7a3e27;
   border: 2px solid #7a3e27;
   color: #fff;
   font-family: 'Linotte';
.adresses_buttons{
   flex:30%;
   cursor: pointer;
.pagination Numbers span{
   border: 1px solid #f5a217;
   border-radius: 50%;
   padding: 10px 15px;
   margin: 10px;
   text-align: center;
.working_time{
   font-family: 'Linotte';
.check em{
   color: #fff !important;
   line-height: 1em;
```

```
font-family: 'Bungee';
   border: 2px solid #7a3e27;
   border-radius: 50%;
   text-align: center;
   font-style: normal;
.check{
   display: flex;
   justify-content: center;
   align-items: center;
   border-radius: 50%;
   width: 20px;
   height: 20px;
   position: relative;
   border: 3px solid #7a3e27;
   padding: 5px;
   box-sizing: border-box;
.unchecked{
       background-color: #fff;
       opacity: 0;
.checked{
   background-color: #7a3e27;
   opacity: 1;
.collection_boxes{
   flex-wrap: wrap;
.boxes h3{
   text-align: center;
.order_form{
   display: flex;
   justify-content: center;
   align-items: center;
   height: fit-content;
   width: fit-content;
   margin: auto;
.input order{
```

```
border: 2px solid #7a3e27;
   margin: 10px;
   width: 100%;
   padding: 0.5rem;
   outline: none;
.order_button_wrapper_1 hr{
   height: 3px;
   border: 2px solid;
   opacity: 1;
   color: #7a3e27;
.button_order{
   border: 3px solid #7a3e27 ;
   background-color: #fff;
   outline: none;
   color: #7a3e27;
   font-family: 'Bungee';
   padding: 10px;
.button_order:active{
   border: 3px solid #bc8462 ;
   background-color: #bc8462;
   color: #fff;
.porudzbinaUspeh{
   height: 20em;
   color: #972c0f;
.order_flavors_categories_list{
   justify-content: start !important;
.order_flavors_categories_list li{
   padding: 10px !important;
.order_flavors_list{
   cursor: pointer !important;
.novosti bg{
   background-image: url("../img/novosti2.jpg") !important;
.Lokacije_bg{
   background-image: url('../img/Pozadina.jpg');
```

```
background-position: center;
   background-size: cover;
   background-repeat: no-repeat;
.cene_bg{
   background-image: url('../img/cene_bg.jpg') !important;
   background-position: center;
   background-size: cover;
   background-repeat: no-repeat;
.about_us_bg{
   background-image: url("../img/about us bg.jpg") !important;
.cart body{
   height: fit-content;
   max-width: 500px;
   display: flex;
   flex-direction: column;
   justify-content: center;
   align-items: center;
   margin: auto;
   margin-top: 2em;
   margin-bottom: 2em;
.korpa{
   width: 100%;
  height: 100%;
.row1{
   display: flex;
  flex-direction: row;
  justify-content: space-between;
  align-items: center;
.row1 #minus,#plus{
   font-weight: bold;
   color: #7a3e27;
   font-size: 20px;
.row1 .cart_item_info h5{
           font-family: 'Linotte';
.row1 .cart_item_info p{
   font-family: 'Linotte';
   color: #7a3e27;
```

```
.row1 .delete{
        color: #7a3e27;
        cursor: pointer;
.item count input{
   width: 30px;
   text-align: center;
   border: none;
    -webkit-appearance: none;
.item_count span{
    cursor: pointer;
input::-webkit-inner-spin-button{
    -webkit-appearance: none;
.korpa hr{
        opacity: 1;
        border: 3px solid #7a3e27;
        color: #7a3e27 !important;
        border-radius: 10px;
.input_count{
   outline: none;
    border: none;
.inputFinaleForm{
   width: 100%;
   margin: 10px;
   border: 3px solid #7a3e27;
   padding: 5px;
    font-family: 'Linotte';
   border-radius: 5px;
   outline: none;
textarea{
resize: none;
#vreme .ddlContent{
   max-height: 200px;
   overflow-y: hidden;
```

```
.order_town{
   font-size: 40px;
    color: #972c0f;
.order_street{
   font-size: 20px;
@media(max-width:300px){
    .news_info h2{
        font-size: 6vw !important;
    .flavours_list ul{
        grid-template-columns: repeat(auto-fill,minmax(6rem, 2fr)) !important;
@media(max-width:320px){
    .cart_item_info h5{
        font-size: 5vw;
    .order_bg{
       flex-direction: column !important;
        text-align: center;
@media(max-width:450px){
    .nemaPorudzbina{
        font-size: 20px !important;
    .img_block_location_home img{
       height: auto;
       width: 100%;
    .flavour_content img{
        width: 100%;
    .Google_map{
       width: 90vw;
       height: 70vh;
    .naziv_artikal_cenovnik h4{
```

```
font-size: 5vw;
.naziv_artikal_cenovnik i{
    font-size: 4vw;
.naziv_artikal_cenovnik span{
    font-size: 5vw;
.intro_about_us .underTittle{
    font-size: 10vw;
.footer_text ul li{
   font-size: 4vw ;
.flavour_content::before{
    font-size: 4vw;
.news_info h2{
    font-size: 1.3em !important;
.news_stories{
    width: 90%;
   margin: auto;
.news_image img{
   width: 100%;
   height: 300px;
   margin: auto;
.news_image_home img{
   width: 100%;
   height: 300px;
    border-radius: 15px;
.deliver_link_block p{
    font-size: 5vw ;
    text-align: center;
```

```
.naslov_p{
       color: #000;
      width:75%;
       font-size: 4vw !important;
       margin-bottom: 2rem;
   .underTittle{
       font-size: 5vw !important;
   .naslov{
       min-height:14rem !important;
   .button_flavours{
       min-width: 80%;
   .list-unselected{
       min-width: 80%;
   .flavours list ul{
       grid-template-columns: repeat(auto-fill,minmax(9rem, 2fr));
@media(max-width:500px){
   .locations info wrapp{
       display: flex;
       flex-direction: column;
       justify-content: center;
       align-items: center;
       text-align: center;
   .locations_info_location_wrapp{
       display: flex;
       flex-direction: column;
       justify-content: center;
       align-items: center;
   .locations_basic_info{
       display: flex;
       flex-direction: column;
       justify-content: center;
       align-items: center;
   .locations_working_info{
       display: flex;
       flex-direction: column;
```

```
justify-content: center;
        align-items: center;
@media(max-width:600px) and (min-width:450px){
    .flavours_list ul{
        grid-template-columns: repeat(auto-fill,minmax(16rem, 2fr));
    .news_stories{
        width: 100%;
        margin: auto !important;
        align-items: center;
        max-width: 70%;
    .news_image img{
        width: 100%;
        margin: auto;
@media(max-width:600px){
      .text-block p{
        font-size: 12px !important;
     .blok-pitanja{
        width: 100% !important;
    .image2{
       width: 100%;
        height: 300px;
    .dot{
        padding: 4px !important;
     .List li{
        font-size: 4vw !important;
     .List{
        margin: 0 !important;
     .products{
    width: 100% !important;
```

```
.news_info_home h2{
    font-size: 6vw ;
.news_info_home p{
    font-size: 4vw ;
.news_info h2{
    font-size: 1.3em;
.news_stories{
    flex-direction: column;
.news_info{
    width: 100%;
.footer_text {
    margin-top: 2vw;
.footer_text h4{
    font-size: 6vw !important;
.intro_about_us span{
    font-size: 4vw;
 .input_order{
    width: 90%;
@media(max-width:768px) and (min-width:450px){
    .news_info_home h2{
        font-size: 5vw ;
    .news_info_home p{
        font-size: 3vw;
    .List li{
        font-size: 3vw !important;
     .intro_about_us .underTittle{
        font-size: 10vw;
```

```
.text-box p{
        font-size: 1rem !important;
    .news_info h2{
        font-size: 1.2em;
    .footer text h4{
        font-size: 5vw;
    .footer_text ul li{
        font-size: 3vw ;
    .flavour_content::before{
        font-size: 3vw;
    .deliver_link_block p{
        font-size: 4vw ;
        text-align: center;
    .naslov_p{
        color: #000;
        width:75%;
        font-size: 3vw !important;
        margin-bottom: 2rem;
    .flavours_list ul{
        grid-template-columns: repeat(auto-fill,minmax(14rem, 2fr));
.LoginGreska{
    font-family: 'Linotte';
    color: #a52a2a;
.greska{
    font-family: 'Linotte';
    color: #a52a2a;
@media(max-width:768px){
    .naslov_cenovnik{
        font-size: 7vw;
```

```
.news_stories{
        margin: 10px;
    .text-block p{
      font-size: 13px !important;
   .categorie_button{
   font-size: 4vw;
  .footer_text ul{
   display: flex;
   flex-direction: column;
   justify-content: start;
   align-items: start;
    justify-content: start;
   padding: Opx !important;
.flavours_list ul li {
   flex:40%
.flavour_content span{
   font-size: 4vw !important;
.deliver_link_block{
   text-align: center;
.deliver_link_block span{
   font-size: 6vw;
.delivery_block{
   display: flex;
   flex-direction: column !important;
   width: 100%;
.delivery_wrapp {
   flex-direction: column ;
.input_order{
   width: 80%;
```

```
@media(max-width:992px) and (min-width:769px){
    .news_info h2{
        font-size: 1.5em;
    .secondLayer h4{
        font-size: 3vw;
    .footer_text ul li{
        font-size: 1.4vw !important;
    .flavours_list ul li {
        flex:30%
    .flavour_content span{
        font-size: 2.5vw !important;
    .flavour_content::before{
        font-size: 2vw;
    .naslov p{
        color: #000;
        width:75%;
        font-size: 2vw !important;
        margin-bottom: 2rem;
@media(max-width:992px){
    table{
        width: 1000px;
    .informacije{
        overflow-x: scroll;
    .tabelaPorudzbine_wrapp{
        overflow-x: scroll;
    .PorudzbineKorisnik{
        overflow-x: scroll;
    .poruciteDugme{
       display: none;
```

```
.poruciteDugme2{
    display: none;
.order_stage1 form{
       width: 80% !important;
        margin: auto !important;
.user{
   position: relative;
    top: 0;
   right: 0;
   flex-direction: column;
.order_form{
   flex-direction: column;
   width: 100%;
.order_step2{
   width: 100% !important;
.input_order{
   width: 80%;
.pitanje{
   width: 100%;
.location_map_list ul li{
    font-size: 1rem;
.Google map{
   width: 80vw;
   height: 60vh;
.text-pitanje{
   font-size: 1.5rem;
   text-align: start;
.list-unselected ul{
   width: 100% !important;
```

```
.news{
    width: 13rem;
.timeline{
    margin:50px auto;
.timeline::after{
    left:31px;
.container{
    width: 100%;
    padding-left: 80px;
    padding-right: 25px;
.text-box{
    font-size: 13px;
.text-box small{
    margin-bottom: 10px;
.right-container{
    left:0;
.left-container .circle,.right-container .circle{
    left:10px
.left-container-arrow{
    left:-15px;
    border-top: 15px solid transparent !important;
border-bottom: 15px solid transparent !important;
border-left: 0;
border-right: 15px solid rgb(255, 255, 255);
.container_ab_us{
    width: 100%;
.text-block h3{
    text-align: center !important;
.text-block p{
  font-size: 14px !important;
  text-align: center !important;
```

```
.slajder wrapp{
   width: 50% !important;
 .naslov{
   width: 100% !important;
   display: flex !important;
   flex-direction: column !important;
   justify-content: center !important;
   align-items: center !important;
   background-color: #fde3ba;
   margin: auto;
 .spikes_down::after{
   content:'';
   position:absolute;
   bottom:0;
   left:0;
   width: 100%;
   height: 24px;
    z-index: 3;
    background: linear-gradient(-45deg, #ffe4bc 12px, transparent 0%), linear-
gradient(45deg,#ffe4bc 12px,transparent 0%);
   background-size: 24px;
 .naslov .spikes_down{
   position: unset;
 .naslov .spikes_down::after{
   content:'';
   position:absolute;
   bottom:0;
   left:0;
   width: 100%;
   height: 24px;
   z-index: 3;
    background: linear-gradient(-45deg,#fff 12px,transparent 0%), linear-
gradient(45deg,#fff 12px,transparent 0%);
   background-size: 24px;
 .naslov_h2{
   width:100% !important;
   font-size: 9vw !important;
   display: flex;
```

```
justify-content: center !important;
   align-items: center !important;
.body_wrapper{
   width: 100% !important;
   border-left: none;
   border-right:none;
.main_tittle_home{
   flex-direction: column !important;
.img_banner{
   position:unset !important;
.box-wrapp{
   display: flex;
   flex-direction: column;
   justify-content: center !important;
   align-items: center !important;
.news_stories_home{
   align-items: center !important;
.naslov_h2 {
   color: #972c0f !important;
.body_wrapper{
   width: 100% !important;
   border: none !important;
.cenovnik_red{
   align-items: center !important;
.naslov_h3{
   font-size: 2.5rem;
 .underTittle{
   font-size: 4vw;
```

```
.text_block_location_home{
   width: 100% !important;
.navbar-nav li{
   font-size: 1rem;
.footer_text{
   align-items: start !important;
.footer_text ul li{
   margin: 0 !important;
.secondLayer .text_box{
   align-items: start !important;
.locations_info{
   margin:0;
.locations{
   padding: 20px;
.location_wrapp hr{
   margin: 1rem 0 !important;
.intro_about_us{
  width: 100% !important;
.deliver_link_block .underTittle{
   font-size: 7vw;
.text-box small{
       font-size: 1rem !important;
.tittle_location{
   display: flex;
   flex-direction: column;
   justify-content: center;
```

```
@media(max-width:1280px) and (min-width:769px){
    .news_info_home h2{
        font-size: 2.4vw ;
    .news_info_home p{
        font-size: 2vw;
    .List li{
        font-size: 1.5vw;
    .text-box p{
        font-size: 1rem !important;
    .deliver_link_block p{
        font-size: 2.5vw ;
        text-align: center;
    .footer_text{
        justify-content: start !important
@media(max-width:1280px) and (min-width:993px){
    .naslov_p{
        font-size: 1.4vw !important;
    .news_info h2{
        font-size: 1.5em;
@media(max-width:1280px){
   .slajder_wrapp{
   width: 75% !important;
 .nasLov_p{
   width:70%;
.nav-item{
   margin-left: 2rem !important;
    margin-right: 2rem !important;
```

```
.navbar-brand{
   margin-right: 0 !important;
.body_wrapper{
    width: 100% !important;
    border: none;
.firstLayer span{
    font-size: 12vw;
.secondLayer{
    height: 100% !important;
.flavour_content span{
    font-size: 1.25vw;
@media(max-width:2560px){
    .slajder_wrapp{
    width: 50%;
  .naslov_p{
     width:70%;
 .body_wrapper{
    width: 75%;
.cenovnik_red{
    align-items: start ;
@media(min-width:993px){
    .dostavaError{
        height: 70px !important;
    .main_tittle_home{
        padding: 7rem;
   .img_banner img{
        height: 100% !important;
   .locations_info{
```

```
margin:0 3rem 0 3rem !important;
body{
    background-image: url('../img/seamless1.png');
    background-size: 30%;
    background-repeat: repeat;
    background-attachment:scroll;
    position: relative;
    animation-name: bounce-background;
    animation-timing-function: linear;
    animation-duration: 16s;
    animation-iteration-count: infinite;
   -webkit-animation-name: bounce-background;
   -webkit-animation-timing-function:linear;
   -webkit-animation-duration:16s;
   -webkit-animation-iteration-count:infinite;
.intro_about_us{
    width: 50% !important;
 .intro_about_us .underTittle{
    font-size: 4vw;
.text-box p{
    font-size: 1rem !important;
.news .swiper-slide{
    width: fit-content !important;
.footer_text ul {
    padding: 0px ;
.flavour_content::before{
    font-size: 1vw;
.news_info_home{
    min-height: 300px;
```

}

XML

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"</pre>
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9"
http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
<loc>https://sladolino1.infinityfreeapp.com/index.php</loc>
<lastmod>2022-14-3</lastmod>
<priority>1.00</priority>
</url>
<url>
<loc>https://sladolino1.infinityfreeapp.com/views/flavors.php</loc>
<lastmod>2022-03-3</lastmod>
<priority>0.7</priority>
</url>
<url>
<loc>https://sladolino1.infinityfreeapp.com/views/cenovnik.php</loc>
<lastmod>2022-03-3</lastmod>
<priority>0.6</priority>
</url>
</urlset>
```