

## SAMPLE IDENTIFICATION

|             |                          |                 |                     |
|-------------|--------------------------|-----------------|---------------------|
| Peptide:    | <b>GHK-Cu</b>            | Date Requested: | <b>Apr 6, 2026</b>  |
| Client:     | <b>Align Biosciences</b> | Date Received:  | <b>Apr 6, 2026</b>  |
| Vendor:     | <b>Align Biosciences</b> | Date Tested:    | <b>Apr 8, 2026</b>  |
| Lot Number: | <b>N/A</b>               | Date Reported:  | <b>Apr 13, 2026</b> |

## HPLC-UV PURITY & CONTENT ANALYSIS

|                                   |                          |                         |                                |
|-----------------------------------|--------------------------|-------------------------|--------------------------------|
| Expected Content<br><b>100 mg</b> | Mass<br><b>111.86 mg</b> | Purity<br><b>99.84%</b> | Fill Accuracy<br><b>111.9%</b> |
|-----------------------------------|--------------------------|-------------------------|--------------------------------|




Fig. 1 - HPLC-UV Chromatogram at 214nm



## Appearance

|             |                                |
|-------------|--------------------------------|
| Appearance: | <b>Blue lyophilized powder</b> |
| Cap Color:  | <b>white</b>                   |

## BACTERIAL ENDOTOXIN TEST (USP <85>)

| Method                 | Result        | Specification  | Verdict     |
|------------------------|---------------|----------------|-------------|
| Kinetic LAL (USP <85>) | < 0.125 EU/mL | <= 0.125 EU/mL | <b>PASS</b> |

Interpretation: Endotoxin not detected (0.125 EU/mL) at validated 1:8 dilution (3.0 mL reconstituted vial).

This Certificate of Analysis is provided for informational and research purposes only.



Digital Verification