



CERTIFICATE OF ANALYSIS

EVLV PEPTIDES DOCUMENT PACKET

BATCH DOCUMENTATION

PRODUCT

KLOW 80MG

GHK-Cu / KPV / TB-500 / BPC-157

LOT / BATCH	KLOW20260826
REPORT	7229-AXH3
PURITY	99.83% blend
ANALYZED	September 8, 2026
INDEPENDENT LAB	Accumark Labs



VERIFIED DOCUMENT ACCESS

evlvpeptides.com/coas

ABOUT THIS PACKET

This EVLV Peptides cover identifies the product and links it to the supplied third-party laboratory report. The original laboratory-issued pages follow unchanged. EVLV Peptides did not perform the analysis and does not alter the laboratory's reported identity, quantity, purity, dates, signatures, or source attribution.



Liberty Aminos
Research@libertyaminos.com
<https://LibertyAminos.com>

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

KLOW
7229-AXH3
09/02/2026
09/08/2026



 DECLARED IDENTITY GHK-Cu, KPV, TB500 (Thymosin Beta 4), BPC-157

 MATRIX TYPE: PEPTIDE BLEND

 SAMPLE NAME: KLOW

 SAMPLE SIZE: 80.0 mg

 LOT CODE: KLOW20260826




92.81 mg
Total Quantity



99.83%
Total Blend Purity

Sample	Test	Specification	Result	Status
Peptide Blend	IDENTITY	GHK-Cu, KPV, TB500 (Thymosin Beta 4), BPC-157	GHK-Cu, KPV, TB500 (Thymosin Beta 4), BPC-157	CONFORMS
Peptide Blend	QUANTITY	MEASURE	92.81 mg	MEASURED
Peptide Blend	PURITY	> 98.0%	99.83%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
09/08/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
09/08/2026

ACCUMARKLABS.COM
7229-AXH3
09/08/2026





Liberty Aminos
Research@libertyaminos.com
<https://LibertyAminos.com>

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

KLOW
7229-AXH3
09/02/2026
09/08/2026

Sample	Test	Specification	Result	Status
Peptide Blend	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Peptide Blend	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

Analyte	Test	Specification	Result	Status
GHK-Cu	IDENTITY	GHK-Cu	GHK-Cu	CONFORMS
GHK-Cu	QUANTITY	MEASURE	59.507 mg	MEASURED
GHK-Cu	PURITY	> 98.0%	99.951%	CONFORMS
KPV	IDENTITY	KPV	KPV	CONFORMS
KPV	QUANTITY	MEASURE	11.932 mg	MEASURED
KPV	PURITY	> 98.0%	99.924%	CONFORMS
TB500 (Thymosin Beta 4)	IDENTITY	TB500 (Thymosin Beta 4)	TB500 (Thymosin Beta 4)	CONFORMS
TB500 (Thymosin Beta 4)	QUANTITY	MEASURE	10.648 mg	MEASURED
TB500 (Thymosin Beta 4)	PURITY	> 98.0%	99.074%	CONFORMS
BPC-157	IDENTITY	BPC-157	BPC-157	CONFORMS
BPC-157	QUANTITY	MEASURE	10.723 mg	MEASURED
BPC-157	PURITY	> 98.0%	99.803%	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
09/08/2026


Dr. Levi Fried MD
Lab Director
09/08/2026

ACCUMARKLABS.COM
7229-AXH3
09/08/2026

