VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

DOKUMENTACIJA

https://nikolamalic.github.io/dreamcream/

Web Programiranje 1

Nikola Malić 46/20

Smer: Internet tehnologije

Modul: Informacione Tehnologije Predmet: Web Programiranje 1

Sadržaj

1.Uvod

- 1.1 Korišćeni programski jezici
- 1.2 Opis funkcionalnosti
- 1.3 Template
- 2.Organizacija
 - 2.1 Organizaciona šema
 - 2.2 Mapa sajta
 - 2.3 Slike stranica i opis funkcionalnosti
- 3.Kodovi
 - **3.1 HTML**
 - 3.2 CSS
 - 3.2.1 style.css
 - 3.2.2 responsive.css
 - 3.3 JavaScript
 - 3.3.1 main.js
 - 3.3.2 jquery.min.js

1.1 Korišćeni programski jezici

Za izradu sajta korišćeni su sledeći programski i markup jezici:

HTML

CSS/SASS

JavaScript

jQuery

Bootstrap

XML

1.2 Opis funkcionalnosti

Author hyperlink u meniju koji otvara dinamički prozor o autoru Read more dinamičko dugme koje proširuje i smanjuje tekst po potrebi korisnika

Dinamičko učitavanje proizvoda na Menu delu stranice More flavors dugme koje dinamički dodaje i oduzima 3 dodatna proizvoda

Kartica sa zaposlenima ima dinamičke dugmiće za listanje Dinamička provera forme u contact sekciji Čitav sajt uradjen na responzivan način za više navedenih

Citav sajt uradjen na responzivan nacin za vise navedenih rezolucija

1.3 Template

Za izradu sajta korišćen je template na sledećem linku:

https://www.free-css.com/free-css-templates/page243/creative-agency


Organizacija

2.1 Organizaciona šema


Index.html


2.2 Mapa sajta

2.3 Slike stranica i opisi funkcionalnosti









3. Kodovi

3.1 Html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Dream Cream - Ice Cream Shop</title>
    <link href="https://fonts.googleapis.com/css?family=Croissant+One"</pre>
rel="stylesheet">
    k
href="https://fonts.googleapis.com/css?family=Raleway:400,500,600,700,800,900"
rel="stylesheet">
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons"</pre>
rel="stylesheet">
    <link rel="stylesheet" href="css/bootstrap.css">
    <link rel="stylesheet" href="css/font-awesome.min.css">
    <link rel="stylesheet" href="css/style.css">
    <link rel="stylesheet" href="css/responsive.css">
    <link rel="shortcut icon" href="img/icon.ico">
    <meta name="viewport" content="width=700">
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"
type="text/javascript"></script>
    <script src="js/jquery.min.js"></script>
</head>
<body>
    <div class="wrapper">
        <div id="popup" class="modal-box" style="top: 145px; display: none;">
                <a href="#" class="js-modal-close close">×</a>
                <h3>Nikola Malić 46/20</h3>
            </header>
            <div class="modal-body">
                <img src="img/myimage.jpg" alt="autor">
                    Hi random viewer!
                    You may be wondering who this handsome fella in the
picture on
                    the left is, but that question has already been answered
in the
                    title above if you happened to miss it. I'm a 19 year old
guy
                    from Serbia that is currently attending ICT college of
applied
                    studies in Belgrade. I went to the elementary school of
Starina
                    Novak, finished it in 2016 and afterwards graduated at the
14th
                    Belgrade Gymnasium in 2020.
```

```
My career goals are tied to being a successful (Web)
Designer /
                   Programmer. My hobbies are photoshopping, computer and
mobile
                   phone hardware alongside mindlessly scrolling through
memes on
                   social media for several hours a day. If you're still
reading
                   this far, you definitely deserve a cookie.
           </div>
       </div>
       <div id="underlayer">
       <header class="header">
           <div class="blue">
               <img src="img/header-shepe-blue.png" alt="">
           </div>
           <div class="white">
               <img src="img/header-shepe-white.png" alt="">
           </div>
           <div class="container">
               <div class="row">
                   <div class="col-md-3 col-sm-3 col-xs-12">
                       <div class="logo">
                           <h2><a href="#">Dream Cream</a></h2>
                       </div>
                   </div>
                   <div class="col-md-9 col-sm-9 col-xs-13">
                       <div class="menu">
                           <a class="js-open-modal"</pre>
href="#" data-modal-id="popup">AUTHOR</a>
                              <a href="#features">Features</a>
                              <a href="#menu">Menu</a>
                              <a href="#team">Team</a>
                              <a href="#contact">Contact</a>
                           </div>
                   </div>
               </div>
               <div class="row">
                   <div class="col-md-12">
                       <div class="header-text">
                          <h1>The Dream Cream</h1>
                          Ice cream cravings can strike anyplace, anytime.
                          That's why we've created a new way to deliver your
frozen fix.
                          The Ice Cream Shop is here to deliver
                              <span id="dots">...</span>
                              <span id="readmore">exactly what you want,
when you want it.
                          Just log onto your favorite delivery app, order
and enjoy!</span>
```

```
<button id="btn" onclick="reveal()">Read
More</button>
                            <a href="#features"
target=" parent"><button>Explore</button></a>
                        </div>
                    </div>
                </div>
                <div class="row">
                        <div class="another-text">
                            <h3>What we are known for:</h3>
                            Relow you can look at the 3 of our most famous
assets
                        </div>
                </div>
            </div>
        </header>
        <section class="development">
        <a id="features"></a>
            <div class="blue">
                <img src="img/development-shepe-blue.png" alt="">
            <div class="white">
                <img src="img/development-shepe-white.png" alt="">
            </div>
            <div class="container">
                <div class="row ">
                    <div class="col-md-4 col-sm-4">
                        <div class="design-development one">
                            <i class="material-icons">icecream</i>
                            <h2>Flavor Variety</h2>
                            Between the wide range of flavors such as
raspberry, mango, pistacchio and avocado it's hard to choose. The traditional
flavors are here too, but the exotic ones are the most seeked for.
                        </div>
                    </div>
                    <div class="col-md-4 col-sm-4">
                        <div class="design-development two">
                            <i class="material-icons">delivery_dining</i>
                            <h2>Fast Delivery</h2>
                            The ordering app is available in 41 countries.
Headquartered in Belgrade,
                            the firm has partnered with nearly 40,000 local
restaurants
                            to provide on-time delivery.
                        </div>
                    </div>
                    <div class="col-md-4 col-sm-4">
                        <div class="design-development three">
                            <i class="material-icons">menu book</i>
                            <h2>Award Winning Recipes</h2>
                            Whether you have a freestanding ice cream maker
or a mixer attachment, we've got lots of creamy, dreamy options below, in
every flavor you dream about.
                        </div>
                    </div>
```

```
</div>
            </div>
        </section>
        <section class="works">
        <a id="tutorial"></a>
            <div class="container">
                <div class="row">
                    <div class="col-md-7">
                        <div class="work-images">
                            <iframe width="100%" height="100%"</pre>
src="https://www.youtube.com/embed/7gJIyHnD710" frameborder="0"
allowfullscreen></iframe>
                            <div class="overlay-text" onclick="disappear()">
                                <i class="material-</pre>
icons">play_circle_filled</i>
                            </div>
                        </div>
                    </div>
                    <div class="col-md-5">
                        <div class="work-text-full">
                            <div class="work-text">
                                <h2>How it works?</h2>
                                It's simple. Check out the video to
understand
                                how you can make a variety of ice cream
flavors
                                at home without the use of a machine!
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </section>
        <section class="portfolia">
            <div class="container">
                <div class="row">
                    <div class="col-md-12">
                        <div class="port-text">
                            <a id="menu"></a>
                            <h2>Check out our menu!</h2>
                            More flavors included in the expanded menu
                        </div>
                    </div>
                </div>
                <div class="row">
                </div>
                <div class="row">
                <span id="newhidden">
                        <div class="col-md-4 col-sm-6">
                            <div class="portfolio-part">
                                 <img src="img/icecream7.jpg" alt="icecream">
                                <div class="overlay-slide">
                                    <h2>Mango Banana</h2>
                                    Price per scoop: 180 RSD
```

```
</div>
                            </div>
                        </div>
                        <div class="col-md-4 col-sm-6">
                            <div class="portfolio-part">
                                <img src="img/icecream8.jpg" alt="icecream">
                                <div class="overlay-slide">
                                    <h2>Scotch Vanilla</h2>
                                    Price per scoop: 150 RSD
                                </div>
                            </div>
                        </div>
                        <div class="col-md-4 col-sm-6">
                            <div class="portfolio-part">
                                <img src="img/icecream9.jpg" alt="icecream">
                                <div class="overlay-slide">
                                    <h2>Pistachio Avocado</h2>
                                    Price per scoop: 200 RSD
                                </div>
                            </div>
                        </div>
                    </span>
                    <div class="col-md-12">
                        <div class="penination">
                            <button id="btn1" onclick="extracream()">More
Flavors</button>
                        </div>
                    </div>
                </div>
            </div>
        </section>
        <section class="our-team">
            <div class="container">
                <div class="row">
                    <div class="col-md-12">
                        <div class="team-text">
                        <a id="team"></a>
                            <h2>Our team!</h2>
                            Meet our awesome team!
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-12">
                        <div class="slideshow-container">
                            <div class="mySlides fade">
                                <div class="numbertext">1 / 3</div>
                                <img src="img/worker1.jpg" style="width:100%">
                                <div class="text">Kimberly Carter</div>
                            </div>
                            <div class="mySlides fade">
                                <div class="numbertext">2 / 3</div>
                                    <img src="img/worker2.jpg"</pre>
style="width:100%">
                                    <div class="text">Liam Wilson</div>
```

```
</div>
                             <div class="mySlides fade">
                                 <div class="numbertext">3 / 3</div>
                                     <img src="img/worker3.jpg"</pre>
style="width:100%">
                                     <div class="text">Emma Adams</div>
                             </div>
                             <a class="prev" onclick="plusSlides(-</pre>
1)">❮</a>
                             <a class="next"</pre>
onclick="plusSlides(1)">❯</a>
                         </div>
                         <br>
                         <div style="text-align:center">
                             <span class="dot"</pre>
onclick="currentSlide(1)"></span>
                             <span class="dot"</pre>
onclick="currentSlide(2)"></span>
                             <span class="dot"</pre>
onclick="currentSlide(3)"></span>
                         </div>
                     </div>
                </div>
            </div>
        </section>
        <section class="contact">
            <div class="blue">
                <img src="img/contact-shepe-blue.png" alt="">
            </div>
            <div class="white">
                <img src="img/contact-shepe-white.png" alt="">
            </div>
            <div class="container">
                <div class="row">
                     <div class="col-md-4 col-sm-12">
                         <div class="contact-text">
                         <a id="contact"></a>
                             <h2>Contact us!</h2>
                             Have something to say about our site?
                             Enter your comments and click on the send
button.
                         </div>
                     </div>
                     <div class="col-md-8 col-sm-12">
                         <div class="contact-form">
                             <form method="get" onsubmit="return validation()">
                                 <div class="first">
                                     <input id="name" type="text" name="Name"</pre>
placeholder="First Name" required>
                                     <span id="name-error"></span>
                                 </div>
                                 <div class="date">
                                     <label>Input date:
                                     <input type="date" id="date" min="2021-12-</pre>
01" max="2021-12-30">
```

```
<span id="last-error"></span>
                                </div>
                                 <div class="email">
                                     <input id="email" type="email"</pre>
name="Email" placeholder="Email Address" required>
                                     <span id="email-error"></span>
                                </div>
                                <div class="message">
                                     <textarea id="textarea" placeholder="Your
Message"></textarea>
                                </div>
                                <div class="checkbox-submit">
                                     <div class="checkbox">
                                         <label><input id="checkbox"</pre>
type="checkbox" name="Checkbox" checked> Allow Newsletter</label>
                                     </div>
                                     <div class="submit">
                                         <input type="submit" value="SEND">
                                         <span id="confirm"></span>
                                     </div>
                                </div>
                             </form>
                             <div id="error"></div>
                        </div>
                    </div>
                </div>
            </div>
        </section>
        <footer class="footer">
            <div class="container">
                <div class="row">
                    <div class="col-md-4 col-sm-12">
                        <div class="footer-icon">
                             <h2>Dream Cream</h2>
                            <a href="#"><i class="material-</p>
icons">upload file</i></a><a href="#"><i aria-hidden="true" class="fa fa-</pre>
rss"></i></a><a href="#"><i aria-hidden="true" class="fa fa-
sitemap"></i></a><a href="#"><i aria-hidden="true" class="fa fa-</pre>
facebook"></i></a><a href="#"><i aria-hidden="true" class="fa fa-
instagram"></i></a>
                             <h5>&copy; All Rights Reserved.</h5>
                        </div>
                    </div>
                    <div class="col-md-8">
                        <div class="footer-text">
                            <div class="row">
                                <div class="col-md-3 col-sm-6 col-xs-6">
                                     <div class="footer-text-single">
                                         <h3>About Us</h3>
                                         <a href="#team">Our Team</a>
                                         <a href="#team">Company</a>
                                         <a href="#features">Jobs</a>
                                         <a
href="#contact">Newsletter</a>
                                     </div>
```

```
</div>
                             <div class="col-md-3 col-sm-6 col-xs-6">
                                 <div class="footer-text-single">
                                     <h3>Help Center</h3>
                                     <a href="#">Documentations</a>
                                     <a
href="#tutorial">Tutorials</a>
                                     <a href="#contact">Terms Of
Use</a>
                                     <a href="#contact">Privacy
Policy</a>
                                 </div>
                             </div>
                             <div class="col-md-3 col-sm-6 col-xs-6">
                                 <div class="footer-text-single">
                                     <h3>Tools</h3>
                                     <a href="#contact">Create
Account</a>
                                     <a href="#contact">Log In</a>
                                     <a href="#contact">Services</a>
                                     <a href="#contact">Sitemap</a>
                                 </div>
                              </div>
                              <div class="col-md-3 col-sm-6 col-xs-6">
                                 <div class="footer-text-single">
                                     <h3>Get In Touch</h3>
                                     <a href="#contact">Contact
Us</a>
                                     <a href="#contact">Request A
Demo</a>
                                     <a href="#contact">+12 323 323
323</a>
                                     <a
href="#contact">support@gmail.com</a>
                                 </div>
                             </div>
                          </div>
                      </div>
                  </div>
               </div>
           </div>
       </footer>
       </div>
   </div>
    <script src="js/main.js"></script>
</body>
</html>
```

3.2 CSS

3.2.1 style.css

```
body {
    background: #fbfbfb;
.wrapper header.header {
    background-image: url("../img/header-bg.jpg");
    background-size: 100% auto;
    height: auto;
    overflow: hidden;
    padding-top: 20px;
    position: relative;
.wrapper header.header .blue {
    bottom: -65px;
height: 525px;
    overflow: hidden;
    position: absolute;
    width: 100%;
.wrapper header.header .container {
    position: relative
.wrapper header.header .white img,
.wrapper header.header .blue img {
    width: 100%;
.wrapper header.header .white {
   bottom: -105px;
    height: 525px;
    overflow: hidden;
    position: absolute;
   width: 100%;
.wrapper header.header .logo h2 {
    margin: 0;
    padding: 0
.wrapper header.header .logo h2 a {
    font-family: 'Croissant One', cursive;
    font-size: 32px;
    font-weight: 600;
    text-decoration: none;
    color: #5c2526;
.wrapper header.header ul.nav.navbar-nav li a {
    font-family: 'Raleway', sans-serif;
```

```
font-size: 22px;
   font-weight: 500;
   color: #5c2526;
   text-transform: uppercase;
.wrapper header.header ul.nav.navbar-nav {
   float: right;
   padding-bottom: 25px;
.wrapper header.header ul.nav.navbar-nav li :hover {
   background: transparent
.wrapper header.header .header-text {
   margin: 0 auto;
   padding-top: 130px;
   text-align: center;
   width: 770px;
.wrapper header.header .header-text h1 {
   color: #5c2526;
   font-family: "Raleway", sans-serif;
   font-size: 65px;
   font-weight: 600;
   margin-bottom: 25px;
   padding-bottom: 20px;
   position: relative;
.wrapper header.header .header-text h1::before {
   background: #e68479 none repeat scroll 0 0;
   bottom: 0;
   content: "";
   height: 3px;
   left: 130px;
   position: absolute;
   width: 500px;
.wrapper header.header .header-text p {
   color: #caa37d;
   font-family: "Raleway", sans-serif;
   font-size: 20px;
   font-weight: 600;
   line-height: 30px;
   margin-bottom: 57px;
wrapper header.header .header-text button {
   background: transparent none repeat scroll 0 0;
   border: 2px solid #5c2526;
   border-radius: 60px / 61px;
```

```
color: #caa37d;
   font-family: "Raleway", sans-serif;
   font-size: 18px;
   font-weight: 500;
   margin-bottom: 170px;
   margin-right: 27px;
   padding: 14px 50px;
.wrapper header.header .header-text button:hover {
   background: #fdbab3;
   color: #b1665d;
.wrapper header.header .another-text h3 {
   color: #d36356;
   font-family: "Raleway", sans-serif;
   font-size: 40px;
   font-weight: 700;
   padding-bottom: 17px;
   position: relative;
   margin-top: 40px;
.wrapper header.header .another-text h3::<mark>before</mark> {
   background: #455a64 none repeat scroll 0 0;
   content: "";
   height: 2px;
   left: 0;
   position: absolute;
   bottom: 0px;
   width: 70px;
.wrapper header.header .another-text p {
   color: #5c2626;
   font-family: "Raleway", sans-serif;
   font-size: 15px;
   font-weight: 500;
   line-height: 32px;
   margin-top: 15px;
.wrapper section.development {
   background-color: #ffbbb4;
   padding-bottom: 300px;
   padding-top: 100px;
   position: relative;
.wrapper section.development .blue {
   bottom: 0px;
   height: 225px;
   position: absolute;
   width: 100%;
```

```
overflow: hidden;
.wrapper section.development .white {
   bottom: -22px;
   height: 225px;
   overflow: hidden;
   position: absolute;
   width: 100%;
.wrapper section.development .white img,
.wrapper section.development .blue img {
    width: 100%;
.wrapper section.development .design-development {
    text-align: center;
    padding-top: 50px
.wrapper section.development .design-development:hover{
   transition: transform 330ms ease-in-out;
    -webkit-transform: scale(1.2);
.wrapper section.development .design-development i {
    font-size: 61px;
   background: #ee8c81;
   color: #fff;
    padding: 30px;
   border-radius: 50%;
   position: relative;
.wrapper section.development .design-development i::<mark>after</mark> {
    border: 1px solid #ce766c;
    content: "";
   height: 140px;
    left: -10px;
    position: absolute;
   top: -10px;
   width: 140px;
   border-radius: 50%;
.wrapper section.development .design-development i::<mark>before</mark> {
    border: 1px solid #ce766c;
    content: "";
   height: 160px;
   left: -20px;
    position: absolute;
    top: -20px;
   width: 160px;
    border-radius: 50%;
```

```
.wrapper section.development .design-development.one i {
   background: #caa37d;
.wrapper section.development .design-development.one i::after,
.wrapper section.development .design-development.one i::<mark>before</mark> {
   border: 1px solid #b08e6d;
.wrapper section.development .design-development.three i {
   background: #cd3c33;
wrapper section development design-development three i::after,
.wrapper section.development .design-development.three i::<mark>before</mark> {
   border: 1px solid #cd3c33;
.wrapper section.development .design-development h2 {
   position: relative;
   color: #5c2526;
   font-family: "Raleway", sans-serif;
   font-size: 25px;
   font-weight: 700;
   margin: 55px auto 25px;
   width: fit-content;
   width: -moz-fit-content;
   width: -webkit-fit-content;
   width: -o-fit-content;
.wrapper section.development .design-development h2::before {
   border: 1px solid #455a64;
   bottom: -15px;
   content: "";
   position: absolute;
   width: 100%;
.wrapper section.development .design-development p {
   color: #455a64;
   font-family: "Raleway", sans-serif;
   font-size: 15px;
   font-weight: 400;
   line-height: 30px;
.wrapper section.works {
   background-color: #f7f4ef;
   margin-top: 70px;
.wrapper section.works .work-images {
   position: relative;
   height: 400px;
```

```
overflow: hidden;
   border-radius: 20px;
.wrapper section.works .work-images img {
   height: 100%;
   width: 100%;
.wrapper section.works .work-text-full {
   display: table;
height: 400px;
   margin-left: 80px;
.wrapper section.works .work-text {
   display: table-cell;
   height: auto;
   vertical-align: middle;
   margin-left: 30px;
.wrapper section.works .work-text h2 {
   color: #455a64;
   font-family: "Raleway", sans-serif;
   font-size: 40px;
   font-weight: 700;
   margin-top: 0;
   padding-bottom: 25px;
   position: relative;
.wrapper section.works .work-text h2::before {
   border: 2px solid #455a64;
   bottom: 5px;
   content: "";
   position: absolute;
   width: 75px;
.wrapper section.works .work-text p {
   color: #899ea9;
   font-family: "Raleway", sans-serif;
   font-size: 18px;
   font-weight: 400;
   line-height: 30px;
.wrapper section.works .work-images .overlay-text {
   background: rgba(255, 187, 180, 0.8) none repeat scroll 0 0;
   border-radius: 20px;
   height: 100%;
   padding-top: 155px;
   position: absolute;
   text-align: center;
```

```
top: 0;
   width: 100%;
.wrapper section.works .work-images .overlay-text i {
   background: transparent none repeat scroll 0 0;
   border: 1px solid #fff;
   border-radius: 50%;
   color: #fff;
   font-size: 80px;
   padding: 2px;
   position: relative;
.wrapper section.works .work-images .overlay-text i::<mark>after</mark> {
   border: 1px solid #fff;
   content: "";
   height: 104px;
   left: -10px;
   position: absolute;
   top: -10px;
   width: 104px;
   border-radius: 50%;
.wrapper section.works .work-images .overlay-text i::<mark>before</mark> {
   border: 1px solid #fff;
   content: "";
   height: 124px;
   left: -20px;
   position: absolute;
   top: -20px;
   width: 124px;
   border-radius: 50%;
.wrapper section.portfolia {
   background-color: #f7f4ef;
   margin-top: 122px;
.wrapper section.portfolia .port-text h2 {
   color: #455a64;
   font-family: "Raleway", sans-serif;
   font-size: 40px;
   font-weight: 700;
   margin-bottom: 35px;
   position: relative
.wrapper section.portfolia .port-text h2::before {
   border: 1px solid #455a64;
   bottom: -20px;
   content: "";
   position: absolute;
```

```
width: 75px;
.wrapper section.portfolia .port-text p {
   color: #738d99;
   font-family: "Raleway", sans-serif;
   font-size: 18px;
   font-weight: 400;
   line-height: 30px;
.wrapper section.portfolia .portfolio-part {
   border-radius: 5px;
   height: 330px;
   margin: 55px 10px 0;
   overflow: hidden;
   position: relative;
.wrapper section.portfolia .portfolio-part img {
   width: 100%;
wrapper section.portfolia .portfolio-part .overlay-slide {
    position: absolute:
   background: rgba(255, 187, 180, 0.8) none repeat scroll 0 0;
   width: 100%;
   height: 100%;
   top: 0;
   padding: 20px 40px;
   opacity: 0;
.wrapper section.portfolia .portfolio-part:hover>.overlay-slide {
   opacity: 1;
.wrapper section.portfolia .portfolio-part .overlay-slide h2 {
   color: #fff;
   font-family: "Raleway", sans-serif;
   font-size: 36px;
   font-weight: 600;
   margin-bottom: 30px;
   margin-top: 150px;
   position: relative;
wrapper section portfolia portfolio-part overlay-slide h2::before {
   border: 1px solid #fff;
   bottom: -15px;
   content: "";
   position: absolute;
   width: 335px;
```

```
.wrapper section.portfolia .portfolio-part .overlay-slide p {
    font-family: "Raleway", sans-serif;
    font-size: 15px;
    font-weight: 500;
    color: #fff;
div.wrapper section.portfolia div.penination button {
    background: #d36356 none repeat scroll 0 0;
    color: #fff;
    font-family: "Raleway", sans-serif;
    font-size: 18px;
    font-weight: 700;
    margin: 55px auto;
    padding: 12px 40px;
    position: relative;
    text-align: center;
    width: 100%;
    border-radius: 30px/30px;
    border: none;
div.wrapper section.portfolia div.penination a{
    text-decoration: none;
    color: #fff;
.wrapper section.our-team {
    background-color: #f7f4ef;
    margin-bottom: 50px;
.wrapper section.our-team .team-text {
    margin-bottom: 45px;
.wrapper section.our-team .team-text h2 {
    color: #455a64;
    font-family: "Raleway", sans-serif;
    font-size: 40px;
    font-weight: 700;
    margin: 0 auto;
    position: relative;
    width: -moz-fit-content;
    padding-bottom: 25px;
.wrapper section.our-team .team-text h2::<mark>before</mark> {
    background: #455a64 none repeat scroll 0 0;
    bottom: 0;
    content: "";
    height: 2px;
    position: absolute;
    width: 75px;
```

```
.wrapper section.our-team .team-text p {
   color: #738d99;
   font-family: "Raleway", sans-serif;
   font-size: 18px;
   font-weight: 400;
   line-height: 30px;
   margin: 0 auto;
   padding-top: 10px;
   width: -moz-fit-content;
.wrapper section.our-team .my-claint {
   height: 350px;
   position: relative;
.wrapper section.our-team .my-claint .item {
   text-align: center;
.wrapper section.our-team .my-claint .item img {
   width: 155px;
   margin: 0 auto;
   opacity: 0.3;
.wrapper section.our-team .my-claint .item .item-text {
   opacity: 0;
.wrapper section.our-team .my-claint .item .item-text h3 {
   color: #455a64;
   font-family: "Raleway", sans-serif;
   font-size: 35px;
   font-weight: 400;
   margin-bottom: 0;
   margin-top: 30px;
.wrapper section.our-team .my-claint .item .item-text h4 {
   color: #455a64;
   font-family: "Raleway", sans-serif;
   font-size: 18px;
   font-weight: 300;
   margin-bottom: 32px;
.wrapper section.our-team .my-claint .item .item-text i {
   color: #cfd8dc;
   font-size: 20px;
   padding: 0 17px;
wrapper section our-team my-claint owl-item active center item img {
  width: 200px;
```

```
opacity: 1;
wrapper section our-team my-claint owl-item active center item> item-text
   opacity: 1
.wrapper section.our-team .owl-prev,
.wrapper section.our-team .owl-next {
   position: absolute;
   top: 35px;
   background: #fff;
.wrapper section.our-team .owl-prev {
   left: 0;
.wrapper section.our-team .owl-next {
   right: 0;
.wrapper section.our-team .owl-prev i,
.wrapper section.our-team .owl-next i {
   font-size: 60px;
   color: #cfd8dc;
   background: transparent;
.wrapper section.our-team .owl-prev,
.wrapper section.our-team .owl-next {
   background: transparent;
.wrapper section.our-team .owl-prev:hover,
.wrapper section.our-team .owl-next:hover {
   background: transparent;
.wrapper section.our-team .owl-dots {
   display: none;
.wrapper section.contact {
   background-color: #f7f4ef;
   height: auto;
   padding: 50px 0;
   position: relative;
.wrapper section.contact .blue {
   bottom: 116px;
   height: 390px;
   position: absolute;
```

```
width: 100%;
.wrapper section.contact .blue img,
.wrapper section.contact .white img {
   width: 100%;
.wrapper section.contact .white {
    bottom: 88px;
   height: 335px;
   position: absolute;
   width: 100%;
.wrapper section.contact .contact-text {
   margin-top: 100px;
.wrapper section.contact .contact-text h2 {
    color: #455a64;
    font-family: "Raleway", sans-serif;
   font-size: 40px;
   font-weight: 700;
   padding-bottom: 20px;
   position: relative;
.wrapper section.contact .contact-text h2::<mark>before</mark> {
    background: #455a64 none repeat scroll 0 0;
   bottom: 0;
    content: "";
   height: 2px;
    left: 0px;
   position: absolute;
   width: 75px;
.wrapper section.contact .contact-text p {
   color: #899ea9;
    font-family: "Raleway", sans-serif;
   font-size: 18px;
    font-weight: 600;
   padding-top: 5px;
.wrapper section.contact .contact-form {
    background: #fff none repeat scroll 0 0;
   margin-left: 135px;
   margin-top: 50px;
    padding: 40px 35px 35px;
    box-shadow: -9px 1px 15px rgba(0, 0, 0, 0.1);
   border-radius: 7px;
```

```
.wrapper section.contact .contact-form .first {
   margin-right: 10%;
   float: left;
.wrapper section.contact .contact-form .last {
   float: right;
wrapper section.contact .contact-form .first,
wrapper section.contact .contact-form .last {
   padding-top: 8px;
   width: 45%;
.wrapper section.contact .contact-form .date{
   float: right; color: #757575;
   font-weight: 600;
   width: 45%;
.wrapper section.contact .contact-form .date label{
   font-family: "Raleway", sans-serif;
   font-size: 15px;
   font-weight: 600;
.wrapper section.contact .contact-form input {}
.wrapper section.contact .contact-form input[type="text"] {
   background: transparent none repeat scroll 0 0;
   border-color: -moz-use-text-color -moz-use-text-color #cfd8dc;
   border-image: none;
   border-style: none none solid;
   border-width: medium medium 1px;
   color: #404548;
   font-family: "Raleway", sans-serif;
   font-size: 15px;
   font-weight: 600;
   padding-bottom: 5px;
   width: 100%;
   -moz-border-bottom-colors: none;
   -moz-border-left-colors: none;
   -moz-border-right-colors: none;
   -moz-border-top-colors: none;
   -webkit-border-bottom-colors: none;
   -webkit-border-left-colors: none;
   -webkit-border-right-colors: none;
   -webkit-border-top-colors: none;
   -o-border-bottom-colors: none;
   -o-border-left-colors: none;
   -o-border-right-colors: none;
   -o-border-top-colors: none;
wrapper section.contact .contact-form input[type="email"] {
   background: transparent none repeat scroll 0 0;
   border-color: -moz-use-text-color -moz-use-text-color #cfd8dc;
```

```
border-image: none;
   border-style: none none solid;
   border-width: medium medium 1px;
   color: #404548;
   font-family: "Raleway", sans-serif;
   font-size: 15px;
   font-weight: 600;
   padding-top: 47px;
   padding-bottom: 5px;
   width: 100%;
   -moz-border-bottom-colors: none;
   -moz-border-left-colors: none;
   -moz-border-right-colors: none;
   -moz-border-top-colors: none;
   -webkit-border-bottom-colors: none;
   -webkit-border-left-colors: none;
   -webkit-border-right-colors: none;
   -webkit-border-top-colors: none;
   -o-border-bottom-colors: none;
   -o-border-left-colors: none;
   -o-border-right-colors: none;
   -o-border-top-colors: none;
wrapper section.contact .contact-form .message textarea {
   background: transparent none repeat scroll 0 0;
   border-color: -moz-use-text-color -moz-use-text-color #cfd8dc;
   border-image: none;
   border-style: none none solid;
   border-width: medium medium 1px;
   color: #404548;
   font-family: "Raleway", sans-serif;
   font-size: 15px;
   font-weight: 600;
   height: 145px;
   padding-bottom: 5px;
   padding-top: 46px;
   width: 100%;
   -moz-border-bottom-colors: none;
   -moz-border-left-colors: none;
   -moz-border-right-colors: none;
   -moz-border-top-colors: none;
   -webkit-border-bottom-colors: none;
   -webkit-border-left-colors: none;
   -webkit-border-right-colors: none;
   -webkit-border-top-colors: none;
   -o-border-bottom-colors: none;
   -o-border-left-colors: none;
   -o-border-right-colors: none;
   -o-border-top-colors: none;
wrapper section.contact .contact-form .checkbox {
   float: left;
   margin-left: 17px;
```

```
padding-top: 30px;
   width: 200px;
   color: #8197a3;
   font-family: "Raleway", sans-serif;
   font-size: 14px;
   font-weight: 600;
.wrapper section.contact .contact-form .submit {
   float: right;
   padding-top: 25px;
.wrapper section.contact .contact-form input[type="submit"] {
   background: #d36356 none repeat scroll 0 0;
   border: medium none;
   border-radius: 25px / 30px;
   color: #fff;
   font-family: "Raleway", sans-serif;
   font-size: 18px;
   font-weight: 600;
   padding: 11px 65px;
.wrapper section.contact .contact-form .checkbox-submit {
   padding-bottom: 70px;
.wrapper footer.footer {
   background-image: url("../img/footer-bg.jpg");
   background-size: 100% 100%;
   height: 400px;
   padding-top: 110px;
.wrapper footer.footer .footer-icon h2 {
   color: #fff;
   font-family: "Croissant One", cursive;
   font-size: 30px;
   font-weight: 400;
   margin-bottom: 40px;
   position: relative;
.wrapper footer.footer .footer-icon h2::before {
   background: #455a64 none repeat scroll 0 0;
   bottom: -17px;
   content: "";
   height: 2px;
   left: 0;
   position: absolute;
   width: 310px;
.wrapper footer.footer .footer-icon h5 {
```

```
color: #4c797d;
    font-family: "Raleway", sans-serif;
    font-size: 15px;
    font-weight: 600;
   margin-top: 35px;
.wrapper footer.footer .footer-icon i {
   color: #fff;
   font-size: 30px;
    padding: 0 44px 0 0;
.wrapper footer.footer .footer-text .footer-text-single h3 {
    font-family: "Raleway", sans-serif;
   font-size: 20px;
   font-weight: 400;
    color: #fff;
.wrapper footer.footer .footer-text .footer-text-single p a {
   font-family: "Raleway", sans-serif;
   font-size: 15px;
   font-weight: 600;
    color: #4c797d;
   text-decoration: none;
#underlayer{
   z-index: -10;
   height: 100%;
   width: 100%;
   background-color: #f7f4ef;
#features{
   position: absolute;
   top: -220px;
#readmore{
   display: none;
#newhidden{
   display: none;
.slideshow-container {
   width: 350px;
   position: relative;
   margin: auto;
.prev, .next {
   cursor: pointer;
    position: absolute;
    top: 50%;
   width: auto;
   padding: 16px;
   margin-top: -22px;
```

```
color: white;
    font-weight: bold;
    font-size: 18px;
    transition: 0.6s ease;
   border-radius: 0 3px 3px 0;
   user-select: none;
    right: 0;
   border-radius: 3px 0 0 3px;
.prev:hover, .next:hover {
   background-color: rgba(0,0,0,0.8);
   color: #455a64;
   font-size: 20px;
   padding: 8px 12px;
   position: absolute;
   bottom: 350px;
   width: 100%;
   text-align: center;
   font-weight: 600;
.numbertext {
   color: #f2f2f2;
   text-shadow: 2px 2px 3px black;
   font-size: 12px;
    padding: 12px 20px;
   position: absolute;
   top: 0;
.dot {
    cursor: pointer;
   height: 15px;
   width: 15px;
   margin: 0 2px;
   background-color: #bbb;
    border-radius: 50%;
   display: inline-block;
   transition: background-color 0.6s ease;
.dot:hover {
   background-color: #717171;
    -webkit-animation-name: fade;
    -webkit-animation-duration: 1.5s;
   animation-name: fade;
    animation-duration: 1.5s;
@-webkit-keyframes fade {
    from {opacity: .4}
    to {opacity: 1}
```

```
@keyframes fade {
    from {opacity: .4}
   to {opacity: 1}
.mySlides img{
   width: 100%;
   border-radius: 50px;
#date{
   margin: 5px 0px;
.modal-box {
   display: none;
   position: absolute;
   z-index: 1000;
   width: 50%;
   background-color: #fffaf2;
   border-bottom: 1px solid #aaa;
   border-radius: 15px;
   box-shadow: 0 3px 9px rgba(0, 0, 0, 0.5);
   border: 1px solid rgba(0, 0, 0, 0.1);
   background-clip: padding-box;
   text-align: center;
.modal-box header,
.modal-box .modal-header {
   padding: 1.25em 1.5em;
   border-bottom: 1px solid #ddd;
.modal-box header h3,
.modal-box header h4,
.modal-box .modal-header h3,
.modal-box .modal-header h4 {
   margin: 0px;
.modal-box .modal-body p{
   font-size: 16px;
   padding: 0px;
   margin: 10px 0px;
.modal-box .modal-footer
   padding: 1em;
   border-top: 1px solid #ddd;
   background: rgba(0,0,0, 0.02);
   text-align: right;
.modal-overlay{
   opacity:0;
   filter: alpha(opacity=0);
   position: absolute;
    top:0;
   left:0;
    z-index: 900;
   width: 100%;
```

```
height: 100%;
  background: rgba(0,0,0,1) !important;
}
a.close{
  position: absolute;
  top: 2%;
  right: 2%;
  font-size: 37px;
}
```

3.2.2 responsive.css

```
@media (min-width: 1440px) and (max-width: 1745px) {
    .wrapper header.header .white {
        bottom: -110px;
    .wrapper header.header .blue {
       bottom: -80px;
   .wrapper header.header .another-text {
       margin-left: 100px;
    .wrapper section.contact .white {
        bottom: 40px;
    .wrapper section.contact .blue {
      bottom: 40px;
@media (min-width: 1200px) and (max-width: 1439px) {
    .wrapper header.header {
       background-size: 100% auto;
       height: auto;
    .wrapper header.header .header-text {
        padding-top: 45px;
    .wrapper header.header .blue {
       bottom: -178px;
    .wrapper header.header .white {
       bottom: -205px;
    .wrapper header.header .header-text button {
       margin-bottom: 80px;
    .wrapper section.development {
        padding-bottom: 205px;
    .wrapper section.development .white {
       bottom: -83px;
    .wrapper section.development .blue {
       bottom: -60px;
    .wrapper section.development {
       height: 600px;
       overflow: hidden;
    .wrapper section.portfolia .portfolio-part .overlay-slide h2 {
       margin-top: 75px;
   wrapper section portfolia portfolio-part overlay-slide h2::before {
       width: 265px;
```

```
.wrapper section.portfolia .portfolio-part .overlay-slide {
       height: 281px;
    .wrapper section.contact .blue {
        bottom: -20px;
    .wrapper section.contact .white {
       bottom: -16px;
    .wrapper section.contact {
       height: 590px;
       padding: 50px 0;
    .wrapper footer.footer {
       margin-top: 50px;
@media (min-width: 992px) and (max-width: 1199px) {
    .wrapper header.header {
       height: auto;
   .wrapper header.header .blue {
       height: 365px;
    .wrapper header.header .white {
        bottom: 0;
        height: 275px;
    .wrapper header.header .header-text {
       margin: 0 auto;
        padding-top: 20px;
    .wrapper header.header .another-text {
       margin-top: 150px;
    .wrapper header.header .header-text h1 {
        font-size: 40px;
       margin-bottom: 8px;
        padding-bottom: 10px;
    .wrapper header.header .header-text p {
        line-height: 25px;
       margin-bottom: 20px;
    .wrapper header.header .header-text button {
       margin-bottom: -15px;
    .wrapper section.development {
       height: auto;
       overflow: hidden;
    .wrapper section.development .white {
       bottom: -100px;
```

```
.wrapper section.development .blue {
        bottom: -80px;
    .wrapper section.works .work-text {
       margin-left: 20px;
    .wrapper section.portfolia .portfolio-part .overlay-slide {
        padding: 15px;
    wrapper section portfolia portfolio-part overlay-slide h2 {
        font-size: 32px;
       margin-top: 35px;
    .wrapper section.portfolia .portfolio-part .overlay-slide h2::before {
       width: 240px;
    .wrapper section.portfolia .portfolio-part {
        height: 225px;
    .wrapper section.portfolia .portfolio-part .overlay-slide p {
        line-height: 18px;
    .wrapper section.contact {
       height: 600px;
       padding: 50px 0;
    .wrapper section.contact .blue {
       bottom: -75px;
   .wrapper section.contact .white {
       bottom: -70px;
    .wrapper footer.footer {
       margin-top: 50px;
    .wrapper footer.footer .footer-text .footer-text-single p a {
        font-size: 13px;
   .wrapper footer.footer .footer-icon i {
       padding: 0 30px 0 0;
@media (min-width: 768px) and (max-width: 991px) {
    .wrapper header.header .header-text {
       width: 100%;
        padding-top: 20px;
    .wrapper header.header .header-text h1 {
        font-size: 40px;
        margin-bottom: 10px;
       padding-bottom: 10px;
       margin-top: 0;
```

```
.wrapper header.header .header-text p {
    font-size: 18px;
    line-height: 25px;
    margin-bottom: 15px;
.wrapper header.header .header-text p br {
   display: none;
.wrapper header.header {
    height: auto;
.wrapper header.header .blue {
   bottom: -285px;
.wrapper header.header .white {
    bottom: -305px;
.wrapper header.header .another-text h3 {
    font-size: 33px;
    padding-bottom: 3px;
.wrapper header.header .another-text p {
    line-height: 20px;
   margin-top: 4px;
.wrapper header.header .header-text button {
   margin-bottom: 62px;
    font-size: 16px;
    padding: 10px 35px;
.wrapper section.development {
   margin-top: 30px;
.wrapper section.development {
   height: auto;
    overflow: hidden;
.wrapper section.development .white {
    bottom: -100px;
.wrapper section.development .blue {
   bottom: -90px;
.wrapper section.works .work-text {
   margin-left: 0px;
.wrapper section.portfolia .portfolio-part {
    height: 260px;
wrapper section portfolia portfolio-part overlay-slide {
    padding: 15px;
.wrapper section.portfolia .portfolio-part .overlay-slide h2 {
   margin-top: 65px;
```

```
.wrapper section.portfolia .portfolio-part .overlay-slide h2::before {
       width: 270px;
   .wrapper section.contact {
       height: auto;
       overflow: hidden;
       padding: 50px 0;
    .wrapper section.contact .contact-form {
       margin-left: 0;
    .wrapper section.contact .contact-text {
       margin-top: 0px;
    .wrapper section.contact .blue {
       bottom: -155px;
    .wrapper section.contact .white {
       bottom: -135px;
    .wrapper footer.footer {
      height: auto;
   .wrapper footer.footer .footer-icon {}
@media (max-width: 767px){
    .modal-box {
       width: 98%;
   .text{
       bottom: 400px;
    .slideshow-container{
       width: 400px;
   #features{
       top: -110px;
    .wrapper header.header .header-text h1::before{
       left: 85px;
    .wrapper header.header{
       background: url("../img/background.jpg");
    .wrapper section.works .work-text-full{
       height: 330px;
       margin: 0px auto;
    .col-md-9.col-sm-9.col-xs-13{
        top: -48px;
        left: -10px;
       float: left;
   .another-text{
```

```
position: absolute;
    left: 12px;
    top: 648px;
.navbar-nav{
   margin: 0px;
.col-xs-12{
    left: 366px;
.wrapper header.header ul.nav.navbar-nav{
    padding-bottom: 0px;
    background-color: #f7f4ef;
    border-radius: 30px;
.wrapper header.header ul.nav.navbar-nav li a{
    font-size: 22px;
.wrapper header.header .header-text {
   width: 100%;
   padding-top: 0px;
.wrapper header.header .header-text h1 {
    font-size: 56px;
    margin-bottom: 10px;
    padding-bottom: 10px;
   margin-top: 0;
.wrapper header.header .header-text p {
    font-size: 18px;
    line-height: 25px;
   margin-bottom: 15px;
.wrapper header.header .header-text p br {
   display: none;
.wrapper header.header .logo h2 a{
    font-size: 40px;
.wrapper header.header {
   height: 800px;
    background-size: 1215px;
    background-position-x: center;
.wrapper header.header .blue {
    bottom: -285px;
.wrapper header.header .white {
   bottom: -325px;
.wrapper header header another-text h3 {
    font-size: 33px;
    padding-bottom: 3px;
    margin-top: 60px;
```

```
.wrapper header.header .another-text p {
    line-height: 20px;
    margin-top: 4px;
.wrapper header.header .header-text button {
    margin-bottom: 62px;
    font-size: 16px;
    padding: 10px 35px;
.wrapper section.development {
    padding-top: 30px;
    padding-bottom: 177px;
.wrapper section.development {
   height: auto;
   overflow: hidden;
.wrapper section.development .white {
    bottom: -103px;
.wrapper section.development .blue {
   bottom: -93px;
.wrapper section.works .work-text {
   margin-left: 0px;
.wrapper section.portfolia{
   margin-top: 0px;
.wrapper section.portfolia .portfolio-part {
   height: 260px;
.wrapper section.portfolia .portfolio-part .overlay-slide {
    padding: 15px;
wrapper section portfolia portfolio-part overlay-slide h2 {
    margin-top: 65px;
.wrapper section.portfolia .portfolio-part .overlay-slide h2::before {
   width: 270px;
.wrapper section.contact {
   height: auto;
   overflow: hidden;
   padding: 50px 0;
.wrapper section.contact .contact-form {
   margin-left: 0;
.wrapper section.contact .contact-text {
   margin-top: 0px;
.wrapper section.contact .blue {
   bottom: -170px;
```

```
.wrapper section.contact .white {
        bottom: -150px;
}
.wrapper footer.footer {
        height: auto;
}
.wrapper footer.footer .footer-icon {}
}
```

3.3 Javascript

3.3.1 main.js

```
var i = 0;
function reveal() {
    if(!i){
       dots.style.display = "none";
        btn.innerHTML = "Read Less";
        readmore.style.display = "inline";
        i = 1;
    else{
        dots.style.display = "inline";
        btn.innerHTML = "Read More";
        readmore.style.display = "none";
function disappear() {
   var ovr = document.getElementsByClassName("overlay-text")[0];
    ovr.style.display = "none";
var o = 0;
function extracream() {
    if(!o){
        newhidden.style.display = "inline";
       btn1.innerHTML = "Less Flavours";
       o = 1;
   else{
        newhidden.style.display = "none";
        btn1.innerHTML = "More Flavours";
        o = 0;
const icecream = [
   id: 1,
   title: "Avocado Banana",
   price: 180,
    img: "img/icecream1.jpg",
   id: 2,
    title: "Coconut Lime",
    price: 200,
    img: "img/icecream2.jpg",
    title: "Chocolate-Flake Raspberry",
   price: 150,
```

```
img: "img/icecream3.jpg",
    id: 4,
    title: "Strawberry Sorbet",
    price: 200,
    img: "img/icecream4.jpg",
    id: 5,
    title: "Colombia Chocolate",
    price: 150,
    img: "img/icecream5.jpg",
    id: 6,
    title: "Oreo and Cream",
    price: 180,
    img: "img/icecream6.jpg",
const row = document.getElementsByClassName("row")[6];
icecream.forEach((icecream, id) => {
    const card =
    <div class="col-md-4 col-sm-6">
        <div class="portfolio-part">
<img src = "${icecream.img}" alt = "icecream">
            <div class="overlay-slide">
                <h2>${icecream.title}</h2>
                Price per scoop: ${icecream.price} RSD
            </div>
        </div>
    </div>
    row != null ? row.innerHTML += card : null
function validation(){
    var name1 = document.getElementById('name').value;
    var last1 = document.getElementById('last').value;
    var email1 = document.getElementById('email').value;
    var message1 = document.getElementById('message').value;
    let nameCheck = /^[A-Za-z. ]{5,20}$/;
    let lastCheck = /^[A-Za-z. ]{5,20}$/;
    let emailCheck = /^[a-z0-9.]{2}, @[a-z]{2}, [.]{1}[a-z.]{2}, 6}
    if(nameCheck.test(name1)){
        document.getElementById('name-error').innerHTML = " ";
    else{
```

```
document.getElementById('name-error').innerHTML = "Incorrect first
        return false;
    if(lastCheck.test(last1)){
        document.getElementById('last-error').innerHTML = " ";
    else{
        document.getElementById('last-error').innerHTML = "Incorrect last name
input!";
        return false;
    if(emailCheck.test(email1)){
        document.getElementById('email-error').innerHTML = " ";
    else{
        document.getElementById('email-error').innerHTML = "Incorrect email
        return false;
    document.getElementById('confirm').innerHTML = "Your message has been
successfully sent!";
function SetDate()
var date = new Date();
var day = date.getDate();
var month = date.getMonth() + 1;
var year = date.getFullYear();
if (month < 10) month = "0" + month;</pre>
if (day < 10) day = "0" + day;
var today = year + "-" + month + "-" + day;
document.getElementById("date").value = today;
var slideIndex = 1;
showSlides(slideIndex);
function plusSlides(n) {
  showSlides(slideIndex += n);
function currentSlide(n) {
  showSlides(slideIndex = n);
```

```
function showSlides(n) {
  var i;
  var slides = document.getElementsByClassName("mySlides");
  var dots = document.getElementsByClassName("dot");
  if (n > slides.length) {slideIndex = 1}
  if (n < 1) {slideIndex = slides.length}
  for (i = 0; i < slides.length; i++) {
     slides[i].style.display = "none";
  }
  for (i = 0; i < dots.length; i++) {
     dots[i].className = dots[i].className.replace(" active", "");
  }
  slides[slideIndex-1].style.display = "block";
  dots[slideIndex-1].className += " active";
}</pre>
```

3.3.2 jquery.min.js

```
$(function () {
var appendthis = "<div class='modal-overlay js-modal-close'></div>";
$("a[data-modal-id]").click(function (e) {
e.preventDefault();
$("body").append(appendthis);
$(".modal-overlay").fadeTo(500, 0.7);
var modalBox = $(this).attr("data-modal-id");
$("#" + modalBox).fadeIn($(this).data());
$(".js-modal-close, .modal-overlay").click(function () {
$(".modal-box, .modal-overlay").fadeOut(500, function () {
$(".modal-overlay").remove();
73
$(window).resize(function () {
$(".modal-box").css({
top: ($(window).height() - $(".modal-box").outerHeight()) / 2,
left: ($(window).width() - $(".modal-box").outerWidth()) / 2,
});
});
$(window).resize();
```