# Dokumentacija

# Web Programiranje PHP 2



#### 1.Uvod

#### 1.1Koriscene tehnologije:

Javascript, jQuery, JSON, PHP, Laravel

#### 1.2 Opis funkcionalnosti

#### 1.2.1 Admin Panel

Korisniku koji ima ulogu admina dozvoljen je prikaz ovog dela sajta. On moze da izvrsi dodavanje,menjanje I brisanje korisnika,stavki menija,kategorija,brendova,proizvoda,slika proizvoda. Moze da vidi akcije koje su vrsili korisnici I u kom trenutku, kao i statistiku koliko je proizvoda prodato I koliko je zaradjeno novca.

#### 1.2.2 Logovanje I Regisracija korisnika

Omogućena registracija i logovanje korisnika. Prilikom registracije, svim korisnicima je inicijalno dodeljena uloga korisnika, pri čemu samo administrator ima prava menjanja uloge. Kada se korisnik registruje, putem mail-a mu se šalje aktivacioni link, preko koga moze da aktivira nalog tek kada klikne na taj link. Svi korisnici imaju unikatan link, sadrzi unikatan identifikator koji je specifičan baš za tog korisnika, kako bi samo oni mogli da aktiviraju svoj nalog. Nakon aktivacije naloga,korisnik se salje na stranicu gde se obavestava da je uspesno aktivirao svoj nalog.

# 1.2.3 Filtriranje

Izvrsena je ajaxom, gde kada korsinik odabere kategoriju ,brend ili cenu prikazuju mu se samo isfiltrirani proizvodi.

### 1.2.4 Sortiranje

Korisnik bira nacin sortiranja u padajucoj listi i sadrzaj se filtrira shodno tome, ova funkcionalnost je uradjena ajax-om.

# 1.2.5 Pretraga

Pretraga se otvara pritiskom na lupu u glavnom meniju, ova funkcionalnost je realizovana ajax-om.

#### 1.2.6 Paginacija

Inicijalna paginacija koja se ucita sa stranom Shop je uradjena u laravelu, odavirom bilo kog filtrirana paginacija se menja I radi ajax-om sinhoronizovano sa filtriranje, sortiranjem I pretragom.

#### 1.2.7 Kontakt strana

Na stranici Contact se moze poslati zeljena zalba ili pohvala administratoru sajta.

### 1.2.8 Generisanje sadržaja

Ključan sadržaj, kao i neki ostali delovi sajta se generišu dinamički.


#### 1.2.9 Korpa

Ovu funkcionalnost sam realizovao da svaki put kada se dodaje u korpu dohvata se sadrzaj stare ako postoji i pregazi se sa novim sadrzajem. Model Cart nije izveden iz Modela vec je obicna klasa sa poljima items,totalQty i totalPrice pri cemu items prestavlja niz svih proizvoda u korpi.Korisnik ima mogucnost dodavanje i brisanja iz korpe.Samo ulogovani korisnici mogu da kupuju proizvode.

#### 1.2.10 Checkout

Korisnik moze da cekira svoju porudzbinu, ovo je realizovano na istoj strani gde je i korpa. Nakom odobrenja vrsi se upis u tabelu checkout i resetuje se korpa.

# 1.3 Slika template-a






# 2. Organizacija

### 2.10 rganizaciona sema

### 2.1.1 Organizaciona sema linkova

Sa svake strane se može pristupiti svakoj strani.


# 2.1.2 Šema baze podataka



Activate Windows
Go to Settings to activate Windows.

# 2.2 Slike stranica I opis funkcionalnosti

### 2.2.1 Index



# 2.2.2 Shop

Prikaz svih proizvoda sa mogucnoscu filtriranja, sortiranja I pretrage poi menu.



HOME

SHOP

CONTACT US

AUTHOR

LOGIN

SEARCH







#### Catagories

- sofas shelves
- armchairs
  cabinet
  desk

- bed
  decoration
  wardrobe
- lightingbedclothes

#### Brands

- Ashley Furniture
  IKEA
  Edra
  Kartell
  Poliform
  Henredon
  American
  Signature
  Crate & Barrel
  Ethan Allen

#### Price

10 - 1000

#### Sort by A-Z v



#### \$500

HOLMSUND



\$600 FRIHETEN









\$750

BRÅTHULT

\$400 FLOTTEBO








\$300 MICKE




### 2.2.3 ContactUs





Korisnik moze da posalje poruku administrator.


# 2.2.4 Login





Forma za logovanje korisnika.


# 2.2.5 Registration





Forma za registraciju korisnika, posle popunjavanja forma salje se aktivacioni link u meil-u.Korisnik mora da pristupi sajtu preko tog link-a da bi aktivirao svoj nalog.


#### 2.2.6 Cart





Prikaz svih proizvoda koje je korisnik dodao u korpu sa ukupnom cenom proizvoda. Mogucnost brisanja iz korpe na omoguceno dugme sa desne starane. Pritiskom na dugme checkout se vrsi upis u tabelu checkout gde se belezi sta je sve kupio ulogovani korisnik, nakon toga se resetuje korpa.

# 2.2.7 posts/id






Detaljan prikaz proizvoda sa opisom,naznakom da li je na stanju i jednom ili vise slika. Pritiskom na dugme add to card se odabrani proizvod dodaje u korpu.

### 2.2.8 Author




My name is Nikola Nikolic and I'm a student for the third year Ict college. I love web development and I would like to do this in my life. In my free time I like to play football and go to the gym.




Informacije od autoru sajta.

# 2.3 Admin




Deo sajta sa statistikom.

### 2.3.1 Admin user




Prikaz svih korisnika

### 2.3.2 Insert user




Forma za dodavanje korisnika.

# 2.3.3 Update user




Forma za izmenu korisnika.

### 2.3.4 Admin menu



Prikaz svih savki menija


#### 2.3.5 Insert menu



Copyright © 2018 Colorlib. All rights reserved. Template by Colorlib.


Forma za dodavanje stavki menija.

# 2.3.6 Update menu




Forma za izmenu stavki menija.

### 2.3.7 Admin brands




Prikaz svih brendova.

### 2.3.8 Insert brands




Forma za dodavanje brendova.

# 2.3.9 Update brands




Forma za izmenu brendova.

# 2.3.10 Admin categories




Prikaz svih kategorija.

# 2.3.11 Insert categories




Forma za dodavanje kategorija.

# 2.3.12 Update categories




Forma za izmenu kategorija.

### 2.3.13 Admin posts




Prikaz svih proizvoda.

# 2.3.14 Insert posts




Forma za dodavanje proizvoda.

# 2.3.15 Update posts




Forma za izmenu proizvoda.

# 2.3.16 Admin images



Prikaz svih proizvoda.


# 2.3.17 Insert images



Copyright © 2018 Colorlib. All rights reserved. Template by Colorlib.


Forma za dodavanje slika.

# 2.3.18 Update images



Forma za izmenu slika.

#### 2.3.19 Admin actions



Prikaz svih akcija koje su izvrsili korisnici sa tacnim datumom.

- 3.Kodovi
- 3.1 Controllers
- 3.1.1 app\Controllers\admin

#### 3.1.1.1 ActionsController

```
<?php
namespace App\Http\Controllers\admin;
use App\Models\Actions;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class ActionsController extends Controller
{
    private $actions;
    private $data = [];
    public function __construct()
    {
        $this->actions = new Actions();
    }

    public function index(){
        $actions = $this->actions->getAll();
        $this->data['actions'] = $actions;
        return view('admin.actions.index',$this->data);
    }
}
```

#### 3.1.1.2 AnaliticsController

```
<?php

namespace App\Http\Controllers\admin;

use App\Models\Posts;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;

class AnaliticsController extends Controller
{
    private $data;
    public function admin(){
        $posts = new Posts();
        $total = $posts->totalEarnings();
        $itemsSold = $posts->itemsSold();
        $this->data['total'] = $total;
}
```

```
$this->data['items'] = $itemsSold;
//dd($this->data);
return view('admin.analitics.analitics',$this->data);
}
```

#### 3.1.1.3 BrandsController

```
<?php
namespace App\Http\Controllers\admin;
use App\Http\Requests\BrandsValidation;
use App\Models\Brands;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
class BrandsController extends Controller
    private $data=[];
    private $brands;
    public function __construct()
    {
        $this->brands = new Brands();
    }
    public function index()
        $brands = $this->brands->getAll();
        $this->data['brands'] = $brands;
        return view('admin.brands.index',$this->data);
    }
     * Show the form for creating a new resource.
    public function create()
        return view('admin.brands.create');
    }
     * @param \Illuminate\Http\Request $request
```

```
public function store(BrandsValidation $request)
        $brand = $request->input('brand');
        try{
            $this->brands->insert($brand);
           return redirect("admin/brands")->with("msg", "Successfull insert");
        catch (QueryException $e){
            \Log::info("Error ".$e->getMessage());
            return redirect("admin/brands")->with("msg_error","Error with
insert");
   }
   public function show($id)
    }
   public function edit($id)
       $brand = $this->brands->getOneBrand($id);
       $this->data['brand'] = $brand;
        return view('admin.brands.edit',$this->data);
   }
   public function update(BrandsValidation $request, $id)
        $brand = $request->input('brand');
        try{
            $this->brands->updateBrand($brand,$id);
            return redirect("admin/brands")->with("msg", "Successfull update");
        catch (QueryException $e){
```

#### 3.1.1.4 CategoriesController

```
$cat = $this->categories->getAll();
        $this->data['categories'] = $cat;
return view('admin.categories.index',$this->data);
    }
    public function create()
        return view('admin.categories.create');
    }
    public function store(CategoryValidation $request)
        $cat = $request->input('category');
             $this->categories->insert($cat);
             return redirect("admin/categories")->with("msg", "Successfull
insert");
        catch (QueryException $e){
             \Log::info("Error ".$e->getMessage());
            return redirect("admin/categories")->with("msg_error","Error with
insert");
    }
    public function show($id)
    }
    public function edit($id)
    {
        $this->data['category'] = $this->categories->getOneCategory($id);
```

```
return view('admin.categories.edit',$this->data);
    }
   public function update(CategoryValidation $request, $id)
        $cat = $request->input('category');
        try{
            $this->categories->updateCategory($cat,$id);
            return redirect("admin/categories")->with("msg", "Successfull
update");
        catch (QueryException $e){
            \Log::info("Error ".$e->getMessage());
            return redirect("admin/categories")->with("msg error","Error with
update");
    }
   public function destroy($id)
        try{
            $this->categories->deleteCategory($id);
        catch (QueryException $e){
            \Log::info("Error ".$e->getMessage());
            return redirect("admin/categories")->with("msg_error","Error with
delete");
    }
```

# 3.1.1.5 ImagesController

```
capp\Http\Controllers\admin;

use App\Http\Requests\InsertImageValidation;

use App\Models\Images;

use App\Models\Posts;

use Illuminate\Http\Request;
```

```
use App\Http\Controllers\Controller;
class ImagesController extends Controller
    private $data;
    private $img;
    private $posts;
    public function __construct()
        $this->img=new Images();
        $this->posts = new Posts();
    }
     * @return \Illuminate\Http\Response
    public function index()
        $this->data['images']= $this->img->getAllImages();
$this->data['posts']= $this->posts->getAll();
        return view('admin.images.index',$this->data);
    }
     * @return \Illuminate\Http\Response
    public function create()
        $this->data['posts']= $this->posts->getAll();
        return view('admin.images.create', $this->data);
    }
     * Store a newly created resource in storage.
    public function store(InsertImageValidation $request)
        $alt = $request->input('alt');
        $post = $request->input('post');
        $file = $request->file('image');
$fileName = $file->getClientOriginalName();
        $fileName = time().'_'.$fileName;
        $sourcePath = asset('img/product-img').'/'.$fileName;
        try{
             $file->move(public_path('img\product-img'),$fileName);
             $this->img->insertImage($sourcePath,$alt,$post);
             return redirect('/admin/images')->with('msg','Successfull
insert');
```

```
catch (\Exception $e){
   \Log::info('Error '.$e->getMessage());
    }
    public function show($id)
     * @param int $id
       @return \Illuminate\Http\Response
    public function edit($id)
         $this->data['images']= $this->img->getImage($id);
        $this->data['posts']= $this->posts->getAll();
         return view('admin.images.edit',$this->data);
    }
    public function update(InsertImageValidation $request, $id)
         $src = $request->input('src');
         $alt = $request->input('alt');
         $post = $request->input('post');
$file = $request->file('image');
         $fileName = $file->getClientOriginalName();
        $fileName = time().'_'.$fileName;
             $file->move(public_path('img\product-img'),$fileName);
$this->img->updateImage($src,$alt,$post,$id);
             return redirect('/admin/images')->with('msg','Successfull
update');
         catch (\Exception $e){
             \Log::info('Error'.$e->getMessage());
```

```
/**
    * Remove the specified resource from storage.
    *
    * @param int $id
    * @return \Illuminate\Http\Response
    */
public function destroy($id)
{
    try{
        $this->img->deleteImg($id);
    }
    catch (QueryException $e){
        \Log::info('error '.$e->getMessage());
    }
}
```

### 3.1.1.6 MenuController

```
<?php
namespace App\Http\Controllers\admin;
use App\Http\Requests\MenuInsertValidation;
use App\Models\Menu;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
class MenuController extends Controller
    private $menu;
    private $data = [];
    public function __construct()
        $this->menu = new Menu();
    }
    public function index()
        $menu = $this->menu->getMenu();
        $this->data['menu'] = $menu;
        return view('admin.menu.index',$this->data);
```

```
public function create()
        return view('admin.menu.create');
    }
    public function store(MenuInsertValidation $request)
        $href = $request->input('href');
        $content = $request->input('content');
        try {
            $menu = $this->menu->insert($href, $content);
            return redirect('admin/menu')->with('msg','Successfull insert');
        catch (QueryException $e){
            \Log::info('Error '.$e->getMessage());
            return redirect('admin/menu')->with('msg_error','Error with
insert');
    }
    public function show($id)
    }
    public function edit($id)
        $menu = $this->menu->getOneMenu($id);
        $this->data['menu'] = $menu;
       return view('admin.menu.edit',$this->data);
    }
```

```
public function update(Request $request, $id)
        $href = $request->input('href');
        $content = $request->input('content');
        try{
            $this->menu->update($href,$content,$id);
            return redirect("admin/menu")->with("msg", "Successfull update");
        catch (QueryException $e){
            \Log::info("Error ".$e->getMessage());
            return redirect("admin/menu")->with("msg_error","Error with
update");
    }
   public function destroy($id)
        try{
            $this->menu->delete($id);
        }catch (QueryException $e){
            \Log::info("Error ".$e->getMessage());
            return redirect("admin/menu")->with("msg_error","Error with
delete");
```

### 3.1.1.7 PostsController

```
<?php

namespace App\Http\Controllers\admin;

use App\Http\Requests\InsertPostValidation;
use App\Http\Requests\UpdatePostValidation;
use App\Models\Brands;
use App\Models\Categories;
use App\Models\Images;
use App\Models\Images;
use App\Models\Posts;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
</pre>
```

```
use App\Http\Controllers\Controller;
class PostsController extends Controller
    private $posts;
    private $category;
    private $brand;
    private $img;
    private $data = [];
    public function __construct()
        $this->posts= new Posts();
        $this->category=new Categories();
        $this->brand=new Brands();
        $this->img = new Images();
    }
     * @return \Illuminate\Http\Response
    public function index()
        $posts = $this->posts->getAll();
        $this->data['posts'] = $posts;
$this->data['img']=$this->img->getAll();
       // dd($this->data);
        return view('admin.posts.index',$this->data);
    }
    public function create()
        $this->data['brand'] = $this->brand->getAll();
        $this->data['category'] = $this->category->getAll();
        return view('admin.posts.create',$this->data);
    }
    public function store(InsertPostValidation $request)
        $desc = $request->input('description');
        $name = $request->input('name');
        $price = $request->input('price');
        $quantity = $request->input('quantity');
```

```
$brand = $request->input('brand');
    $category = $request->input('category');
    $file = $request->file('image');
    $fileName = $file->getClientOriginalName();
    $fileName = time().' '.$fileName;
        $file->move(public_path('img\product-img'),$fileName);
        $this->posts->fileName = $fileName;
        $this->posts->desc = $desc;
        $this->posts->name = $name;
        $this->posts->price = $price;
        $this->posts->category = $category;
        $this->posts->brand = $brand;
        $this->posts->quantity = $quantity;
        $this->posts->imgPath = asset('img/product-img');
        $this->posts->insertPost();
        return redirect('/admin/posts')->with('msg','Successfull insert');
    catch (\Exception $e){
        \Log::info('Error '.$e->getMessage());
    }
}
 * @param int $id
public function show($id)
{
}
public function edit($id)
    $this->data['posts'] = $this->posts->getPost($id);
    $this->data['category'] = $this->category->getAll();
    $this->data['brand'] = $this->brand->getAll();
    return view('admin.posts.edit',$this->data);
}
```

```
public function update(UpdatePostValidation $request, $id)
    $desc = $request->input('description');
    $name = $request->input('name');
    $price = $request->input('price');
    $quantity = $request->input('quantity');
    $brand = $request->input('brand');
    $category = $request->input('category');
    try{
        $this->posts->desc = $desc;
        $this->posts->name = $name;
        $this->posts->price = $price;
        $this->posts->category = $category;
        $this->posts->brand = $brand;
        $this->posts->quantity = $quantity;
        $this->posts->updatePost($id);
        return redirect('/admin/posts')->with('msg','Successfull update');
    }
    catch (\Exception $e){
        \Log::info('Error''.$e->getMessage());
}
 * Remove the specified resource from storage.
 * @param int $id
public function destroy($id)
    try{
        $this->posts->deletePost($id);
    catch (QueryException $e){
   \Log::critical('Error '.$e->getMessage());
```

### 3.1.1.8 usersController

```
<?php

namespace App\Http\Controllers\admin;

use App\Http\Requests\UserEditValidation;
use App\Http\Requests\UserInsertValidation;
use App\Models\Role;
use App\Models\Users;
</pre>
```

```
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use App\Http\Controllers\Controller;
class usersController extends Controller
    private $users;
    private $role;
    private $data = [];
    public function __construct()
        $this->users = new Users();
        $this->role = new Role();
    }
    public function index()
        $allUsers = $this->users->getAll();
       $this->data['users'] = $allUsers;
       return view('admin.users.index',$this->data);
    }
    public function create()
        $role = $this->role->role();
       $this->data['role']=$role;
        return view('admin.users.create',$this->data);
    }
    public function store(UserInsertValidation $request)
        $userName = $request->input('username');
        $password = $request->input('password');
        $fullName = $request->input('fullName');
        $email = $request->input("email");
        $role = $request->input('role');
        $active = $request->input('active');
        try{
             $this->users-
```

```
>insert($fullName,$userName,$email,$password,$role,$active);
            return redirect("admin/users")->with("msg", "Successfull insert");
        catch (QueryException $e){
            \Log::info("nesto".$e->getMessage());
            return redirect("admin/users")->with("msg error","Error with
insert");
    }
   public function show($id)
    }
   public function edit($id)
       $role = $this->role->role();
        $user = $this->users->getUser($id);
       $this->data['user']=$user;
       $this->data['role']=$role;
       return view('admin.users.edit',$this->data);
   }
   public function update(UserEditValidation $request, $id)
        $userName = $request->input('username');
        $password = $request->input('password');
        $fullName = $request->input('fullName');
        $email = $request->input("email");
        $role = $request->input('role');
        $active = $request->input('active');
        try{
            $this->users-
>update($fullName,$userName,$email,$password,$role,$active,$id);
            return redirect("admin/users")->with("msg", "Successfull update");
        catch (QueryException $e){
```

```
\Log::info("nesto".$e->getMessage());
    return redirect("admin/users")->with("msg_error","Error with

update");
    }
}

/**
    * Remove the specified resource from storage.
    *
    * @param int $id
    * @return \ILluminate\Http\Response
    */
public function destroy($id)
{
    try{
        $this->users->delete($id);
        response(null,204);
    }
    catch (QueryException $e){
        \Log::info('error '.$e->getMessage());
    }
}
```

# 3.1.2 app\Controllers\

# 3.1.2.1 ApiController

```
<?php
namespace App\Http\Controllers;
use App\Models\Actions;
use App\Models\Brands;
use App\Models\Categories;
use App\Models\Images;
use App\Models\Menu;
use App\Models\Posts;
use App\Models\Role;
use App\Models\Users;
use DateTime;
use Illuminate\Http\Request;
class ApiController extends Controller
    private $users;
    private $role;
    private $menu;
    private $brands;
    private $categories;
    private $posts;
    private $img;
    private $actions;
```

```
public function __construct()
        $this->users = new Users();
        $this->role = new Role();
        $this->menu = new Menu();
        $this->brands = new Brands();
        $this->categories = new Categories();
        $this->posts = new Posts();
        $this->img=new Images();
       $this->actions = new Actions();
   }
   public function getAllUsers(){
       return $this->users->getAll();
   public function getAllMenus(){
        return $this->menu->getMenu();
   public function getAllBrands(){
        return $this->brands->getAll();
   public function getAllCategories(){
        return $this->categories->getAll();
   public function getAllPosts(){
        return $this->posts->getAll();
   public function getAllImages(){
        return $this->img->getAll();
   public function filtering(Request $request){
        $category = $request->input('category');
        $brands = $request->input('brands');
        $sort = $request->input('sort');
        $price = $request->input('price');
        $search = $request->input('search');
        $page = $request->input('page');
        return $this->posts-
>filtering($category,$brands,$sort,$price,$search,$page);
    }
   public function fileteringDate(Request $request){
        $startDate = $request->input('start');
        $endDate = $request->input('end');
        $timeStart = DateTime::createFromFormat("Y-m-d", $startDate);
        $timestampStart = $timeStart->getTimestamp();
        $timeEnd = DateTime::createFromFormat("Y-m-d", $endDate);
       $timestampEnd = $timeEnd->getTimestamp();
        return $this->actions->filtering($timestampStart,$timestampEnd);
```

### 3.1.2.2 AuthController

```
<?php
namespace App\Http\Controllers;
use App\Http\Requests\ContactValidation;
use App\Http\Requests\LoginValidation;
use App\Http\Requests\RegistrationValidation;
use App\Models\Actions;
use App\Models\Users;
use Illuminate\Database\QueryException;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;
use Illuminate\Support\Facades\Mail;
class AuthController extends Controller
    protected $users;
    private $action;
    public function construct()
        $this->users = new Users();
        $this->action = new Actions();
    public function login(LoginValidation $request){
        $userName = $request->input("username");
        $password = $request->input("password");
        $user = $this->users->login($userName,$password);
        if($user){
            $request->session()->put("user",$user);
            $session = $request->session()->get("user");
            $this->action->insertAction($user->id_user,'Logovanje');
            if ($session->role == 'admin')
            return redirect("/admin")->with("msg","You have successfully
logged in");
            else
            return redirect("/")->with("msg","You have successfully logged
in");
        else redirect("/")->with("msg_error","Something is wrong");
    public function registration(RegistrationValidation $request){
        $fullName = $request->input("fullName");
        $userName = $request->input("username");
        $email = $request->input("email");
        $password = $request->input("password");
        $token = md5(time().$email);
        try{
            $to name = $fullName;
            $to email = $email;
            $data = array('name'=>$fullName,'token'=>$token);
            Mail::send('emails.registration', $data, function($message) use
($to name, $to email) {
                $message->to($to email, $to name)
                    ->subject('User registration Amado Shop');
                $message->from('nikola.nikolic.23.16@ict.edu.rs','User
```

```
registration');
            $userId = $this->users-
>registration($fullName,$userName,$email,$password,$token);
            $this->action->insertAction($userId, 'Registracija');
            return redirect("/")->with("msg","Successfull registration, please
activate your account");
        catch (QueryException $exception){
            \Log::info("Unsuccessfull registration ".\sexception-
>getMessage());
            return redirect("/")->with("msg_error","Unsuccessfull
registration, error occurred");
        catch (\Exception $exception){
            \Log::info($exception->getMessage());
        }
   public function activateUser($token){
        $user = $this->users->activateUser($token);
        if ($user){
           return redirect('/')->with('msg','Successfuly activated account');
        else return redirect('/')->with('msg_error','Account already
activated');
    }
   public function logout(Request $request){
        if($request->session()->has("user")){
            $user = session()->get('user');
            $this->action->insertAction($user->id user,'Odjava');
            $request->session()->forget("user");
        return redirect("/")->with("msg","You have successfully logged out");
   }
    public function contact(ContactValidation $request){
        $username = $request->input('username');
        $email = $request->input('email');
       $coment = $request->input('coment');
        try{
            $to_name = 'Admin';
            $to_email = 'dzonzi97@gmail.com';
            $data =
array('name'=>'Admin','userName'=>$username,'email'=>$email,'coment'=>$coment)
           Mail::send('emails.contact', $data, function($message) use
```

### 3.1.2.3 BaseController

```
<?php

namespace App\Http\Controllers;

use App\Models\Menu;
use Illuminate\Http\Request;

class BaseController extends Controller
{
    protected $data=[];
    public function __construct(){
        $menus = new Menu();
        $menu = $menus->getMenu();
        $this->data["menu"] = $menu;
    }
}
```

### 3.1.2.4 CartController

```
    namespace App\Http\Controllers;

use App\Models\Cart;
use App\Models\Checkout;
use App\Models\Images;
use App\Models\Posts;
use Illuminate\Database\QueryException;
```

```
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Session;
class CartController extends BaseController
    private $img;
    private $post;
    private $idProduct = [];
    public function __construct()
        parent::__construct();
        $this->img = new Images();
        $this->post = new Posts();
    }
    public function getAddToCart(Request $request,$id){
        $product = $this->post->getPost($id);
        $oldCart = Session::has('cart') ? Session::get('cart') : null;
        $cart = new Cart($oldCart);
        $cart->add($product,$id);
        $request->session()->put('cart',$cart);
        return redirect('/shop')->with('msg','You have added item do cart');
    }
    public function cart(){
        if (!Session::has('cart')){
            return view('pages.cart',['menu'=>$this->data['menu']]);
        $oldCard = Session::get('cart');
        $cart = new Cart($oldCard);
        $pictures = $this->img->getAll();
        return view('pages.cart',['menu'=>$this-
>data['menu'],'products'=>$cart->items,'totalPrice'=>$cart-
>totalPrice,'images'=>$pictures]);
    public function deleteFromCart($id){
        $oldCart = Session::has('cart') ? Session::get('cart') : null;
        $cart = new Cart($oldCart);
        $cart->delete($id);
        Session::put('cart',$cart);
        return redirect('/cart')->with('msg','Item removed from cart');
    }
    public function checkout(Request $request){
        $post_ids = $request->input('id');
        $id_user = $request->input('id_user');
        $quantity = $request->input('quantity');
        $checkout = new Checkout();
        $checkout->posts ids = $post ids;
        $checkout->user_id = $id_user;
        $checkout->quantity = $quantity;
```

### 3.1.2.5 FrontEndController

```
<?php
namespace App\Http\Controllers;
use App\Models\Brands;
use App\Models\Categories;
use App\Models\Images;
use App\Models\Posts;
use Illuminate\Http\Request;
class FrontEndController extends BaseController
    private $brands;
    private $category;
    private $posts;
    private $img;
    public function __construct()
        parent::_construct();
        $this->brands = new Brands();
        $this->category= new Categories();
        $this->posts=new Posts();
        $this->img= new Images();
    }
    public function index(){
        $this->data['images'] = $this->img->getAll();
$this->data['posts'] = $this->posts->getLastTwelvePosts();
        return view('pages.index',$this->data);
    }
    public function posts($id){
        $this->data['posts'] = $this->posts->getPost($id);
```

```
$this->data['images'] = $this->img->getSpecImgForPost($id);
    return view('pages.post_details',$this->data);
}

public function shop(){
    $this->data['brands'] = $this->brands->getAll();
    $this->data['categories']=$this->category->getAll();
    $this->data['posts'] = $this->posts->getAllPosts();
    $this->data['images'] = $this->img->getAll();
    return view('pages.shop',$this->data);
}

public function post(){
    return view('pages.post_details',$this->data);
}

public function login(){
    return view('pages.login',$this->data);
}

public function contactUs(){
    return view('pages.contactUs',$this->data);
}

public function author(){
    return view('pages.author',$this->data);
}
```

### 3.2 Middleware

### 3.2.1 adminMiddleware

```
<?php

namespace App\Http\Middleware;

use Closure;

class adminMiddleware
{
    /**
    * Handle an incoming request.
    *
    * @param \ILluminate\Http\Request $request
    * @param \Closure $next
    * @return mixed
    */
    public function handle($request, Closure $next)
    {
        if(!$request->session()->has("user")){
            return redirect("/")->with("msg_error","access denied");
        }
        $user = $request->session()->get("user");
        if($user->role != "admin"){
            return redirect("/")->with("msg_error","access denied");
        }
}
```

```
return $next($request);
}
```

### 3.2.2 UserMiddleware

```
<?php
namespace App\Http\Middleware;
use Closure;
class UserMiddleware
{
    /**
    * Handle an incoming request.
    *
    * @param \Illuminate\Http\Request $request
    * @param \Closure $next
    * @return mixed
    */
    public function handle($request, Closure $next)
    {
        if(!$request->session()->has('user')){
            return redirect('/')->with('msg_error', 'access denied');
        }
        return $next($request);
    }
}
```

# 3.3 Requests

### 3.3.1 UserInsertValidation

### 3.3.2 UserEditValidation

```
}
public function messages()
{
    return [
        'role.not_in'=>'You must select role'
    ];
}
```

# 3.3.3 UpdatePostValidation

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class UpdatePostValidation extends FormRequest
    public function authorize()
        return true;
    public function rules()
        return [
            'description'=>'required|max:60',
            'name'=>'required|max:60',
            'price'=>'required|numeric',
            'quantity'=>'required|numeric',
            'brand'=>'required|not_in:0',
            'category'=>'required|not_in:0',
        ];
```

# 3.3.4 RegistrationValidation

```
<?php
namespace App\Http\Requests;</pre>
```

```
use Illuminate\Foundation\Http\FormRequest;
class RegistrationValidation extends FormRequest
   public function authorize()
       return true;
   public function rules()
        return [
            'username' => 'required|unique:users,user_name',
            'password' => 'required|max:60|min:6',
            'fullName' => 'required|max:60',
            'email' => 'required|email|unique:users,email'
        ];
   public function messages()
        return [
            'fullName.regex'=>'Name must start with capital letter'
        ];
```

### 3.3.5 MenuInsertValidation

```
return true;
}

/**
  * Get the validation rules that apply to the request.
  *
  * @return array
  */
public function rules()
{
    return [
         'href'=>'required',
         'content'=>'required'
    ];
}
public function messages()
{
    return [
         'href.required'=>'You must enter route name',
          'content.required'=>'You must enter content of the link'
    ];
}
```

## 3.3.6 LoginValidation

```
}
}
```

### 3.3.7 InsertPostValidation

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class InsertPostValidation extends FormRequest
     public function authorize()
         return true;
     public function rules()
         return [
              'description'=>'required',
               'name'=>'required|max:60',
              'price'=>'required|numeric',
              'quantity'=>'required|numeric',
              'brand'=>'required|not_in:0',
'category'=>'required|not_in:0',
'image'=>'file|mimes:jpg,jpeg,gif,png'
         ];
```

# 3.3.8 InsertImageValidation

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class InsertImageValidation extends FormRequest</pre>
```

### 3.3.9 Contact Validation

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class ContactValidation extends FormRequest
{
    /**
    * Determine if the user is authorized to make this request.
    *
    * @return bool
    */
    public function authorize()
    {
        return true;
    }

    /**
    * Get the validation rules that apply to the request.
    *
    * @return array
    */
    public function rules()
    {
        return [</pre>
```

# 3.3.10 Category Validation

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class CategoryValidation extends FormRequest
    public function authorize()
        return true;
    }
    public function rules()
        return [
            'category'=>'required'
        ];
    public function messages()
        return [
            'category.required'=>'You have to fill in the field '
        ];
```

### 3.3.11 BrandsValidation

```
<?php
namespace App\Http\Requests;</pre>
```

### 3.4 Models

# 3.4.1 Models\Actions

```
]);
}
public function getAll(){
    return DB::table('action AS a')
        ->join('users AS u', 'a.id_user', '=', 'u.id')
        ->paginate(10);
}
public function filtering($start,$end){
    try{
        $query = DB::table('action AS a')
        ->join('users AS u', 'a.id_user', '=', 'u.id');
        if ($start != null && $end != null){
            $query=$query->whereBetween('date', [$start, $end]);
        return $query->get();
    catch (QueryException $e){
        var_dump($e->getMessage());
    }
```

# 3.4.2 Models\Brands

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;
class Brands extends Model
    public function getAll(){
        return DB::table('brands')->paginate(5);
    public function getOneBrand($id){
        return DB::table('brands')
            ->where('id','=',$id)
            ->first();
    }
    public function insert($brand){
        return DB::table('brands')
            ->insert([
                'brand'=>$brand
            ]);
    }
    public function updateBrand($brand,$id){
```

### 3.4.3 Models\Cart

```
<?php
namespace App\Models;
class Cart
    public $items = null;
    public $totalQty = 0;
    public $totalPrice = 0;
    public function __construct($oldCart)
        if($oldCart){
            $this->items = $oldCart->items;
            $this->totalQty = $oldCart->totalQty;
            $this->totalPrice = $oldCart->totalPrice;
        }
    }
    public function add($item,$id){
        $storedItem = ['qty'=> 0 ,'price'=>'0','item'=>$item];
        if($this->items){
            if (array_key_exists($id,$this->items)){
                $storedItem = $this->items[$id];
        }
        $storedItem['qty']++;
        $storedItem['price'] = $item->price * $storedItem['qty'];
        $this->items[$id] = $storedItem;
        $this->totalPrice += $item->price;
```

```
$this->totalQty++;
}
public function delete($id){
    $this->totalPrice -=$this->items[$id]['price'];
    $this->totalQty -= $this->items[$id]['qty'];
    unset($this->items[$id]);
}
```

# 3.4.4 Models\Categories

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;
class Categories extends Model
    public function getAll(){
         return DB::table('categories')->paginate(5);
    public function getOneCategory($id){
        return DB::table('categories')
    ->where('id','=',$id)
             ->first();
    }
    public function insert($cat){
         return DB::table('categories')
             ->insert([
                  'category'=>$cat
             ]);
    }
    public function updateCategory($cat,$id){
         return DB::table('categories')
             ->where('id','=',$id)
             ->update([
                  'category'=>$cat
             ]);
    }
    public function deleteCategory($id){
        return DB::table('categories')
    ->where('id','=',$id)
             ->delete();
```

## 3.4.5 Models\Checkout

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;
class Checkout extends Model
    public $posts_ids;
    public $user_id;
    public $quantity;
    public function insertCheckout(){
        return DB::transaction(function (){
            foreach ($this->posts_ids as $post_id){
                DB::table('checkout')
                    ->insert([
                        'id_post'=>$post_id,
                        'id_user'=>$this->user_id,
                        'date'=>time(),
                        'quantity'=>$this->quantity
                    ]);
       });
```

# 3.4.6 Models\Images

```
->select('*','i.id AS image_id','p.id AS post_id')
        ->paginate(5);
}
 public function getImage($id){
     return DB::table('images AS i')
         ->where('i.id','=',$id)
         ->first();
 }
 public function getSpecImgForPost($id){
     return DB::table('images')
         ->where('id_post','=',$id)
         ->get();
 }
 public function insertImage($src,$alt,$post){
     return DB::table('images')
         ->insert([
             'src'=>$src,
             'alt'=>$alt,
             'id post'=>$post
         1);
 public function updateImage($src,$alt,$post,$id){
     return DB::table('images')
         ->where('id','=',$id)
         ->update([
             'alt'=>$alt,
             'id_post'=>$post
         ]);
 public function deleteImg($id){
     DB::table('images')
         ->where(
             'id','=',$id
         )
         ->delete();
```

# 3.4.7 Models\Menu

```
<?php
namespace App\Models;
use Illuminate\Support\Facades\DB;

class Menu
{
   public function getMenu(){</pre>
```

```
return DB::table("menu")->paginate(5);
}
public function getOneMenu($id){
    return DB::table('menu')
        ->where('id','=',$id)
        ->first();
}
public function insert($href,$content){
    return DB::table('menu')->insert([
        'href'=>$href,
        'content'=>$content
    ]);
}
public function update($href,$content,$id){
    return DB::table('menu')
    ->where('id','=',$id)
        ->update([
             'href'=>$href,
             'content'=>$content
        ]);
}
public function delete($id){
    return DB::table("menu")
        ->where('id','=',$id)
        ->delete();
}
```

# 3.4.8 Models\Posts

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Posts extends Model
{
    public $fileName;
    public $desc;
    public $name;
    public $price;
    public $category;
    public $brand;
    public $quantity;
    public $imgPath;
    public $timestamps = false;</pre>
```

```
public function getAll(){
    return DB::table('posts AS p')
        ->join('brands AS b','p.id_brand','=','b.id')
        ->join('categories AS c','p.id_category','=','c.id')
        ->select('*','p.id as id_post')
        ->paginate(5);
public function getLastTwelvePosts(){
    return DB::table('posts AS p')
         ->join('images AS i','p.id','=','i.id_post')
        ->join('brands AS b','p.id_brand','=','b.id')
        ->join('categories AS c','p.id_category','=','c.id')
        ->select('*','p.id as id_post','i.id as id_img')
        ->paginate(12);
}
public function getAllPosts(){
    return DB::table('posts AS p')
        ->join('brands AS b','p.id_brand','=','b.id')
        ->join('categories AS c','p.id_category','=','c.id')
        ->select('*','p.id as id_post')
        ->paginate(6);
}
public function getPost($id){
    return DB::table('posts AS p')
        ->join('categories AS c','p.id_category','=','c.id')
        ->where([
            ['p.id','=',$id]
        ->select('*','p.id AS id_post')
        ->first();
}
public function insertPost(){
    try{
        DB::transaction(function (){
            $id = DB::table('posts')->insertGetId([
    'description'=>$this->desc,
                 'name'=>$this->name,
                 'price'=>$this->price,
                 'id_category'=>$this->category,
                 'id brand'=>$this->brand,
                 'quantity'=>$this->quantity
            DB::table('images')->insert([
                 'src'=>$this->imgPath.'/'.$this->fileName,
                 'alt'=>$this->fileName,
                 'id post'=>$id
            ]);
        });
    catch (\Throwable $e){
        \Log::critical('Fail to insert post');
        throw new \Exception('Error with insert');
```

```
}
public function updatePost($id){
    return DB::table('posts')
       ->where('id','=',$id)
        ->update([
            'description'=>$this->desc,
           'price'=>$this->price,
           'id_category'=>$this->category,
           'id brand'=>$this->brand,
            'quantity'=>$this->quantity
       ]);
}
public function deletePost($id){
   DB::table('posts')
       ->where(
           'id','=',$id
       ->delete();
}
public function filtering($category,$brands,$sort,$price,$search,$page){
   $query = DB::table('posts AS p');
   if($search){
       $query = $query->where('name','like','%'.$search.'%');
   if($category){
       $query = $query->whereIn('id_category',$category);
    if($brands){
       $query = $query->whereIn('id_brand',$brands);
    if($sort){
       if($sort == 'ascName') $query = $query->orderBy('name');
       if($sort == 'descName') $query = $query->orderBy('name', 'desc');
       if($sort == 'ascPrice') $query = $query->orderBy('price');
       if($sort == 'descPrice') $query = $query->orderBy('price', 'desc');
   }
if ($price){
       $query=$query->whereBetween('price', [$price[0], $price[1]]);
   }
       $broj=$query->count();
       $upit=$query->offset($page)
           ->limit(6)
           ->get();
   return ['count'=>$broj,'posts'=>$upit];
}
```

# 3.4.9 Models\Role

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Model;
use Illuminate\Support\Facades\DB;

class Role extends Model
{
    public function role(){
        return DB::table('role')->get();
    }
}
```

# 3.4.10 Models\Users

```
</php
/**
    * Created by PhpStorm.
    * User: Nikola
    * Date: 4.3.2019.
    * Time: 20.49
    */

namespace App\Models;

use Illuminate\Database\QueryException;
use Illuminate\Support\Facades\DB;

class Users
{
    public function login($userName,$pass){
        return DB::table("users AS t")->select('*','t.id AS id_user')
}
```

```
->join("role AS r","t.id_role","=","r.id")
        ->where([
                 'user_name','=',$userName],
                ['password','=',md5($pass)]
        ])->orWhere([
                ['email','=',$userName],
                ['password','=',md5($pass)]
        ])
            ->first();
    public function registration($fullName,$userName,$email,$password,$token){
        $id = DB::table("users")->insertGetId([
            'full_name'=>$fullName,
            'user name'=>$userName,
            'email'=>$email,
            'password'=>md5($password),
            'id role'=>2,
            'activated'=>0,
            'token'=>$token
        ]);
        return $id;
    public function getAll(){
    return DB::table('users AS u')
        ->join('role AS r', 'u.id_role', '=', 'r.id')
        ->select('*','u.id AS user_id')
        ->paginate(5);
    public function getUser($id){
        return DB::table('users AS u')
            ->join('role AS r','u.id_role','=','r.id')
            ->select('*','u.id AS user_id')
            ->where([
                ['u.id','=',$id]
            ->first();
    public function
insert($fullName,$userName,$email,$password,$role,$active){
        if($active == 'on') $active = 1;
        else $active = 0;
        DB::table("users")->insert([
            'full name'=>$fullName,
            'user_name'=>$userName,
            'email'=>$email,
            'password'=>md5($password),
            'id_role'=>$role,
            'activated'=>$active,
            'token'=>''
        ]);
    public function
update($fullName,$userName,$email,$password,$role,$active,$id){
        if($active == 'on') $active = 1;
        else $active = 0;
        DB::table('users AS u')
```

```
->where([
             ['u.id','=',$id]
         ->update([
             'full_name'=>$fullName,
             'user_name'=>$userName,
'email'=>$email,
'password'=>md5($password),
             'id_role'=>$role,
             'activated'=>$active,
             'token'=>''
        ]);
public function delete($id){
    DB::table('users')
        ->where(
'id','=',$id
         ->delete();
}
public function activateUser($token){
    $user = DB::table('users')
        ->where([
             ['activated','=','0'],
             ['token','=',$token]
         ->first();
    if($user){
        try{
             return DB::table('users')
                 ->update([
                      'activated'=>1
                 ]);
         catch (QueryException $e){
             \Log::info($e->getMessage());
    else return 0;
}
```

# 3.5 routes\web.php

```
<?php
/*
|-----|
| Web Routes
```

```
Route::get('/', "FrontEndController@index")->name("home");
Route::get('/shop',"FrontEndController@shop")->name("shop");
Route::get('/login', "FrontEndController@login")->name("getLogin");
Route::get('/contactUs', "FrontEndController@contactUs")->name("contactUs");
Route::get('/author', "FrontEndController@author")->name("author");
Route::get('/posts/{id}','FrontEndController@posts')->name('posts');
Route::post('/login', "AuthController@login")->name("login");
Route::post('/registration', "AuthController@registration")-
>name("registration");
Route::get('/logout', "AuthController@logout")->name("logout");
Route::get('/activateUser/{token}',"AuthController@activateUser")-
>name("activateUser");
Route::post('/contact', "AuthController@contact")->name("contacUs");
Route::resource('admin/users','admin\usersController')->middleware('admin');
Route::resource('admin/menu', 'admin\MenuController')->middleware('admin');
Route::resource('admin/brands','admin\BrandsController')->middleware('admin');
Route::resource('admin/categories','admin\CategoriesController')-
>middleware('admin');
Route::resource('admin/posts','admin\PostsController')->middleware('admin');
Route::resource('admin/images','admin\ImagesController')->middleware('admin');
Route::get('admin/actions','admin\ActionsController@index')-
>name('getActions')->middleware('admin');
Route::get('/admin',"admin\AnaliticsController@admin")->name("admin");
Route::get('api/users','ApiController@getAllUsers');
Route::get('api/menus','ApiController@getAllMenus');
Route::get('api/brands','ApiController@getAllBrands');
Route::get('api/categories','ApiController@getAllCategories');
Route::get('api/posts','ApiController@getAllPosts');
Route::get('api/images','ApiController@getAllImages');
Route::get('api/filters','ApiController@filtering')->name('filters');
Route::get('api/filtersDate', 'ApiController@fileteringDate')-
>name('filtersDate');
Route::get('/add-to-cart/{id}','CartController@getAddToCart')-
>name('addToCart')->middleware('user');
Route::get('/cart',"CartController@cart")->name("cart")->middleware('user');
Route::get('/deleteFromCart/{id}',"CartController@deleteFromCart")-
```

```
>name("deleteFromCart")->middleware('user');
Route::post('/checkout', "CartController@checkout")->name("checkout");
```

#### 3.6 views

#### 3.6.1 views\admin\actions\index.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    Actions of Users
@endsection
@section('page_title')
    Actions of Users
@endsection
@endsection
@section('mainContent')
    @include('partials.admin.actions.actions_table')
@endsection
```

#### 3.6.2 views\admin\analitics\analitics.blade.php

# 3.6.3 views\admin\brands\index.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    Brands
@endsection
@section('page_title')
    Brands
@endsection
@section('mainContent')
    @include('partials.admin.brands.brands_table')
@endsection
```

# 3.6.4 views\admin\brands\create.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    Insert brand
@endsection
@section('page_title')
    Insert brand
@endsection
```

# 3.6.5 views\admin\brands\edit.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
   Edit brand
@endsection
@section('page_title')
   Edit brand
@endsection
@section('mainContent')
   @include('partials.admin.brands.edit_form')
@endsection
@if ($errors->any())
   <div class="alert alert-danger">
       <l
           @foreach ($errors->all() as $error)
               {{ $error }}
           @endforeach
       </div>
@endif
```

# 3.6.6 views\admin\categories\index.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    Categories
@endsection
@section('page_title')
    Categories
@endsection
@section('mainContent')
    @include('partials.admin.categories.category_table')
@endsection
```

# 3.6.7 views\admin\categories\create.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
```

```
Insert Categories
@endsection
@section('page_title')
   Insert Categories
@endsection
@section('mainContent')
   @include('partials.admin.categories.insert_form')
@endsection
@if ($errors->any())
   <div class="alert alert-danger">
       <l
           @foreach ($errors->all() as $error)
               {{ $error }}
           @endforeach
       </div>
@endif
```

#### 3.6.8 views\admin\categories\edit.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
   Update Categories
@endsection
@section('page title')
   Update Categories
@endsection
@section('mainContent')
   @include('partials.admin.categories.edit_form')
@endsection
@if ($errors->any())
   <div class="alert alert-danger">
       <l
           @foreach ($errors->all() as $error)
               {{ $error }}
           @endforeach
       </div>
@endif
```

# 3.6.9 views\admin\images\index.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    All images
@endsection
@section('page_title')
    All images
@endsection
@section('mainContent')
    @include('partials.admin.images.images_table')
@endsection
```

#### 3.6.10 views\admin\images\create.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
   Insert image
@endsection
@section('page_title')
   Insert image
@endsection
@section('mainContent')
   @include('partials.admin.images.insert_form')
@endsection
@if ($errors->any())
   <div class="alert alert-danger">
       <l
           @foreach ($errors->all() as $error)
               {| $error }}
           @endforeach
       </div>
@endif
```

# 3.6.11 views\admin\images\edit.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
   Edit image
@endsection
@section('page_title')
   Edit image
@endsection
@section('mainContent')
   @include('partials.admin.images.edit_form')
@endsection
@if ($errors->any())
   <div class="alert alert-danger">
           @foreach ($errors->all() as $error)
               {{ $error }}
           @endforeach
       </div>
@endif
```

# 3.6.12 views\admin\menu\index.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    Menu
@endsection
@section('page_title')
```

```
Menu
@endsection
@section('mainContent')
    @include('partials.admin.menu.menu_table')
@endsection
```

# 3.6.13 views\admin\menu\create.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
   Insert into menu
@endsection
@section('page_title')
   Insert into menu
@endsection
@section('mainContent')
   @include('partials.admin.menu.insert form')
@endsection
@if ($errors->any())
   <div class="alert alert-danger">
           @foreach ($errors->all() as $error)
               {{ $error }}
           @endforeach
       </div>
@endif
```

# 3.6.14 views\admin\menu\edit.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
   Edit menu
@endsection
@section('page_title')
   Edit menu
@endsection
@section('mainContent')
   @include('partials.admin.menu.edit_form')
@endsection
@if ($errors->any())
    <div class="alert alert-danger">
       <l
           @foreach ($errors->all() as $error)
               {{ $error }}
           @endforeach
       </div>
@endif
```

#### 3.6.15 views\admin\posts\index.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    All posts
@endsection
@section('page_title')
    All posts
@endsection
@section('mainContent')
    @include('partials.admin.posts.posts_table')
@endsection
```

#### 3.6.16 views\admin\posts\create.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
   Insert post
@endsection
@section('page_title')
   Insert post
@endsection
@section('mainContent')
   @include('partials.admin.posts.insert_form')
@endsection
@if ($errors->any())
    <div class="alert alert-danger">
       <l
           @foreach ($errors->all() as $error)
               {{ $error }}
           @endforeach
       </div>
@endif
```

# 3.6.17 views\admin\posts\edit.blade.php

```
{{ $error }}
@endforeach

</div>
@endif
```

#### 3.6.18 views\admin\users\index.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    All users
@endsection
@section('page_title')
    All users
@endsection
@section('mainContent')
@include('partials.admin.users.users_table')
@endsection
```

# 3.6.19 views\admin\users\create.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    Insert user
@endsection
@section('page_title')
    Insert user
@endsection
@section('mainContent')
    @include('partials.admin.users.inser_form')
@endsection
@if ($errors->any())
    <div class="alert alert-danger">
        <l
            @foreach ($errors->all() as $error)
                {{ $error }}
            @endforeach
        </div>
@endif
```

# 3.6.20 views\admin\users\edit.blade.php

```
@extends('layout.admin')
@section('breadcrumb')
    Edit user
@endsection
@section('page_title')
    Edit user
@endsection
```

#### 3.6.21 views\email\contact.blade.php

# 3.6.22 views\email\registration.blade.php

# 3.6.23 views\layout\admin.blade.php

```
@include('partials.admin.head')
        <script>
            let baseUrl = '{{url("/")}}';
            let csrf = '{{csrf_token()}}';
            let asset = '{{asset('/')}}';
        </script>
<body class="animsition">
        @if (session("msg"))
            <div class="alert alert-success" role="alert">
                {{session("msg")}}
            </div>
        @endif
        @if (session("msg_error"))
            <div class="alert alert-danger" role="alert">
                {{session("msg_error")}}
            </div>
        @endif
```

```
<div class="page-wrapper">
    <header class="header-desktop3 d-none d-lg-block">
       <div class="section__content section__content--p35">
           <div class="header3-wrap">
               <img src="{{asset('/')}}images/icon/logo-white.png"</pre>
alt="CoolAdmin" />
                    </a>
               </div>
                   @include('partials.admin.header_navbar')
                   @include('partials.admin.header_tool')
           </div>
       </div>
   </header>
       @include('partials.admin.header_mobile')
       @include('partials.admin.sub_header_mobile')
    <div class="page-content--bgf7">
       <!-- BREADCRUMB-->
       @include('partials.admin.breadcrumb')
       <!-- END BREADCRUMB-->
       @include('partials.admin.welcome')
       <!-- END WELCOME-->
       @yield('mainContent')
       @include('partials.admin.copyright')
    </div>
</div>
@include('partials.admin.footer')
```

# 3.6.24 views\layout\fronEnd.blade.php

```
@include("partials.head")
<script>
    let baseUrl = '{{url("/")}}';
    let csrf = '{{csrf_token()}}';
    let asset = '{{asset('/')}}';
</script>
@include("partials.message")
@include("partials.navigation")
@yield("mainContent")
@include("partials.subscribe")
@include("partials.footer")
```

# 3.6.25 views\pages\author.blade.php

#### 3.6.26 views\pages\cart.blade.php

# 3.6.27 views\pages\checkout.blade.php

# 3.6.28 views\pages\index.blade.php

```
@extends("layout.frontEnd")
@section("mainContent")
    <div class="products-catagories-area clearfix">
        <div class="amado-pro-catagory clearfix">
            @foreach($posts as $post)
            <div class="single-products-catagory clearfix">
            <a href="{{route('posts',['id'=>$post->id_post])}}">
                @foreach($images as $i)
                     @if($post->id_post == $i->id_post)
                         <img src="{{$i->src}}" alt="{{$post->name}}">
                         @break
                     @endif
                @endforeach
            <div class="hover-content">
            <div class="line"></div>
            From {{$post->price}}
            <h4>{{$post->name}}</h4>
            </div>
            </a>
            </div>
            @endforeach
        </div>
    </div>
@endsection
```

# 3.6.29 views\pages\login.blade.php

```
@extends("layout.frontEnd")
@section("mainContent")
    <h1 class="h1__login" >Login</h1>
    <div class="loginPage">
        <div class="form ">
            @include("partials.login.registration_form")
            @include("partials.login.login_form")
        </div>
    </div>
@endsection
@section('scripts')
    <script src="js/validation.js"></script>
@endsection
@if ($errors->any())
    <div class="alert alert-danger">
        <l
           @foreach ($errors->all() as $error)
               {{ $error }}
            @endforeach
        </div>
@endif
```

#### 3.6.30 views\pages\post details.blade.php

```
@extends("layout.frontEnd")
@section("mainContent")
    <div class="single-product-area section-padding-100 clearfix">
        <div class="container-fluid">
            @include("partials.post details.breadcrumb")
            <div class="row">
                @include("partials.post_details.post_carousel")
                @include("partials.post_details.post_details")
                @include("partials.post details.form add card")
            </div>
        </div>
   </div>
   <!-- Product Details Area End -->
    </div>
    <!-- ##### Main Content Wrapper End ##### -->
@endsection
```

# 3.6.31 views\pages\shop.blade.php

```
@extends("layout.frontEnd")
@section('menuSearch')
    <a href="#" class="search-nav"><img src="{{asset('/')}}img/core-</pre>
img/search.png" alt=""> Search</a>
@endsection
@section('search')
    @include('partials.shop.search')
@endsection
@section("mainContent")
        <div class="shop_sidebar_area">
             @include("partials.shop.category_menu")
             @include("partials.shop.brands")
             @include("partials.shop.price")
         </div>
        <div class="amado product area section-padding-100">
             <div class="container-fluid">
                 @include("partials.shop.filters")
@include("partials.shop.posts")
                 @include("partials.shop.pagination")
             </div>
        </div>
   </div>
@endsection
@section('scripts')
    <script src="{{asset('/')}}js/filtering.js"></script>
@endsection
```

3.6.32 views\pages\contactUs.blade.php

```
@extends("layout.frontEnd")
@if ($errors->any())
    <div class="alert alert-danger">
        <l
            @foreach ($errors->all() as $error)
                {{ $error }}
            @endforeach
        </div>
@endif
@section("mainContent")
<h1 class="h1_login" >Contact us</h1>
<div class="loginPage">
    <div class="form ">
        <form class="login-form" action="{{route('contacUs')}}" method="post">
            <div class="input">
                <input id="name" name="username" type="text"</pre>
placeholder="username"/>
            </div>
            <div class="input">
                <input id="email" name="email" type="email"</pre>
placeholder="example@gmail.com"/>
            </div>
            <textarea name="coment" id="coment" rows="5" >
            </textarea>
            <button type="submit">Send</button>
        </form>
    </div>
</div>
@endsection
```

# 3.6.33 views\partials\footer.blade.php

```
<!-- ##### Footer Area Start ##### -->
<footer class="footer area clearfix">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-12 col-lg-4">
                <div class="single widget area">
                    <div class="footer-logo mr-50">
                        <a href="{{route('home')}}"><img</pre>
src="{{asset('/')}}img/core-img/logo2.png" alt=""></a>
                    </div>
                    class="copywrite"><!-- Link back to Colorlib can't be</pre>
                        Copyright ©<script>document.write(new
Date().getFullYear());</script> All rights reserved | This template is made
with <i class="fa fa-heart-o" aria-hidden="true"></i> by <a
href="https://colorlib.com" target="_blank">Colorlib</a>
is licensed under CC BY 3.0. -->
                </div>
            </div>
```

#### 3.6.34 views\partials\head.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="description" content="">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
shrink-to-fit=no">
    <title>Amado - Furniture Ecommerce Template | Home</title>
    <link rel="icon" href="{{asset('/')}}img/core-img/favicon.ico">
    k rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"
integrity="sha384-
fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">
    <link rel="stylesheet" href="{{asset('/')}}css/bootstrap.min.css">
<link rel="stylesheet" href="{{asset('/')}}css/core-style.css">
</head>
```

#### 3.6.35 views\partials\message.blade.php

# 3.6.36 views\partials\navigation.blade.php

```
<div class="main-content-wrapper d-flex clearfix">
    <div class="mobile-nav">
       <!-- Navbar Brand -->
        <div class="amado-navbar-brand">
            <a href="index.html"><img src="img/core-img/logo.png" alt=""></a>
        <div class="amado-navbar-toggler">
            <span></span></span></span></span>
        </div>
   </div>
    <!-- Header Area Start -->
    <header class="header-area clearfix">
        <div class="nav-close">
            <i class="fa fa-close" aria-hidden="true"></i></i>
        </div>
        <div class="logo">
            <a href="{{route('home')}}"><img src="{{asset('/')}}img/core-</pre>
img/logo.png" alt=""></a>
        </div>
        <nav class="amado-nav">
            <l
                @foreach($menu as $m)
                    ><a href="{{route($m->href)}}">{{$m-}
>content}}</a>
                @endforeach
                    @if(session()->has('user'))
                        @if(session()->get('user')->role == 'admin')
                                <a href="{{ route('admin') }}">Admin</a>
```

```
@endif
                        <1i>>
                            <a href="{{ route('logout') }}">Logout</a>
                        @else <a
href="{{route('getLogin')}}">Login</a>
                    @endif
            </nav>
        <div class="cart-fav-search mb-30">
            @yield('menuSearch')
       @if(session()->has('user'))
            <a href="{{route('cart')}}" class="cart-nav"><img</pre>
src="{{asset('/')}}img/core-img/cart.png" alt=""> Cart
                <span >
                    {{\Illuminate\Support\Facades\Session::has('cart') ?
'('.\Illuminate\Support\Facades\Session::get('cart')->totalQty.')' : '(0)'}}
                </span>
            </a>
       </div>
       @endif
        <div class="social-info d-flex justify-content-between">
            <a href="https://www.facebook.com"><i class="fa fa-pinterest"</pre>
aria-hidden="true"></i></a>
            <a href="https://www.instagram.com"><i class="fa fa-instagram "</pre>
aria-hidden="true"></i></a>
            <a href="https://www.pinterest.com/"><i class="fa fa-facebook"</pre>
aria-hidden="true"></i></a>
            <a href="https://twitter.com"><i class="fa fa-twitter " aria-</pre>
hidden="true"></i></a>
        </div>
    </header>
    <!-- Header Area End -
```

# 3.6.37 views\partials\subscribe.blade.php

```
</div>
<section class="newsletter-area section-padding-100-0"></section>
```

# 3.6.38 views\partials\admin\breadcrums.blade.php

```
breadcrumb list">
             <a href="#">Home</a>
             <span>/</span>
             item">@yield('breadcrumb')
           </div>
         @yield('search')
       </div>
     </div>
   </div>
 </div>
</section>
```

# 3.6.39 views\partials\admin\copyright.blade.php

# 3.6.40 views\partials\admin\footer.blade.php

```
</script>
<script src="{{asset('/')}}vendor/circle-progress/circle-
progress.min.js"></script>
<script src="{{asset('/')}}vendor/perfect-scrollbar/perfect-
scrollbar.js"></script>
<script src="{{asset('/')}}vendor/chartjs/Chart.bundle.min.js"></script>
<script src="{{asset('/')}}vendor/select2/select2.min.js">
</script src="{{asset('/')}}vendor/select2/select2.min.js">
</script>
</!-- Main JS-->
<script src="{{asset('/')}}js/main.js"></script>
</body>
</html>
</!-- end document-->
```

#### 3.6.41 views\partials\admin\head.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
shrink-to-fit=no">
    <meta name="description" content="au theme template">
    <meta name="author" content="Hau Nguyen">
    <meta name="keywords" content="au theme template">
    <title>Dashboard 3</title>
    <link href="{{asset('/')}}css/font-face.css" rel="stylesheet" media="all">
<link href="{{asset('/')}}vendor/font-awesome-4.7/css/font-</pre>
awesome.min.css" rel="stylesheet" media="all">
    <link href="{{asset('/')}}vendor/font-awesome-5/css/fontawesome-</pre>
all.min.css" rel="stylesheet" media="all">
    <link href="{{asset('/')}}vendor/mdi-font/css/material-design-iconic-</pre>
font.min.css" rel="stylesheet" media="all">
    <!-- Bootstrap CSS-->
    <link href="{{asset('/')}}vendor/bootstrap-4.1/bootstrap.min.css"</pre>
rel="stylesheet" media="all">
    <link href="{{asset('/')}}vendor/animsition/animsition.min.css"</pre>
rel="stylesheet" media="all">
    <link href="{{asset('/')}}vendor/bootstrap-progressbar/bootstrap-</pre>
progressbar-3.3.4.min.css" rel="stylesheet" media="all">
    <link href="{{asset('/')}}}vendor/wow/animate.css" rel="stylesheet"</pre>
media="all">
```

#### 3.6.42 views\partials\admin\header mobile.blade.php

```
<header class="header-mobile header-mobile-2 d-block d-lg-none">
   <div class="header-mobile__bar">
       <div class="container-fluid">
          <div class="header-mobile-inner">
              <a class="logo" href="index.html">
                  <img src="images/icon/logo-white.png" alt="CoolAdmin" />
              <button class="hamburger hamburger--slider" type="button">
                         <span class="hamburger-box">
                            <span class="hamburger-inner"></span>
                         </span>
              </button>
          </div>
       </div>
   </div>
   <nav class="navbar-mobile">
       <div class="container-fluid">
          <a class="js-arrow" href="{{route('admin')}}">
                     Analitics</a>
              <a href="{{route('users.index')}}">
                     Users</a>
              <1i>>
                  <a href="{{route('menu.index')}}">
                     Menu</a>
              <a href="{{route('brands.index')}}">
                     Brands</a>
              >
                  <a href="{{route('categories.index')}}">
                     Categories</a>
```

```
>
                 <a href="{{route('posts.index')}}}">
                    Posts</a>
             >
                 <a href="{{route('images.index')}}">
                    Images</a>
             >
                 <a href="{{route('getActions')}}">
                    Actions</a>
             </div>
   </nav>
</header>
```

#### 3.6.43 views\partials\admin\header navbar.blade.php

```
<div class="header navbar">
   <1i>>
          <a href="{{route('admin')}}">
              <span class="bot-line"></span>Analitics</a>
       <1i>>
          <a href="{{route('users.index')}}">
              <span class="bot-line"></span>Users</a>
       >
           <a href="{{route('menu.index')}}">
              <span class="bot-line"></span>Menu</a>
       >
          <a href="{{route('brands.index')}}">
              <span class="bot-line"></span>Brands</a>
       >
          <a href="{{route('categories.index')}}">
              <span class="bot-line"></span>Categories</a>
       >
          <a href="{{route('posts.index')}}">
              <span class="bot-line"></span>Posts</a>
       >
           <a href="{{route('images.index')}}">
              <span class="bot-line"></span>Images</a>
       >
           <a href="{{route('getActions')}}">
              <span class="bot-line"></span>Actions</a>
```

#### 3.6.44 views\partials\admin\header tool.blade.php

```
<div class="header__tool">
    <div class="account-wrap">
        <div class="account-item account-item--style2 clearfix js-item-menu">
            <div class="image">
                <img src="{{asset('/')}}images/icon/avatar-01.jpg" alt="John</pre>
Doe" />
            </div>
            <div class="content">
                <a class="js-acc-btn"</pre>
href="#">{{\Illuminate\Support\Facades\Session::get('user')->full_name}}</a>
            </div>
            <div class="account-dropdown js-dropdown">
                <div class="info clearfix">
                    <div class="image">
                         <a href="#">
                             <img src="{{asset('/')}}images/icon/avatar-01.jpg"</pre>
alt="John Doe" />
                         </a>
                    </div>
                     <div class="content">
                         <h5 class="name">
href="#">{{\Illuminate\Support\Facades\Session::get('user')->full_name}}</a>
                         </h5>
                         <span
class="email">{{\Illuminate\Support\Facades\Session::get('user')-
>email}}</span>
                     </div>
                </div>
                <div class="account-dropdown body">
                     <div class="account-dropdown item">
                         <a href="#">
                             <i class="zmdi zmdi-account"></i>Account</a>
                     </div>
                </div>
                <div class="account-dropdown footer">
                     <a href="{{route('logout')}}">
                         <i class="zmdi zmdi-power"></i>Logout</a>
                </div>
            </div>
        </div>
    </div>
</div>
```

# 3.6.45 views\partials\admin\search.blade.php

#### 3.6.46 views\partials\admin\statistic.blade.php

```
<section class="statistic statistic2">
    <div class="container">
        <div class="row">
           <div class="col-md-6 col-lg-3">
               <div class="statistic item statistic item--green">
                   <h2 class="number">10,368</h2>
                    <span class="desc">members online</span>
                    <div class="icon">
                       <i class="zmdi zmdi-account-o"></i></i></or>
                   </div>
               </div>
           </div>
           <div class="col-md-6 col-lg-3">
                <div class="statistic__item statistic__item--orange">
                   <h2 class="number">388,688</h2>
                   <span class="desc">items sold</span>
                   <div class="icon">
                       <i class="zmdi zmdi-shopping-cart"></i></i>
                   </div>
               </div>
           </div>
            <div class="col-md-6 col-lg-3">
               <span class="desc">this week</span>
                    <div class="icon">
                       <i class="zmdi zmdi-calendar-note"></i></i>
                   </div>
               </div>
           </div>
           <div class="col-md-6 col-lg-3">
                <div class="statistic item statistic item--red">
                   <h2 class="number">$1,060,386</h2>
                    <span class="desc">total earnings</span>
                   <div class="icon">
                       <i class="zmdi zmdi-money"></i></i>
                    </div>
               </div>
           </div>
       </div>
    </div>
 /section>
```

#### 3.6.47 views\partials\admin\statistic\_chart.blade.php

```
<section class="statistic-chart">
    <div class="container">
        <div class="row">
            <div class="col-lg-6">
                <div class="au-card m-b-30">
                    <div class="au-card-inner">
                         <div class="chartjs-size-monitor" style="position:</pre>
absolute; left: Opx; top: Opx; right: Opx; bottom: Opx; overflow: hidden;
pointer-events: none; visibility: hidden; z-index: -1;">
                             <div class="chartjs-size-monitor-expand"</pre>
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none;visibility:hidden;z-index:-1;">
style="position:absolute; width:1000000px; height:10000000px; left:0; top:0">
                                 </div>
                             </div>
                             <div class="chartjs-size-monitor-shrink"</pre>
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none;visibility:hidden;z-index:-1;">
                                 <div
style="position:absolute;width:200%;height:200%;left:0; top:0">
                                 </div>
                             </div>
                         </div>
                         <h3 class="title-2 m-b-40">Yearly Sales</h3>
                         <canvas id="sales-chart" height="102" width="205"</pre>
class="chartjs-render-monitor" style="display: block; width: 205px; height:
102px;"></canvas>
                     </div>
                </div>
            </div>
            <div class="col-lg-6">
                <div class="au-card m-b-30">
                     <div class="au-card-inner"><div class="chartjs-size-</pre>
monitor" style="position: absolute; left: Opx; top: Opx; right: Opx; bottom:
Opx; overflow: hidden; pointer-events: none; visibility: hidden; z-index: -
1;"><div class="chartjs-size-monitor-expand"
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none; visibility:hidden; z-index:-1;"><div</pre>
style="position:absolute; width:1000000px; height:1000000px; left:0; top:0"></div>
</div><div class="chartjs-size-monitor-shrink"</pre>
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none; visibility:hidden; z-index:-1; "><div</pre>
style="position:absolute;width:200%;height:200%;left:0;
top:0"></div></div>
                         <h3 class="title-2 m-b-40">Bar chart</h3>
                         <canvas id="barChart" height="136" width="205"</pre>
class="chartjs-render-monitor" style="display: block; width: 205px; height:
136px;"></canvas>
                     </div>
                </div>
            </div>
```

```
</div>
</div>
</section>
```

#### 3.6.48 views\partials\admin\sub header mobile.blade.php

```
<div class="sub-header-mobile-2 d-block d-lg-none">
    <div class="header__tool">
        <div class="account-wrap">
            <div class="account-item account-item--style2 clearfix js-item-</pre>
menu">
                <div class="image">
                     <img src="images/icon/avatar-01.jpg" alt="John Doe" />
                </div>
                <div class="content">
                     <a class="js-acc-btn" href="#">john doe</a>
                </div>
                <div class="account-dropdown js-dropdown">
                     <div class="info clearfix">
                         <div class="image">
                             <a href="#">
                                 <img src="images/icon/avatar-01.jpg" alt="John</pre>
Doe" />
                             </a>
                         </div>
                         <div class="content">
                             <h5 class="name">
                                 <a href="#">john doe</a>
                             <span class="email">johndoe@example.com</span>
                         </div>
                     </div>
                     <div class="account-dropdown body">
                         <div class="account-dropdown__item">
                             <a href="#">
                                 <i class="zmdi zmdi-account"></i>Account</a>
                         </div>
                         <div class="account-dropdown__item">
                             <a href="#">
                                 <i class="zmdi zmdi-settings"></i>Setting</a>
                         </div>
                         <div class="account-dropdown__item">
                             <a href="#">
                                 <i class="zmdi zmdi-money-box"></i>Billing</a>
                         </div>
                     </div>
                     <div class="account-dropdown__footer">
                         <a href="{{route('logout')}}">
                             <i class="zmdi zmdi-power"></i>Logout</a>
                     </div>
                </div>
            </div>
        </div>
```

```
</div>
```

#### 3.6.49 views\partials\admin\welcome.blade.php

#### 3.6.50 views\partials\admin\actions\actions table.blade.php

```
<section class="p-t-20">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="table-data__tool">
                    <div class="table-data tool-left">
                           <div class="row">
                                <div class="col-md-6 mb-3">
                                   <label for="start"> Start date </label>
                                   <input type="date" class="form-control"</pre>
id="start" name="start" >
                               </div>
                                <div class="col-md-6 mb-3">
                                   <label for="end"> End date </label>
                                   <input type="date" class="form-control"</pre>
id="end" name="end" >
                                </div>
                                <div class="col-md-6 mb-3">
                                    <a class="au-btn au-btn-icon au-btn--green</pre>
au-btn--small" href="#" id="submitFilter">
                                       Filter
                                   </a>
                               </div>
                           </div>
                    </div>
                </div>
                <div id="tabelaActions" class="table-responsive table-</pre>
responsive-data2">
                    <thead>
                       User
```

```
Email
                Action
                Date
             </thead>
             @foreach($actions as $a)
                {{$a->full_name}}
                  {{$a->email}}
                  {{$a->action}}
                  {{date('m/d/Y', $a->date)}}
                @endforeach
             </div>
      </div>
    </div>
  </div>
</section>
```

### 3.6.51 views\partials\admin\analitics\itemsSold.blade.php

```
<div class="col-sm-6">
    <div class="overview-item overview-item--c2">
        <div class="overview inner">
            <div class="overview-box clearfix">
                 <div class="icon">
                     <i class="zmdi zmdi-shopping-cart"></i></i></or>
                 </div>
                 <div class="text">
                     <h2>{{$items}}</h2>
                     <span>items solid</span>
                 </div>
            </div>
            <div class="overview-chart">
                 <div class="chartjs-size-monitor" style="position: absolute;</pre>
left: Opx; top: Opx; right: Opx; bottom: Opx; overflow: hidden; pointer-
events: none; visibility: hidden; z-index: -1;">
                     <div class="chartjs-size-monitor-expand"</pre>
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none;visibility:hidden;z-index:-1;">
                         <div
style="position:absolute; width:1000000px; height:10000000px; left:0; top:0">
                         </div>
                     </div>
                     <div class="chartjs-size-monitor-shrink"</pre>
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none;visibility:hidden;z-index:-1;">
                         <div
style="position:absolute;width:200%;height:200%;left:0; top:0">
```

#### 3.6.52 views\partials\admin\analitics\totalEarnings.blade.php

```
<div class="col-sm-6">
    <div class="overview-item overview-item--c4">
        <div class="overview__inner">
            <div class="overview-box clearfix">
                <div class="icon">
                     <i class="zmdi zmdi-money"></i></i></or>
                </div>
                 <div class="text">
                     <h2>{{$total[0]->sum}}</h2>
                     <span>total earnings</span>
                </div>
            </div>
            <div class="overview-chart"><div class="chartjs-size-monitor"</pre>
style="position: absolute; left: 0px; top: 0px; right: 0px; bottom: 0px;
overflow: hidden; pointer-events: none; visibility: hidden; z-index: -1;"><div
class="chartjs-size-monitor-expand"
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none;visibility:hidden;z-index:-1;"><div</pre>
style="position:absolute;width:1000000px;height:1000000px;left:0;top:0"></div>
</div><div class="chartjs-size-monitor-shrink"
style="position:absolute;left:0;top:0;right:0;bottom:0;overflow:hidden;pointer
-events:none; visibility:hidden; z-index:-1; "><div</pre>
style="position:absolute;width:200%;height:200%;left:0;
top:0"></div></div>
                <canvas id="widgetChart4" height="60" width="99"</pre>
class="chartjs-render-monitor" style="display: block; width: 99px; height:
60px;"></canvas>
            </div>
        </div>
    </div>
</div>
```

# 3.6.53 views\partials\admin\brands\brands\_table.blade.php

```
btn-icon au-btn--green au-btn--small">
                        <i class="zmdi zmdi-plus"></i>add brand
                     </a>
                     <div class="rs-select2--dark rs-select2--sm rs-</pre>
select2--dark2">
                     </div>
                 </div>
              </div>
              <div id="tabelaBrands" class="table-responsive table-</pre>
responsive-data2">
                 <thead>
                     Name of brand
                     </thead>
                     @foreach($brands as $b)
                        {{$b->brand}}
                            <div class="table-data-feature">
                                  <a
href="{{route('brands.edit',['id'=>$b->id])}}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                      <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                  </a>
                                  <button onclick="deleteBrand({{{$b-</pre>
>id}})" class="item" data-toggle="tooltip" data-placement="top"
title="Delete">
                                      <i class="zmdi zmdi-delete zmdi-</pre>
hc-3x"></i>
                                  </button>
                               </div>
                            @endforeach
                     </div>
          </div>
          <nav aria-label="Page navigation example">
              {{$brands->links()}}
              </nav>
       </div>
   </div>
</section>
```

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block ">
            <form action="{{route('brands.update',['id'=>$brand->id])}}"
method="post"
              class="form-horizontal ">
                @method('put')
                @csrf
                <div class="row form-group">
                    <div class="col-12 ">
                        <input type="text" id="text-input" value="{{$brand-</pre>
>brand}}" name="brand"
                        class="form-control">
                    </div>
                </div>
                <div class="col-2 ">
                    <button class="btn btn-danger btn-outline-danger">
                    </button>
                </div>
            </form>
        </div>
    </div>
</div>
```

### 3.6.55 views\partials\admin\brands\insert\_form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block">
            <form action="{{route('brands.store')}}" method="post"</pre>
class="form-horizontal ">
                @csrf
                 <div class="row form-group">
                     <div class="col-12 ">
                         <input type="text" id="text-input" name="brand"</pre>
placeholder="Insert name of brand" class="form-control">
                     </div>
                 </div>
                 <div class="col-2 align-content-end">
                     <button type="submit" class="btn btn-danger btn-outline-</pre>
danger">
                         Insert
                     </button>
                 </div>
        </form>
    </div>
</div>
</div>
```

# 3.6.56 views\partials\admin\categories\ category \_table.blade.php

```
<div class="row justify-content-center">
          <div class="col-md-12">
              <div class="table-data__tool">
                 <div class="table-data tool-left">
                  <div class="table-data tool-right">
                     <a href="{{route('categories.create')}}" class="au-btn</pre>
au-btn-icon au-btn--green au-btn--small">
                         <i class="zmdi zmdi-plus"></i>add brand
                     <div class="rs-select2--dark rs-select2--sm rs-</pre>
select2--dark2">
                     </div>
                 </div>
              </div>
              <div id="tabelaCategories" class="table-responsive table-</pre>
responsive-data2">
                  <thead>
                     Name of brand
                     </thead>
                     @foreach($categories as $c)
                         {{$c->category}}
                            <div class="table-data-feature">
                                   <a
href="{{route('categories.edit',['id'=>$c->id])}}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                       <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                   </a>
                                    <button onclick="deleteCategory({{$c-</pre>
>id}})" class="item" data-toggle="tooltip" data-placement="top"
title="Delete">
                                       <i class="zmdi zmdi-delete zmdi-</pre>
hc-3x"></i>
                                    </button>
                                </div>
                            @endforeach
                     </div>
          </div>
          <nav aria-label="Page navigation example">
              {{$categories->links()}}
              </nav>
       </div>
```

```
</div></section>
```

#### 3.6.57 views\partials\admin\ categories \edit\_form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block ">
            <form action="{{route('categories.update',['id'=>$category-
>id])}}" method="post" class="form-horizontal">
                @method('put')
                @csrf
                <div class="row form-group">
                    <div class="col-12 ">
                        <input type="text" id="text-input"</pre>
value="{{$category->category}}" name="category" class="form-control">
                    </div>
                </div>
                <div class="col-2 ">
                    <button class="btn btn-danger btn-outline-danger">
                        Update
                    </button>
                </div>
            </form>
        </div>
    </div>
</div>
```

# 3.6.58 views\partials\admin\ categories \insert\_form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block ">
            <form action="{{route('categories.store')}}" method="post"</pre>
class="form-horizontal ">
                @csrf
                 <div class="row form-group">
                     <div class="col-12">
                         <input type="text" id="text-input" name="category"</pre>
placeholder="Insert name of category" class="form-control">
                     </div>
                 </div>
                 <div class="col-2 align-content-end">
                     <button type="submit" class="btn btn-danger btn-outline-</pre>
danger">
                         Insert
                     </button>
                 </div>
            </form>
        </div>
    </div>
</div>
```

#### 3.6.59 views\partials\admin\images\images \_table.blade.php

```
<section class="p-t-20">
   <div class="container">
       <div class="row justify-content-center">
           <div class="col-md-12">
              <div class="table-data__tool">
                  <div class="table-data tool-left">
                  </div>
                  <div class="table-data__tool-right">
                      <a href="{{route('images.create')}}" class="au-btn au-</pre>
btn-icon au-btn--green au-btn--small">
                         <i class="zmdi zmdi-plus"></i>add image
                      </a>
                      <div class="rs-select2--dark rs-select2--sm rs-</pre>
select2--dark2">
                      </div>
                  </div>
              </div>
               <div id="tabelaImages" class="table-responsive table-</pre>
responsive-data2">
                  <thead>
                      Source
                         Alt
                         Image
                         Post
                      </thead>
                      @foreach($images as $img)
                         {{$img->src}}
                             {{$img->alt}}
                             <img style="width: 200px;" src="{{$img-
>src}}" alt="{{$img->alt}}"> 
                              {{$img->name}} 
                             <div class="table-data-feature">
href="{{route('images.edit',['id'=>$img->image_id])}}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                        <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                    <button onclick="deleteImage({{$img-</pre>
>image_id}})" class="item" data-toggle="tooltip" data-placement="top"
title="Delete">
                                        <i class="zmdi zmdi-delete zmdi-</pre>
hc-3x"></i>
                                    </button>
                                 </div>
```

#### 3.6.60 views\partials\admin\ images \edit form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block">
            <form action="{{route('images.update',['id'=>$images->id])}}"
method="post" enctype="multipart/form-data" class="form-horizontal">
                @method('put')
                @csrf
                <div class="row form-group">
                    <div class="col-12">
                        <input type="text" id="text-input" value="{{$images-</pre>
>src}}" name="src" class="form-control">
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12 ">
                        <input type="text" id="text-input" value="{{$images-</pre>
>alt}}" name="alt" class="form-control">
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12 ">
                        <select name="post" id="select" class="form-control">
                             @foreach($posts as $p)
                                 @if($p->id_post == $images->id)
                                 <option selected value="{{$p->id_post}}">{{$p-
>name}}</option>
                                     @else <option value="{{$p-</pre>
>id_post}}">{{$p->name}}</option>
                                 @endif
                             @endforeach
                        </select>
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12">
                        <input type="file" id="image" name="image"</pre>
```

#### 3.6.61 views\partials\admin\ images \insert form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block ">
            <form action="{{route('images.store')}}" method="post"</pre>
enctype="multipart/form-data" class="form-horizontal">
                @csrf
                <div class="row form-group">
                     <div class="col-12 ">
                         <input type="text" id="text-input" name="alt"</pre>
placeholder="Insert alt" class="form-control">
                     </div>
                </div>
                <div class="row form-group">
                     <div class="col-12 ">
                         <select name="post" id="select" class="form-control">
                             <option value="0">Please select post</option>
                             @foreach($posts as $p)
                                 <option value="{{$p->id_post}}">{{$p-
>name}}</option>
                             @endforeach
                         </select>
                    </div>
                </div>
                <div class="row form-group">
                     <div class="col-12">
                         <input type="file" id="image" name="image"</pre>
class="form-control-file">
                     </div>
                </div>
                <div class="col-2 align-content-end">
                     <button type="submit" class="btn btn-danger btn-outline-</pre>
danger">
                         Insert
                     </button>
                </div>
        </div>
```

```
</form>
</div>
</div>
</div>
```

### 3.6.62 views\partials\admin\menu\ menu table.blade.php

```
<section class="p-t-20">
   <div class="container">
       <div class="row justify-content-center">
           <div class="col-md-12">
               <div class="table-data__tool">
                   <div class="table-data tool-left">
                   <div class="table-data tool-right">
                      <a href="{{route('menu.create')}}" class="au-btn au-</pre>
btn-icon au-btn--green au-btn--small">
                          <i class="zmdi zmdi-plus"></i>add to menu
                      </a>
                      <div class="rs-select2--dark rs-select2--sm rs-</pre>
select2--dark2">
                      </div>
                   </div>
               </div>
               <div id="tabelaMenu" class="table-responsive table-responsive-</pre>
data2">
                   <thead>
                      Href
                          Content
                      </thead>
                      @foreach($menu as $m)
                          {{$m->href}}
                              {{$m->content}}
                              <div class="table-data-feature">
                                      ⟨a
href="{{route('menu.edit',['id'=>$m->id])}}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                         <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                     <button onclick="deleteMenu({{$m-</pre>
>id}})" class="item" data-toggle="tooltip" data-placement="top"
title="Delete">
                                         <i class="zmdi zmdi-delete zmdi-</pre>
hc-3x"></i>
                                      </button>
                                  </div>
```

```
@endforeach
              </div>
       </div>
       <nav aria-label="Page navigation example">
         {{$menu->links()}}
         </nav>
    </div>
  </div>
</section>
```

#### 3.6.63 views\partials\admin\ menu \edit form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block">
            <form action="{{route('menu.update',['id'=>$menu->id])}}"
method="post" class="form-horizontal">
                @method('put')
                @csrf
                <div class="row form-group">
                    <div class="col-12">
                        <input type="text" id="text-input" value="{{$menu-</pre>
>href}}" name="href" class="form-control">
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12 ">
                        <input type="text" id="text-input" name="content"</pre>
value="{{$menu->content}}" class="form-control">
                    </div>
                </div>
                    <div class="col-2 ">
                        <button class="btn btn-danger btn-outline-danger">
                         </button>
                    </div>
            </form>
        </div>
    </div>
</div>
```

# 3.6.64 views\partials\admin\ menu \insert\_form.blade.php

```
<div class="card-body card-block ">
             <form action="{{route('menu.store')}}" method="post" class="form-</pre>
horizontal ">
                 @csrf
                 <div class="row form-group">
                     <div class="col-12 ">
                         <input type="text" id="text-input" name="href"</pre>
placeholder="Insert name of route" class="form-control">
                     </div>
                 </div>
                 <div class="row form-group">
                     <div class="col-12 ">
                         <input type="text" id="text-input" name="content"</pre>
placeholder="Insert content" class="form-control">
                     </div>
                 </div>
                     <div class="col-2 align-content-end">
                         <button type="submit" class="btn btn-danger btn-</pre>
outline-danger">
                             Insert
                         </button>
                     </div>
                 </div>
            </form>
        </div>
    </div>
</div>
```

## 3.6.65 views\partials\admin\posts\ posts table.blade.php

```
<section class="p-t-20">
    <div class="container">
        <div class="row justify-content-center">
           <div class="col-md-12">
               <div class="table-data tool">
                   <div class="table-data__tool-left">
                   </div>
                   <div class="table-data__tool-right">
                       <a href="{{route('posts.create')}}" class="au-btn au-</pre>
btn-icon au-btn--green au-btn--small">
                           <i class="zmdi zmdi-plus"></i>add post
                       <div class="rs-select2--dark rs-select2--sm rs-</pre>
select2--dark2">
                       </div>
                   </div>
               </div>
               <div id="tabelaPosts" class="table-responsive table-</pre>
responsive-data2">
                   <thead>
                       Description
```

```
Name
                      Price
                      Category
                      Brand
                      Quantity
                      Img
                   </thead>
                   @foreach($posts as $post)
                      {{$post->description}}
                         {{$post->name}}
                         {{$post->price}}
                         {{$post->category}}
                         {{$post->brand}}
                         {{$post->quantity}}
                         @foreach($img as $i)
                         @if($post->id_post == $i->id_post)
                         <img src="{{$i->src}}" alt="{{$i->alt}}">
@break
                         @endif
                         @endforeach
                         <div class="table-data-feature">
href="{{route('posts.edit',['id'=>$post->id_post])}}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                  <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                               </a>
                               <button onclick="deletePost({{$post-</pre>
>id_post}})" class="item" data-toggle="tooltip" data-placement="top"
title="Delete">
                                  <i class="zmdi zmdi-delete zmdi-</pre>
hc-3x"></i>
                               </button>
                            </div>
                         @endforeach
                   </div>
         </div>
         <nav aria-label="Page navigation example">
            {{$posts->links()}}
            </nav>
      </div>
   </div>
</section>
```

### 3.6.66 views\partials\admin\ posts \edit\_form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block ">
            <form action="{{route('posts.update',['id'=>$posts->id])}}"
method="post" class="form-horizontal ">
                @method('put')
                @csrf
                <div class="row form-group">
                    <div class="col-12 ">
                        <input type="text" id="text-input" value="{{$posts-</pre>
>description}}" name="description" placeholder="Insert description"
class="form-control">
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12 ">
                        <input type="text" id="text-input" value="{{$posts-</pre>
>name}}" name="name" placeholder="Insert post name" class="form-control">
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12 ">
                        <input type="text" id="email-input" value="{{$posts-</pre>
>price}}" name="price" placeholder="Insert prace" class="form-control">
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12">
                        <input type="text" id="password-input"</pre>
value="{{$posts->quantity}}" name="quantity" placeholder="Insert quantity"
class="form-control">
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12">
                        <select name="brand" id="select" class="form-control">
                             @foreach($brand as $b)
                                 @if($posts->id==$b->id)
                                 <option selected value="{{$b->id}}">{{$b-
>brand}}</option>
                                     @else <option value="{{$b->id}}">{{$b-
>brand}}</option>
                                 @endif
                            @endforeach
                        </select>
                    </div>
                </div>
                <div class="row form-group">
                    <div class="col-12 ">
                        <select name="category" id="select" class="form-</pre>
control">
                             @foreach($category as $c)
                                 @if($posts->id == $c->id)
                                 <option selected value="{{$c->id}}">{{$c-
```

```
>category}}</option>
                                      @else <option value="{{$c->id}}">{{$c-
>category}}</option>
                                  @endif
                             @endforeach
                         </select>
                     </div>
                 </div>
                 <div class="col-2 ">
                     <button type="submit" class="btn btn-danger btn-outline-</pre>
danger">
                         Update
                     </button>
                 </div>
            </form>
        </div>
    </div>
</div>
```

## 3.6.67 views\partials\admin\ posts \insert\_form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
   <div class="card-header">
       <div class="card-body card-block ">
           <form action="{{route('posts.store')}}" method="post"</pre>
enctype="multipart/form-data" class="form-horizontal">
               @csrf
               <div class="row form-group">
                   <div class="col-12 ">
                       <input type="text" id="text-input" name="description"</pre>
placeholder="Insert description" class="form-control">
                   </div>
               </div>
               <div class="row form-group">
                   <div class="col-12 ">
</div>
               </div>
               <div class="row form-group">
                   <div class="col-12 ">
                       <input type="text" id="email-input" name="price"</pre>
placeholder="Insert prace" class="form-control">
                   </div>
               </div>
               <div class="row form-group">
                   <div class="col-12">
                       <input type="text" id="password-input" name="quantity"</pre>
placeholder="Insert quantity" class="form-control">
                   </div>
               </div>
               <div class="row form-group">
```

```
<div class="col-12 ">
                         <select name="brand" id="select" class="form-control">
                             <option value="0">Please select brand</option>
                             @foreach($brand as $b)
                                  <option value="{{$b->id}}">{{$b-
>brand}}</option>
                             @endforeach
                         </select>
                     </div>
                 </div>
                 <div class="row form-group">
                     <div class="col-12 ">
                         <select name="category" id="select" class="form-</pre>
control">
                             <option value="0">Please select category</option>
                             @foreach($category as $c)
                                  <option value="{{$c->id}}">{{$c-
>category}}</option>
                             @endforeach
                         </select>
                     </div>
                 </div>
                 <div class="row form-group">
                     <div class="col-12">
                         <input type="file" id="image" name="image"</pre>
class="form-control-file">
                     </div>
                 </div>
                     <div class="col-2 ">
                         <button type="submit" class="btn btn-danger btn-</pre>
outline-danger">
                             Insert
                         </button>
                     </div>
             </form>
        </div>
    </div>
</div>
```

# 3.6.68 views\partials\admin\users\users\_table.blade.php

```
</a>
                   <div class="rs-select2--dark rs-select2--sm rs-</pre>
select2--dark2">
                   </div>
                </div>
             </div>
             <div id="tabelaUsers" class="table-responsive table-</pre>
responsive-data2">
                <thead>
                   Full name
                      Email
                      Username
                      Role
                      Status
                      Token
                   </thead>
                   @foreach($users as $user)
                   {{$user->full_name}}
                      <span class="block-email">{{$user-
>email}}</span>
                      {{$user->user_name}}
                      {{$user->role}}
                      <span class="status--process">{{$user-
>activated}} </span>
                      {{$user->token}}
                      <div class="table-data-feature">
href="{{route('users.edit',['id'=>$user->user_id])}}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                             </a>
                             <button onclick="deleteUser({{$user-</pre>
>user_id}})" class="item" data-toggle="tooltip" data-placement="top"
title="Delete">
                                <i class="zmdi zmdi-delete zmdi-hc-</pre>
3x"></i>
                             </button>
                          </div>
                      @endforeach
```

### 3.6.69 views\partials\admin\ users \edit\_form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
    <div class="card-header">
        <div class="card-body card-block ">
@method('put')
               @csrf
               <div class="row form-group">
                   <div class="col-12 ">
                       <input type="text" id="text-input" value="{{$user-</pre>
>full_name}}" name="fullName" placeholder="Insert full name" class="form-
control">
                   </div>
               </div>
               <div class="row form-group">
                   <div class="col-12">
                       <input type="text" id="text-input" name="username"</pre>
value="{{$user->user_name}}" placeholder="Insert user name" class="form-
control">
                   </div>
               <div class="row form-group">
                   <div class="col-12 ">
                       <input type="email" id="email-input" name="email"</pre>
value="{{$user->email}}" placeholder="Enter Email" class="form-control">
                   </div>
               </div>
               <div class="row form-group">
                   <div class="col-12">
                       <input type="password" id="password-input"</pre>
                placeholder="Password" class="form-control">
name="password"
                   </div>
               </div>
               <div class="row form-group">
                   <div class="col-12 ">
                       <select name="role" id="select" class="form-control">
                           @foreach($role as $r)
                               @if($user->user_id == $r->id)
                               <option selected value="{{$r->id}}">{{$r-
>role}}</option>
                                   @else <option value="\{\{r->id\}\}">\{\{r-
```

```
>role}}</option>
                                 @endif
                             @endforeach
                        </select>
                    </div>
                </div>
                <div class="row form-group ">Active user
                    <div class="col-8 ">
                         <label class="au-checkbox">
                            @if($user->activated == 1)
                             <input type="checkbox" name="active"</pre>
checked="checked">
                                 @else <input type="checkbox" name="active">
                             @endif
                             <span class="au-checkmark"></span>
                        </label>
                    </div>
                    <div class="col-2 ">
                        <button class="btn btn-danger btn-outline-danger">
                             Update
                        </button>
                    </div>
                </div>
            </form>
        </div>
    </div>
</div>
```

## 3.6.70 views\partials\admin\ users \insert form.blade.php

```
<div class="card mx-auto" style="width: 60%;">
        <div class="card-header">
            <div class="card-body card-block">
                <form action="{{route('users.store')}}" method="post"</pre>
class="form-horizontal ">
                    @csrf
                     <div class="row form-group">
                         <div class="col-12 ">
                             <input type="text" id="text-input" name="fullName"</pre>
placeholder="Insert full name" class="form-control">
                             <small class="form-text text-muted">This is a help
text</small>
                         </div>
                    </div>
                     <div class="row form-group">
                         <div class="col-12 ">
                             <input type="text" id="text-input" name="username"</pre>
placeholder="Insert user name" class="form-control">
                             <small class="form-text text-muted">This is a help
text</small>
                         </div>
                    </div>
                    <div class="row form-group">
```

```
<div class="col-12 ">
                             <input type="email" id="email-input" name="email"</pre>
placeholder="Enter Email" class="form-control">
                             <small class="help-block form-text">Please enter
your email</small>
                         </div>
                     </div>
                     <div class="row form-group">
                         <div class="col-12">
                             <input type="password" id="password-input"</pre>
name="password" placeholder="Password" class="form-control">
                             <small class="help-block form-text">Please enter a
complex password</small>
                         </div>
                     </div>
                     <div class="row form-group">
                         <div class="col-12 ">
                             <select name="role" id="select" class="form-</pre>
control">
                                  <option value="0">Please select</option>
                                 @foreach($role as $r)
                                      <option value="{{$r->id}}">{{$r-
>role}}</option>
                                 @endforeach
                             </select>
                         </div>
                     </div>
                     <div class="row form-group ">Active user
                         <div class="col-8">
                             <label class="au-checkbox">
                                  <input type="checkbox" name="active"</pre>
checked="checked">
                                  <span class="au-checkmark"></span>
                             </label>
                         </div>
                         <div class="col-2 ">
                             <button type="submit" class="btn btn-danger btn-</pre>
outline-danger">
                                  Insert
                             </button>
                         </div>
                     </div>
                 </form>
            </div>
        </div>
```

- 3.6.71 views\partials\cart\cart\_table.blade.php
- 3.6.72 views\partials\cart\cart total.blade.php
- 3.6.73 views\partials\login\login\_form.blade.php

```
<form class="login-form" action="{{route('login')}}" method="post" >
    @csrf
```

### 3.6.74 views\partials\login\registration form.blade.php

```
<form class="register-form" action="{{route('registration')}}" method="post" >
    @csrf
    <div class="input">
        <input id="fullName" name="fullName" type="text" placeholder="full</pre>
name"/>
    </div>
    <div class="input">
        <input id="RegistrationUsername" name="username" type="text"</pre>
placeholder="username"/>
    </div>
    <div class="input">
        <input id="email" name="email" type="email"</pre>
placeholder="example@gmail.com"/>
    </div>
    <div class="input">
        <input class="password" name="password" type="password"</pre>
placeholder="password"/>
    <button class="btn__registration" type="submit" >create account
    Already registered? <a href="javascript:void(0);">Sign
In</a>
</form>
```

## 3.6.75 views\partials\post details\breadcrums.blade.php

#### 3.6.76 views\partials\post details\form add card.blade.php

### 3.6.77 views\partials\post\_details\post\_carousel.blade.php

```
<div class="col-12 col-1g-7">
   <div class="single_product_thumb">
       <div id="product_details_slider" class="carousel slide" data-</pre>
ride="carousel">
           @foreach($images as $i)
              slide-to="{{$loop->index}}" style="background-image: url({{$i->src}});">
              @endforeach
           <div class="carousel-inner">
              @foreach($images as $i)
                  @if($loop->first)
              <div class="carousel-item active">
                  <a class="gallery_img" href="{{$i->src}}">
                      <img style="height: 30rem;" class="d-block w-100"</pre>
src="{{$i->src}}" alt="First slide">
                  </a>
              </div>
                  @else
                         <div class="carousel-item">
                             <a class="gallery_img" href="{{$i->src}}">
                                 <img style="height: 30rem;" class="d-block</pre>
w-100" src="{{$i->src}}" alt="First slide">
                             </a>
                         </div>
                  @endif
              @endforeach
           </div>
       </div>
   </div>
</div>
```

### 3.6.78 views\partials\post\_details\post\_details.blade.php

```
<div class="col-12 col-1g-5">
   <div class="single_product_desc">
      <div class="product-meta-data">
          <div class="line"></div>
          ${{$posts->price}}
                 {{$posts->name}}
             </h2>
          @if($posts->quantity >= 1)
          <i class="fa fa-circle"></i> In Stock
          <i class="fa fa-circle"></i> In Stock
          @endif
       </div>
       <div class="short_overview my-5">
          >
             {{$posts->description}}
          </div>
```

### 3.6.79 views\partials\shop\brands.blade.php

# 3.6.80 views\partials\shop\category\_menu.blade.php

### 3.6.81 views\partials\shop\filters.blade.php

```
<div class="row">
    <div class="col-12">
        <div class="product-topbar d-xl-flex align-items-end justify-content-</pre>
between">
            <div class="product-sorting d-flex">
                <div class="sort-by-date d-flex align-items-center mr-15">
                    Sort by
                    <form action="#" method="get">
                        <select name="select" id="sortBydate">
                            <option value="ascName">A-Z</option>
                            <option value="descName">Z-A</option>
                            <option value="ascPrice">Price asc</option>
                            <option value="descPrice">Price desc</option>
                        </select>
                    </form>
                </div>
            </div>
        </div>
    </div>
</div>
```

# 3.6.82 views\partials\shop\pagination.blade.php

# 3.6.83 views\partials\shop\posts.blade.php

```
<div class="row" id="posts">
   @foreach($posts as $p)
   <div class="col-12 col-sm-6 col-md-12 col-xl-6">
           <div class="single-product-wrapper">
               <div class="product-img">
                  @foreach($images as $i)
                      @if($p->id_post == $i->id_post)
                          </a>
                      @break
                      @endif
                  @endforeach
               </div>
               <div class="product-description d-flex align-items-center</pre>
justify-content-between">
                   <div class="product-meta-data">
                      <div class="line"></div>
                      ${{$p->price}}
                      <a href="{{route('posts',['id'=>$p->id_post])}}">
                          <h6>{{$p->name}}</h6>
                      </a>
                   </div>
                  @if(session()->has('user'))
                   <div class="ratings-cart ">
                      <div class="cart">
                          <a href="{{route('addToCart',['id'=>$p-
>id_post])}}" data-toggle="tooltip" data-placement="left" title="Add to Cart">
                              <img src="{{asset('/')}}img/core-img/cart.png"</pre>
alt="">
                          </a>
                      </div>
                  </div>
                  @endif
               </div>
           </div>
   </div>
   @endforeach
</div>
```

## 3.6.84 views\partials\shop\price.blade.php

```
<div class="widget price mb-50">
     <!-- Widget Title -->
     <h6 class="widget-title mb-30">Price</h6>
```

```
<div class="widget-desc">
        <div class="slider-range">
            <div id="price" data-min="10" data-max="1000" class="slider-</pre>
range-price ui-slider ui-slider-horizontal ui-widget ui-widget-content ui-
corner-all" data-value-min="10" data-value-max="1000" data-label-result="">
                <div class="ui-slider-range ui-widget-header ui-corner-</pre>
all"></div>
                 <span class="ui-slider-handle ui-state-default ui-corner-all"</pre>
tabindex="12"></span>
                 <span class="ui-slider-handle ui-state-default ui-corner-all"</pre>
tabindex="0"></span>
            </div>
            <div class="range-price">10 - 1000</div>
        </div>
    </div>
</div>
```

#### 3.6.85 views\partials\shop\search.blade.php

```
<div class="search-wrapper section-padding-100">
    <div class="search-close">
        <i class="fa fa-close" aria-hidden="true"></i></i>
    </div>
    <div class="container">
        <div class="row">
            <div class="col-12">
                <div class="search-content">
                     <form action="#" method="get">
                         <input type="search" name="search" id="search"</pre>
placeholder="Type your keyword...">
                         <button type="submit"><img</pre>
src="{{asset('/')}}img/core-img/search.png" alt=""></button>
                     </form>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- Search Wrapper Area End -->
```

# 3.7 JavaScript

## 3.7.1 public\js\main.js

Ovaj fajl nisam ja napravio samo sam dodao moj kod vec postojecem

```
//delete for user-a
function users(){
  let users = [];
```

```
function removeUser(id){
      $.ajax({
          url:baseUrl+'/admin/users/'+id,
         method : "delete",
         data:{
             _token : csrf
          },
          success:function (data) {
             console.log(data);
             getAll();
      })
   }
   function table(){
      let table = generateTableHeadings();
      for (user of users){
   table +=generateTableRow(user);
      table += '';
      return table;
   }
   function generateTableHeadings() {
      return `
                <thead>
                   Full Name
                       Email
                       Username
                       Role
                       Status
                       Token
                   </thead>
   function generateTableRow(user) {
      return
                 ${user.full_name}
                       >
                          <span class="block-email">${user.email}</span>
                       ${user.user name}
                       ${user.role}
                       >
                          <span class="status--</pre>
process">${user.activated} </span>
                       ${user.token}
                       >
                          <div class="table-data-feature">
href="${baseUrl+'/admin/users/'+user.user id+'/edit'}" class="item" data-
```

```
toggle="tooltip" data-placement="top" title="Edit">
                                        <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                    </a>
                                    <button
onclick="deleteUser(${user_id})" class="item" data-toggle="tooltip"
data-placement="top" title="Delete">
                                       <i class="zmdi zmdi-delete zmdi-hc-</pre>
3x"></i>
                                    </button>
                                </div>
                            `
    function getAll(){
       $.ajax({
    url:baseUrl+"/api/users",
            method:'get',
            success:function (data) {
                users = data;
                document.querySelector("#tabelaUsers").innerHTML = table();
            },
            error:function(xhr, status, msg){
                console.log(xhr.responseText);
    }
        })
    }
    return {
        getAll, removeUser
function menu(){
    let menus = [];
    function getAll(){
        $.ajax({
            url:baseUrl+"/api/menus",
            method:'get',
            success:function (data) {
                menus = data;
                document.querySelector("#tabelaMenu").innerHTML = table();
            },
            error:function(xhr, status, msg){
                console.log(xhr.responseText);
        })
    }
    function removeMenu(id){
       $.ajax({
```

```
url:baseUrl+'/admin/menu/'+id,
          method : "delete",
          data:{
             _token : csrf
          },
          success:function (data) {
             getAll();
      })
   }
   function table(){
      let table = generateTableHeadings();
      for (m of menus){
          table +=generateTableRow(m);
      table += '';
      return table;
   }
   function generateTableHeadings() {
      return `
                 <thead>
                    Href
                        Content
                    </thead>
   function generateTableRow(m) {
      return
                  ${m.href}
                        ${m.content}
                        >
                           <div class="table-data-feature">
                              ≺a
href="${baseUrl+'/admin/menu/'+m.id+'/edit'}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                  <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                              </a>
                              <button onclick="deleteMenu(${m.id})"</pre>
class="item" data-toggle="tooltip" data-placement="top" title="Delete">
                                  <i class="zmdi zmdi-delete zmdi-hc-</pre>
3x"></i>
                               </button>
                           </div>
                        `
   }
```

```
return {
       getAll, removeMenu
   }
function brands(){
   let brands = [];
   function getAll(){
       $.ajax({
           url:baseUrl+"/api/brands",
           method:'get',
           success:function (data) {
              brands = data;
              document.querySelector("#tabelaBrands").innerHTML = table();
           error:function(xhr, status, msg){
       })
   }
   function removeBrand(id){
       $.ajax({
           url:baseUrl+'/admin/brands/'+id,
           method : "delete",
           data:{
              _token : csrf
           },
           success:function (data) {
              getAll();
       })
   }
   function table(){
       let table = generateTableHeadings();
       for (br of brands){
           table +=generateTableRow(br);
       table += '';
       return table;
   }
   function generateTableHeadings() {
       return `
                  <thead>
                          NAME OF BRAND
                      </thead>
   function generateTableRow(br) {
       return `
```

```
${br.brand}
                          >
                              <div class="table-data-feature">
href="${baseUrl+'/admin/brands/'+br.id+'/edit'}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                      <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                  </a>
                                  <button onclick="deleteBrand(${br.id})"</pre>
class="item" data-toggle="tooltip" data-placement="top" title="Delete">
                                      <i class="zmdi zmdi-delete zmdi-hc-</pre>
3x"></i>
                                  </button>
                              </div>
                          `
   }
   return {
       getAll, removeBrand
   }
function categories(){
   let categories = [];
   function getAll(){
       $.ajax({
           url:baseUrl+"/api/categories",
           method:'get',
           success:function (data) {
               categories = data;
               document.querySelector("#tabelaCategories").innerHTML =
table();
           error:function(xhr, status, msg){
       })
   }
   function removeCategory(id){
       $.ajax({
           url:baseUrl+'/admin/categories/'+id,
           method : "delete",
           data:{
               token : csrf
           success:function (data) {
              getAll();
```

```
})
   }
   function table(){
      let table = generateTableHeadings();
      for (cat of categories){
          table +=generateTableRow(cat);
      table += '';
      return table;
   }
   function generateTableHeadings() {
      return `
                 <thead>
                    NAME OF CATEGORY
                    </thead>
   function generateTableRow(cat) {
      return
                  ${cat.category}
                        <div class="table-data-feature">
href="${baseUrl+'/admin/categories/'+cat.id+'/edit'}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                  <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                               </a>
                               <button
onclick="deleteCategory(${cat.id})" class="item" data-toggle="tooltip" data-
placement="top" title="Delete">
                                  <i class="zmdi zmdi-delete zmdi-hc-</pre>
3x"></i>
                               </button>
                           </div>
                        ``
   }
   return {
      getAll, removeCategory
function posts(){
```

```
let posts = [];
let img = [];
function getAll(){
   $.ajax({
       url:baseUrl+"/api/posts",
       method:'get',
       success:function (data) {
           posts = data;
           document.querySelector("#tabelaPosts").innerHTML = table(img);
       error:function(xhr,status,msg){
           console.log(xhr.responseText);
   })
function getAllImages(){
   $.ajax({
       url:baseUrl+"/api/images",
       method:'get',
       success:function (data) {
           img = data;
       },
       error:function(xhr, status, msg){
           console.log(xhr.responseText);
       }
   })
}
function removePost(id){
   $.ajax({
       url:baseUrl+'/admin/posts/'+id,
       method : "delete",
       data:{
           _token : csrf
       },
       success:function (data) {
           getAllImages();
           getAll();
   })
}
function table(img){
   let table = generateTableHeadings();
   for (post of posts){
       table +=generateTableRow(post,img);
   table += '';
   return table;
}
function generateTableHeadings() {
   return `
               <thead>
```

```
Description
                      Name
                      Price
                      Category
                      Brand
                      Quantity
                      Img
                   </thead>
   function generateTableRow(post,img) {
      let sadrzaj =
                 ${post.description}
                          ${post.name}
                         ${post.price}
                          ${post.category}
                          ${post.brand}
                          ${post.quantity}`
                          for(i of img) {
                             if (post.id_post == i.id_post)
                                sadrzaj += `<img src="${i.src}"</pre>
alt="${i.alt}"> `
                         }
                         sadrzaj += `
                             <div class="table-data-feature">
href="${baseUrl+'/admin/posts/'+post.id+'/edit'}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                   <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                </a>
                                <button
onclick="deletePost(${post.id})" class="item" data-toggle="tooltip" data-
placement="top" title="Delete">
                                   <i class="zmdi zmdi-delete zmdi-</pre>
hc-3x"></i>
                                </button>
                             </div>
                         `
      return sadrzaj;
   }
   return {
      getAll,removePost
function images(){
```

```
let posts = [];
   let img = [];
   function getAll(){
       $.ajax({
           url:baseUrl+"/api/posts",
           method:'get',
           success:function (data) {
               posts = data;
               document.querySelector("#tabelaImages").innerHTML =
table(posts);
           error:function(xhr, status, msg){
               console.log(xhr.responseText);
       })
   function getAllImages(){
       $.ajax({
           url:baseUrl+"/api/images",
           method:'get',
           success:function (data) {
               img = data;
           error:function(xhr, status, msg){
               console.log(xhr.responseText);
       })
   }
   function removeImg(id){
       $.ajax({
           url:baseUrl+'/admin/images/'+id,
           method : "delete",
           data:{
               _token : csrf
           },
           success:function (data) {
               getAllImages();
               getAll();
       })
   }
   function table(post){
       let table = generateTableHeadings();
       for (image of img){
           table +=generateTableRow(post,image);
       table += '';
       return table;
   }
   function generateTableHeadings() {
       return `
                   <thead>
```

```
Source
                        Alt
                        Image
                        Post
                    </thead>
   function generateTableRow(post,img) {
       let sadrzaj =
                  ${img.src}
                           ${img.alt}
                            <img style="width: 200px;"
src="${img.src}" alt="${img.alt}"> </ra>
      for(p of post) {
          if (post.id_post == img.id_post)
              sadrzaj += `${post.name}``
       sadrzaj += `
                               <div class="table-data-feature">
href="${baseUrl+'/admin/images/'+img.id+'/edit'}" class="item" data-
toggle="tooltip" data-placement="top" title="Edit">
                                      <i class="zmdi zmdi-edit zmdi-hc-</pre>
3x"></i>
                                  </a>
                                  <button
onclick="deleteImage(${img.id})" class="item" data-toggle="tooltip" data-
placement="top" title="Delete">
                                      <i class="zmdi zmdi-delete zmdi-</pre>
hc-3x"></i>
                                  </button>
                               </div>
                           `
       return sadrzaj;
   }
   return {
      getAll,removeImg
   }
function deleteImage(id) {
   const img = images();
   img.removeImg(id);
function deletePost(id){
```

```
const post = posts();
  post.removePost(id);
function deleteCategory(id){
 const cat = categories();
  cat.removeCategory(id);
function deleteBrand(id) {
   const brand = brands();
   brand.removeBrand(id);
function deleteUser(id) {
   const user = users();
   user.removeUser(id);
function deleteMenu(id) {
   const user = menu();
   user.removeMenu(id);
$('#submitFilter').on('click', function(event){
 event.preventDefault();
  let startString = $('#start').val();
   let endString = $('#end').val();
   $.ajax({
       url: baseUrl + '/api/filtersDate',
       method: 'get',
       data:{
           start:startString,
           end:endString
       success: function (data) {
           let table = document.getElementById('tabelaActions');
           let sadrzaj = '';
           sadrzaj +=
             <thead>
                      User
                          Email
                          Action
                          Date
                      </thead>
                      for (d of data){
                     let time = new Date(d.date*1000).toLocaleDateString();
```

### 3.7.2 public\js\filtering.js

```
const cat = $("input:checkbox[name=categories]");
const brands = $("input:checkbox[name=brands]");
let paginationList = document.getElementById('pagination');
let selectedSort;
let changeView;
let arrCategory = [];
let arrBrands = [];
let price = [];
let images = [];
let search;
let page = 0;
let perPage = 6;
let count;
for (let i = 0; i < cat.length; i++) {
    cat[i].addEventListener('change', (event) => {
        if (event.target.checked) {
            arrCategory.push(cat[i].value);
            ajax();
        else {
            arrCategory.pop();
            ajax();
    });
for (let i = 0; i < brands.length; i++) {
    brands[i].addEventListener('change', (event) => {
        if (event.target.checked) {
            arrBrands.push(brands[i].value);
            ajax();
```

```
else {
             arrBrands.pop();
             ajax();
    }) ;
$(document).on('keyup','#search',function () {
    search = this.value.toUpperCase();
    ajax();
$(document).on('change','#sortBydate',function () {
    const sort = document.querySelector('#sortBydate');
    selectedSort = sort.options[sort.selectedIndex].value;
    ajax();
});
       changeView = view.options[view.selectedIndex].value;
$(document).on('click','#price',function () {
    let value=document.getElementsByClassName('range-price');
        for(v of value){
             let sting=v.innerText;
            let replacedString=sting.replace(' ','');
let setString=replacedString.replace(' ','').trim();
             let result=setString.split('-');
            price=result;
            ajax();
        }
    });
$(document).on('click','#pagination_link',function (event) {
    event.preventDefault();
    let linkNumber = parseInt(this.innerText);
    page = (perPage)*(linkNumber-1);
    ajax()
});
function ajax() {
    $.ajax({
        url:baseUrl+'/api/images',
        method:'get',
        success:function (data) {
            images = data;
        },
        error:function (xhr,status,errMsg) {
    });
    $.ajax({
       url:baseUrl+'/api/filters',
       method:'get',
```

```
data:{
           category: arrCategory,
           brands: arrBrands,
           sort:selectedSort,
           price:price,
            search: search,
            page:page
       },
       success:function (data) {
           console.log(data);
           let posts = document.getElementById('posts');
           let content = '';
           count = data.count;
           let pagination = '';
           let pageCount = Math.ceil((count)/perPage);
           for (let i=1;i <= pageCount;i++){</pre>
               pagination += `<a id="pagination_link"</pre>
class="page-link" href="#">${i}</a>`;
           paginationList.innerHTML = pagination;
           for (d of data.posts) {
                   content += `
                   <div class="col-12 col-sm-6 col-md-12 col-xl-6">
                        <div class="single-product-wrapper">
                            <!-- Product Image -->
                            <div class="product-img">
                            `;
                   for (i of images) {
                       if (d.id === i.id_post) {
                           content += `<a href = "${baseUrl + '/posts/' +</pre>
i.id_post}">
                                                        <img src="${i.src}"</pre>
alt="${i.alt}">
                                                    </a>`;
                           break;
                       }
                   content += ` </div>
                            <!-- Product Description -->
                            <div class="product-description d-flex align-</pre>
items-center justify-content-between">
                                <!-- Product Meta Data -->
                                <div class="product-meta-data">
                                    <div class="line"></div>
                                    $${d.price}
                                    <a href="${baseUrl + '/posts/' + d.id}">
                                        < h6 > \{d.name\} < /h6 >
                                    </a>
                                </div>
                                <!-- Ratings & Cart -->
```

#### 3.7.3 public\js\checkout.js

```
$(document).on('click','#checkoutBtn',function (event) {
    event.preventDefault();
    let user_ids=[];
    let hidden = document.getElementsByClassName('post_id');
    for (h of hidden){
        user_ids.push(h.value);
    let user_id = document.getElementById('user_id').value;
    let quantity = document.getElementById('quantity').innerText;
    $.ajax({
        url:baseUrl+'/checkout',
        method:'post',
        data:{
            _token:csrf,
            id:user_ids,
            id_user:user_id,
            quantity:quantity
        },
        success:function (data) {
            alert("Thank you for purchasing our products");
            window.location.href = baseUrl+'/shop';
        error:function (xhr,status,errMsg) {
    })
```