# Sofia University Department of Mathematics and Informatics

**Course: OO Programming C#.NET** 

**Date:** October 15, 2018

**Student** Name:

## Lab No. 3a- methods


Submit the all C# .NET files developed to solve the problems listed below. Use comments and Modified-Hungarian notation.

### Problem No. 1

Write a **WPF** application to implement the functions and user interface of a calculator i.e. there should be:

- a) all the arithmetic operations
- b) memory store, clear, add, subtract
- c) mathematical functions for EXP(), SIN(), COS(), SQRT(), LOG() and 1/x

Make use of <code>enum</code> types to denote arithmetic and memory operations. Accordingly, use these <code>enum</code> constants in a switch command to execute the calculator operations.



## Problem No. 2

Write a **Console application** that computes the value of  $\cos(x)$  by using the formula:

$$cos(x) = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \dots$$

with accuracy  $0 < \varepsilon < 1$  provided as user input. Compare the result with the value returned by the **respective static method** in the **Math** class. Output the approximate and the accurate value, as well as, the given accuracy using formatted numeric output.

### Problem No. 3a

Write a method to determine, if the **integer** arguments x and y have a **common divisor**. If so, return the least and **greatest** common **divisor** as **out** parameters.

Write a Console application to test the method.

#### Problem No. 3b

Write a method to compute the probability a set of five- digit numbers divide by the number 4. The set of five-digit numbers is the following:

- the first digit is in the interval [1,5]
- the second digit is in the interval [4,9]
- the third digit is in the interval [3,8]
- the fourth digit is in the interval [6,9]
- the fourth digit is in the interval [2,8]

Write a Console application to test the method.

## Problem No. 4

(*Pythagorean Triples*) Some right triangles have sides that are all integers. A set of three integer values for the sides of a right triangle is called a Pythagorean triple. These three sides must satisfy the relationship that the sum of the squares of the two sides is equal to the square of the hypotenuse.

Write a method to find and display in columns all Pythagorean triples for *side1*, *side2* and *hypotenuse*, none larger than **30**. Use a triple-nested *for* loop that tries all possibilities. This is an example of "*brute force*" computing. You will learn in more advanced computer science courses that there are some problems for which there is no known algorithmic approach other than using sheer brute force.

Write a Console application to test the designed method.