# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

# Dokumentacija

http://nikolareljic.com/guitarzoom/

Predmet: Web programiranje PHP 2

Student: Nikola Reljić 195/14

# Sadržaj

- 1. Uvod
- 1.1. Korišćeni programski jezici
- 1.2. Opis funkcionalnosti
- 1.3. Template
- 1.4. Nema tuđeg CSS koda (korišćen je Bootstrap)
- 2. Organizacija
- 2.1. Organizaciona šema
- 2.2. Stranice
- 2.2.1. home.php
- 2.2.2. about.php
- 2.2.3. shop.php
- 2.2.4. single-item.php
- 2.2.5. contact.php
- 2.2.6. cart.php
- 2.2.7. checkout.php
- 2.2.8. login.php
- 2.2.9. registracija.php
- 2.2.10. author.php
- 2.2.11. admin.php
- 2.2.12. admin/slider.php
- 2.2.13. admin/products.php
- 2.2.14. admin/poll.php
- 2.2.15. admin/menu.php
- 3. Kodovi
- 3.1. PHP + HTML + JS
- 3.1.1. index.php
- 3.1.2. home.php
- 3.1.3. slider.php
- 3.1.4. shop.php
- 3.1.5. search.php
- 3.1.6. single-item.php
- 3.1.7. poll.php
- 3.1.8. contact.php
- 3.1.9. cart.php

- 3.1.10. checkout.php
- 3.1.11. login.php
- 3.1.12. register.php
- 3.1.13. logout.php
- 3.1.14. 404.php
- 3.1.15. setup.php
- 3.1.16. about.php
- 3.1.17. author.php
- 3.1.18. admin/admin.php
- 3.1.19. admin/slider.php
- 3.1.20. admin/delete-slide.php
- 3.1.21. admin/update-slider.php
- 3.1.22. admin/products.php
- 3.1.23. admin/delete-product.php
- 3.1.24. admin/update-product.php
- 3.1.25. admin/poll.php
- 3.1.26. admin/delete-poll.php
- 3.1.27. admin/update-poll.php
- 3.1.28. admin/menu.php
- 3.1.29. admin/delete-menu.php
- 3.1.30. admin/update-menu.php
- 3.1.31. admin/home.php
- 3.2. CSS
- 3.2.1. style.css
- 3.2.2. admin/style.css
- 3.3. JavaScript/JQuery
- 3.3.1. validation.js
- 3.3.2. scripts.js
- 4. Dizajn baze

#### 1. Uvod

#### 1.1 Korišćeni programski jezici

Za izradu sajta su korišćeni sledeći jezici, biblioteke i tehnologije:

HTML, HTML5, CSS, CSS3, JavaScript, JQuery, JQuery UI, Jquery Validate, AJAX, PHP, Bootstrap framework. Kod je pisan u Notepad++ tekstualnom editoru i PHP Storm IDE.


#### 1.2 Opis funkcionalnosti

Sajt ima sledeće funkcionalnosti:

- Sajt je single-page i sve stranice se učitavaju preko index stranice
- **Logovanje i registracija** se nalaze u header sekciji svake stranice. Polja su zaštićena regularnim izrazima
- **Meni** se isčitava dinamički iz baze. Isto važi i za meni u admin panelu
- U gornjem delu početne stranice nalazi se slider, čiji se podaci prikazuju iz baze. Ispod njega se dinamički učitavaju 3 najnovija artikla
- Artikli na shop stranici se stvaraju dinamički iz baze i to 6 po stranici. Preko paginacije se vrši dalji pregled artikala
- Pretraga je na shop stranici. Pretražuje artikle koji sadrže ključne reči u naslovu, opisu ili kratkom tekstu. Odvija se preko AJAX-a, vrši proveru za svaki uneti karakter.
- Klikom na sliku ili naziv proizvoda na shop stranici, dinamički se stvara pojedinačna stranica artikla. Na njima se nalazi anketa (upis u bazu i prikaz iz baze) gde mogu da glasaju samo ulogovani korisnici.

- Na shop i pojedinačnim stranicama artikala nalazi se dugme Add to cart. Klikom na njega, artikal se snima u sesiju i ubacuje u cart. Može stati samo jedna instanca svakog od artikala u korpu. Artikli se mogu pojedinačno uklanjati iz korpe pošto se označi ok u popup-u.
- Sa stranice cart može se preći na checkout stranicu (samo ukoliko je ubačen neki artikal), gde se nalazi forma za plaćanje povezana sa stripe-om. Sa desne strane se prikazuju proizvodi iz korpe.
- Admin panel sadrži stranice slider, products, poll, menu. Na svakoj od stranica se isčitavaju kompletni podaci iz baze. Unose je moguće dodavati, editovati, brisati pojedinačno ili kao bulk. Editovanje se obavlja AJAX-om.

#### 1.3 Template




```
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Guitarzoom |
        Play guitar now </title>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script></script>
 <script src="https://code.jquery.com/ui/1.12.1/jquery-ui.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
validate/1.17.0/jquery.validate.js"></script>
 k rel="stylesheet" type="text/css"
href="https://cdnjs.cloudflare.com/ajax/libs/jqueryui/1.12.1/jquery-ui.css">
 <link href="https://fonts.googleapis.com/css?family=Lato" rel="stylesheet">
 <meta name="author" content="Nikola Reljić">
         <meta name="keywords" content="Play guitar, Steve Stine, passion, practice">
         <meta name="description" content="Steve Stine is known as the world's most sought-</pre>
after guitar instructor.">
</head>
<body>
<nav class="navbar navbar-inverse">
 <div class="container-fluid">
    <div class="navbar-header">
     <button type="button" class="navbar-toggle" data-toggle="collapse" data-</pre>
target="#myNavbar">
       <span class="icon-bar"></span>
       <span class="icon-bar"></span>
       <span class="icon-bar"></span>
     </but.t.on>
     <a class="navbar-brand" href="?page=home"><img src="images/GZ-logo.png" alt="Logo"></a>
    </div>
    <div class="collapse navbar-collapse" id="myNavbar">
     <a class="active" href="?page=1">Home</a>
                           <a class="" href="?page=2">About</a>
                           <a class="" href="?page=3">Shop</a>
                           <a class="" href="?page=4">Contact</a>
                           <a class="" href="?page=5">Cart</a>
                           <a href="?page=logout"><span class="glyphicon glyphicon-log-</pre>
out"></span> Logout</a>
href="admin/admin.php"><span class="glyphicon glyphicon-cog"></span> Admin</a>
   </div>
 </div>
</nav>
<div id="myCarousel" class="carousel slide" data-ride="carousel">
    <!-- Indicators -->

   <!-- Wrapper for slides -->
    <div class="carousel-inner" role="listbox">
```

```
<div class="item active">
       <img src="images/1518787071 1518738043 slider-steve.jpg" alt="Soloing By Instinct">
       <div class="carousel-caption">
        <h2>Ignite Your Passion</h2>
        Develop a lifelong passion for guitar and the confidence to
express your creativity
       </div>
                           </div>
             <div class="item ">
       <img src="images/slider-guitar.jpg" alt="Guitar Strings">
       <div class="carousel-caption">
        <h2>Inspire Your Practice</h2>
        You can forget about spending hours learning boring drills
because our instructors make each lesson fun and exciting
      </div>
                           </div>
             </div>
   <!-- Left and right controls -->
   <a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
     <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
     <span class="sr-only">Previous</span>
   </a>
   <a class="right carousel-control" href="#myCarousel" role="button" data-slide="next">
     <span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
     <span class="sr-only">Next</span>
   </a>
</div>
<div class="container text-center">
 <h2>Check out our latest courses:</h2><br>
 <div class="row">
     <div class="col-sm-4 space-bottom">
<a href='index.php?course="9'><h4>Goodbye Boring Solos</h4></a>
   </di>
           <div class="col-sm-4 space-bottom">
     <div><a class="image-hover" href='?page=3&course=8'><img class='img-responsive'</pre>
</div>
           <div class="col-sm-4 space-bottom">
<a href='index.php?course="7'><h4>96 Rock Licks</h4></a>
   </div>
         </div>
</div><footer class="container-fluid text-center">
 <div class="collapse navbar-collapse" id="footerNavbar">
     <a href="dokumentacija.pdf"><span class="glyphicon glyphicon-</pre>
file"></span> Documentation</a>
                        <a href="?page=author"><span class="glyphicon glyphicon-</pre>
user"></span> About author</a>
     © Nikola Reljic, 2018
   </div>
</footer>
<div id="overlay">
       <div class="loader"></div>
</div>
</body>
</html>
```

# 2. Organizacija

# 2.1 Organizaciona šema



#### 2.3 Stranice

#### 2.2.1 Home (home.php)




#### Check out our latest courses:



Goodbye Boring Solos




Solofire




96 Rock Licks



#### 2.2.2 About (about.php)



# 2.2.3 Shop (shop.php)





#### 2.2.4 Single item (single-item.php)



#### Solofire




Skyrocket Your Lead Guitar Playing And Solo With Confidence With Steve Stine's Easy 3-Step Plan:

- Visualize See scales clearly with easy-to-learn shortcuts that will transform your guitar playing.
- Connect Connect scales across the fretboard using simple patterns
- Play Perform killer guitar solos over any song or chord progression with complete confidence


Includes: Over 4 hours of videos, PDF tab book and access to our private Facebook group

How to use your volume and tone controls. So you can get the perfect sound for your solos.





O Country

You need to be signed in to vote!





#### 2.2.5 Contact (contact.php)







# 2.2.6 Cart (cart.php)







# 2.2.7 Checkout (checkout.php)







# 2.2.8 Login (login.php)






# 2.2.9 Register (register.php)






#### 2.2.10 Author (author.php)




# 2.2.11 Admin (admin.php)




Documentation About author

© Nikola Reljic, 2018


# 2.2.12 Admin slider (admin/slider.php)



# 2.2.13 Admin products (admin/products.php)




# 2.2.14 Admin poll (admin/poll.php)



Documentation About author
© Nikola Reljic, 2018

#### 2.2.15 Admin menu (admin/menu.php)



# 3. Kodovi 3.1 PHP + HTML + JS 3.1.1 index.php

```
<?php
       @session start();
       include "setup.php";
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Guitarzoom |
       <?php
               if(pageid == 1){
                       echo "Play guitar now";
               }
               else{
                       echo $pageinfo['name'];
       ?>
  </title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <script src="https://code.jquery.com/ui/1.12.1/jquery-ui.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
validate/1.17.0/jquery.validate.js"></script>
  <link rel="stylesheet" type="text/css"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/jqueryui/1.12.1/jquery-ui.css">
  <link href="https://fonts.googleapis.com/css?family=Lato" rel="stylesheet">
  <link rel="stylesheet" type="text/css" href="style.css">
  <link rel="shortcut icon" href="images/favicon.png" />
  <meta name="author" content="Nikola Reljić">
  <?php
       $q = "SELECT * FROM menu WHERE id menu=".$pageid;
       $row = mysqli_query($conn, $q);
```

```
$r = mysqli fetch array($row);
 2>
       <meta name="keywords" content="<?php echo $r['keywords']; ?>">
       <meta name="description" content="<?php echo $r['description'] ?>">
</head>
<body>
<nav class="navbar navbar-inverse">
 <div class="container-fluid">
   <div class="navbar-header">
     <button type="button" class="navbar-toggle" data-toggle="collapse" data-</pre>
target="#myNavbar">
       <span class="icon-bar"></span>
       <span class="icon-bar"></span>
       <span class="icon-bar"></span>
     </button>
     <a class="navbar-brand" href="?page=home"><img src="images/GZ-logo.png" alt="Logo"></a>
   </div>
   <div class="collapse navbar-collapse" id="myNavbar">
     <?php
                     $q = "SELECT * FROM menu";
                      $r = mysqli query($conn, $q);
                     while($nav = mysqli_fetch_array($r)) : ?>
                      <a class="<?php echo ($pageinfo['name'] == $nav['name']) ? "active"</pre>
: ""; ?>" href="?page=<?php echo $nav['id_menu']; ?>"><?php echo $nav['name'] ?></a>
              <?php endwhile; ?>
              <?php if(isset($_SESSION['role'])) : ?>
                      <a href="?page=logout"><span class="glyphicon glyphicon-log-
out"></span> Logout</a>
                             <?php if ($_SESSION['role'] == "admin"): ?>
                      <a href="admin/admin.php"><span class="glyphicon glyphicon-
cog"></span> Admin</a>
              <?php
                             endif;
                     else:
              ?>
```

```
<a href="?page=login"><span class="glyphicon glyphicon-log-</pre>
in"></span> Login</a>
                     <a href="?page=register"><span class="glyphicon glyphicon-</pre>
user"></span> Register</a>
              <?php endif; ?>
     </div>
  </div>
</nav>
<?php
      //load content
              if(isset($_GET['course']))
                     include("single-item.php");
              elseif(isset($ REQUEST['page']))
                     if(!is numeric($ REQUEST['page']))
                            include($ REQUEST['page'].".php");
                     elseif($_GET['page'] != $pageinfo['id_menu'])
                     include "404.php";
                     else
                            include $pageinfo['url'];
              else
                     include $pageinfo['url'];
       include "close.php";
2>
<footer class="container-fluid text-center">
 <div class="collapse navbar-collapse" id="footerNavbar">
     <a href="dokumentacija.pdf"><span class="glyphicon glyphicon-</pre>
file"></span> Documentation</a>
                    <a href="?page=author"><span class="glyphicon glyphicon-</pre>
user"></span> About author</a>
     © Nikola Reljic, <?php echo date("Y") ?>
   </div>
</footer>
<div id="overlay">
       <div class="loader"></div>
```

</div>

</body>

</html>

#### 3.1.2 home.php

```
<?php
       include "slider.php";
<div class="container text-center">
  <h2>Check out our latest courses:</h2><br>
  <div class="row">
  <?php
       $query = "SELECT * FROM product ORDER BY id product DESC LIMIT 3";
       $rez = mysqli_query($conn, $query);
       while($r = mysqli_fetch_array($rez)):
  ?>
    <div class="col-sm-4 space-bottom">
      <div><a class="image-hover" href='?page=3&course=<?php echo $r['id_product']; ?>'><img</pre>
class='img-responsive' src='<?php echo $r['image url']; ?>' alt='<?php echo $r["alt"];</pre>
?>'/></a></div>
      <a href='index.php?course="<?php echo $r['id_product']; ?>'><h4><?php echo $r['name'];</pre>
?></h4></a>
    </div>
       <?php
               endwhile;
       ?>
  </div>
</div>
```

#### 3.1.3 slider.php

```
<div id="myCarousel" class="carousel slide" data-ride="carousel">
   <!-- Indicators -->
   <!-- Wrapper for slides -->
   <div class="carousel-inner" role="listbox">
      <?php
            $query = "SELECT * FROM slider";
            $rez = mysqli query($conn, $query);
            $i=0;
            while($r = mysqli fetch array($rez)):
    <div class="item <?php if($i == 0){echo "active"; } ?>">
      <img src="<?php echo $r['url']; ?>" alt="<?php echo $r['alt']; ?>">
      <div class="carousel-caption">
        <h2><?php echo $r['top text']; ?></h2>
        <?php echo $r['bottom text']; ?>
      </div>
                     </div>
      <?php
            $i++;
            endwhile;
      ?>
    </div>
   <!-- Left and right controls -->
   <a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
```

#### 3.1.4 shop.php

```
<div class="container text-center">
    <h1>Shop</h1>
   <div class="row">
               <div class="col-md-4 col-md-offset-4 space-bottom-2 form-signin">
                              <input id="search" type="text" name="search" class="form-</pre>
control" placeholder="Search products here..." />
               </div>
       </div>
       <div class="row" id="searchResults">
    <?php
    if(!isset($_REQUEST['paginate']) || !is_numeric($_REQUEST['paginate'])){
       $paginate = 1;
    else{
       $paginate = $ REQUEST['paginate'];
    $onPage = 6;
    $query = "SELECT * FROM product";
    $rez = mysqli_query($conn, $query);
    if($resultNumber = mysqli_num_rows($rez)){
       $numberPaginate = ceil($resultNumber / $onPage);
       $firstResult = ($paginate-1) * $onPage;
       $sql = "SELECT * FROM product ORDER BY id_product DESC LIMIT ".$firstResult .
','.$onPage;
       $rec = mysqli query($conn, $sql);
       while($r = mysqli_fetch_array($rec)):
```

```
$oldprice = $r['price'] + 30;
            <div class='col-sm-4 space-bottom'>
                              <div><a class="image-hover" href='?page=3&course=<?php echo</pre>
$r['id_product']; ?>'><img class='img-responsive' src='<?php echo $r['image_url']; ?>'
alt='<?php echo $r["alt"]; ?>'/></a></div>
                               <a href='index.php?course="<?php echo $r['id product'];</pre>
?>'><h4><?php echo $r['name']; ?></h4></a>
                              <h5><span class='strike-price'>$ <?php echo $oldprice;
?>"</span> <span class='actual-price'>$ <?php echo $r['price']; ?></span></h5>
                               <form action="index.php?page=5&action=add&id=<?php echo</pre>
$r['id product'] ?>" method="POST">
                               <input type="hidden" name="hidden image" value="<?php echo</pre>
$r['image url']; ?>" />
                              <input type="hidden" name="hidden price" value="<?php echo</pre>
$r['price']; ?>" />
                              <input type="hidden" name="hidden name" value="<?php echo</pre>
$r['name']; ?>" />
                              <button name="addToCart" class='btn btn-lg btn-primary btn-</pre>
block'><span class="glyphicon glyphicon-shopping-cart"></span> Add To Cart</button>
                               </form>
            </div>
<!--
            $upit2 = "SELECT * FROM kategorije k INNER JOIN vesti_kat vk ON k.id_kategorije =
vk.id kategorije WHERE vk.id vesti=".$red['id vesti'];
            $rez2 = mysqli_query($konekcija, $upit2);
            $kategorije = array();
            while($r= mysqli fetch array($rez2)){
                $kategorije[] = $r['naziv kategorije'];
            }
            echo "<span class='kategorije'>".implode(', ',$kategorije)."</span>";
            echo "</div></div>";
               <?php
        endwhile;
    </div>
       <div class='row' id="paginationWrapper">
        <?php
        for($str=1; $str<=$numberPaginate; $str++){</pre>
            if($str == $paginate){
```

```
echo "<a class='active-link'
href='index.php?page=3&paginate=".$str."'>".$str."</a>";
           else {
               echo "<a href='index.php?page=3&paginate=" . $str . "'>" . $str .
"</a>";
           }
       }
       </div>
       <?php
    }
       ?>
</div>
<script>
       $ (document) .ready(function() {
              $("#search").keyup(function(){
                     $("#paginationWrapper").hide();
                     var search = $("#search").val();
                      $.post("search.php", {
                             search: search
                      }, function(data, status){
                             $("#searchResults").html(data);
                             if(!search){
                                    $("#paginationWrapper").show();
                                    $("#searchTitle").hide();
                      });
              });
       });
</script>
```

#### 3.1.5 search.php

```
<?php
       include "connection.inc";
<?php
               if(isset($ REQUEST['search'])){
                       $search = $ REQUEST['search'];
                       $query="SELECT * FROM product WHERE (name LIKE '%$search%' OR
description LIKE '%$search%' OR excerpt LIKE '%$search%') ORDER BY id product DESC ";
                       $result = mysqli query($conn, $query);
                       if(mysqli_num_rows($result)>0) {
                               echo "<h4 id='searchTitle'> Results for the term: <span
class='text-primary'>". $search. "</span></h4>";
                               while($r = mysqli_fetch_array($result)):
                               $oldprice = $r['price'] + 30;
?>
                                      <div class='col-sm-4 space-bottom'>
                                              <div><a class="image-hover"
href='?page=3&course=<?php echo $r['id product']; ?>'><img class='img-responsive' src='<?php
echo $r['image url']; ?>' alt='<?php echo $r["alt"]; ?>'/></a></div>
                                              <a href='index.php?course="<?php echo</pre>
$r['id product']; ?>'><h4><?php echo $r['name']; ?></h4></a>
                                              <h5><span class='strike-price'>$ <?php echo
$oldprice; ?>"</span> <span class='actual-price'>$ <?php echo $r['price']; ?></span></h5>
action="index.php?page=5&action=add&id=<?php echo $r['id_product'] ?>" method="POST">
                                                      <input type="hidden" name="hidden image"</pre>
value="<?php echo $r['image url']; ?>" />
                                                      <input type="hidden" name="hidden_price"</pre>
value="<?php echo $r['price']; ?>" />
                                                      <input type="hidden" name="hidden name"</pre>
value="<?php echo $r['name']; ?>" />
                                                      <button name="addToCart" class='btn btn-</pre>
lg btn-primary btn-block'><span class="glyphicon glyphicon-shopping-cart"></span> Add To
Cart</button>
                                              </form>
                                      </div>
<?php
                               endwhile;
```

### 3.1.6 single-item.php

```
<div class="container text-center">
  <div class="row">
       <?php
               $idProduct = $_GET['course'];
               $query = "SELECT * FROM product WHERE id product = '$idProduct'";
               //$upit2 = "SELECT * FROM kategorije k INNER JOIN vesti_kat vk ON
k.id kategorije = vk.id_kategorije WHERE vk.id_vesti=$vestid";
               //$rez2 = mysqli query($konekcija, $upit2);
               //$kategorije = array();
               //ako stranica ne postoji ili su parametar slova
               if(!isset($_GET['course']) || !is_numeric($_GET['course'])){
                      include '404.php';
               else{/*
                      if (mysqli num rows($rez2)>0){
                              while($red2 = mysqli_fetch_array($rez2)){
                                      $kategorije[] = $red2['naziv_kategorije'];
                      } * /
                      $res = mysqli query($conn, $query);
                      if(mysqli num rows($res)>0):
                      $r = mysqli fetch array($res);
                      $oldprice = $r['price'] + 30;
                      ?>
                      <h1><?php echo $r['name']; ?></h1>
                      <div class="col-sm-8">
                              <div class="row">
                                      <div class='col-sm-6 space-bottom'>
```

```
<img class='img-responsive' src='<?php echo</pre>
$r['image url']; ?>' alt='<?php echo $r["alt"]; ?>'/>
                                       <div class='col-sm-6 space-bottom text-left'>
                                               <?php echo $r['description']; ?>
                                       </div>
                               </div>
                               <div class="row space-bottom">
                                       <h4><?php echo $r['excerpt']; ?></h4>
                               </div>
                       </div>
                       <div class='col-sm-4'>
                       <div class="well well-lq">
                               <h3><?php echo $r['name']; ?></h3>
                               <h4>One payment of:</h4>
                               <h5><span class='strike-price'>$ <?php echo $oldprice;
?>"</span> <span class='actual-price'>$ <?php echo $r['price']; ?></span></h5>
                               <form action="index.php?page=5&action=add&id=<?php echo</pre>
$r['id product'] ?>" method="POST">
                               <input type="hidden" name="hidden image" value="<?php echo</pre>
$r['image_url']; ?>" />
                               <input type="hidden" name="hidden price" value="<?php echo</pre>
$r['price']; ?>" />
                               <input type="hidden" name="hidden name" value="<?php echo</pre>
$r['name']; ?>" />
                               <button name="addToCart" class='btn btn-lg btn-primary btn-</pre>
block'><span class="glyphicon glyphicon-shopping-cart"></span> Add To Cart</button>
                               </form>
                       </div>
                       <?php
                               include "poll.php";
                       2>
                       </div>
  </div>
        <?php endif;
        ?>
</div>
```

## 3.1.7 poll.php

```
<?php
       $messageSuccess = "";
       $messageDanger = "";
       if(isset($_POST['vote'])){
               if(!empty($ POST['pollVote'])){
                      $pollVote = $_POST['pollVote'];
                      $query2 = "UPDATE poll SET result=result+1 WHERE id poll=".$pollVote;
                      $rez2 = mysqli_query($conn, $query2);
                      if($rez2){
                              $messageSuccess = "<span class='text-success'>Your vote is
noted!</span>";
               }
               else{
                      $messageDanger = "<span class='text-danger'>You have to choose an
answer!</span>";
       }
       if(isset($_POST['results'])){
               $query3 = "SELECT * FROM poll";
               $res3 = mysqli query($conn, $query3);
               while($r3 = mysqli_fetch_array($res3)){
                      $results[] = $r3;
               }
?>
<div class='space-bottom'>
       <div class="well well-lg">
               <form method="POST" action="">
                      <div class="form-group">
                              <h4>Which is your favorite genre?</h4>
```

```
</div>
                    <div class="form-group">
                          <?php
                                 $query1 = "SELECT * FROM poll";
                                 $res1 = mysqli query($conn, $query1);
                                 while($r1 = mysqli fetch array($res1)):
                          ?>
<label class="pollLabel" for="<?php echo $r1['id_poll'];</pre>
?>"><?php echo $r1['poll_text']; ?></label><br/>
                          <?php endwhile; ?>
                    </div>
                   <div class="form-group">
                    <?php if (isset($_SESSION['role'])): ?>
                          <input name="vote" class="btn btn-success" value="Vote"</pre>
type="submit">
                    <?php else: ?>
                           <span class="text-warning">You need to be signed in to
vote!</span>
                    <?php endif; ?>
                          <input id="showResults" name="results" class="btn btn-info"</pre>
value="Results" type="submit">
                    </div>
                          <?php echo $messageSuccess; ?>
                          <?php echo $messageDanger; ?>
                    <?php if(isset($ POST['results'])): ?>
                          <?php
                                        $i = 0;
                                        foreach($results as $result){
                                              ++$i;
```

```
echo "";
echo ""."". $result['poll_text']

echo "". $result['poll_text']

echo "";

echo "". $result['poll_text']

echo "";

//div>
//div>
//div>
```

## 3.1.8 contact.php

```
<?php
$messageE = "";
$messageS = "";
$messageM = "";
$messageSent = "";
if(isset($ POST["messageBtn"])){
       $email = $ POST["email"];
       $subject = $ POST["subject"];
       $message = $_POST["message"];
       property = m/^w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
       property = "/^[A-z0-9]{3,20}$/";
       property = \frac{1}{2} (A-z0-9) \{10, \} 
       if(!preg match($regEmail, $email)){
               $messageE = "<span class='text-danger'>Your email is not in a valid
format!</span>";
       elseif(!preg match($regSubject, $subject)){
               $messageS = "<span class='text-danger'>Your subject is not in a valid
format!</span>";
       elseif(!preg match($regMessage, $message)){
              $messageS = "<span class='text-danger'>Your Message is not in a valid
format!</span>";
       else{
               $to = "nikola.reljic.web@gmail.com";
               $headers = "From: guitarzoom.com website";
               if(@mail($to, $subject, $message, $headers))
                mail($to, $subject, $message, $headers);
```

```
$messageSent = "<div class='alert alert-success'><strong>Message
sent!</strong></div>";
              else {
                 $messageSent = "<div class='alert alert-danger item-changed'><strong>Message
was not sent!</strong></div>";
}
2>
<div class="container text-center">
<h1>Contact us</h1>
  <div class="row">
       <div class='col-md-6 text-left'>
               <h3>Contact Member Support</h3>
               Member Support is available<br/> <strong>Mondays to Fridays, 9AM - 5PM
Pacific</strong>
               <strong>EMAIL:</strong> <a
href="mailto:support@guitarzoom.com">support@guitarzoom.com</a>
               <strong>PHONE:</strong> +1 (901) 466-8822
               <strong>CHAT:</strong> Click <a href="https://m.me/stevestineguitar"</p>
target=" blank">Leave a Message</a> chat button on the lower right side
               <strong>TEXT MESSAGING:</strong> +1 (901) 424-3383<br/>
              or simply text keyword <strong>GUITARZOOM to 313131</strong>
    </div>
       <div class="col-md-6">
              <h3>Send us a message</h3>
              <div id="messageDiv">
                      <form id="messageForm" class="form-signin" action="" method="POST">
                      <div class="form-group">
                             <label for="email" class="sr-only">Email</label>
                              <input id="email" name="email" class="form-control"</pre>
placeholder="Email" required="" autofocus="" type="email">
                             <?php echo $messageE; ?>
```

```
</div>
                    <div class="form-group">
                           <label for="subject" class="sr-only">Subject</label>
<?php echo $messageS; ?>
                    </div>
                    <div class="form-group">
                           <label for="message" class="sr-only">Message</label>
                          <textarea id="message" name="message" class="form-control"</pre>
placeholder="Type something here..."/></textarea>
                          <?php echo $messageM; ?>
                    </div>
                    <button id="messageBtn" name="messageBtn" class="btn btn-lg btn-primary</pre>
btn-block space-bottom" type="submit">Send</button>
               </form>
              <?php echo $messageSent; ?>
             </div>
      </div>
  </div>
</div>
<script src="js/validation.js"></script>
```

## 3.1.9 cart.php

```
<?php
if(isset($ POST["addToCart"]))
      if(isset($_SESSION["shopping_cart"]))
           $item_array_id = array_column($_SESSION["shopping_cart"], "id_product");
           if(!in array($ GET["id"], $item array id))
                $count = count($_SESSION["shopping_cart"]);
                $item_array = array(
                     'id product'
                                                       $ GET["id"],
                                                       $ POST["hidden name"],
                     'item name'
                                                =>
                                       'item price'
$_POST["hidden_price"],
                                       'item image'
$ POST["hidden image"]
                );
                $ SESSION["shopping cart"][$count] = $item array;
           else
                echo '<script>alert("Item Already Added")</script>';
                echo '<script>window.location="index.php?page=5"</script>';
      }
      else
          $item array = array(
                                       'id_product'
                                                                         $_GET["id"],
                                                       $ POST["hidden name"],
                     'item name'
                                       'item_price'
$ POST["hidden price"],
                                       'item_image'
$ POST["hidden image"]
```

```
);
        $_SESSION["shopping_cart"][0] = $item_array;
}
if(isset($_GET["action"]))
    if($ GET["action"] == "delete")
         foreach($_SESSION["shopping_cart"] as $keys => $values)
             if($values["id_product"] == $_GET["id"])
                 unset($_SESSION["shopping_cart"][$keys]);
                 echo '<script>window.location="index.php?page=5"</script>";
     }
?>
<div class="container text-center">
<h1>Cart</h1>
 <div class="row">
   <?php
      if(!empty($_SESSION["shopping_cart"])):
      <div class="table-responsive">
      Thumbnail
             Item Name
             Price
             Action
         <?php
          $total = 0;
          foreach($_SESSION["shopping_cart"] as $keys => $values) {
   ?>
```

```
<img class="img-thumbnail" src="<?php echo
$values["item_image"]; ?>" />
              <?php echo $values["item name"]; ?>
              $ <?php echo $values["item_price"]; ?>
              <a class="del-item" href="index.php?page=5&action=delete&id=<?php echo
\label{lem:class} $$ values["id\_product"]; ?>">< span class="text-danger">Remove</span></a>
         <?php
                  $total = $total + ($values["item_price"]);
          ?>
         Total
              $ <?php echo number format($total, 2); ?>
         </div>
 </div>
 <div class="row">
      <a href="?page=checkout" class="btn btn-lg btn-primary btn-block">Proceed to
checkout</a>
 </div>
 <?php else: ?>
 <div class="row">
      <h2>Your cart is now empty :(</h2>
      <h3 class="glyphicon glyphicon-shopping-cart"></h3>
 </div>
 <?php endif; ?>
</div>
</div>
<script language="JavaScript" src="admin/scripts.js"></script>
```

### 3.1.10. checkout.php

```
<div class="container text-center">
<h1>Checkout</h1>
  <div class="row">
        <div class='col-md-6 text-left'>
           <script src='https://js.stripe.com/v2/' type='text/javascript'></script>
          <form accept-charset="UTF-8" action="/" class="require-validation form-signin" data-</pre>
cc-on-file="false" data-stripe-publishable-key="pk_bQQaTxnaZlzv4FnnuZ28LFHccVSaj" id="payment-
form" method="post"><div style="margin:0;padding:0;display:inline"><input name="utf8"
type="hidden" value="\( '' \) -<input name="_method" type="hidden" value="PUT" /> -<input name="authenticity_token" type="hidden" value="qLZ9cScer7ZxqulsUWazw4x3cSEzv899SP/7ThPCOV8="
/></div>
             <div class='form-row'>
               <div class='col-xs-12 form-group required'>
                 <label class='control-label sr-only'>Name on Card</label>
                 <input class='form-control' size='4' type='text' placeholder="Name on card">
               </div>
             </div>
             <div class='form-row'>
               <div class='col-xs-12 form-group card required'>
                 <label class='control-label sr-only'>Card Number</label>
                 <input autocomplete='off' class='form-control card-number' size='20'</pre>
type='text' placeholder="Card number">
               </div>
             </div>
             <div class='form-row'>
               <div class='col-xs-4 form-group cvc required'>
                 <label class='control-label sr-only'>CVC</label>
                 <input autocomplete='off' class='form-control card-cvc' placeholder='CVC (ex.</pre>
311) ' size='4' type='text' placeholder="CVC">
               </div>
               <div class='col-xs-4 form-group expiration required'>
                 <label class='control-label sr-only'>Expiration</label>
                 <input class='form-control card-expiry-month' placeholder='MM' size='2'</pre>
type='text' placeholder="Expiration">
               </div>
               <div class='col-xs-4 form-group expiration required'>
                 <label class='control-label sr-only'>Expiry year</label>
                 <input class='form-control card-expiry-year' placeholder='YYYY' size='4'</pre>
type='text'>
               </div>
             </div>
```

```
<div class='form-row'>
            <div class='col-md-12'>
              <div class='text-info total'>
               Total:
                            <?php
                                       total = 0;
                                       foreach($_SESSION["shopping_cart"] as $keys =>
$values) {
                                              total = total +
($values["item_price"]);
               <span class='amount'>$ <?php echo number_format($total, 2); ?></span>
             </div>
            </div>
          </div>
          <div class='form-row'>
            <div class='col-md-12 form-group'>
             <button class='form-control btn btn-primary submit-button' type='submit'>Pay
»</button>
           </div>
          </div>
          <div class='form-row'>
            <div class='col-md-12 error form-group hide'>
             <div class='alert-danger alert'>
               Please correct the errors and try again.
             </div>
            </div>
          </div>
        </form>
      </div>
      <div class="col-md-6">
             <?php
             ?>
             <div class="table-responsive">
               Thumbnail
                                 Item Name
                                 Price
```

```
Action
                   <?php
                       total = 0;
                       foreach($_SESSION["shopping_cart"] as $keys => $values) {
           ?>
                   <img class="img-thumbnail" src="<?php echo
$values["item image"]; ?>" />
                            <?php echo $values["item_name"]; ?>
                            $ <?php echo $values["item price"]; ?>
                            <a class="del-item"
class="text-danger">Remove</span></a>
                   <?php
                                  $total = $total + ($values["item price"]);
                        }
                   ?>
                   Total
                            $ <?php echo number format($total, 2);
?>
                   </div>
     </div>
 </div>
</div>
<script>
$(function() {
 $('form.require-validation').bind('submit', function(e) {
  var $form
                = $(e.target).closest('form'),
      inputSelector = ['input[type=email]', 'input[type=password]',
                   'input[type=text]', 'input[type=file]',
                   'textarea'].join(', '),
```

```
$inputs
                                                                     = $form.find('.required').find(inputSelector),
                         $errorMessage = $form.find('div.error'),
                         valid
                                                                     = true;
             $errorMessage.addClass('hide');
             $('.has-error').removeClass('has-error');
            $inputs.each(function(i, el) {
                  var \sinput = 
                  if ($input.val() === '') {
                         $input.parent().addClass('has-error');
                         $errorMessage.removeClass('hide');
                         e.preventDefault(); // cancel on first error
           });
      });
});
$(function() {
     var $form = $("#payment-form");
      $form.on('submit', function(e) {
            if (!$form.data('cc-on-file')) {
                   e.preventDefault();
                   Stripe.setPublishableKey($form.data('stripe-publishable-key'));
                  Stripe.createToken({
                         number: $('.card-number').val(),
                         cvc: $('.card-cvc').val(),
                         exp month: $('.card-expiry-month').val(),
                         exp year: $('.card-expiry-year').val()
                   }, stripeResponseHandler);
            }
      });
      function stripeResponseHandler(status, response) {
            if (response.error) {
                  $('.error')
                         .removeClass('hide')
                         .find('.alert')
                          .text(response.error.message);
```

```
} else {
    // token contains id, last4, and card type
    var token = response['id'];
    // insert the token into the form so it gets submitted to the server
    $form.find('input[type=text]').empty();
    $form.append("<input type='hidden' name='reservation[stripe_token]' value='" + token +
"'/>");
    $form.get(0).submit();
}
}
}
</script
</script>
</script language="JavaScript" src="admin/scripts.js"></script></script></script>
```

## 3.1.11 login.php

```
<?php
       $message="";
       $messageU="";
       $messageP="";
       if(isset($ POST['btnLogin']))
               $username = $_POST['username'];
               $password = $_POST['password'];
               prop = "/^[A-z0-9]{3,30}
               property = "/^[A-z0-9]{6,20}$/";
               if(!preg match($regUsername, $username))
                      $messageU = "<span class='text-danger'>Username is in the wrong
format!</span>";
               else if(!preg match($regPassword, $password))
                      $messageP = "<span class='text-danger'>Password is in the wrong
format!</span>";
               }
               else
                      $query = "SELECT * FROM user u
                              INNER JOIN user role ru
                              ON u.id user = ru.user id
                              INNER JOIN role r
                              ON r.id role = ru.role id
                              WHERE u.username = '".$username."' AND u.password =
'".md5($password)."'";
                      $res = mysqli_query($conn, $query) or die("Query is not
executed!".mysqli_error());
                      if(mysqli_num_rows($res) == 1)
                              if($ POST["rememberMe"] == '1' || $ POST["rememberMe"] == 'on')
                \text{hour} = \text{time}() + 3600 * 24 * 30;
```

```
setcookie('username', $username, $hour);
                   setcookie('password', $password, $hour);
                           $role = mysqli_fetch_array($res);
                           $role = $role['role name'];
                           $ SESSION['role'] = $role;
                           if ($_SESSION['role'] == "admin"){
                                      header("Location: admin/admin.php");
                           else{
                                   header("Location: index.php");
                     }
                    else
                           $message = "<span class='text-danger'>There is no user with
given username and password!</span>";
              }
?>
<div class="container text-center">
 <h1>Please sign in</h1>
  <div class="row col-md-6 col-md-offset-3">
       <div id="login">
             <form id="loginForm" class="form-signin" action="" method="POST">
             >
                    <label for="username" class="sr-only">Username</label>
                    <input id="username" name="username" class="form-control"</pre>
placeholder="Username" required="" autofocus="" type="text">
                    <?php echo $messageU; ?>
             >
                    <label for="password" class="sr-only">Password</label>
<?php echo $messageP; ?>
```

# 3.1.12. register.php

```
<?php
       $messageFN = "";
       $messageE = "";
       $messageU = "";
       $messageP = "";
       $messagePA = "";
       $message = "";
if(isset($_POST["btnRegister"]))
       $fullName = $ POST["fullName"];
       $email = $ POST["email"];
       $username = $_POST["username"];
       $password = $ POST["password"];
       $passwordAgain = $ POST["passwordAgain"];
       property = \frac{1}{2} (A-z) ((s[A-z] {2,30}) + \frac{1}{2};
       \ensuremath{$\text{SregEmail} = "/^w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";}
       propto = "/^[A-z0-9]{2,30}
       property = "/^[A-z0-9]{5,20}$/";
       if(!preg_match($regFullName, $fullName)){
               $messageFN = "<span class='text-danger'>Your full name is not in a valid
format!</span>";
       else{
               $fullName = mysqli real escape string($conn, $fullName);
       }
       if(!preg match($regEmail, $email)){
               $messageE = "<span class='text-danger'>Your email is not in a valid
format!</span>";
       else{
               $email = mysqli real escape string($conn, $email);
```

```
if(!preq match($regUsername, $username)){
               $messageU = "<span class='text-danger'>Your username is not in a valid
format!</span>";
       }
       else{
               $username = mysqli real escape string($conn, $username);
       }
       if(!preg match($regPassword, $password)){
               $messageP = "<span class='text-danger'>Your password is not good
enough!</span>";
       }
       elseif ($password != $passwordAgain) {
               $messagePA = "<span class='text-danger'>Your password and confirmation password
do not match!</span>";
       }
       else{
               $password = md5(mysqli_real_escape_string($conn, $password));
               $query = "INSERT INTO user VALUES (NULL, '$fullName', '$password', 2,
'$username', '$email')";
               if(mysqli query($conn, $query)){
                       $message = "<span class='text-success'>Registration succesful! Please
go to login page to sign in.</span>";
               }
               else{
                      $message = "<span class='text-danger'>Registration
failed!</span>".mysqli error();
}
<div class="container text-center">
  <h1>Please register</h1>
  <div class="row col-md-6 col-md-offset-3">
       <div id="register" class="space-bottom">
               <form id="registerForm" class="form-signin space-bottom" action=""</pre>
method="POST">
               >
                       <label for="fullName" class="sr-only">Full Name</label>
                      <input id="fullName" name="fullName" class="form-control"</pre>
placeholder="Full Name" required="" autofocus="" type="text">
                      <?php echo $messageFN; ?>
```

```
>
                     <label for="email" class="sr-only">Email</label>
                     <input id="email" name="email" class="form-control" placeholder="Email</pre>
(required) " required="" autofocus="" type="text">
                     <?php echo $messageE; ?>
              >
                     <label for="username" class="sr-only">Username</label>
                     <input id="username" name="username" class="form-control"</pre>
placeholder="Username (required)" required="" autofocus="" type="text">
                     <?php echo $messageU; ?>
              >
                     <label for="password" class="sr-only">Password</label>
<?php echo $messageP; ?>
             >
                     <label for="passwordAgain" class="sr-only">Password again</label>
                     <input id="passwordAgain" name="passwordAgain" class="form-control"</pre>
placeholder="Password again (required)" required="" type="password">
                    <?php echo $messagePA; ?>
              <button name="btnRegister" class="btn btn-lg btn-primary btn-block"</pre>
type="submit">Register</button>
     </form>
         <?php echo $message; ?>
       </div>
  </div>
</div>
<script src="js/validation.js"></script>
```

# 3.1.13. logout.php

```
<?php
@session_start();

unset($_SESSION['role']);
session_destroy();

header("Location: index.php");</pre>
```

# 3.1.14. 404.php

```
<div class="container text-center">
  <h1>Er...</h1>
  <h2>Congratulations, you broke the Internet</h2>
  <h4>The page you are after no longer exists or never existed.</h4>
  <img class="space-bottom space-top" src="images/skinner.jpg" alt="skinner" />
  </div>
```

# 3.1.15. setup.php

```
    include 'connection.inc';

    if(!isset($_REQUEST['page']) || !is_numeric($_REQUEST['page']))
    {
          $pageid = 1;
    }
    else
    {
          $pageid = $_REQUEST['page'];
    }

    $query = "SELECT * FROM menu WHERE id_menu = $pageid";

    $r = mysqli_query($conn, $query);
    $pageinfo = mysqli_fetch_assoc($r);
}
```

### 3.1.16. about.php

<div class="container text-center"> <h1>About GuitarZoom</h1> <div class="row"> <div class="col-sm-4"><h3>Did you find yourself in a situation like this?</h3></div> <div class="col-sm-8 text-left">You want to learn how to play the guitar but aren't sure how to get started?You are stuck in a routine playing the same old things over-and-over?You are frustrated by your lack of time to practice and improve?You are beginning to think that you're just not talented enough to play?You want to play any song in any style?Or you would just simply like to take your playing to a new level?</div> </div> <hr/> <div class="row"> <div class="col-sm-4"><h3>Yes? Well, you are in the right place./div> <div class="col-sm-8 text-left">Most so-called guitar "Courses" are just a bunch of <strong>random lessons
thrown together without much thought with only <strong>big promises</strong>. In fact, some of the stuff they teach could actually be doing more harm than good! < strong>Guitarzoom </strong> already helped <strong> thousands andthousands</strong> of guitar players worldwide with our courses. No matter which <strong>style</strong> you would like to play, if you are beginner or advance player, or if you play on acoustic or electric guitar, here you'll for sure find lessons that suit you.</div> </div> <hr/> <div class="row"> <div class="col-sm-4"><h3>What is Guitarzoom?</h3></div> <div class="col-sm-8 text-left">We offer a large variety of guitar <strong>instructional courses</strong> ranging from <strong>beginner to advanced/professional</strong> level that addresses specific aspects of guitar playing and tackles a wide range of genres and styles such as the Blues, Rock, Metal, and Country. With its roster of highly qualified guitar instructors such as <strong>Dan Denley and Steve Stine</strong> among others, every visitor of GuitarZoom is guaranteed to receive the highest quality of guitar instruction that you can find anywhere on the planet... </div> <hr/> <div class="row about-steve space-bottom panel"> <h2>About your instructor, Steve Stine</h2> <div class="col-sm-8 col-md-offset-2">Steve Stine is known as the world's most sought-after guitar instructor. After years of struggling to understand how the guitar "really works," he developed a step-by-step training method to help you quickly overcome obstacles and rapidly advance your playing to a level you never dreamed possible. Over 27 years, he's helped literally millions of guitarists in over 100 countries.

He holds a bachelor's degree in music education from Minnesota State
University, Moorhead. And he's played lead guitar in dozens of bands, touring the U.S. and UK.
He's a featured guest instructor at Guitar World Magazine and the distinguished former Prof.
of Modern Guitar Studies at North Dakota State University.

</div>

</div>

</div>

### 3.1.17. author.php

```
<div class="container text-center">
<h1>About me</h1>
 <div class="row">
      <div class='col-md-8 text-left'>
             <div class="col-md-4 space-bottom">
                    <img src="images/social/nikola.jpg" alt="Nikola Reljic"/>
             </div>
             <div class="col-md-8 space-bottom">
                           <h3>Nikola Reljić</h3>
                           <h5 class="text-success">Web Developer & UI/UX designer</h5>
                           <h6>From Pančevo</h6>
             </div>
             <div class="col-md-12 space-bottom">
                    <h4 class="text-center">Work history</h4>
                           <strong class="text-success">Late 2013 -
Now</strong>
                                  <h5>Web Developer & Marketing Specialist</h5>
                                         Frelance Jobs
                                        From the late 2013 I have worked on various
freelance jobs via freelancer.com and upwork.com. Jobs consisted mostly of WordPress website
developing. I done a few websites by recommendation (outside of these platforms). My personal
favorite that I created is this minimalistic website for an architecture studio from Belgrade
https://a4studio.rs/
                                  <strong class="text-success">February 2017 -
September 2017</strong>
                                  <h5>Web Developer & Marketing Specialist</h5>
                                         GuitarZoom.com
                                        My first task was to help launching new
version of the website which will increase sales. Furthermore, I worked on improving customer
experience which consisted of developing new functions and pleasant visuals according to our
customers' age.
                                        The other part was creating/editing campaigns
and emails in InfusionSoft (online marketing software) which we used to reach out to our
customers.
```

```
</div>
          <div class="col-md-12 space-bottom">
               <h4 class="text-center">Education</h4>
                     <+r>
                          <strong class="text-success">2006 -
2010</strong>
                          <h5>Economic technician</h5>
                               Secondary School of
Economics "Paja Marganović" Pančevo
                          <t.r>
                          <strong class="text-success">2014 -
Now</strong>
                          <h5>Bachelor of electrical engineering and
computing</h5>
                               ICT College
                               Department of Internet Technologies - Web
programming. Advanced university student with a few exams left to finish
                          </div>
  </div>
     <div class="col-md-4">
          <h3>Find me here</h3>
          href="https://www.upwork.com/o/profiles/users/_~01a0ebda92a25beefd/"><img
src="images/social/upwork.png" alt="upwork"/> <span>Ping me on UpWork</span></a>
               <a href="https://facebook.com/ReljaWeb"><img</pre>
src="images/social/facebook.jpg" alt="facebook"/> <span>Add me on Facebook</span></a>
```

### 3.1.18. admin/admin.php

```
<?php
       @session start();
        include "../setup.php";
        if ($ SESSION['role'] != "admin") {
                 header("Location: index.php");
         }
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Guitarzoom |
       <?php
               if(!isset($_REQUEST['page'])){
                       echo "Admin panel";
               }
               else{
                       echo ucfirst($ REQUEST['page']) ." Admin Panel";
               }
       ?>
  </title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <script src="https://code.jquery.com/ui/1.12.1/jquery-ui.min.js"></script>
  <link rel="stylesheet" type="text/css"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/jqueryui/1.12.1/jquery-ui.css">
  <link href="https://fonts.googleapis.com/css?family=Lato" rel="stylesheet">
  <link rel="stylesheet" type="text/css" href="style.css">
  <link rel="shortcut icon" href="../images/favicon.png" />
</head>
<body class="admin-panel">
<nav class="navbar navbar-inverse">
  <div class="container-fluid">
```

```
<div class="navbar-header">
     <button type="button" class="navbar-toggle" data-toggle="collapse" data-</pre>
target="#myNavbar">
       <span class="icon-bar"></span>
       <span class="icon-bar"></span>
       <span class="icon-bar"></span>
     </button>
     <a class="navbar-brand" href="?page=home"><img src="../images/GZ-logo.png"</pre>
alt="Logo"></a>
   </div>
        <div class="admin-header">
              <h3>Admin Panel</h3>
        </div>
 </div>
</nav>
<div class="container-fluid">
 <div class="row content">
   <div class="col-sm-3 sidenav">
     <?php
                     $q = "SELECT * FROM admin menu";
                     $r = mysqli query($conn, $q);
                     while($nav = mysqli_fetch_array($r)) : ?>
                     <a href="?page=<?php echo $nav['slug']; ?>"><?php echo $nav['name']</pre>
?></a>
              <?php endwhile; ?>
              <a href="logout.php"><span class="glyphicon glyphicon-log-out"></span>
Logout</a>
              <a href="/gz"><span class="glyphicon glyphicon-arrow-left"></span> Back to
Frontend</a>
     </div>
       <div class="col-sm-9">
<?php
       //load content
              if(isset($_GET['course']))
                     include("single-item.php");
              elseif(isset($_REQUEST['page']))
```

```
if(!is_numeric($_REQUEST['page']))
                          include($_REQUEST['page'].".php");
                    elseif($_GET['page'] != $pageinfo['id_menu'])
                    include "404.php";
                    else
                          include $pageinfo['url'];
             else
                    include $pageinfo['url'];
     include "../close.php";
?>
      </div>
 </div>
</div>
<footer class="container-fluid text-center">
 <div class="collapse navbar-collapse" id="footerNavbar">
     <a href="dokumentacija.pdf">Documentation</a>
                    <a href="author.php">About author</a>
     © Nikola Reljic, <?php echo date("Y") ?>
   </div>
</footer>
<div id="overlay">
     <div class="loader"></div>
</div>
</body>
</html>
<script language="JavaScript" src="scripts.js"></script>
```

### 3.1.19. admin/slider.php

<?php

if(isset(\$\_REQUEST['page'])&& isset(\$\_REQUEST['order'])){ if(is numeric(\$ REQUEST['order'])){ \$order = trim(\$ REQUEST['order']); \$query = "SELECT \* FROM slider WHERE id\_slider = \$order"; \$r=mysqli\_query(\$conn, \$query);  $if(mysqli_num_rows($r) == 0){$ echo "There are no items!"; } else{ \$r= mysqli\_fetch\_array(\$r); ?> <div class="col-sm-9"> <form class="order" id="edit\_item" method="POST" action</pre> = "" enctype="multipart/form-data"> <input type="hidden" id="id" name ="id"</pre> value="<?php echo \$r['id slider']; ?>" /> <div class="form-group"> <img src="../<?php echo \$r['url']; ?>" alt="Slider image" class="img-responsive img-panel-slider" /> </div> <div class="form-group"> <label for="altTag">Alt</label> <input type="text" id="altTag"</pre> </div> <div class="form-group"> <label for="topText">Top text</label> <input type="text" id="topText"</pre> name="topText" value="<?php echo \$r['top text']; ?>" class="form-control" /> </div>

```
<div class="form-group">
                                                     <label for="bottomText">Bottom
text</label>
                                                     <input type="text" id="bottomText"</pre>
name="bottomText" value="<?php echo $r['bottom text']; ?>" class="form-control" />
                                              <div class="form-group">
                                                     <label class="btn btn-default">
                                                            Browse images <input class="myImg"
name="uploadImage" id="uploadImage" type="file" hidden>
                                                     </label> <span class="text-
warning">Recommended size is 1920x600px</span>
                                              </div>
                                              <div class="form-group">
                                                     <input type="submit" class="edit_item btn</pre>
btn-lg btn-primary" value="Confirm editing"/>
                                             </div>
                                      </form>
                                      <div class="rez"></div>
                              </div>
<?php
               }
       }
       else{
               echo "<div class='alert alert-danger item-changed'><strong>Image upload
error</strong></div>";
       }
else if(isset($ REQUEST['page'])){
       $messageAdd = "";
       if(isset($ REQUEST['addItem'])){
               $alt = $_REQUEST['altTag'];
                            $_REQUEST['topText'];
               $topText =
               $bottomText = $ REQUEST['bottomText'];
               $path = "../images/uploads/";
```

```
$fileName = $ FILES['uploadImageNew']['name'];
               $tmpImage = $ FILES['uploadImageNew']['tmp name'];
               $size = $ FILES['uploadImageNew']['size'];
               $type = $ FILES['uploadImageNew']['type'];
               $errors = $_FILES['uploadImageNew']['type'];
               $newFile = time()." ".$fileName;
               if($errors > 0){
                      echo "<div class='alert alert-danger item-changed'><strong>Image upload
error</strong></div>";
               else{
                      if(move_uploaded_file($tmpImage, $path.$newFile)){
                              $query = "INSERT INTO slider (id_slider, url, alt, top_text,
bottom text) VALUES (NULL, 'images/uploads/$newFile', '$alt', '$topText', '$bottomText')";
                              if (mysqli query($conn, $query)) {
                                      $messageAdd = "<div class='alert alert-success item-</pre>
changed'><strong>New record created successfully</strong></div>";
                              }
                              else {
                                      $messageAdd = "Error: " . $sql . "<br>" .
mysqli error($conn);
                              }
                      }
               }
       }
?>
<button id="addItemBtn" class="btn btn-lg btn-primary btn-block">Add new item/button>
<div id = "addItemDiv">
       <form action ="" method="POST" enctype="multipart/form-data">
               <div class="form-group">
                      <label for="alt">Alt</label>
                       <input type="text" id="altTag" name="altTag" class="form-control" />
               </div>
               <div class="form-group">
                       <label for="topText">Top text</label>
                       <input type="text" id="topText" name="topText" class="form-control" />
```

```
</div>
              <div class="form-group">
                      <label for="bottomText">Bottom text</label>
                      <input type="text" id="bottomText" name="bottomText" class="form-</pre>
control" />
              </div>
              <div class="form-group">
                      <label class="btn btn-default">
                             Browse images <input class="myImg" name="uploadImageNew"
id="uploadImageNew" type="file" hidden>
                      </label> <span class="text-warning">Recommended size is
1920x600px</span>
              </div>
              <div class="form-group">
                     <input type="submit" name="addItem" class="btn btn-lg btn-primary"</pre>
value="Add new slide">
              </div>
       </form>
</div>
<?php echo $messageAdd; ?>
<?php //checkbox deletion of slides</pre>
if(isset($_POST['delItem']))
$cnt=array();
$cnt=count($ POST['del']);
 for($i=0;$i<$cnt;$i++)
     $del id=$ POST['del'][$i];
    $query="delete from slider where id_slider=".$del_id;
    mysqli query($conn, $query);
}
?>
<form method="POST" action="">
       <select class="form-control form-control-</pre>
sm">
                                                           <option value = "0"</pre>
>Choose...
```

```
<option value = "remove" >Delete
selected</option>
                                           </select>
                                     <input name="delItem" type="submit"</pre>
value="Confirm" class="btn btn-danger" />
                                     <input type="checkbox" class="all" name="all"</pre>
value="all">
                                     ID
                                     Image
                                     Image URL
                                     ALT
                                     Image top text
                                     Image bottom text
                                     Edit
                                     Delete
                               <?php
      $q = "SELECT * FROM slider";
      $r=mysqli query($conn, $q);
      while($data = mysqli fetch assoc($r))
            echo "";
                  echo '<input type="checkbox" name="del[]" class="rest"
value="'.$data["id_slider"].'">';
            ?>
                   <?php echo $data['id slider']; ?> 
                   <img src="<?php echo "../" . $data['url']; ?>" width="130px"
alt="slika"/> 
                   <?php echo "../" . $data['url']; ?> 
                   <?php echo $data['alt']; ?> 
                   <?php echo $data['top_text']; ?> 
                   <?php echo $data['bottom_text']; ?>
```

```
<a href="?page=slider&order=<?php echo $data['id slider']; ?>"><i
class="glyphicon glyphicon-edit"></i></a><//a>
                      <a class="del-item" href="delete-slide.php?page=slider&order=<?php
echo \alpha = ['id_slider'];?>">< i class="glyphicon glyphicon-trash" ></i></a>
              <?php
              echo "";
?>
       </form>
<?php
if(isset($_REQUEST['deleted'])):
<div class="alert alert-danger item-changed">
 <strong>Item deleted!</strong>
</div>
<?php endif; ?>
       <script type="text/javascript">
       function obrada(e){
              e.preventDefault();
              $("#overlay").show();
              $(".rez").show();
              var formId = $("#edit item");
              var formData = new FormData(formId[0]);
              $.ajax({
                      type:"POST",
                     url: "update-slider.php",
                     processData: false,
                      contentType: false,
```

```
data : formData,
                      cache: false,
                       success: function(data){
                              (".rez").html("<div class='alert alert-success'><strong>Update
successful!</strong></div>");
                                      setTimeout(function(){ $('.rez').fadeOut('slow');
                              } , 3000);
                              $("#overlay").hide();
                                      setTimeout(function(){// wait for 5 secs(2)
                                     location.reload(); // then reload the page.(3)
                              }, 3000);
                      },
                      error: function (xhr, ajaxOptions, thrownError) {
                              alert(xhr.status);
                              alert(thrownError);
               });
       $ (document) .ready(function() {
                      //$(".loader").hide();
                      $('#edit item').on("submit", obrada);
       });
       </script>
```

# 3.1.20. admin/delete-slide.php

```
<?php
include '../connection.inc';
if(isset($_REQUEST['page']) && isset($_REQUEST['order'])){
                       if(is_numeric($_REQUEST['order'])){
                               $order = $_REQUEST['order'];
                               $q = "DELETE from slider WHERE id_slider =".$order;
                               \verb|mysqli_query($conn, $q)| or die("Error during deletion");\\
                               echo "Deleted";
                       }
                       else{
                              echo "Not deleted";
}
?>
<?php
include '../close.php';
header("Location: admin.php?page=slider&deleted");
?>
```

### 3.1.21. admin/update-slider.php

```
<?php
include '../connection.inc';
if(isset($ REQUEST['id'])){
       $id = $ REQUEST['id'];
       $alt = $ REQUEST['altTag'];
       $topText =
                      $ REQUEST['topText'];
       $bottomText = $_REQUEST['bottomText'];
       $path = "../images/uploads/";
       $fileName = $_FILES['uploadImage']['name'];
       $tmpImage = $ FILES['uploadImage']['tmp name'];
       $size = $ FILES['uploadImage']['size'];
       $type = $_FILES['uploadImage']['type'];
       $errors = $ FILES['uploadImage']['type'];
       $newFile = time()." ".$fileName;
       if($errors > 0){
               echo "<div class='alert alert-danger item-changed'><strong>Image upload
error</strong></div>";
       }
       else{
               if(move_uploaded_file($tmpImage, $path.$newFile)){
                      $q = "UPDATE slider
                              SET url = 'images/uploads/$newFile', alt = '$alt',
top_text='$topText', bottom_text='$bottomText'
                              WHERE id slider = $id";
                      $r = mysqli query($conn, $q) or die("<div class='alert alert-danger</pre>
item-changed'><strong>Error in query</strong></div>");
                      echo "<div class='alert alert-success'><strong>Update
successful!</strong></div>";
               }
               else{
                      echo "<div class='alert alert-danger item-changed'><strong>Image upload
error</strong></div>";
```

```
}
}
else{

    echo "<div class='alert alert-danger item-changed'><strong>Error during the update</strong></div>";
}
```

### 3.1.22. admin/products.php

<?php

if(isset(\$\_REQUEST['page'])&& isset(\$\_REQUEST['order'])){ if(is numeric(\$ REQUEST['order'])){ \$order = trim(\$ REQUEST['order']); \$query = "SELECT \* FROM product WHERE id product = \$order"; \$r=mysqli\_query(\$conn, \$query);  $if(mysqli_num_rows($r) == 0){$ echo "There are no items!"; } else{ \$r= mysqli\_fetch\_array(\$r); <div class="col-sm-9"> <form class="order" id="edit\_item" method="POST" action</pre> = "" enctype="multipart/form-data"> <input type="hidden" id="id" name ="id"</pre> value="<?php echo \$r['id product']; ?>" /> <div class="form-group"> <img src="../<?php echo \$r['image\_url'];</pre> ?>" alt="Product image" class="img-responsive img-panel" /> </div> <div class="form-group"> <label for="productName">Name</label> <input type="text" id="productName"</pre> name="productName" value="<?php echo \$r['name']; ?>" class="form-control" /> </div> <div class="form-group"> <label for="altTag">Alt</label> <input type="text" id="altTag"</pre> name="altTag" value="<?php echo \$r['alt']; ?>" class="form-control" /> </div>

```
<div class="form-group">
                                                                                                                                                       <label for="price">Price</label>
                                                                                                                                                       <input type="text" id="price"</pre>
name="price" value="<?php echo $r['price']; ?>" class="form-control" />
                                                                                                                                  </div>
                                                                                                                                  <div class="form-group">
                                                                                                                                                       <label
for="description">Description</label>
                                                                                                                                                       <textarea id="description"
\verb|name="description"| class="form-control"| /><?php| echo| | htmlspecialchars($r['description']); ?> | htmlspeci
</textarea>
                                                                                                                                  </div>
                                                                                                                                  <div class="form-group">
                                                                                                                                                       <label for="excerpt">Excerpt</label>
                                                                                                                                                       <input type="text" id="excerpt"</pre>
name="excerpt" value="<?php echo htmlspecialchars($r['excerpt']); ?>" class="form-control" />
                                                                                                                                  </div>
                                                                                                                                  <div class="form-group">
                                                                                                                                                       <label class="btn btn-default">
                                                                                                                                                                             Browse images <input class="myImg"</pre>
name="uploadImage" id="uploadImage" type="file" hidden>
                                                                                                                                                       </label> <span class="text-
warning">Recommended size is 510x510px</span>
                                                                                                                                  </div>
                                                                                                                                  <div class="form-group">
                                                                                                                                                       <input type="submit" class="edit_item btn</pre>
btn-lg btn-primary" value="Confirm editing"/>
                                                                                                                                  </div>
                                                                                                            </form>
                                                                                                            <div class="rez"></div>
                                                                                      </div>
<?php
                      }
                      else{
                                           echo "<div class='alert alert-danger item-changed'><strong>Image upload
error</strong></div>";
                      }
}
```

```
else if(isset($ REQUEST['page'])){
       $messageAdd = "";
       if(isset($ REQUEST['addItem'])){
               $productName = $_REQUEST['productName'];
               $alt = $ REQUEST['altTag'];
               $price = $ REQUEST['price'];
               $description = $_REQUEST['description'];
               $excerpt = $ REQUEST['excerpt'];
               $path = "../images/uploads/";
               $fileName = $ FILES['uploadImageNew']['name'];
               $tmpImage = $ FILES['uploadImageNew']['tmp name'];
               $size = $ FILES['uploadImageNew']['size'];
               $type = $ FILES['uploadImageNew']['type'];
               $errors = $ FILES['uploadImageNew']['type'];
               $newFile = time()." ".$fileName;
               if($errors > 0){
                      echo "<div class='alert alert-danger item-changed'><strong>Image upload
error</strong></div>";
               else{
                       if(move_uploaded_file($tmpImage, $path.$newFile)){
                              $query = "INSERT INTO product (id product, name, image url, alt,
price, description, excerpt) VALUES (NULL, '$productName', 'images/uploads/$newFile', '$alt',
'$price', '$description', '$excerpt')";
                              if (mysqli query($conn, $query)) {
                                      $messageAdd = "<div class='alert alert-success item-</pre>
changed'><strong>New record created successfully</strong></div>";
                              } else {
                                      $messageAdd = "Error: " . "<br>" . mysqli error($conn);
                      }
               }
       }
?>
```

```
<button id="addItemBtn" class="btn btn-lg btn-primary btn-block">Add new item</button>
<div id="addItemDiv">
       <form action ="" method="POST" enctype="multipart/form-data">
               <div class="form-group">
                      <label for="productName">Name</label>
                       <input type="text" id="productName" name="productName" class="form-</pre>
control" />
               </div>
               <div class="form-group">
                      <label for="altTag">Alt</label>
                      <input type="text" id="altTag" name="altTag" class="form-control" />
               </div>
               <div class="form-group">
                       <label for="price">Price in dollars</label>
                       <input type="text" id="price" name="price" class="form-control" />
               </div>
               <div class="form-group">
                       <label for="description">Description</label>
                       <textarea id="description" name="description" class="form-control" />
</textarea>
               </div>
               <div class="form-group">
                      <label for="excerpt">Excerpt</label>
                      <input type="text" id="excerpt" name="excerpt" class="form-control" />
               </div>
               <div class="form-group">
                      <label class="btn btn-default">
                             Browse images <input class="myImg" name="uploadImageNew"
id="uploadImageNew" type="file" hidden>
                      </label>
               </div>
               <div class="form-group">
                      <input type="submit" name="addItem" class="btn btn-lg btn-primary"</pre>
value="Add item">
               </div>
       </form>
</div>
<?php echo $messageAdd; ?>
<?php //checkbox deletion of items</pre>
if(isset($_POST['delItem']))
```

```
{
$cnt=array();
$cnt=count($_POST['del']);
for($i=0;$i<$cnt;$i++)
    $del_id=$_POST['del'][$i];
    $query="delete from product where id_product=".$del_id;
   mysqli_query($conn, $query);
}
?>
<form method="POST" action="">
      <select class="form-control form-control-</pre>
sm">
                                                  <option value = "0"</pre>
>Choose...
                                                  <option value = "remove" >Delete
selected</option>
                                           </select>
                                     <input name="delItem" type="submit"</pre>
value="Confirm" class="btn btn-danger" />
                                     <input type="checkbox" class="all" name="all"</pre>
value="all">
                                     <th>ID</th>
                                     Image
                                     Name
                                     ALT
```

```
Description
                                       Excerpt
                                       Edit
                                       Delete
                                 <?php
      if(!isset($_REQUEST['paginate']) || !is_numeric($_REQUEST['paginate'])){
             $paginate = 1;
      }
      else{
             $paginate = $_REQUEST['paginate'];
      postpage = 4;
      $q = "SELECT * FROM product";
      $rn = mysqli_query($conn, $q);
      if($resultNumber = mysqli_num_rows($rn)){
             $numberPaginate = ceil($resultNumber / $onPage);
       $firstResult = ($paginate-1) * $onPage;
       $sql = "SELECT * FROM product ORDER BY id product DESC LIMIT ".$firstResult .
','.$onPage;
       $rec = mysqli_query($conn, $sql);
             while($data = mysqli fetch assoc($rec))
             {
                   echo "";
                          echo '<input type="checkbox" name="del[]" class="rest"</pre>
value="'.$data["id_product"].'">';
                    ?>
                           <?php echo $data['id_product']; ?> 
                           <img src="<?php echo "../" . $data['image_url']; ?>"
 <?php echo $data['name']; ?> 
                           <?php echo $data['alt']; ?> 
                           <?php echo "$ ".$data['price']; ?>
```

Price

```
<?php echo mb strimwidth($data['description'], 0, 250,
"..."); ?> 
                          <?php echo htmlspecialchars($data['excerpt']); ?> 
                          <a href="?page=products&order=<?php echo
$data['id product']; ?>"><i class="glyphicon glyphicon-edit"></i></a>
                          <a class="del-item" href="delete-
product.php?page=products&order=<?php echo $data['id product'];?>"><i class="glyphicon</pre>
<?php
                    echo "";
             }
?>
      </form>
      <div class='row text-center'>
       <?php
       for($str=1; $str<=$numberPaginate; $str++){</pre>
          if($str == $paginate){
              echo "<a class='active-link'
href='admin.php?page=products&paginate=".$str."'>".$str."</a>";
          }
          else {
             echo "<a href='admin.php?page=products&paginate=" . $str . "'>" . $str .
"</a>";
          }
       }
      2>
       <l
      </div>
<?php
      }
if(isset($ REQUEST['deleted'])):
?>
<div class="alert alert-danger item-changed">
 <strong>Item deleted!</strong>
```

```
</div>
<?php endif; ?>
       <script type="text/javascript">
       function obrada(e){
               e.preventDefault();
               $(".loader").show();
               $(".rez").show();
               $.ajax({
                       type:"POST",
                       url: "update-product.php",
                       data : $('#edit_item').serialize(),
                       success: function(data){
                                       if(data == 1){
                                       $(".rez").html("<div class='alert alert-</pre>
success'><strong>Update successful!</strong></div>");
                                              setTimeout(function(){ $('.rez').fadeOut('slow');
                                                                             } , 3000);
                                       else
                                              $(".rez").html(data);
                               console.log(data);
                               $(".loader").hide();
                       },
                       error: function (xhr, ajaxOptions, thrownError) {
                               alert(xhr.status);
                               alert(thrownError);
                       }
               });
       }
       $ (document) .ready(function() {
```

```
//$(".loader").hide();
$('#edit_item').on("submit", obrada);
});
</script>
```

### 3.1.23. admin/delete-product.php

```
<?php
include '../connection.inc';
if(isset($_REQUEST['page']) && isset($_REQUEST['order'])){
                       if(is_numeric($_REQUEST['order'])){
                               $order = $_REQUEST['order'];
                               $q = "DELETE from product WHERE id_product =".$order;
                               \verb|mysqli_query($conn, $q)| or die("Error during deletion");\\
                               echo "Deleted";
                       }
                       else{
                              echo "Not deleted";
}
?>
<?php
include '../close.php';
header("Location: admin.php?page=products&deleted");
?>
```

### 3.1.24. admin/update-product.php

```
<?php
include '../connection.inc';
if(isset($ REQUEST['id'])){
       $id = $ REQUEST['id'];
       $productName = $ REQUEST['productName'];
       $alt = $ REQUEST['altTag'];
       $price = $_REQUEST['price'];
       $description = $ REQUEST['description'];
       $excerpt = $ REQUEST['excerpt'];
       $path = "../images/uploads/";
       $fileName = $ FILES['uploadImage']['name'];
       $tmpImage = $_FILES['uploadImage']['tmp_name'];
       $size = $ FILES['uploadImage']['size'];
       $type = $_FILES['uploadImage']['type'];
       $errors = $_FILES['uploadImage']['type'];
       $newFile = time()." ".$fileName;
       if($errors > 0){
               echo "<div class='alert alert-danger item-changed'><strong>Image upload
error</strong></div>";
       else{
               if (move uploaded file($tmpImage, $path.$newFile)){
                       $q = "UPDATE product
                              SET name='$productName', alt='$alt', price=$price, decription =
'$description', excerpt = '$excerpt', url = 'images/uploads/$newFile'
                              WHERE id product = $id";
                       $r = mysqli_query($conn, $q) or die("<div class='alert alert-danger</pre>
item-changed'><strong>Error in query</strong></div>");
                       echo "<div class='alert alert-success'><strong>Update
successful!</strong></div>";
               }
```

### 3.1.25. admin/poll.php

<?php

```
if(isset($_REQUEST['page'])&& isset($_REQUEST['order'])){
       if(is_numeric($_REQUEST['order'])){
               $order = trim($ REQUEST['order']);
               $query = "SELECT * FROM poll WHERE id_poll = $order";
               $r=mysqli_query($conn, $query);
                       if(mysqli_num_rows($r) == 0){
                               echo "There are no items!";
                       }
                       else{
                               $r= mysqli_fetch_array($r);
                               <div class="col-sm-9">
                                       <form class="order" id="edit_item" method="POST" action</pre>
= "">
                                              <input type="hidden" id="id" name ="id"</pre>
value="<?php echo $r['id poll']; ?>" />
                                               <div class="form-group">
                                                      <label for="poll_text">Poll text</label>
                                                      <input type="text" id="pollText"</pre>
name="pollText" value="<?php echo $r['poll text']; ?>" class="form-control" />
                                               </div>
                                               <div class="form-group">
                                                      <label for="result">Result</label>
                                                      <input type="text" id="result"</pre>
name="result" value="<?php echo $r['result']; ?>" class="form-control" />
                                               <div class="form-group">
                                                      <input type="submit" class="edit_item btn</pre>
btn-lq btn-primary" value="Confirm editing"/>
                                               </div>
                                       </form>
```

```
<div class="rez"></div>
                              </div>
<?php
       }
       else{
               echo "<div class='alert alert-danger item-changed'><strong>Page does not
exist!</strong></div>";
       }
}
else if(isset($_REQUEST['page'])){
       $messageAdd = "";
       if(isset($_REQUEST['addItem'])){
               $pollText = $ REQUEST['pollText'];
                            $_REQUEST['result'];
               $result =
               $query = "INSERT INTO poll (id poll, poll text, result) VALUES (NULL,
'$pollText', '$result')";
               if (mysqli query($conn, $query)) {
                      $messageAdd = "<div class='alert alert-success item-</pre>
changed'><strong>New record created successfully</strong></div>";
               } else {
                      $messageAdd = "Error: " . "<br>" . mysqli_error($conn);
               }
       }
<button id="addItemBtn" class="btn btn-lg btn-primary btn-block">Add new item/button>
<div id = "addItemDiv">
       <form action ="" method="POST">
               <div class="form-group">
                       <label for="pollText">Poll text</label>
                      <input type="text" id="pollText" name="pollText" class="form-control"</pre>
/>
               </div>
```

```
<div class="form-group">
                    <label for="result">Result</label>
                    <input type="text" id="result" name="result" class="form-control" />
             </div>
             <div class="form-group">
                    <input type="submit" name="addItem" class="btn btn-lg btn-primary"</pre>
value="Add item">
             </div>
      </form>
</div>
<?php echo $messageAdd; ?>
<?php //checkbox deletion of items</pre>
if(isset($_POST['delItem']))
$cnt=array();
$cnt=count($_POST['del']);
for($i=0;$i<$cnt;$i++)
 {
    $del id=$ POST['del'][$i];
    $query="DELETE FROM poll WHERE id poll=".$del id;
    mysqli_query($conn, $query);
<form method="POST" action="">
      <select class="form-control form-control-sm">
                                 <option value = "0" >Choose...
                                 <option value = "remove" >Delete selected</option>
                           </select>
                    <input name="delItem" type="submit" value="Confirm" class="btn</pre>
btn-danger" />
```

```
<input type="checkbox" class="all" name="all" value="all">
                   ID
                   Poll text
                   Result
                   Edit
                   Delete
            <?php
      $q = "SELECT * FROM poll";
      $r=mysqli_query($conn, $q);
      while($data = mysqli_fetch_assoc($r))
            echo "";
                   echo '<input type="checkbox" name="del[]" class="rest"
value="'.$data["id poll"].'">';
            ?>
                    <?php echo $data['id poll']; ?> 
                    <?php echo $data['poll text']; ?> 
                    <?php echo $data['result']; ?> 
                   <a href="?page=poll&order=<?php echo $data['id poll']; ?>"><i
class="glyphicon glyphicon-edit"></i></a>
                   <a class="del-item" href="delete-poll.php?page=poll&order=<?php
echo $data['id poll'];?>"><i class="glyphicon glyphicon-trash" ></i></a>
            <?php
            echo "";
?>
      </form>
<?php
if(isset($_REQUEST['deleted'])):
<div class="alert alert-danger item-changed">
 <strong>Item deleted!</strong>
```

```
</div>
<?php endif; ?>
       <script type="text/javascript">
       function obrada(e){
               e.preventDefault();
               $("#overlay").show();
               $(".rez").show();
               var formId = $("#edit_item");
               var formData = new FormData(formId[0]);
               $.ajax({
                      type:"POST",
                      url: "update-poll.php",
                      processData: false,
                      contentType: false,
                      data : formData,
                      cache: false,
                      success: function(data){
                              $(".rez").html("<div class='alert alert-success'><strong>Update
successful!</strong></div>");
                                      setTimeout(function(){ $('.rez').fadeOut('slow');
                              } , 3000);
                              $("#overlay").hide();
                                      setTimeout(function(){// wait for 5 secs(2)
                                     location.reload(); // then reload the page.(3)
                              }, 3000);
                      },
                      error: function (xhr, ajaxOptions, thrownError) {
                              alert(xhr.status);
                              alert(thrownError);
               });
```

# 3.1.26. admin/delete-poll.php

```
<?php
include '../connection.inc';
if(isset($_REQUEST['page']) && isset($_REQUEST['order'])){
                       if(is_numeric($_REQUEST['order'])){
                               $order = $_REQUEST['order'];
                               $q = "DELETE from poll WHERE id_poll =".$order;
                               \verb|mysqli_query($conn, $q)| or die("Error during deletion");\\
                               echo "Deleted";
                       }
                       else{
                              echo "Not deleted";
}
?>
<?php
include '../close.php';
header("Location: admin.php?page=poll&deleted");
?>
```

### 3.1.27. admin/update-poll.php

```
<?php
include '../connection.inc';
if(isset($ REQUEST['id'])){
       $id = $ REQUEST['id'];
       $pollText = $_REQUEST['pollText'];
       $result = $_REQUEST['result'];
       $q = "UPDATE poll
               SET poll_text='$pollText', result = '$result'
               WHERE id_poll = $id";
       $r = mysqli query($conn, $q) or die("<div class='alert alert-danger item-</pre>
changed'><strong>Error in query</strong></div>");
       echo "<div class='alert alert-success'><strong>Update successful!</strong></div>";
else{
       echo "<div class='alert alert-danger item-changed'><strong>Error during the
update</strong></div>";
```

?>

### 3.1.28. admin/menu.php

<?php

if(isset(\$\_REQUEST['page'])&& isset(\$\_REQUEST['order'])){ if(is\_numeric(\$\_REQUEST['order'])){ \$order = trim(\$ REQUEST['order']); \$query = "SELECT \* FROM menu WHERE id\_menu = \$order"; \$r=mysqli\_query(\$conn, \$query);  $if(mysqli_num_rows($r) == 0){$ echo "There are no items!"; } else{ \$r= mysqli\_fetch\_array(\$r); <div class="col-sm-9"> <form class="order" id="edit\_item" method="POST" action</pre> = ""> <input type="hidden" id="id" name ="id"</pre> value="<?php echo \$r['id menu']; ?>" /> <div class="form-group"> <label for="pageName">Page name</label> <input type="text" id="pageName"</pre> name="pageName" value="<?php echo \$r['name']; ?>" class="form-control" /> </div> <div class="form-group"> <label for="slug">Slug</label> <input type="text" id="slug" name="slug"</pre> value="<?php echo \$r['slug']; ?>" class="form-control" /> <div class="form-group"> <label for="url">Url</label> <input type="text" id="url" name="url"</pre> value="<?php echo \$r['url']; ?>" class="form-control" /> </div> <div class="form-group">

```
<label for="keywords">Keywords</label>
                                                     <input type="text" id="keywords"</pre>
name="keywords" value="<?php echo $r['keywords']; ?>" class="form-control" />
                                              </div>
                                              <div class="form-group">
                                                      <label
for="description">Description</label>
                                                      <textarea id="description"
name="description" class="form-control"><?php echo $r['description']; ?></textarea>
                                              </div>
                                              <div class="form-group">
                                                     <input type="submit" class="edit_item btn</pre>
btn-lg btn-primary" value="Confirm editing"/>
                                              </div>
                                      </form>
                                      <div class="rez"></div>
                              </div>
<?php
               }
       }
       else{
               echo "<div class='alert alert-danger item-changed'><strong>Page does not
exist!</strong></div>";
else if(isset($_REQUEST['page'])){
       $messageAdd = "";
       if(isset($_REQUEST['addItem'])){
               $pageName = $ REQUEST['pageName'];
               $slug = $ REQUEST['slug'];
               $url = $_REQUEST['url'];
               $keywords = $ REQUEST['keywords'];
               $description = $_REQUEST['description'];
               $query = "INSERT INTO menu (id menu, name, slug, url, keywords, description)
VALUES (NULL, '$pageName', '$slug', '$url', '$keywords', '$description')";
```

```
if (mysqli query($conn, $query)) {
                       $messageAdd = "<div class='alert alert-success item-</pre>
changed'><strong>New record created successfully</strong></div>";
               } else {
                       $messageAdd = "Error: " . "<br>" . mysqli_error($conn);
               }
       }
?>
<button id="addItemBtn" class="btn btn-lg btn-primary btn-block">Add new item</button>
<div id = "addItemDiv">
       <form action ="" method="POST">
               <div class="form-group">
                       <label for="pageName">Page name</label>
                       <input type="text" id="pageName" name="pageName" class="form-control"</pre>
/>
               </div>
               <div class="form-group">
                       <label for="slug">Slug</label>
                       <input type="text" id="slug" name="slug" class="form-control" />
               </div>
               <div class="form-group">
                       <label for="url">URL</label>
                       <input type="text" id="url" name="url" class="form-control" />
               </div>
               <div class="form-group">
                       <label for="keywords">Keywords</label>
                       <input type="text" id="keywords" name="keywords" class="form-control"</pre>
/>
               </div>
               <div class="form-group">
                       <label for="description">Description</label>
                       <textarea id="description" name="description" class="form-control"</pre>
/></textarea>
               </div>
               <div class="form-group">
                       <input type="submit" name="addItem" class="btn btn-lg btn-primary"</pre>
value="Add item">
               </div>
       </form>
```

```
</div>
<?php echo $messageAdd; ?>
<?php //checkbox deletion of items</pre>
if(isset($_POST['delItem']))
$cnt=array();
$cnt=count($ POST['del']);
for($i=0;$i<$cnt;$i++)
 {
    $del id=$ POST['del'][$i];
    $query="DELETE FROM menu WHERE id_menu=".$del_id;
    mysqli_query($conn, $query);
}
?>
<form method="POST" action="">
      <select class="form-control form-control-sm">
                               <option value = "0" >Choose...
                               <option value = "remove" >Delete selected</option>
                         </select>
                   <input name="delItem" type="submit" value="Confirm" class="btn</pre>
btn-danger" />
                   <input type="checkbox" class="all" name="all" value="all">
                   ID
                   Page name
                   Slug
                   URL
                   Keywords
```

```
Description
                                                                                                           Edit
                                                                                                           Delete
                                                                       <?php
                                    $q = "SELECT * FROM menu";
                                    $r=mysqli_query($conn, $q);
                                    while($data = mysqli fetch assoc($r))
                                                                       echo "";
                                                                                                           echo '<input type="checkbox" name="del[]" class="rest"
value="'.$data["id menu"].'">';
                                                                       ?>
                                                                                                            <?php echo $data['id menu']; ?> 
                                                                                                            <?php echo $data['name']; ?> 
                                                                                                            <?php echo $data['slug']; ?> 
                                                                                                            <?php echo $data['url']; ?> 
                                                                                                            <?php echo $data['keywords']; ?> 
                                                                                                            <?php echo $data['description']; ?> 
                                                                                                           <a href="?page=menu&order=<?php echo $data['id menu']; ?>"><i
class="glyphicon glyphicon-edit"></i></a>
                                                                                                           <a class="del-item" href="delete-menu.php?page=menu&order=<?php
echo \alpha'' = \alpha'' + \alpha'' +
                                                                       <?php
                                                                       echo "";
                                    }
                                  </form>
<?php
}
if(isset($ REQUEST['deleted'])):
<div class="alert alert-danger item-changed">
        <strong>Item deleted!</strong>
</div>
<?php endif; ?>
```

```
<script type="text/javascript">
       function obrada(e){
               e.preventDefault();
               $("#overlay").show();
               $(".rez").show();
               var formId = $("#edit item");
               var formData = new FormData(formId[0]);
               $.ajax({
                      type:"POST",
                      url: "update-menu.php",
                       processData: false,
                       contentType: false,
                      data : formData,
                       cache: false,
                       success: function(data){
                              $(".rez").html("<div class='alert alert-success'><strong>Update
successful!</strong></div>");
                                      setTimeout(function(){ $('.rez').fadeOut('slow');
                               } , 3000);
                              $("#overlay").hide();
                                      setTimeout(function(){// wait for 5 secs(2)
                                      location.reload(); // then reload the page.(3)
                              }, 3000);
                       },
                       error: function (xhr, ajaxOptions, thrownError) {
                              alert(xhr.status);
                              alert(thrownError);
                       }
               });
       }
       $ (document) .ready(function() {
```

```
//$(".loader").hide();
$('#edit_item').on("submit", obrada);
});
</script>
```

# 3.1.29. admin/delete-menu.php

```
<?php
include '../connection.inc';
if(isset($_REQUEST['page']) && isset($_REQUEST['order'])){
                       if(is_numeric($_REQUEST['order'])){
                               $order = $_REQUEST['order'];
                               $q = "DELETE from menu WHERE id_menu =".$order;
                               \verb|mysqli_query($conn, $q)| or die("Error during deletion");\\
                               echo "Deleted";
                       }
                       else{
                              echo "Not deleted";
}
?>
<?php
include '../close.php';
header("Location: admin.php?page=menu&deleted");
?>
```

### 3.1.30. admin/update-menu.php

```
<?php
include '../connection.inc';
if(isset($ REQUEST['id'])){
       $id = $ REQUEST['id'];
       $pageName = $ REQUEST['pageName'];
       $slug = $_REQUEST['slug'];
       $url = $_REQUEST['url'];
       $keywords = $ REQUEST['keywords'];
       $description = $ REQUEST['description'];
       $q = "UPDATE menu
               SET name='$pageName', slug = '$slug', url = '$url', keywords = '$keywords',
description = '$description'
               WHERE id menu = $id";
       $r = mysqli query($conn, $q) or die("<div class='alert alert-danger item-</pre>
changed'><strong>Error in query</strong></div>");
       echo "<div class='alert alert-success'><strong>Update successful!</strong></div>";
else{
       echo "<div class='alert alert-danger item-changed'><strong>Error during the
update</strong></div>";
?>
```

## 3.1.31. admin/home.php

<h1>Hey <span class="text-success"><?php echo  $_SESSION['role']; ?></span>, have a great day!</h1>$ 

<iframe width="560" height="315"
src="https://www.youtube.com/embed/videoseries?list=PLLy3BfoQcz1Mn14h6SHOT441Pmrky9-Rt"
frameborder="0" allow="autoplay; encrypted-media" allowfullscreen></iframe>

# 3.2.1 CSS (style.css)

```
body{
   font-family: 'Lato', sans-serif;
      font-size: 16px;
     min-height: 100vh;
   position: relative;
   margin: 0;
     padding-bottom: 165px;
.container{
     min-height: 400px;
}
h1 {
  font-size: 42px;
  margin-bottom: 20px;
h2 {
  font-size: 36px;
}
h3{
  font-size: 30px;
     margin-top: 10px;
}
  font-size: 24px;
}
h5{
  font-size: 20px;
}
h6{
     font-size: 18px;
}
a:hover{
     text-decoration: none;
textarea{
```

```
max-width: 100%;
      min-width: 100%;
      min-height: 200px;
}
table h5{
      margin-top: 2px;
/* LOGIN */
.form-signin .form-control{
      font-size: 18px;
      height: 50px;
}
.btn-lg {
      font-size: 22px;
      font-weight: bold;
}
.error{
      font-size: 12px;
      color: #a94442;
/* NAVIGATION */
.navbar {
 margin-bottom: 0;
 border-radius: 0;
border: 0;
}
.navbar-inverse .navbar-nav > .active > a, .navbar-inverse .navbar-nav > .active > a:focus,
.navbar-inverse .navbar-nav > .active > a:hover {
     color: #259dd7;
.navbar-inverse .navbar-nav > li > a {
   color: #d9d9d9;
.navbar-nav > li {
  font-weight: bold;
.navbar-inverse {
   background-color: #212121;
.navbar-brand {
```

```
height: auto;
      padding: 10px 15px;
.navbar-nav{
     float: right;
      font-size: 18px;
.navbar-nav .active{
     color: #259dd7 !important;
}
.text-large{
      font-size: 1.4em;
/*FOOTER NAVIGATION*/
#footerNavbar .nav{
      float: none;
      display: inline-block;
#footerNavbar .nav a{
     color: #d9d9d9;
#footerNavbar .nav a:hover {
   background-color: transparent;
     color: #FFF;
}
footer {
 background-color: #212121;
 padding: 25px;
 position: absolute;
 bottom: 0;
 width: 100%;
.carousel-inner img {
   width: 100%; /* Set width to 100% */
  margin: auto;
  min-height:200px;
.copy{
```

```
color: #909090;
       margin-top: 30px;
/* SHOP */
.space-bottom{
   margin-bottom: 5%;
.space-bottom-2{
   margin-bottom: 2.5%;
}
.space-top{
       margin-top: 5%;
.active-link{
   background-color: #259dd7 !important;
   color: #FFF !important;
.strike-price{
   text-decoration: line-through;
    text-decoration-color: #FF0000;
   opacity: 0.6;
.actual-price{
   font-weight: 900;
   padding-left: 10px;
}
.image-hover {
       transition: all 0.3s;
}
.image-hover:hover {
       opacity: 0.8;
/* BUTTONS */
.btn-primary {
       background: linear-gradient(to bottom, rgba(246,221,156,1) 0%, rgba(243,208,118,1)
50%, rgba(240,195,80,1) 100%);
       color: #111111;
       border: 1px solid #846b2a;
.btn-primary:hover, .btn-primary:active:focus, .btn-primary:active, .btn-primary:focus{
```

```
background: #f0c048;
      color: #000000;
/* ABOUT */
.about-steve{
      background: #259DD7;
      color: #FFF;
/*SINGLE PRODUCT*/
.pollLabel:hover{
     cursor: pointer;
/* CHECKOUT */
.submit-button {
margin-top: 10px;
.total{
      font-size: 20px;
      text-align: center;
/* POPUP */
.ui-dialog-titlebar{
      color: #a94442;
      background-color: #f2dede;
      border-color: #ebccd1;
/* LOADER */
#overlay {
   position: fixed;
   display: none;
   width: 100%;
   height: 100%;
   top: 0;
   left: 0;
   right: 0;
   bottom: 0;
   background-color: rgba(0,0,0,0.5);
   z-index: 2;
```

```
.loader {
 border: 16px solid #f5f5f5;
 border-radius: 50%;
 border-top: 16px solid #259dd7;
  width: 120px;
 height: 120px;
  -webkit-animation: spin 2s linear infinite; /* Safari */
  animation: spin 2s linear infinite;
  position: fixed;
 left: 50%;
 margin-left: -60px;
 top: 20%;
 z-index: 3;
/* Safari */
@-webkit-keyframes spin {
 0% { -webkit-transform: rotate(0deg); }
 100% { -webkit-transform: rotate(360deg); }
@keyframes spin {
  0% { transform: rotate(0deg); }
 100% { transform: rotate(360deg); }
/*MEDIA QUERIES*/
@media (max-width: 767px) {
 .img-responsive {
   margin: 0 auto;
 }
^{\prime\star} Hide the carousel text when the screen is less than 600 pixels wide ^{\star\prime}
@media (max-width: 600px) {
 .carousel-caption {
  display: none;
 }
```

## 3.2.2 CSS (admin/style.css)

```
@import url("../style.css");
/*LOGO AND NAV*/
.navbar-brand {
      height: auto;
      padding: 10px 15px;
.admin-header{
      color: #d9d9d9;
      float: right;
.nav-pills{
     font-size: 18px;
.content{
      padding: 20px 0;
.form-control{
      font-size: 16px;
/*BUTTONS*/
.btn-primary{
      color: #fff;
      background: #259dd7;
.btn-primary:hover, .btn-primary:active, .btn-primary:focus, .btn-primary:active:focus {
   color: #fff;
   background: #138bc5;
}
.btn-lg {
   font-size: 18px;
   font-weight: normal;
[hidden] {
 display: none !important;
#addItemBtn{
      font-size: 24px;
```

# 3.3. JavaScript/jQuery

## 3.3.1. validation.js

```
$ (document) .ready (function() {
       $('#loginForm').validate({
        rules: {
            username: {
                required: true,
                minlength: 3
            password: {
                required: true,
                minlength: 6
               },
               messages: {
                       username: {
                              required: "Please enter your username",
                              minlength: "Your username need to be at least 3 charaters long"
                       },
                       password: {
                              required: "Password field cannot be blank!",
                              minlength: "Your password must be at least 6 characters long"
               submitHandler: function(form) {
               form.submit();
    });
       $('#registerForm').validate({
        rules: {
                      email: {
                required: true,
                email: true
            },
            username: {
```

```
minlength: 3
       },
       password: {
            required: true,
           minlength: 6
                  },
                  passwordAgain: {
                          required: true,
           minlength: 6,
                          equalTo: '#password'
           },
           messages: {
                  email: {
                          required: "Email field cannot be blank!",
                          email: "Your email is not in a valid format"
                  },
                  username: {
                          required: "Please enter your username",
                          minlength: "Your username need to be at least 3 charaters long"
                  },
                  password: {
                          required: "Password field cannot be blank!",
                          minlength: "Your password must be at least 6 characters long"
                   },
                  passwordAgain: {
                          required: "Please confirm your password!",
                          minlength: "Your password must be at least 6 characters long",
                          equalTo: "Your password and confirmation password do not match!"
                   }
           },
           submitHandler: function(form){
           form.submit();
           }
});
   $('#messageForm').validate({
   rules: {
```

required: true,

```
required: true,
               email: true
           },
           subject: {
               required: true,
               minlength: 3
                     },
                     message: {
                       required: true,
               minlength: 10
                    }
              },
              messages: {
                      email: {
                             required: "Email field cannot be blank!",
                             email: "Your email is not in a valid format"
                      },
                      subject: {
                             required: "Subject field cannot be blank!",
                             minlength: "Your password must be at least 6 characters long"
                      },
                      message: {
                             required: "Please enter a message!",
                             minlength: "Your message could be longer..."
              },
              submitHandler: function(form){
              form.submit();
  });
});
```

email: {

## 3.3.2. scripts.js

```
$ (document) .ready (function() {
       //disappearing text
       setTimeout(function() {
               $(".item-changed").fadeOut().empty();
       }, 3000);
       //pull down add new item
       $("#addItemBtn").click(function() {
               $("#addItemDiv").slideDown();
               $("#addItemBtn").hide();
       });
       //select all checkboxes
       $(".all").click(function(){
    $('input:checkbox').not(this).prop('checked', this.checked);
       });
       ("a.del-item").on("click", function(e) {
               var link = this;
               e.preventDefault();
               $("<div>Are you sure you want to continue?</div>").dialog({
                       title: "Removing an item",
                      buttons: {
                              "Ok": function() {
                                      window.location = link.href;
                              },
                              "Cancel": function() {
                                      $(this).dialog("close");
               });
       });
});
```

### 4. Dizajn baze

#### menu




#### admin menu



#### poll



#### product



#### role



#### slider



#### user



#### user\_role

