EXCLUDED

Date	Rabbit ID	BW (Kg)	% BV removal	Group:				Tele ID	EM info/Particle Conc		
4-5-23	B11 LR	2.16	40%	10%	7.50%	5%	2.50%				
	pre-Anesthesia	End of Shock (+ min)	End of Res	remove + return in 10min every hour x 4				End of Bleed	24H Post Res	48H Post Res	72H Post Res
Lac (ABG/VBG)	1.4	>30	>30	25	29						
CBC (RBC/HGB/HCT) PLT	5.66 11.7 34.8 230	2.99 6.0 18.5 223	2.41 4.9 14.8 182								
HR	280	292	278	270	213						
MAP(Sys/Dia)	82/51 65	54/28 37	68/38 48	47/23 32	30/14 19						
Coag Panel/TEG	✓		✓								
CMP	✓		✓								
Troponin Collection	✓										
Time	~~6~~ 6:45	9:15	9:25	1025	11:25	12:25	1:25				
Hemmorrhage start time: 7:15									Weight (kg)	2.16	

20% → 30.2
15% → 22.6
10% → 15.1

BASE BCT: ~~3~~ 3m 24SEC

10% → 15.1
7.5% → 11.3
5% → 7.5
2.5% → 3.7

DIED AT 11:30

High lac @ End of Shock
Possible exclusion

Pre-Anesth

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 | 06:20 AM | 4/5/2023
PATIENT REPORT | Syringe - S 65uL | Sample # | 16357

Identifications

Patient ID	
Patient last name	
Patient first name	
Sample type	Not specified
T	37.0 °C

Blood gas values

pH	7.475		[-]
pCO_2	39.5	mmHg	[-]
pO_2	81.5	mmHg	[-]

Oximetry values

*c*tHb	11.1	g/dL	[-]
Hct_c	34.0	%	
sO_2	94.8	%	[-]
FO_2Hb	93.4	%	[-]
*F*COHb	0.4	%	[-]
*F*HHb	5.1	%	[-]
*F*MetHb	1.1	%	[-]

Electrolyte values

cK^+	4.5	meq/L	[-]
cNa^+	142	meq/L	[-]
cCa^{2+}	3.35	meq/L	[-]
cCl^-	102	meq/L	[-]

Metabolite values

*c*Glu	139	mg/dL	[-]
*c*Lac	1.4	mmol/L	[-]

Calculated values

$cHCO_3^-(P)_c$	29.1	mmol/L
$p50_c$	29.46	mmHg
ABE_c	5.1	mmol/L

Notes

c Calculated value(s)

Solution pack lot: NE-33 Sensor cassette run #: 2575-8
Printed 6:20:51AM 4/ 5/2023

RESULT

Animal ID	Owner name	Owner first name
Name	**Species** Rabbit	
Date of birth		

Sample ID	Analysis Date	Operator
BLR11 V [illegible]	04/05/2023 06:28:09	MEB

Analyser Alarms
Analysis Alarms XB

				Normal range	
WBC	7.5		$10^3/mm^3$	2.5	13.8
LYM%	--.--		%		
MON%	--.--		%		
GRA%	--.--		%		
(EOS%)	--.--		%		
LYM#	--.--		$10^3/mm^3$		
MON#	--.--		$10^3/mm^3$		
GRA#	--.--		$10^3/mm^3$		
EOS#	--.--		$10^3/mm^3$		

WBC



RBC	5.00		$10^6/mm^3$	4.80	7.20
HGB	10.3	L	g/dl	10.6	16.0
HCT	30.7	L	%	33.9	50.1
MCV	61	L	μm^3	62	79
MCH	20.6		pg	19.0	25.6
MCHC	33.6		g/dl	28.4	35.0
RDW	--.--		%		

RBC



PLT	203		$10^3/mm^3$	0	962
MPV	--.--		μm^3		

PLT



RESULT

Animal ID	Owner name	Owner first name
Name	**Species** Rabbit	
Date of birth		

Sample ID	Analysis Date	Operator
BLR11_A [illegible] ?	04/05/2023 06:37:30	MEB

Analyser Alarms
Analysis Alarms XB

			Normal range	
WBC	7.9	$10^3/mm^3$	2.5	13.8
LYM%	--.--	%		
MON%	--.--	%		
GRA%	--.--	%		
(EOS%)	--.--	%		
LYM#	--.--	$10^3/mm^3$		
MON#	--.--	$10^3/mm^3$		
GRA#	--.--	$10^3/mm^3$		
EOS#	--.--	$10^3/mm^3$		

WBC



RBC	5.66	$10^6/mm^3$	4.80	7.20
HGB	11.7	g/dl	10.6	16.0
HCT	34.8	%	33.9	50.1
MCV	61 L	µm³	62	79
MCH	20.7	pg	19.0	25.6
MCHC	33.7	g/dl	28.4	35.0
RDW	--.--	%		

RBC



PLT	230	$10^3/mm^3$	0	962
MPV	--.--	µm³		

PLT



UMB

RESULTS

ANIMAL NAME:Blr11 base	OWNER NAME:
Animal:Rabbit	Medical ID:
SAMPLE ID:1	AGEGroup:Juvenile
SAMPLE TYPE:Whole Blood	REAGENT BATCH NO.:922757
PLATE ID:01980922757	OPERATOR ID:
LAB.:	TEST TIME:2023-04-05 07:28
MACHINE ID:120007423	PRINT TIME:2023-04-05 07:28
Ver:V1.00.00.87/1.00.01.44	

Assay	Result		Ref	Low	Normal	High
ALB	2.7g/dL		2.2–3.7			
TP	5.0g/dL	L	5.5–7.2			
GLOB	2.3g/dL		1.5–2.8			
A/G	1.18					
TB	<0.1mg/dL	L	0.3–0.8			
GGT	7U/L		0–14			
AST	36U/L		0–98			
ALT	51U/L		31–53			
ALP	102U/L		70–145			
TBA	28.94umol/L					
AMY	194U/L	L	200–378			
LPS	41U/L					
LDH	153U/L	H	34–129			
CK	> 4000U/L	H	218–2705			
Crea	0.5mg/dL	L	0.8–1.8			
UA	<10umol/L		0–130			
BUN	12.45mg/dL		10.12–24.17			
BUN/CREA	91.538		21.000–236.000			
GLU	147.24mg/dL	H	75.14–145.24			
TC	111.58mg/dL	H	34.65–52.75			
TG	364.89mg/dL	H	26.10–153.12			
tCO2	21.8mmol/L		13.0–22.0			
Ca	11.97mg/dL		5.60–12.00			
PHOS	4.91mg/dL	H	1.21–4.90			

CK> detection limit. Please dilute sample and re-test

WAT:0 **EMP:0** **CHE:0**

6336K4103

UMB

RESULTS

ANIMAL NAME:Blr11_bl	OWNER NAME:
Animal:Rabbit	Medical ID:
SAMPLE ID:2	AGEGroup:Juvenile
SAMPLE TYPE:Whole Blood	REAGENT BATCH NO.:9220185
PLATE ID:006509220185	OPERATOR ID:
LAB.:	TEST TIME:2023-04-05 07:46
MACHINE ID:120007423	PRINT TIME:2023-04-05 07:46
Ver:V1.00.00.87/1.00.01.44	

Assay	Result	Ref	Low	Normal	High
APTT	132.1s				
PT	13.8s				
TT	42.5s				
Fib	3.10g/L				

WAT:0	EMP:0	CHE:0

8048F5200



Note: The project curves from top to bottom are:Fib,APTT,PT,TT.

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 08:50 AM 4/5/2023
PATIENT REPORT Syringe - S 65uL Sample # 16359

Identifications
Patient ID EOS
Patient last name
Patient first name
Sample type Not specified
T 37.0 °C

Blood gas values					
pH	7.261		[	-	]
pCO_2	16.2	mmHg	[	-	]
pO_2	111	mmHg	[	-	]
Oximetry values					
$ctHb$	6.3	g/dL	[	-	]
Hct_c	19.4	%			
sO_2	96.8	%	[	-	]
FO_2Hb	95.1	%	[	-	]
$FCOHb$	0.1	%	[	-	]
$FHHb$	3.1	%	[	-	]
$FMetHb$	1.7	%	[	-	]
Electrolyte values					
cK^+	7.2	meq/L	[	-	]
cNa^+	139	meq/L	[	-	]
cCa^{2+}	2.51	meq/L	[	-	]
cCl^-	93	meq/L	[	-	]
Metabolite values					
$cGlu$	487	mg/dL	[	-	]
‡ $cLac$	> 30.	mmol/L	[	-	]
Calculated values					
$cHCO_3^-(P)_c$	7.3	mmol/L			
$p50_c$	34.64	mmHg			
ABE_c	-18.1	mmol/L			

Notes
‡ Value(s) above the reportable range
c Calculated value(s)
*c*Lac 0093: Value above reportable range > 30

Solution pack lot: NE-33 Sensor cassette run #: 2575-8
Printed 8:50:45AM 4/ 5/2023

RESULT

Animal ID	Owner name	Owner first name
B11LR		
Name	**Species**	
	Rabbit	
Date of birth		
Sample ID	**Analysis Date**	**Operator**
EOS	04/05/2023 08:28:39	MEB

Analyser Alarms
Analysis Alarms XB

				Normal range	
WBC	1.7	**L**	10³/mm³	2.5	13.8
LYM%	--.--		%		
MON%	--.--		%		
GRA%	--.--		%		
(EOS%)	--.--		%		
LYM#	--.--		10³/mm³		
MON#	--.--		10³/mm³		
GRA#	--.--		10³/mm³		
EOS#	--.--		10³/mm³		

WBC



RBC	2.99	**L**	10⁶/mm³	4.80	7.20
HGB	6.0	**L**	g/dl	10.6	16.0
HCT	18.5	**L**	%	33.9	50.1
MCV	62		µm³	62	79
MCH	20.2		pg	19.0	25.6
MCHC	32.7		g/dl	28.4	35.0
RDW	--.--		%		

RBC



PLT	223		10³/mm³	0	962
MPV	--.--		µm³		

PLT



RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 09:10 AM 4/5/2023
PATIENT REPORT Syringe - S 65uL Sample # 16361

Identifications

Patient ID	EOR
Patient last name	
Patient first name	
Sample type	Not specified
T	37.0 °C

Blood gas values						
pH	7.240		[	-	]
pCO_2	15.8	mmHg	[	-	]
pO_2	192	mmHg	[	-	]
Oximetry values					
*c*tHb	4.9	g/dL	[	-	]
Hct_c	14.9	%			
sO_2	99.2	%	[	-	]
FO_2Hb	96.5	%	[	-	]
*F*COHb	0.9	%	[	-	]
*F*HHb	0.8	%	[	-	]
*F*MetHb	1.8	%	[	-	]
Electrolyte values					
cK^+	6.0	meq/L	[	-	]
cNa^+	139	meq/L	[	-	]
cCa^{2+}	2.33	meq/L	[	-	]
cCl^-	97	meq/L	[	-	]
Metabolite values					
*c*Glu	415	mg/dL	[	-	]
‡ *c*Lac	> 30	mmol/L	[	-	]
Calculated values					
c$HCO_3^-(P)_c$	6.8	mmol/L			
$p50_e$	29.11	mmHg			
ABE_c	-19.0	mmol/L			

Notes

‡	Value(s) above the reportable range
c	Calculated value(s)
e	Estimated value(s)
*c*Lac	0093: Value above reportable range > 30

Solution pack lot: NE-33 Sensor cassette run #: 2575-8
Printed 9:10:29AM 4/ 5/2023

RESULT

Animal ID B11LR	**Owner name**	**Owner first name**
Name	**Species** Rabbit	
Date of birth		
Sample ID EOR	**Analysis Date** 04/05/2023 08:47:22	**Operator** MEB

Analyser Alarms
Analysis Alarms XB

				Normal range	
WBC	4.0		$10^3/mm^3$	2.5	13.8
LYM%	--.--		%		
MON%	--.--		%		
GRA%	--.--		%		
(EOS%)	--.--		%		
LYM#	--.--		$10^3/mm^3$		
MON#	--.--		$10^3/mm^3$		
GRA#	--.--		$10^3/mm^3$		
EOS#	--.--		$10^3/mm^3$		

WBC



RBC	2.41	**L**	$10^6/mm^3$	4.80	7.20
HGB	4.9	**L**	g/dl	10.6	16.0
HCT	14.8	**L**	%	33.9	50.1
MCV	62		μm^3	62	79
MCH	20.5		pg	19.0	25.6
MCHC	33.3		g/dl	28.4	35.0
RDW	--.--		%		

RBC



PLT	182		$10^3/mm^3$	0	962
MPV	--.--		μm^3		

PLT



UMB

RESULTS

ANIMAL NAME:B11LR eor	OWNER NAME:
Animal:Rabbit	Medical ID:
SAMPLE ID:5	AGEGroup:Juvenile
SAMPLE TYPE:Whole Blood	REAGENT BATCH NO.:922757
PLATE ID:01980922757	OPERATOR ID:
LAB.:	TEST TIME:2023-04-05 10:00
MACHINE ID:120007423	PRINT TIME:2023-04-05 10:00
Ver:V1.00.00.87/1.00.01.44	

Assay	Result		Ref	Low	Normal	High
ALB	1.5g/dL	L	2.2–3.7			
TP	2.8g/dL	L	5.5–7.2			
GLOB	1.3g/dL	L	1.5–2.8			
A/G	1.13					
TB	<0.1mg/dL	L	0.3–0.8			
GGT	11U/L		0–14			
AST	534U/L	H	0–98			
ALT	91U/L	H	31–53			
ALP	69U/L	L	70–145			
TBA	13.10umol/L					
AMY	150U/L	L	200–378			
LPS	41U/L					
LDH	690U/L	H	34–129			
CK	> 4000U/L	H	218–2705			
Crea	0.6mg/dL	L	0.8–1.8			
UA	<10umol/L		0–130			
BUN	24.09mg/dL		10.12–24.17			
BUN/CREA	166.301		21.000–236.000			
GLU	325.59mg/dL	H	75.14–145.24			
TC	63.38mg/dL	H	34.65–52.75			
TG	249.57mg/dL	H	26.10–153.12			
tCO2	7.7mmol/L	L	13.0–22.0			
Ca	9.09mg/dL		5.60–12.00			
PHOS	11.70mg/dL	H	1.21–4.90			

CK> detection limit. Please dilute sample and re-test

WAT:0	EMP:0	CHE:0

2981J3214

UMB

RESULTS

ANIMAL NAME:B11LR eor	OWNER NAME:
Animal:Rabbit	Medical ID:
SAMPLE ID:6	AGEGroup:Juvenile
SAMPLE TYPE:Whole Blood	REAGENT BATCH NO.:9220185
PLATE ID:006509220185	OPERATOR ID:
LAB.:	TEST TIME:2023-04-05 10:11
MACHINE ID:120007423	PRINT TIME:2023-04-05 10:11
Ver:V1.00.00.87/1.00.01.44	

Assay	Result	Ref	Low	Normal	High
APTT	140.9s				
PT	16.9s				
TT	16.1s				
Fib	1.13g/L				

WAT:0	EMP:0	CHE:0

3704F3874



Note: The project curves from top to bottom are:APTT,Fib,PT,TT.

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 | 09:50 AM | 4/5/2023
PATIENT REPORT | Syringe - S 65uL | Sample # | 16364

Identifications

10%
RETURN/REMOVAL

Patient ID
Patient last name
Patient first name
Sample type: Not specified
T: 37.0 °C

Blood gas values			
pH	7.370		[-]
pCO_2	16.1	mmHg	[-]
pO_2	119	mmHg	[-]
Oximetry values			
ctHb	5.5	g/dL	[-]
Hct_c	16.8	%	
sO_2	98.5	%	[-]
FO_2Hb	96.8	%	[-]
FCOHb	0.2	%	[-]
FHHb	1.5	%	[-]
FMetHb	1.5	%	[-]
Electrolyte values			
cK^+	5.9	meq/L	[-]
cNa^+	140	meq/L	[-]
cCa^{2+}	2.34	meq/L	[-]
cCl^-	98	meq/L	[-]
Metabolite values			
cGlu	402	mg/dL	[-]
cLac	25	mmol/L	[-]
Calculated values			
$cHCO_3^-(P)_c$	9.3	mmol/L	
$p50_e$	25.92	mmHg	
ABE_c	-14.7	mmol/L	

Notes

c Calculated value(s)
e Estimated value(s)

Solution pack lot: NE-33 | Sensor cassette run #: 2575-8
Printed 9:50:27AM 4/ 5/2023

Printed 10:37:38AM 4/ 5/2023

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 10:46 AM 4/5/2023
PATIENT REPORT Syringe - S 65uL Sample # 16374

Identifications

Patient ID		7.50 %
Patient last name		
Patient first name		RETURN/REMOVAL
Sample type	Not specified	
T	37.0 °C	

Blood gas values

pH	7.142		[	-	]
pCO_2	20.8	mmHg	[	-	]
pO_2	116	mmHg	[	-	]

Oximetry values

ctHb	5.5	g/dL	[	-	]
Hct_c	16.8	%			
sO_2	95.8	%	[	-	]
FO_2Hb	94.0	%	[	-	]
FCOHb	0.0	%	[	-	]
FHHb	4.1	%	[	-	]
FMetHb	1.9	%	[	-	]

Electrolyte values

cK^+	9.5	meq/L	[	-	]
cNa^+	138	meq/L	[	-	]
cCa^{2+}	2.32	meq/L	[	-	]
cCl^-	98	meq/L	[	-	]

Metabolite values

cGlu	307	mg/dL	[	-	]
cLac	29	mmol/L	[	-	]

Calculated values

$cHCO_3^-(P)_c$	7.1	mmol/L
$p50_c$	41.28	mmHg
ABE_c	-20.0	mmol/L

Notes

c Calculated value(s)

Solution pack lot: NE-33 Sensor cassette run #: 2575-8
Printed 10:46:27AM 4/ 5/2023