

Experiment 4

w.B.A

Date	Rabbit ID	BW (Kg)	% BV removal	Group	Tele ID	EM info/Conc/Lipid Conc	Buprenorphine		
11/12/24	110BAC016	2.20Kg	45%	IV Infusion	1248535	KC241021-PP			
	pre-Anesthesia	End of Shock	End of Res	1 H post Res	3H post Res	6H post Res	24H post Res	48H post Res	72H post Res
Lac (ABG/VBG)	1.2	10.5	9.7	6.9	2.0	3.2	2.0		
CBC	PLT: 320 RBC: 6.13 Hgb: 13.8 Hct: 41.2	PLT: 292 RBC: 3.76 Hgb: 8.7 Hct: 24.8	PLT: 832 RBC: 2.03 Hgb: 14.4 Hct: 13.3	PLT: 758 RBC: 2.36 Hgb: 15.5 Hct: 16.8	PLT: 531 RBC: 2.67 Hgb: 14.6 Hct: 17.6	PLT: 378 RBC: 2.67 Hgb: 13.8 Hct: 17.4	PLT: 252 RBC: 2.67 Hgb: 12.7 Hct: 16.8	PLT: RBC: Hgb: Hct:	PLT: RBC: Hgb: Hct:
HR/Temp	275/39	292/37	256/37	292/37	260/39	291/39	294/38		
MAP (Sys/Dia)	69 (84/59)	53 (67/43)	78 (89/69)	67 (81/59)	69 (84/57)	76 (91/68)	64 (78/56)		
TEG 5000	CKH R: 8.7 CKH K: 1.8 CKH α : 42 CKH MA: 61.9 LY30: 0	CKH R: 12.2 CKH K: 4.7 CKH α : 48.6 CKH MA: 66.9 LY30: 0	CKH R: 13.5 CKH K: 4.6 CKH α : 48.3 CKH MA: 38.1 LY30: 0	CKH R: 13.9 CKH K: 2.8 CKH α : 54.9 CKH MA: 58.5 LY30: 0	CKH R: 12.8 CKH K: 2.1 CKH α : 60.7 CKH MA: 69 LY30: 0	CKH R: 20.6 CKH K: 3.1 CKH α : 57.17 CKH MA: 72.7 LY30: 0	CKH R: 28.1 CKH K: 7.2 CKH α : 78.7 CKH MA: 74.4 LY30: 0	CKH R: CKH K: CKH α : CKH MA: LY30:	CK R: CK K: CK α : CK MA: CKH R:
COAG	APTT: — PT: 17.3 TT: — Fib: 2.14	APTT: — PT: 40.6 TT: — Fib: —	APTT: — PT: 11.9 TT: 38.9 Fib: —	APTT: — PT: 100.9 TT: 90.9 Fib: —	APTT: — PT: 100 TT: 90.4 Fib: —	APTT: — PT: 11.8 TT: 53.3 Fib: —	APTT: 75.3 PT: 21.5 TT: — Fib: —	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:
CMP	✓	✓	✓	✓	✓	✓	✓		
Plasma Collection (Free Hb)	✓	✓	✓	✓	✓	✓	✓		
2ml Troponin Collection									
Time	7:26am	10:14	10:24	11:24	1:24	4:24	10:24		
Hemorrhage start time: 8:14am			Always ultracentrifuge blood containing EM to obtain plasma						

452-59

20-26

15-20

10-13

30+29
ACD - 30x2
2.48

bleed 1h

ABG-BL

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

06:28AM

11/12/2024

PATIENT REPORT

Syringe -s 65uL

Sample#

22594

Identifications

Patient IP

Patient last name

Patient first name

Sample type

Not specified

37.0°C

BL

T

Blood gas values

pH	7.450		[	-	]
pCO ₂	38.5	mmHg	[	-	]
pO ₂	76.9	mmHg	[	-	]

Oximetry values

otHb	12.9	g/dl	[	-	]
Hele	39.6	% %	[	-	]
.o ₂	94.9	% %	[	-	]
FO ₂ Hb	94.0	%	[	-	]
FCOHb	0-4		[	-	]
FHHb	5.0		[	-	]
FMetHb	0.6	%	[	-	]

Electrolyte values

oK ⁺	4.0	meq/L	[	-	]
oNa ⁺	143	meq/L	[	-	]
oCa ²⁺	3.22	meq/L	[	-	]
ocI ⁻	108	meq/L	[	-	]

Metabolite values

oGlu	160	mg/dl	[	-	]
clac	1.2	mmol/L	[	-	]

Calculated values

oHco ₂ -(P)c	26.8	mmol/L
p50c	27.23	mmHg
ABEc	2.7	mmol/L

Notes

c Calculated value(s)

Solution pack lot: CS-35

Printed

6:28:54AM

11/12/2024




Sensorcassette run#:

3034-379

BL

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_BL	Species Rabbit	
Date of birth		
Sample ID AUTOSID127	Analysis Date 11/11/2024 17:33:44	Operator MEB

Analyser Alarms		Analysis Alarms		QcI	
WBC	2.7	$10^3/\text{mm}^3$	Normal range 2.5 13.8		
LYM%	--,--	%			
MON%	--,--	%			
GRA%	--,--	%			
(EOS%)	--,--	%			
LYM#	--,--	$10^3/\text{mm}^3$			
MON#	--,--	$10^3/\text{mm}^3$			
GRA#	--,--	$10^3/\text{mm}^3$			
EOS#	--,--	$10^3/\text{mm}^3$			
					WBC
					
RBC	6.13	$10^6/\text{mm}^3$	4.80	7.20	
HGB	13.8	g/dl	10.6	16.0	
HCT	41.2	%	33.9	50.1	
MCV	67	μm^3	62	79	
MCH	22.5	pg	19.0	25.6	
MCHC	33.5	g/dl	28.4	35.0	
RDW	--,--	%			
					RBC
					
PLT	320	$10^3/\text{mm}^3$	0	962	
MPV	--,--	μm^3			
					PLT
					

Bf

UMB

RESULTS



ANIMAL NAME:Awbaem16_bl

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:4

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-11 15:52

MACHINE ID:120007423

PRINT TIME:2024-11-11 15:52

Ver:V1.00.01.17/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	4.0g/dL	2.5-5.2			
TP	5.5g/dL	5.4-8.3			
GLOB	1.4g/dL	1.2-3.9			
A/G	2.85				
TB	0.0mg/dL	0.0-0.8			
GGT	2U/L	0-14			
AST	5U/L	0-113			
ALT	19U/L	0-106			
ALP	141U/L	0-145			
TBA	3.29umol/L	0.00-40.00			
AMY	263U/L	144-500			
LPS	116U/L	0-164			
LDH	86U/L	34-335			
CK	3333U/L	H 138-2705			
Crea	0.84mg/dL	0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	22.27mg/dL	10.12-47.77			
BUN/CREA	26.51	5.21-58.53			
GLU	178.30mg/dL	75.14-227.05			
TC	36.94mg/dL	11.55-115.50			
TG	116.19mg/dL	26.10-185.31			
tCO2	24.1mmol/L	13.0-27.0			
Ca	11.38mg/dL	8.00-14.80			
PHOS	9.56mg/dL	H 2.29-6.91			
WAT:0			EMP:0		CHE:0

1556H8378

BL


TEG® Analysis

Generated: 11/12/2024 9:21:20AM

Database:

C:\teg\Patient-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024 ID: AWBAEM-16_111122024 Birthdate: Age: Gender:	Sample Date: 11/11/2024 Time on: 03:42 PM Off: 04:42 PM Duration: 60 min
Sample type: Citrated kaolin with heparinase Description: AWBAEM-16_BL	Channel: 2 Sample status: Finished Temp: 37
Additional notes:	Site ID:
	Operator ID: Temporary Operator
	Ordered by:
	Platelet drugs administered: No Bleeding state:
	Patient temperature:
	Accession #: Analyzer SN: S101707022



Result reported:

Reported date:

Reported by:

Physician interpretation

Sample data:		Units:	Normal values:	CPT/Billing codes:
R:	8.7	min	<high> (2 — 8)	85347 Activated clotting time (R)
K:	1.8	min	(1 — 3)	
Angle:	42.0	deg	<low> (55 — 78)	85384 Fibrinogen activity (Angle)
MA:	61.9	mm	(51 — 69)	85576 Platelet aggregation (MA)
LY30:	0.0	%	(0 — 8)	85390 Fibrinolysis (EPL / LY30)
PMA:	0.0			
G:	8.1K	d/sc	(4.6K — 10.9K)	
EPL:	0.0	%	(0 — 15)	
A:	65.4	mm		
CI:	-3.3		<low> (-3 — 3)	85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks - Results final

RADIOMETER ABL90 SERIES

ABL90 1393-090R0199N0004
PATIENT REPORT

Syringe - S 65uL

09:09 AM 11/12/2024
Sample # 22596

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified
37.0 °C

eos

Blood gas values

pH	7.364				
pCO ₂	35.2	mmHg			
pO ₂	91.2	mmHg			

Oximetry values

cHb	9.0	g/dL			
Hct _c	27.5	%			
sO ₂	96.1	%			
FO ₂ Hb	95.2	%			
FCOHb	0.3	%			
FHHb	3.9	%			
FMethHb	0.6	%			

Electrolyte values

cK ⁺	3.5	meq/L			
cNa ⁺	141	meq/L			
cCa ²⁺	2.97	meq/L			
cCl ⁻	103	meq/L			

Metabolite values

cGlu	430	mg/dL			
cLac	10.5	mmol/L			

Calculated values

cHCO ₃ ⁻ (P) _c	20.0	mmol/L
p50 _c	29.67	mmHg
ABE _c	-4.8	mmol/L

Notes

c

Calculated value(s)

Solution pack lot: CS-35
Printed 9:09:23AM




11/12/2024

Sensor cassette run #:
3034-379

E03

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_EOS	Species Rabbit	
Date of birth		
Sample ID AUTOSID130	Analysis Date 11/12/2024 12:26:04	Operator MEB

Analyser Alarms		Analysis Alarms		QcI	
				Normal range	
WBC	4.7	$10^3/\text{mm}^3$		2.5	13.8
LYM%	--	%			
MON%	--	%			
GRA%	--	%			
(EOS%)	--	%			
LYM#	--	$10^3/\text{mm}^3$			
MON#	--	$10^3/\text{mm}^3$			
GRA#	--	$10^3/\text{mm}^3$			
EOS#	--	$10^3/\text{mm}^3$			
					
				WBC	
RBC	3.76	$10^6/\text{mm}^3$	4.80	7.20	
HGB	8.7	g/dl	10.6	16.0	
HCT	24.8	%	33.9	50.1	
MCV	66	μm^3	62	79	
MCH	23.2	pg	19.0	25.6	
MCHC	35.0	g/dl	28.4	35.0	
RDW	--	%			
					
				RBC	
PLT	292	$10^3/\text{mm}^3$	0	962	
MPV	--	μm^3			
					
				PLT	