

Experiment 4

wBA

Date	Rabbit ID	BW (Kg)	% BV removal	Group	Tele ID	EM info/Conc/Lipid Conc	Buprenorphine		
11/12/24	A10BAC016	2.20Kg	45%	IV Infusion	1248535	KC241021-PP			
	pre-Anesthesia	End of Shock	End of Res	1 H post Res	3H post Res	6H post Res	24H post Res	48H post Res	72H post Res
Lac (ABG/VBG)	1.2	10.5	9.7	6.9	2.0	3.2	2.0		
CBC	PLT: 320 RBC: 6.13 Hgb: 13.8 Hct: 41.2	PLT: 292 RBC: 3.76 Hgb: 8.7 Hct: 24.8	PLT: 832 RBC: 2.03 Hgb: 14.4 Hct: 13.3	PLT: 758 RBC: 2.56 Hgb: 15.5 Hct: 16.8	PLT: 531 RBC: 2.67 Hgb: 14.6 Hct: 17.6	PLT: 378 RBC: 2.67 Hgb: 13.8 Hct: 17.4	PLT: 252 RBC: 2.67 Hgb: 12.7 Hct: 16.8	PLT: RBC: Hgb: Hct:	PLT: RBC: Hgb: Hct:
HR/Temp	275/39	292/37	256/37	292/37	260/39	291/39	294/38		
MAP (Sys/Dia)	69 (84/59)	53 (67/43)	78 (89/69)	67 (81/59)	69 (84/57)	76 (91/68)	64 (78/56)		
TES 5000	CKH R: 8.7 CKH K: 1.8 CKH α: 42 CKH MA: 61.9 LY30: 0	CKH R: 12.2 CKH K: 4.7 CKH α: 48.6 CKH MA: 66.9 LY30: 0	CKH R: 13.5 CKH K: 4.6 CKH α: 48.3 CKH MA: 38.1 LY30: 0	CKH R: 13.9 CKH K: 2.8 CKH α: 54.9 CKH MA: 58.5 LY30: 0	CKH R: 12.8 CKH K: 2.1 CKH α: 60.7 CKH MA: 69 LY30: 0	CKH R: 20.6 CKH K: 3.1 CKH α: 57.17 CKH MA: 72.7 LY30: 0	CKH R: 28.1 CKH K: 7.2 CKH α: 38.7 CKH MA: 74.4 LY30: 0	CKH R: CKH K: CKH α: CKH MA: LY30:	CK R: CK K: CK α: CK MA: CKH R:
COAG	APTT: — PT: 17.3 TT: — Fib: 2.14	APTT: — PT: 40.6 TT: — Fib: —	APTT: — PT: 11.9 TT: 38.9 Fib: —	APTT: — PT: 100 TT: 90.9 Fib: —	APTT: — PT: 100 TT: 90.4 Fib: —	APTT: — PT: 11.8 TT: 53.3 Fib: —	APTT: 75.3 PT: 21.5 TT: — Fib: —	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:
CMP	✓	✓	✓	✓	✓	✓	✓		
Plasma Collection (Free Hb)	✓	✓	✓	✓	✓	✓	✓		
2ml Troponin Collection									
Time	7:26am	10:14	10:24	11:24	1:24	4:24	10:24		
Hemorrhage start time: 8:14am			Always ultracentrifuge blood containing EM to obtain plasma						

452-59

20-26

15-20



10-13

30+29
ACD - 30x2

2.48

bleed 1h

Rabbit Pre-Surgery Health Assessment Form

Protocol #: AUP00000027		
Exam Date: 11/11/24	Exam Date: 11/11/24	Initials: MH
Breed: NZW	Rabbit ID: AWBAEM16	Tattoo#: 903
Gender: Male	Age:	Weight: 2.31kg
General body condition/Appearance: WNL		
Notes: 		
Reviewed by: 	Date: 11/12/24	

Post-Operative Monitoring Record

PI: Allan Doctor	Protocol: AUP00000027	Date: 11/11/24
Animal ID: AWB/ELM/6	Species: Rabbit	Strain: NZW
		Weight: 2.31kg

Post-Op Analgesics	Total ml's given	Dose (mg)	Route	Initials	Time	Date
Buprenorphine (0.01-0.05 mg/kg)* If Pain Score is ≥ 5						


Date	Time	Incision		Animal Appearance			Animal Activity		Hydration		Initials
		Dry, Intact	Other	Bright Alert	Quiet Alert	Depressed	Normal Activity	Decreased Activity	Normal	Dehydrated	
11 Nov 24	1520	☒	☐	☒	☐	☐	☒	☐	☒	☐	JB
11 Nov 24	5:30p	☒	☐	☒	☐	☐	☒	☐	☒	☐	MM
12 Nov 24	7:28a	☒	☐	☒	☐	☐	☒	☐	☒	☐	MM
		☐	☐	☐	☐	☐	☐	☐	☐	☐	
		☐	☐	☐	☐	☐	☐	☐	☐	☐	
		☐	☐	☐	☐	☐	☐	☐	☐	☐	
		☐	☐	☐	☐	☐	☐	☐	☐	☐	

Time animal is sternal/conscious: 1520 Initials JB

Experimental Record - Day 1

Weight:							
Anesthetics	Total ml's given	Dose (mg)	Route	Initials	Time	Date	
Ketamine-100 mg/ml (35-40 mg/kg) / Xylazine (3-5mg/kg)	0.88ml / 0.06ml	40mg / 3mg	IM	JB	8:07	11/12/24	
Notes: 2.20kg							

Experimental Record - Final Timepoint

Weight:							
Euthanasia	Total ml's given	Dose (mg)	Route	Initials	Time	Date	
Euthasol	1.57ml	300mg	IV	MM	12:55pm	11/13/24	
Notes: 2.04kg							
Reviewed By: 				Date: 11/12/24			

Anesthesia Record for Large Animals

Time	Heart Rate	Resp. Rate	Temp	Anesth %	SpO2	B/P	Comments
(NA) JB IN R24							

Surgical Outcome	
☒ VAB	Comments Successfully placed successful placement
☒ Telemetry Device	
Notes: _____	
Surgeon's Signature:  Date: 11 Nov 24	
Anesthesia Record Review Signature:  Date: 11/12/24	

Bristol Rabbit Pain Scale (BRPS)

How to use the Bristol Rabbit Pain Scale (BRPS)

1. Observe the rabbit for 3 minutes.
2. Then quietly approach the cage before scoring the behaviors described in each category.
3. Score each category on a 0-3 scale based on the behaviors that the rabbit exhibits for most of the observation.
4. Calculate the total score from 0-18.

Date: 11/11/24


ANIMAL ID: AWBAEM 6

Surgical Completion Time: 1454

Recovery Time: 1520

**BRPS should be assessed 2h post recovery X 2*

IF BRPS is ≥ 5 , follow plan for breakthrough pain (Buprenorphine - Short acting), 0.005mg/kg SQ.

Categories	Pain Score				Recorded Score						
					Time:	1521	5:30	7:28am			
					Initials	JB	MH	MH			
	0	1	2	3							
Demeanor	The rabbit is looking around, is alert and responsive to the surrounding environment OR the rabbit is asleep	The rabbit is awake but shows little interest in the surrounding environment	The rabbit is dull and is not responsive to the observer OR surrounding environment	The rabbit is unresponsive to the observer OR surrounding environment even if approached		0	0	0			
Locomotion	The rabbit is active and hopping around the area OR is relaxed OR asleep	The rabbit appears hesitant to move and shows little activity	The rabbit is inactive and does not move during the observation period, except when approached	The rabbit is inactive and does not move at all, even when approached		2	0	0			
Posture	The rabbit is resting in a relaxed and comfortable posture e.g., lying on a flank or on its front with its hind legs to the side, OR is moving freely	The rabbit is sitting OR lying on its front with visible fore legs	The rabbit is sitting OR lying on its front with its legs under its body and appears hunched	The rabbit is sitting OR lying on its front with its legs under its body, and the body looks tense, stiff, and hunched OR the rabbit is pressing its abdomen against the ground		0	0	0			
Ears* * Take in consideration that lop eared rabbits may show less pronounced changes	The rabbit moves its ears freely and turns them towards sounds	The rabbit moves and slightly turns its ears towards sounds	The rabbit does not obviously move its ears, but reacts slightly to sounds (e.g., with a head turn)	The rabbit does not move its ears at all and does not react to sounds OR the ears are flattened against its back		0	1	0			
Eyes	The rabbit has its eyes open	The rabbit keeps its eyes semi-closed	The rabbit keeps its eyes closed	The rabbit keeps its eyes closed and tightened		2	1	0			
Grooming	The rabbit is meticulously grooming his/herself	The rabbit is grooming but gets distracted easily	The rabbit is attempting grooming, but with little energy	The rabbit is not grooming at all		0	0	0			
				Bristol Rabbit Pain Score Total		4	2	0			
Reviewed by: (Initials and Date)	 11/12/24										

ABG-BL

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 06:28 AM 11/12/2024
 PATIENT REPORT Syringe - S 65uL Sample # 22594

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

BL

Blood gas values

pH	7.450		[	-	]
pCO ₂	38.5	mmHg	[	-	]
pO ₂	76.9	mmHg	[	-	]

Oximetry values

cHb	12.9	g/dL	[	-	]
Hct _C	39.6	%			
sO ₂	94.9	%	[	-	]
FO ₂ Hb	94.0	%	[	-	]
FCOHb	0.4	%	[	-	]
FHHb	5.0	%	[	-	]
FMetHb	0.6	%	[	-	]

Electrolyte values

cK ⁺	4.0	meq/L	[	-	]
cNa ⁺	143	meq/L	[	-	]
cCa ²⁺	3.22	meq/L	[	-	]
cCl ⁻	108	meq/L	[	-	]

Metabolite values

cGlu	150	mg/dL	[	-	]
cLac	1.2	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _C	26.8	mmol/L
p50 _C	27.23	mmHg
ABE _C	2.7	mmol/L

Notes




c Calculated value(s)

Solution pack lot: CS-35 Sensor cassette run #: 3034-379
 Printed 6:28:54AM 11/12/2024

B2

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_BL	Species Rabbit	
Date of birth		
Sample ID AUTOSID127	Analysis Date 11/11/2024 17:33:44	Operator MEB

Analyser Alarms			QcI	
Analysis Alarms				
WBC	2.7	$10^3/\text{mm}^3$	Normal range 2.5 13.8	
LYM%	---	%		
MON%	---	%		
GRA%	---	%		
(EOS%)	---	%		
LYM#	---	$10^3/\text{mm}^3$		
MON#	---	$10^3/\text{mm}^3$		
GRA#	---	$10^3/\text{mm}^3$		
EOS#	---	$10^3/\text{mm}^3$		
			 WBC	
RBC	6.13	$10^6/\text{mm}^3$	4.80	7.20
HGB	13.8	g/dl	10.6	16.0
HCT	41.2	%	33.9	50.1
MCV	67	μm^3	62	79
MCH	22.5	pg	19.0	25.6
MCHC	33.5	g/dl	28.4	35.0
RDW	---	%		
			 RBC	
PLT	320	$10^3/\text{mm}^3$	0	962
MPV	---	μm^3		
			 PLT	

Bf

UMB

RESULTS



ANIMAL NAME:Awbaem16_bl

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:4

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-11 15:52

MACHINE ID:120007423

PRINT TIME:2024-11-11 15:52

Ver:V1.00.01.17/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	4.0g/dL	2.5-5.2			
TP	5.5g/dL	5.4-8.3			
GLOB	1.4g/dL	1.2-3.9			
A/G	2.85				
TB	0.0mg/dL	0.0-0.8			
GGT	2U/L	0-14			
AST	5U/L	0-113			
ALT	19U/L	0-106			
ALP	141U/L	0-145			
TBA	3.29umol/L	0.00-40.00			
AMY	263U/L	144-500			
LPS	116U/L	0-164			
LDH	86U/L	34-335			
CK	3333U/L	H 138-2705			
Crea	0.84mg/dL	0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	22.27mg/dL	10.12-47.77			
BUN/CREA	26.51	5.21-58.53			
GLU	178.30mg/dL	75.14-227.05			
TC	36.94mg/dL	11.55-115.50			
TG	116.19mg/dL	26.10-185.31			
tCO2	24.1mmol/L	13.0-27.0			
Ca	11.38mg/dL	8.00-14.80			
PHOS	9.56mg/dL	H 2.29-6.91			
WAT:0			EMP:0		CHE:0

1556H8378

32

RESULTS

UMB

ANIMAL NAME:Awbaem16_bl	OWNER NAME:
Animal:Rabbit	Medical ID:
SAMPLE ID:3	AGEGroup:Adult
SAMPLE TYPE:Whole Blood	REAGENT BATCH NO.:9240199
PLATE ID:006509240199	OPERATOR ID:
Dept:	TEST TIME:2024-11-11 15:39
MACHINE ID:120007423	PRINT TIME:2024-11-11 15:40
Ver:V1.00.01.17/1.00.01.50	




Assay	Result	Ref	Low	Normal	High
APTT	View curve				
PT	17.3s				
TT	View curve				
Fib	2.14g/L				

The results are abnormal due to operation or other reasons, which need to be judged with the curve.

WAT:0	EMP:0	CHE:0
-------	-------	-------

34425D7602



Note: The project curves from top to bottom are:APTT,PT,Fib,TT.

BL


TEG® Analysis

Generated: 11/12/2024 9:21:20AM

Database:

C:\teg\Patients-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024 ID: AWBAEM-16_111122024 Birthdate: Age: Gender:	Sample Date: 11/11/2024 Time on: 03:42 PM Off: 04:42 PM Duration: 60 min
Sample type: Citrated kaolin with heparinase Description: AWBAEM-16_BL	Channel: 2 Sample status: Finished Temp: 37
Additional notes:	Site ID:
	Operator ID: Temporary Operator
	Ordered by:
	Platelet drugs administered: No Bleeding state: Patient temperature:
	Accession #: Analyzer SN: S101707022



Result reported:

Reported date:

Reported by:

Physician interpretation

Sample data:		Units:	Normal values:	CPT/Billing codes:
R:	8.7	min	<high> (2 — 8)	85347 Activated clotting time (R)
K:	1.8	min	(1 — 3)	
Angle:	42.0	deg	<low> (55 — 78)	85384 Fibrinogen activity (Angle)
MA:	61.9	mm	(51 — 69)	85576 Platelet aggregation (MA)
LY30:	0.0	%	(0 — 8)	85390 Fibrinolysis (EPL / LY30)
PMA:	0.0			
G:	8.1K	d/sc	(4.6K — 10.9K)	
EPL:	0.0	%	(0 — 15)	
A:	65.4	mm		
CI:	-3.3		<low> (-3 — 3)	85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks - Results final

RADIOMETER ABL90 SERIES

ABL90 1393-090R0199N0004
PATIENT REPORT

Syringe - S 65uL

09:09 AM 11/12/2024
Sample # 22596

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified
37.0 °C

EOS

Blood gas values

pH	7.364		[	-	]
pCO ₂	35.2	mmHg	[	-	]
pO ₂	91.2	mmHg	[	-	]

Oximetry values

cHb	9.0	g/dL	[	-	]
Hct _c	27.5	%			
sO ₂	96.1	%	[	-	]
FO ₂ Hb	95.2	%	[	-	]
FCOHb	0.3	%	[	-	]
FHHb	3.9	%	[	-	]
FMethHb	0.6	%	[	-	]

Electrolyte values

cK ⁺	3.5	meq/L	[	-	]
cNa ⁺	141	meq/L	[	-	]
cCa ²⁺	2.97	meq/L	[	-	]
cCl ⁻	103	meq/L	[	-	]

Metabolite values

cGlu	430	mg/dL	[	-	]
cLac	10.5	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	20.0	mmol/L
p50 _c	29.67	mmHg
ABE _c	-4.8	mmol/L

Notes

c

Calculated value(s)

Solution pack lot: CS-35
Printed 9:09:23AM

11/12/2024

Sensor cassette run #:
3034-379

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_EOS	Species Rabbit	
Date of birth		
Sample ID AUTOSID130	Analysis Date 11/12/2024 12:26:04	Operator MEB

Analyser Alarms				Qctl		
Analysis Alarms				Normal range		
WBC	4.7	10 ³ /mm ³	2.5	13.8		WBC
LYM%	--	%				
MON%	--	%				
GRA%	--	%				
(EOS%)	--	%				
LYM#	--	10 ³ /mm ³				
MON#	--	10 ³ /mm ³				
GRA#	--	10 ³ /mm ³				
EOS#	--	10 ³ /mm ³				
RBC	3.76	L 10 ⁶ /mm ³	4.80	7.20		RBC
HGB	8.7	L g/dl	10.6	16.0		
HCT	24.8	L %	33.9	50.1		
MCV	66	μm ³	62	79		
MCH	23.2	pg	19.0	25.6		
MCHC	35.0	g/dl	28.4	35.0		
RDW	--	%				
PLT	292	10 ³ /mm ³	0	962		PLT
MPV	--	μm ³				

E05

UMB

RESULTS

ANIMAL NAME:Awbaem16_eos

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:7

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 11:41

MACHINE ID:120007423

PRINT TIME:2024-11-12 11:41

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
ALB	3.2g/dL	2.5-5.2			
TP	4.8g/dL	L 5.4-8.3			
GLOB	1.6g/dL	1.2-3.9			
A/G	2.07				
TB	< 0.0mg/dL	0.0-0.8			
GGT	< 2U/L	0-14			
AST	67U/L	0-113			
ALT	50U/L	0-106			
ALP	90U/L	0-145			
TBA	1.32umol/L	0.00-40.00			
AMY	175U/L	144-500			
LPS	90U/L	0-164			
LDH	232U/L	34-335			
CK	> 4000U/L	H 138-2705			
Crea	0.97mg/dL	0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	21.73mg/dL	10.12-47.77			
BUN/CREA	22.40	5.21-58.53			
GLU	390.46mg/dL	H 75.14-227.05			
TC	47.67mg/dL	11.55-115.50			
TG	120.89mg/dL	26.10-185.31			
tCO2	16.4mmol/L	13.0-27.0			
Ca	10.25mg/dL	8.00-14.80			
PHOS	7.21mg/dL	H 2.29-6.91			

CK> detection limit. Please dilute sample and re-test

WAT:0

EMP:0

CHE:0

8794E9703

RESULTS

ANIMAL NAME:Awbaem16_eos	OWNER NAME:
Animal:Rabbit	Medical ID:
SAMPLE ID:3	AGEGroup:Juvenile
SAMPLE TYPE:Whole Blood	REAGENT BATCH NO.:9240793
PLATE ID:006509240793	OPERATOR ID:
Dept:	TEST TIME:2024-11-12 10:49
MACHINE ID:120007423	PRINT TIME:2024-11-12 10:49
Ver:V1.00.01.17/1.00.01.50	




Assay	Result	Ref	Low	Normal	High
APTT	View curve				
PT	40.6s				
TT	View curve				
Fib	View curve				

The results are abnormal due to operation or other reasons, which need to be judged with the curve.

WAT:0	EMP:0	CHE:0
--------------	--------------	--------------

89895E6551



Note: The project curves from top to bottom are:APTT,PT,TT,Fib.

EOS


TEG® Analysis

Generated: 11/12/2024 11:59:11AM

Database:

C:\teg\Patients-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024 ID: AWBAEM-16_111122024 Birthdate: Age: Gender:	Sample Date: 11/12/2024 Time on: 10:42 AM Off: 11:47 AM Duration: 65 min
Sample type: Citrated kaolin with heparinase Description: AWBAEM-16_EOS_v1	Channel: 3 Sample status: Finished Temp: 37
Additional notes:	Site ID:
	Operator ID: Temporary Operator
	Ordered by:
	Platelet drugs administered: No Bleeding state: Patient temperature:
	Accession #: Analyzer SN: S011907138



Result reported:

Reported date:

Reported by:

Physician interpretation

Sample data:		Units:	Normal values:		CPT/Billing codes:
R:	12.2	min	<high>	(2 — 8)	85347 Activated clotting time (R)
K:	4.7	min	<high>	(1 — 3)	
Angle:	48.6	deg	<low>	(55 — 78)	85384 Fibrinogen activity (Angle)
MA:	66.9	mm		(51 — 69)	85576 Platelet aggregation (MA)
LY30:	0.0	%		(0 — 8)	85390 Fibrinolysis (EPL / LY30)
PMA:	0.0				
G:	10.1K	d/sc		(4.6K — 10.9K)	
EPL:	0.0	%		(0 — 15)	
A:	69.7	mm			
CI:	-5.7		<low>	(-3 — 3)	85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks - Results final

RADIOMETER ABL90 SERIES

ABL90 I393-090R0109N0004 09:28 AM 11/12/2024
 PATIENT REPORT Syringe - S 65uL Sample # 22598

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

ecv

Blood gas values

pH	7.348		[-]
pCO ₂	33.8	mmHg	[-]
pO ₂	90.3	mmHg	[-]

Oximetry values

ctHb	7.6	g/dL	[-]
Hct _c	23.3	%	
sO ₂	89.3	%	[-]
FO ₂ Hb	84.7	%	[-]
FCOHb	1.6	%	[-]
FHHb	10.1	%	[-]
FMetHb	3.6	%	[-]

Electrolyte values

cK ⁺	3.3	meq/L	[-]
cNa ⁺	147	meq/L	[-]
cCa ²⁺	2.30	meq/L	[-]
cCl ⁻	105	meq/L	[-]

Metabolite values

cGlu	417	mg/dL	[-]
cLac	9.7	mmol/L	[-]

Calculated values

cHCO ₃ ⁻ (P) _c	18.6	mmol/L
p50 _c	44.70	mmHg
ABE _c	-6.4	mmol/L

Notes




c Calculated value(s)

Solution pack lot: CS-35 Sensor cassette run #:
 Printed 9:28:19AM 11/12/2024 3034-379

EOR

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_EOR	Species Rabbit	
Date of birth		
Sample ID	Analysis Date	Operator
AUTOSID131	11/12/2024 12:27:32	MEB

Analyser Alarms			Analysis Alarms		Qctl	
WBC	4.1	$10^3/\text{mm}^3$	Normal range		2.5	13.8
LYM%	--,--	%				
MON%	--,--	%				
GRA%	--,--	%				
(EOS%)	--,--	%				
LYM#	--,--	$10^3/\text{mm}^3$				
MON#	--,--	$10^3/\text{mm}^3$				
GRA#	--,--	$10^3/\text{mm}^3$				
EOS#	--,--	$10^3/\text{mm}^3$				
						
RBC	2.03	L $10^6/\text{mm}^3$	4.80	7.20		
HGB	14.4	g/dl	10.6	16.0		
HCT	13.3	L %	33.9	50.1		
MCV	65	μm^3	62	79		
MCH	71.0	H pg	19.0	25.6		
MCHC	108.5	H g/dl	28.4	35.0		
RDW	--,--	%				
						
PLT	832	$10^3/\text{mm}^3$	0	962		
MPV	--,--	μm^3				
						

EOR

UMB

RESULTS

ANIMAL NAME:Awbaem16_eor

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:8

AGEGroup:Adult

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 11:53

MACHINE ID:120007423

PRINT TIME:2024-11-12 11:55

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
ALB	3.0g/dL	2.5-5.2			
TP	13.1g/dL	H 5.4-8.3			
GLOB	10.2g/dL	H 1.2-3.9			
A/G	0.29				
TB	0.8mg/dL	0.0-0.8			
GGT	< 2U/L	0-14			
AST	< 5U/L	0-113			
ALT	< 5U/L	L 0-106			
ALP	> 1300U/L	H 0-145			
TBA	> 120.00umol/L	H 0.00-40.00			
AMY	79U/L	L 144-500			
LPS	52U/L	0-164			
LDH	60U/L	34-335			
CK	2794U/L	H 138-2705			
Crea	< 0.11mg/dL	L 0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	< 1.12mg/dL	L 10.12-47.77			
BUN/CREA	-	5.21-58.53			
GLU	284.36mg/dL	H 75.14-227.05			
TC	246.44mg/dL	H 11.55-115.50			
TG	203.46mg/dL	H 26.10-185.31			
tCO2	12.2mmol/L	L 13.0-27.0			
Ca	9.22mg/dL	8.00-14.80			
PHOS	9.07mg/dL	H 2.29-6.91			

-- means it can't be calculated.

ALP、TBA> detection limit. Please dilute sample and re-test

* W2041: The sample volume may not be enough, please change the rotor to test or contact technical support!

* Abnormal sample: HEM++,LIP+

WAT:0

EMP:0

CHE:0

988856914AC0542



EOR

UMB

RESULTS

ANIMAL NAME:Awbaem16_eor

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:4

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9240199

PLATE ID:006509240199

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 10:59

MACHINE ID:120007423

PRINT TIME:2024-11-12 11:00

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
APTT	View curve				
PT	11.9s				
TT	38.9s				
Fib	View curve				


The results are abnormal due to operation or other reasons, which need to be judged with the curve.

WAT:0

EMP:0

CHE:0

36625H7202



Note: The project curves from top to bottom are:PT,Fib,TT,APTT.

EOR

TEG® Analysis

Generated: 11/12/2024 1:26:13PM

Database:

C:\teg\Patients-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024 ID: AWBAEM-16_111122024 Birthdate: Age: Gender:	SSN: Gender:	Sample Date: 11/12/2024 Time on: 12:01 PM Off: 01:09 PM Duration: 68 min
Sample type: Citrated kaolin with heparinase Description: AWBAEM-16_EOR		Channel: 3 Sample status: Finished Temp: 37
Additional notes:		Site ID:
		Operator ID: Temporary Operator
		Ordered by:
		Platelet drugs administered: No Bleeding state: Patient temperature:
		Accession #: Analyzer SN: S011907138

10 millimeters

R	K	Angle	MA	LY30	PMA	G	EPL	A	CI
min	min	deg	mm	%		d/sc	%	mm	
13.5	4.6	48.3	38.1	0.0	1.0	3.1K	0.0	41.6	-10.0
2 — 8	1 — 3	55 — 78	51 — 69	0 — 8		4.6K — 10.9K	0 — 15		-3 — 3

Result reported:	Reported date:
	Reported by:
	Physician interpretation

Sample data:		Units:	Normal values:	CPT/Billing codes:
R:	13.5	min	<high> (2 — 8)	85347 Activated clotting time (R)
K:	4.6	min	<high> (1 — 3)	
Angle:	48.3	deg	<low> (55 — 78)	85384 Fibrinogen activity (Angle)
MA:	38.1	mm	<low> (51 — 69)	85576 Platelet aggregation (MA)
LY30:	0.0	%	(0 — 8)	85390 Fibrinolysis (EPL / LY30)
PMA:	1.0			
G:	3.1K	d/sc	<low> (4.6K — 10.9K)	
EPL:	0.0	%	(0 — 15)	
A:	41.6	mm		
CI:	-10.0		<low> (-3 — 3)	85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks - Results final

ABG-14

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 10:23 AM 11/12/2024
 PATIENT REPORT Syringe - S 65uL Sample # 22600

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified 14
 T 37.0 °C

Blood gas values

pH	7.449		[	-	]
pCO ₂	34.0	mmHg	[	-	]
pO ₂	91.4	mmHg	[	-	]

Oximetry values

ctHb	8.7	g/dL	[	-	]
Hct _c	26.6	%			
sO ₂	91.8	%	[	-	]
FO ₂ Hb	86.8	%	[	-	]
FCOHb	0.6	%	[	-	]
FHHb	7.7	%	[	-	]
FMetHb	4.9	%	[	-	]

Electrolyte values

cK ⁺	3.8	meq/L	[	-	]
cNa ⁺	148	meq/L	[	-	]
cCa ²⁺	3.00	meq/L	[	-	]
cCl ⁻	106	meq/L	[	-	]

Metabolite values

cGlu	238	mg/dL	[	-	]
cLac	6.9	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	23.5	mmol/L
p50 _c	40.88	mmHg
ABE _c	-0.2	mmol/L




Notes

c Calculated value(s)

Solution pack lot: CS-35 Sensor cassette run #: 3034-379
 Printed 10:23:18AM 11/12/2024

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_1H	Species Rabbit	
Date of birth		
Sample ID AUTOSID133	Analysis Date 11/12/2024 13:17:54	Operator MEB

Analyser Alarms			Analysis Alarms		QCtl	
			Normal range			
WBC	3.1	$10^3/\text{mm}^3$	2.5	13.8	 WBC	
LYM%	---	%				
MON%	---	%				
GRA%	---	%				
(EOS%)	---	%				
LYM#	---	$10^3/\text{mm}^3$				
MON#	---	$10^3/\text{mm}^3$				
GRA#	---	$10^3/\text{mm}^3$				
EOS#	---	$10^3/\text{mm}^3$				
RBC	2.56	$10^6/\text{mm}^3$	4.80	7.20	 RBC	
HGB	15.5	g/dl	10.6	16.0		
HCT	16.8	%	33.9	50.1		
MCV	66	μm^3	62	79		
MCH	60.8	pg	19.0	25.6		
MCHC	92.3	g/dl	28.4	35.0		
RDW	---	%				
PLT	758	$10^3/\text{mm}^3$	0	962	 PLT	
MPV	---	μm^3				

14

UMB

RESULTS

ANIMAL NAME:Awbaem16_1h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:12

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 13:34

MACHINE ID:120007423

PRINT TIME:2024-11-12 13:36

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
ALB	3.8g/dL	2.5-5.2			
TP	> 13.5g/dL	H 5.4-8.3			
GLOB	-g/dL	1.2-3.9			
A/G	--				
TB	0.4mg/dL	0.0-0.8			
GGT	< 2U/L	0-14			
AST	< 5U/L	0-113			
ALT	< 5U/L	L 0-106			
ALP	> 1300U/L	H 0-145			
TBA	> 120.00umol/L	H 0.00-40.00			
AMY	52U/L	L 144-500			
LPS	67U/L	0-164			
LDH	> 4000U/L	H 34-335			
CK	1917U/L	138-2705			
Crea	< 0.11mg/dL	L 0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	14.11mg/dL	10.12-47.77			
BUN/CREA	--	5.21-58.53			
GLU	180.86mg/dL	75.14-227.05			
TC	315.10mg/dL	H 11.55-115.50			
TG	171.60mg/dL	26.10-185.31			
tCO2	< 5.0mmol/L	L 13.0-27.0			
Ca	12.16mg/dL	8.00-14.80			
PHOS	11.23mg/dL	H 2.29-6.91			

-- means it can't be calculated.

TP、ALP、TBA、LDH> detection limit. Please dilute sample and re-test

* W2041: The sample volume may not be enough, please change the rotor to test or contact technical support!

* Abnormal sample: HEM++,LIP++

WAT:0

EMP:0

CHE:0

26414914AC6564



14

UMB

RESULTS

ANIMAL NAME:Awbaem16_1h		OWNER NAME:	
Animal:Rabbit		Medical ID:	
SAMPLE ID:10		AGEGroup:Juvenile	
SAMPLE TYPE:Whole Blood		REAGENT BATCH NO.:9240793	
PLATE ID:006509240793		OPERATOR ID:	
Dept:		TEST TIME:2024-11-12 12:17	
MACHINE ID:120007423		PRINT TIME:2024-11-12 12:17	
Ver:V1.00.01.17/1.00.01.50			




Assay	Result	Ref	Low	Normal	High
APTT	View curve				
PT	> 100.0s				
TT	90.9s				
Fib	View curve				

The results are abnormal due to operation or other reasons, which need to be judged with the curve.

PT> detection limit. Please dilute sample and re-test

WAT:0	EMP:0	CHE:0
-------	-------	-------

18345E1834



Note: The project curves from top to bottom are:PT,TT,APTT,Fib.

14


TEG® Analysis

Generated: 11/12/2024 1:26:25PM

Database:

C:\teg\Patient-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024 ID: AWBAEM-16_111122024 Birthdate: Age: Gender:	Sample Date: 11/12/2024 Time on: 12:17 PM Off: 01:25 PM Duration: 68 min
Sample type: Citrated kaolin with heparinase Description: AWBAEM-16_1h*?Use-20ulKaolin	Channel: 1 Sample status: Finished Temp: 37
Additional notes:	Site ID:
	Operator ID: Temporary Operator
	Ordered by:
	Platelet drugs administered: No Bleeding state:
	Patient temperature:
Accession #:	
Analyzer SN: S101707022	



Result reported:

Reported date:

Reported by:

Physician interpretation

Sample data:	Units:	Normal values:	CPT/Billing codes:
R: 13.9	min	<high> (2 — 8)	85347 Activated clotting time (R)
K: 2.8	min	(1 — 3)	
Angle: 54.9	deg	<low> (55 — 78)	85384 Fibrinogen activity (Angle)
MA: 58.5	mm	(51 — 69)	85576 Platelet aggregation (MA)
LY30: 0.0	%	(0 — 8)	85390 Fibrinolysis (EPL / LY30)
PMA: 0.0			
G: 7.0K	d/sc	(4.6K — 10.9K)	
EPL: 0.0	%	(0 — 15)	
A: 61.3	mm		
CI: -6.6		<low> (-3 — 3)	85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks - Results final

ABG 3#

RADIOMETER ABL90 SERIES

ABL90 I393-090RC199N00C4

12:32 PM 11/12/2024

PATIENT REPORT

Syringe - S 65uL

Sample #

22602

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

3H

Blood gas values

pH	7.496		[	-	]
pCO ₂	33.6	mmHg	[	-	]
pO ₂	81.4	mmHg	[	-	]

Oximetry values

ctHb	8.5	g/dL	[	-	]
Hct _c	26.1	%			
sO ₂	91.6	%	[	-	]
FO ₂ Hb	82.5	%	[	-	]
FCOHb	0.1	%	[	-	]
FHHb	7.6	%	[	-	]
FMetHb	9.8	%	[	-	]

Electrolyte values

cK ⁺	3.6	meq/L	[	-	]
cNa ⁺	147	meq/L	[	-	]
cCa ²⁺	2.95	meq/L	[	-	]
cCl ⁻	109	meq/L	[	-	]

Metabolite values

cGlu	155	mg/dL	[	-	]
cLac	2.0	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	25.9	mmol/L
p50 _c	36.22	mmHg
ABE _c	2.6	mmol/L

Notes

c Calculated value(s)

Solution pack lot: CS-35

Printed 12:32:47PM 11/12/2024

Sensor cassette run #:

3034-379


34


RESULT


Animal ID	Owner name	Owner first name
Name AWBAEM16_3H	Species Rabbit	
Date of birth		

Sample ID AUTOSID135	Analysis Date 11/12/2024 15:31:02	Operator MEB
--------------------------------	---	------------------------

Analyser Alarms	QCtl
------------------------	-------------

WBC 1.8 L $10^3/\text{mm}^3$ LYM% --- % MON% --- % GRA% --- % (EOS%) --- % LYM# --- $10^3/\text{mm}^3$ MON# --- $10^3/\text{mm}^3$ GRA# --- $10^3/\text{mm}^3$ EOS# --- $10^3/\text{mm}^3$	Normal range 2.5 13.8	WBC 
---	---------------------------------	---

RBC 2.67 L $10^6/\text{mm}^3$ HGB 14.6 g/dl HCT 17.6 L % MCV 66 μm^3 MCH 54.8 H pg MCHC 82.9 H g/dl RDW --- %	Normal range 4.80 7.20 10.6 16.0 33.9 50.1 62 79 19.0 25.6 28.4 35.0	RBC 
---	---	--

PLT 531 $10^3/\text{mm}^3$ MPV --- μm^3	Normal range 0 962	PLT 
---	------------------------------	--

3H

UMB

RESULTS

ANIMAL NAME:Awbaem16_3h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:15

AGEGroup:Adult

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 14:09

MACHINE ID:120007423

PRINT TIME:2024-11-12 14:09

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
ALB	3.9g/dL	2.5-5.2			
TP	> 13.5g/dL	H 5.4-8.3			
GLOB	-g/dL	1.2-3.9			
A/G	--				
TB	0.2mg/dL	0.0-0.8			
GGT	14U/L	H 0-14			
AST	19U/L	0-113			
ALT	47U/L	0-106			
ALP	> 1300U/L	H 0-145			
TBA	> 120.00umol/L	H 0.00-40.00			
AMY	27U/L	L 144-500			
LPS	72U/L	0-164			
LDH	> 4000U/L	H 34-335			
CK	> 4000U/L	H 138-2705			
Crea	< 0.11mg/dL	L 0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	14.94mg/dL	10.12-47.77			
BUN/CREA	--	5.21-58.53			
GLU	128.61mg/dL	75.14-227.05			
TC	333.56mg/dL	H 11.55-115.50			
TG	403.75mg/dL	H 26.10-185.31			
tCO2	8.9mmol/L	L 13.0-27.0			
Ca	13.58mg/dL	8.00-14.80			
PHOS	13.41mg/dL	H 2.29-6.91			

-- means it can't be calculated.

TP、ALP、TBA、LDH、CK> detection limit. Please dilute sample and re-test

* W2041: The sample volume may not be enough, please change the rotor to test or contact technical support!

* Abnormal sample: HEM++,LIP++

WAT:0

EMP:0

CHE:0

43944914AC8594



34

UMB

RESULTS

ANIMAL NAME:Awbaem16_3h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:14

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9240793

PLATE ID:006509240793

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 13:57

MACHINE ID:120007423

PRINT TIME:2024-11-12 13:57

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
APTT	View curve				
PT	> 100.0s				
TT	90.4s				
Fib	View curve				

The results are abnormal due to operation or other reasons, which need to be judged with the curve.


PT> detection limit. Please dilute sample and re-test

WAT:0

EMP:0

CHE:0

56185G7860



Note: The project curves from top to bottom are:APTT,Fib,TT,PT.

34

TEG® Analysis

Generated: 11/12/2024 3:47:56PM

Database:

C:\teg\Patients-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024

ID: AWBAEM-16_111122024

SSN:

Birthdate:

Age:

Gender:

Sample Date: 11/12/2024

Time on: 01:54 PM

Off: 02:56 PM

Duration: 62 min

Sample type: Citrated kaolin with heparinase

Description: AWBAEM-16_3h

Additional notes:

Channel: 1

Sample status: Finished

Temp: 37

Site ID:

Operator ID: Temporary Operator

Ordered by:


Platelet drugs administered: No

Bleeding state:

Patient temperature:

Accession #:

Analyzer SN: S101707022



Result reported:

Reported date:

Reported by:

Physician interpretation

Sample data:

R: 12.8

K: 2.1

Angle: 60.7

MA: 69.0

LY30: 0.0

PMA: 0.0

G: 11.1K

EPL: 0.0

A: 71.7

CI: -3.8

Units:

min

min

deg

mm

%

d/sc

%

mm

<high>

<low>

Normal values:

(2 — 8)

(1 — 3)

(55 — 78)

(51 — 69)

(0 — 8)

(4.6K — 10.9K)

(0 — 15)

(-3 — 3)

CPT/Billing codes:

85347 Activated clotting time (R)

85384 Fibrinogen activity (Angle)

85576 Platelet aggregation (MA)

85390 Fibrinolysis (EPL / LY30)

85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks - Results final

ABG-64

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

03:14 PM 11/12/2024

PATIENT REPORT

Syringe - S 65uL

Sample #

22604

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

64

T

37.0 °C

Blood gas values

pH	7.512		[	-	]
pCO ₂	29.8	mmHg	[	-	]
pO ₂	86.7	mmHg	[	-	]

Oximetry values

ctHb	8.2	g/dL	[	-	]
Hct _c	25.2	%			
sO ₂	95.3	%	[	-	]
FO ₂ Hb	83.9	%	[	-	]
* FCOHb	< 0.0	%	[	-	]
FHHb	4.1	%	[	-	]
FMethb	12.3	%	[	-	]

Electrolyte values

cK ⁺	3.7	meq/L	[	-	]
cNa ⁺	147	meq/L	[	-	]
cCa ²⁺	2.84	meq/L	[	-	]
cCl ⁻	109	meq/L	[	-	]

Metabolite values

cGlu	157	mg/dL	[	-	]
cLac	3.2	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	23.9	mmol/L
p50 _g	30.33	mmHg
ABE _c	1.1	mmol/L

Notes

* Value(s) below the reportable range
 c Calculated value(s)
 e Estimated value(s)
 FCOHb 0094: Value below reportable range < 0.0

Solution pack lot: CS-35




Printed 3:14:09PM 11/12/2024

Sensor cassette run #: 3034-379

6H

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_6H	Species Rabbit	
Date of birth		
Sample ID	Analysis Date	Operator
AUTOSID137	11/12/2024 18:06:35	MEB

Analyser Alarms		Analysis Alarms		Qctl	
WBC	2.7	$10^3/\text{mm}^3$	Normal range 2.5 13.8		
LYM%	---	%			
MON%	---	%			
GRA%	---	%			
(EOS%)	---	%			
LYM#	---	$10^3/\text{mm}^3$			
MON#	---	$10^3/\text{mm}^3$			
GRA#	---	$10^3/\text{mm}^3$			
EOS#	---	$10^3/\text{mm}^3$			
					WBC
					
RBC	2.67	$10^6/\text{mm}^3$	4.80	7.20	
HGB	13.8	g/dl	10.6	16.0	
HCT	17.4	%	33.9	50.1	
MCV	65	μm^3	62	79	
MCH	51.6	pg	19.0	25.6	
MCHC	79.3	g/dl	28.4	35.0	
RDW	---	%			
					RBC
					
PLT	378	$10^3/\text{mm}^3$	0	962	
MPV	---	μm^3			
					PLT
					

6H

UMB

RESULTS

ANIMAL NAME:Awbaem16_6h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:20

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 16:50

MACHINE ID:120007423

PRINT TIME:2024-11-12 16:50

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
ALB	3.7g/dL	2.5-5.2			
TP	> 13.5g/dL	H 5.4-8.3			
GLOB	-g/dL	1.2-3.9			
A/G	--				
TB	< 0.0mg/dL	0.0-0.8			
GGT	< 2U/L	0-14			
AST	100U/L	0-113			
ALT	< 5U/L	L 0-106			
ALP	> 1300U/L	H 0-145			
TBA	> 120.00umol/L	H 0.00-40.00			
AMY	91U/L	L 144-500			
LPS	68U/L	0-164			
LDH	233U/L	34-335			
CK	2126U/L	138-2705			
Crea	0.41mg/dL	L 0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	24.87mg/dL	10.12-47.77			
BUN/CREA	60.66	H 5.21-58.53			
GLU	38.23mg/dL	L 75.14-227.05			
TC	266.48mg/dL	H 11.55-115.50			
TG	224.65mg/dL	H 26.10-185.31			
tCO2	12.2mmol/L	L 13.0-27.0			
Ca	12.37mg/dL	8.00-14.80			
PHOS	2.13mg/dL	L 2.29-6.91			

-- means it can't be calculated.

TP、ALP、TBA> detection limit. Please dilute sample and re-test

* Abnormal sample: LIP++

WAT:0

EMP:0

CHE:0

6253614C8210

6H

UMB

RESULTS

ANIMAL NAME:Awbaem16_6h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:19

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9240793

PLATE ID:006509240793

OPERATOR ID:

Dept:

TEST TIME:2024-11-12 16:38

MACHINE ID:120007423

PRINT TIME:2024-11-12 16:38

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
APTT	View curve				
PT	11.8s				
TT	53.3s				
Fib	View curve				


The results are abnormal due to operation or other reasons, which need to be judged with the curve.

WAT:0

EMP:0

CHE:0

55395G7490



Note: The project curves from top to bottom are:PT,APTT,TT,Fib.

64


TEG® Analysis

Generated: 11/13/2024 9:33:20AM

Database:

C:\teg\Patients-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024 ID: AWBAEM-16_111122024 Birthdate: Age: Gender:	SSN: Gender:	Sample Date: 11/12/2024 Time on: 04:29 PM Off: 05:41 PM Duration: 72 min
Sample type: Citrated kaolin with heparinase Description: AWBAEM-16_6h		Channel: 3 Sample status: Finished Temp: 37
Additional notes:		Site ID:
		Operator ID: Temporary Operator
		Ordered by:
		Platelet drugs administered: No Bleeding state: Patient temperature:
		Accession #: Analyzer SN: S011907138



Result reported:

Reported date:

Reported by:

Physician interpretation

Sample data:		Units:	Normal values:	CPT/Billing codes:
R:	20.6	min	<high> (2 — 8)	85347 Activated clotting time (R)
K:	3.1	min	<high> (1 — 3)	
Angle:	57.1	deg	(55 — 78)	85384 Fibrinogen activity (Angle)
MA:	72.7	mm	<high> (51 — 69)	85576 Platelet aggregation (MA)
LY30:	0.0	%	(0 — 8)	85390 Fibrinolysis (EPL / LY30)
PMA:	0.0			
G:	13.3K	d/sc	<high> (4.6K — 10.9K)	
EPL:	0.0	%	(0 — 15)	
A:	74.8	mm		
CI:	-9.1		<low> (-3 — 3)	85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks - Results final

ABG 24 H

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

09:28 AM 11/13/2024

PATIENT REPORT

Syringe - S 65uL

Sample #

22606

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

24H

Blood gas values

pH	7.504		[	-	]
pCO ₂	30.7	mmHg	[	-	]
pO ₂	74.6	mmHg	[	-	]

Oximetry values

ctHb	7.8	g/dL	[	-	]
Hct _c	23.8	%			
sO ₂	95.4	%	[	-	]
FO ₂ Hb	77.8	%	[	-	]
‡ FCOHb	< 0.0	%	[	-	]
FHHb	3.7	%	[	-	]
FMetHb	18.6	%	[	-	]

Electrolyte values

cK ⁺	4.7	meq/L	[	-	]
cNa ⁺	147	meq/L	[	-	]
cCa ²⁺	3.18	meq/L	[	-	]
cCl ⁻	110	meq/L	[	-	]

Metabolite values

cGlu	167	mg/dL	[	-	]
cLac	2.0	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	24.2	mmol/L
p50 _θ	25.00	mmHg
ABE _c	1.2	mmol/L

Notes

‡ Value(s) below the reportable range
 c Calculated value(s)
 θ Estimated value(s)
 FCOHb 0094: Value below reportable range < 0.0

Solution pack lot: CS-35

Sensor cassette run #:




Printed 9:28:38AM 11/13/2024

3034-379

24H

RESULT

Animal ID	Owner name	Owner first name
Name AWBAEM16_24H	Species Rabbit	
Date of birth		
Sample ID	Analysis Date	Operator
AUTOSID139	11/13/2024 12:24:01	MEB

Analyser Alarms		Analysis Alarms		MIC, QcT	
WBC	10.0	$10^3/\text{mm}^3$	Normal range 2.5 13.8		
LYM%	---	%			
MON%	---	%			
GRA%	---	%			
(EOS%)	---	%			
LYM#	---	$10^3/\text{mm}^3$			
MON#	---	$10^3/\text{mm}^3$			
GRA#	---	$10^3/\text{mm}^3$			
EOS#	---	$10^3/\text{mm}^3$			
					WBC
					
RBC	2.67	L $10^6/\text{mm}^3$	4.80	7.20	
HGB	12.7	g/dl	10.6	16.0	
HCT	16.8	L %	33.9	50.1	
MCV	63	μm^3	62	79	
MCH	47.4	H pg	19.0	25.6	
MCHC	75.5	H g/dl	28.4	35.0	
RDW	---	%			
					RBC
					
PLT	252	$10^3/\text{mm}^3$	0	962	
MPV	---	μm^3			
					PLT
					

24#

UMB

RESULTS

ANIMAL NAME:Awbaem16_24h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:4

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9240347

PLATE ID:019809240347

OPERATOR ID:

Dept:

TEST TIME:2024-11-13 11:17

MACHINE ID:120007423

PRINT TIME:2024-11-13 11:17

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
ALB	3.7g/dL	2.5-5.2			
TP	7.1g/dL	5.4-8.3			
GLOB	3.4g/dL	1.2-3.9			
A/G	1.09				
TB	< 0.0mg/dL	0.0-0.8			
GGT	< 2U/L	0-14			
AST	375U/L	H 0-113			
ALT	175U/L	H 0-106			
ALP	114U/L	0-145			
TBA	9.67umol/L	0.00-40.00			
AMY	205U/L	144-500			
LPS	39U/L	0-164			
LDH	358U/L	H 34-335			
CK	> 4000U/L	H 138-2705			
Crea	0.78mg/dL	0.50-2.60			
UA	< 10.00umol/L	0.00-60.00			
BUN	31.14mg/dL	10.12-47.77			
BUN/CREA	39.92	5.21-58.53			
GLU	131.88mg/dL	75.14-227.05			
TC	108.67mg/dL	11.55-115.50			
TG	695.95mg/dL	H 26.10-185.31			
tCO2	18.6mmol/L	13.0-27.0			
Ca	11.84mg/dL	8.00-14.80			
PHOS	5.39mg/dL	2.29-6.91			

CK> detection limit. Please dilute sample and re-test

* Abnormal sample: LIP+

WAT:0

EMP:0

CHE:0

650714C4642

24H

UMB

RESULTS

ANIMAL NAME:Awbaem16_24h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:2

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9240793

PLATE ID:006509240793

OPERATOR ID:

Dept:

TEST TIME:2024-11-13 10:43

MACHINE ID:120007423

PRINT TIME:2024-11-13 10:43

Ver:V1.00.01.17/1.00.01.50



Assay	Result	Ref	Low	Normal	High
APTT	75.3s				
PT	21.5s				
TT	View curve				
Fib	View curve				


The results are abnormal due to operation or other reasons, which need to be judged with the curve.

WAT:0

EMP:0

CHE:0

28985G2611



Note: The project curves from top to bottom are:APTT,PT,TT,Fib.

24#


TEG® Analysis

Generated: 11/13/2024 12:18:48PM

Database:

C:\teg\Patients-Updated_ACR_08072024.teg

Patient: AWBAEM-16_111122024 ID: AWBAEM-16_111122024 Birthdate: Age: SSN: Gender:	Sample Date: 11/13/2024 Time on: 11:01 AM Off: Duration: 77 min
Sample type: Citrated kaolin with heparinase Description: AWBAEM-16_24h_v1	Channel: 3 Sample status: Active Temp: 37
Additional notes:	Site ID:
	Operator ID: Temporary Operator
	Ordered by:
	Platelet drugs administered: No Bleeding state: Patient temperature:
	Accession #: Analyzer SN: S011907138



Result reported:

Reported date:

Reported by:

Physician interpretation

Sample data:		Units:	Normal values:		CPT/Billing codes:
R:	28.1	min	<high>	(2 — 8)	85347 Activated clotting time (R)
K:	7.2	min	<high>	(1 — 3)	
Angle:	28.7	deg	<low>	(55 — 78)	85384 Fibrinogen activity (Angle)
MA:	74.4	mm	<high>	(51 — 69)	85576 Platelet aggregation (MA)
LY30:	*96.8*	%	<high>	(0 — 8)	
PMA:	1.0				
G:	14.6K	d/sc	<high>	(4.6K — 10.9K)	
EPL:	*100.0*	%	<high>	(0 — 15)	85390 Fibrinolysis (EPL / LY30)
A:	0.1	mm			
CI:	-17.5		<low>	(-3 — 3)	85999 Prothrombotic state (CI)

Interim values are surrounded by asterisks