

Date	Rabbit ID	BW (Kg)	% BV removal	Group	Tele ID	EM info/Particle Conc			
4/21/23	4EM FD6	1.7	45	EM	8213	KC230420 6 x 10 ³	0.68mL		
	pre-Anesthesia	End of Shock (+ min)	End of Res	1 H post Res	3H post Res	6H post Res	24H post Res	48H post Res	72H post Res
Lac (ABG/VBG)	1.3	6.6	5.5	3.4	4.1	7.2	5.6	1.3	
	$\frac{6.17}{12.8}$ 39.4	$\frac{4.05}{8.6}$ 25.7	$\frac{2.46}{6.8}$ 15.4	$\frac{3.31}{8.6}$ 20.6	$\frac{2.7}{7.1}$ 16.7	$\frac{2.44}{6.4}$ 14.9	$\frac{2.43}{6.2}$ 14.8	2.46 5.9	
CBC (RBC/HGB/HCT)									
CMP/TEG (when Logg applicable)	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓	✓✓	
HR	263	176	275	295	182	183	190	247	
	83	47	64	66	93	88	94	55	
MAP (Sys/Dia)	102/69	62/40	85/48	93/44	117/75	114/67	123/70	102/53	
Troponin Collection				✓		✓			
Time	7am	9:30am	9:46am	10:46am	12:46pm	3:46pm	9:44pm	9:46pm	
Hemorrhage start time: 7:30am							Weight (kg)		

20% → 23.8mL ✓
 15% → 17.85mL ✓
 10% → 11.9mL ✓
 2m 1hr

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

06:25 AM

4/21/2023

PATIENT REPORT

Syringe - S 65uL

Sample #

16730

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

BL

Blood gas values

pH	7.470		[	-	]
pCO ₂	40.3	mmHg	[	-	]
pO ₂	71.4	mmHg	[	-	]

Oximetry values

ctHb	12.4	g/dL	[	-	]
Hct _c	38.1	%			
sO ₂	93.5	%	[	-	]
FO ₂ Hb	91.7	%	[	-	]
FCOHb	1.0	%	[	-	]
FHHb	6.4	%	[	-	]
FMetHb	0.9	%	[	-	]

Electrolyte values

cK ⁺	3.8	meq/L	[	-	]
cNa ⁺	142	meq/L	[	-	]
cCa ²⁺	3.20	meq/L	[	-	]
cCl ⁻	102	meq/L	[	-	]

Metabolite values

cGlu	137	mg/dL	[	-	]
cLac	1.3	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	29.3	mmol/L
p50 _c	27.72	mmHg
ABE _c	5.2	mmol/L

Notes

c Calculated value(s)

Solution pack lot: NL-13

Sensor cassette run #.

Printed 6:25:31AM 4/21/2023

2588-190

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

10:21 AM 4/20/2023

PATIENT REPORT

Syringe - S 65uL

Sample #

16704

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified

37.0 °C

8213 Bunny

Blood gas values

pH 7.428 [-]

pCO₂ 60.8 mmHg [-]

pO₂ 232 mmHg [-]

Oximetry values

ctHb 13.1 g/dL [-]

Hct_c 40.3 % [-]

‡ sO₂ > 100.0 % [-]

FO₂Hb 99.1 % [-]

FCOHb 0.6 % [-]

‡ FHHb < 0.0 % [-]

FMetHb 1.1 % [-]

Electrolyte values

cK⁺ 3.4 meq/L [-]

cNa⁺ 142 meq/L [-]

cCa²⁺ 2.76 meq/L [-]

cCl⁻ 92 meq/L [-]

Metabolite values

cGlu 186 mg/dL [-]

cLac 0.6 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 40.2 mmol/L

p50_e 26.23 mmHg

ABE_c 13.2 mmol/L

Notes

‡ Value(s) above the reportable range

‡ Value(s) below the reportable range

c Calculated value(s)

e Estimated value(s)

FHHb 0094: Value below reportable range < 0.0

sO₂ 0093: Value above reportable range > 100.0

Solution pack lot: NL-13




Printed 10:21:39AM 4/20/2023

Sensor cassette run #:

2575-485

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID AEMFO6	Analysis Date 04/20/2023 09:59:32	Operator JOY

Analyser Alarms		Analysis Alarms		QCi, XB	
WBC	3.8	$10^3/\text{mm}^3$	Normal range 2.5 13.8		
LYM%	---	%			
MON%	---	%			
GRA%	---	%			
(EOS%)	---	%			
LYM#	---	$10^3/\text{mm}^3$			
MON#	---	$10^3/\text{mm}^3$			
GRA#	---	$10^3/\text{mm}^3$			
EOS#	---	$10^3/\text{mm}^3$			
					WBC
					
RBC	6.17	$10^6/\text{mm}^3$	4.80	7.20	
HGB	12.8	g/dl	10.6	16.0	
HCT	39.4	%	33.9	50.1	
MCV	64	μm^3	62	79	
MCH	20.7	pg	19.0	25.6	
MCHC	32.5	g/dl	28.4	35.0	
RDW	---	%			
					RBC
					
PLT	238	$10^3/\text{mm}^3$	0	962	
MPV	---	μm^3			
					PLT
					

RESULTS



ANIMAL NAME:Aemfo6_bl

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:19

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922757

PLATE ID:01980922757

OPERATOR ID:

LAB.:

TEST TIME:2023-04-20 12:51

MACHINE ID:120007423

PRINT TIME:2023-04-20 12:51

Ver:V1.00.00.87/1.00.01.44

Assay	Result	Ref	Low	Normal	High
ALB	2.7g/dL	2.2-3.7			
TP	4.9g/dL	L 5.5-7.2			
GLOB	2.2g/dL	1.5-2.8			
A/G	1.23				
TB	0.1mg/dL	L 0.3-0.8			
GGT	15U/L	H 0-14			
AST	16U/L	0-98			
ALT	45U/L	31-53			
ALP	69U/L	L 70-145			
TBA	1.66umol/L				
AMY	202U/L	200-378			
LPS	100U/L				
LDH	220U/L	H 34-129			
CK	3150U/L	H 218-2705			
Crea	0.8mg/dL	L 0.8-1.8			
UA	<10umol/L	0-130			
BUN	14.18mg/dL	10.12-24.17			
BUN/CREA	76.022	21.000-236.000			
GLU	178.92mg/dL	H 75.14-145.24			
TC	49.12mg/dL	34.65-52.75			
TG	90.01mg/dL	26.10-153.12			
tCO2	31.7mmol/L	H 13.0-22.0			
Ca	10.97mg/dL	5.60-12.00			
PHOS	8.19mg/dL	H 1.21-4.90			

WAT:0

EMP:0

CHE:0

0301E9491

RESULTS

ANIMAL NAME:Aemfo6bl

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:20

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9220185

PLATE ID:006509220185

OPERATOR ID:

LAB.:

TEST TIME:2023-04-20 13:02

MACHINE ID:120007423

PRINT TIME:2023-04-20 13:02

Ver:V1.00.00.87/1.00.01.44




Assay	Result	Ref	Low	Normal	High
APTT	136.3s				
PT	11.2s				
TT	21.5s				
Fib	1.30g/L				

WAT:2

EMP:0

CHE:0

0906K0145



Note: The project curves from top to bottom are:APTT,Fib,PT,TT.

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

09:12 AM

4/21/2023

PATIENT REPORT

Syringe - S 65uL

Sample #

16736

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

FDS

Blood gas values

pH 7.422 [-]

pCO₂ 33.4 mmHg [-]pO₂ 87.5 mmHg [-]

Oximetry values

ctHb 8.5 g/dL [-]

Hct_c 26.1 %sO₂ 96.6 % [-]FO₂Hb 94.5 % [-]

FCOHb 1.1 % [-]

FHHb 3.3 % [-]

FMetHb 1.1 % [-]

Electrolyte values

cK⁺ 4.1 meq/L [-]cNa⁺ 138 meq/L [-]cCa²⁺ 2.52 meq/L [-]cCl⁻ 101 meq/L [-]

Metabolite values

cGlu 299 mg/dL [-]

cLac 6.6 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 21.7 mmol/Lp50_c 26.35 mmHgABE_c -2.3 mmol/L

Notes

c Calculated value(s)

Solution pack lot: NL-13

Printed 9:12:40AM 4/21/2023

Sensor cassette run #:

2588-190


RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO6_EOS	Analysis Date 04/21/2023 09:02:48	Operator MEB

Analyser Alarms Analysis Alarms	QCi, XB
---	---------


WBC	5.0	10 ³ /mm ³	Normal range 2.5 13.8	
LYM%	--,--	%		
MON%	--,--	%		
GRA%	--,--	%		
(EOS%)	--,--	%		
LYM#	--,--	10 ³ /mm ³		
MON#	--,--	10 ³ /mm ³		
GRA#	--,--	10 ³ /mm ³		
EOS#	--,--	10 ³ /mm ³		

WBC




RBC	4.05	L 10 ⁶ /mm ³	4.80 7.20	
HGB	8.6	L g/dl	10.6 16.0	
HCT	25.7	L %	33.9 50.1	
MCV	63	μm ³	62 79	
MCH	21.2	pg	19.0 25.6	
MCHC	33.5	g/dl	28.4 35.0	
RDW	--,--	%		

RBC



PLT	197	10 ³ /mm ³	0 962	
MPV	--,--	μm ³		

PLT



RESULTS



ANIMAL NAME:Aemfo6 eos

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:6

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922757

PLATE ID:01980922757

OPERATOR ID:

LAB.:

TEST TIME:2023-04-21 10:16

MACHINE ID:120007423

PRINT TIME:2023-04-21 10:16

Ver:V1.00.00.87/1.00.01.44

Assay	Result	Ref	Low	Normal	High
ALB	1.9g/dL	L 2.2-3.7			
TP	3.5g/dL	L 5.5-7.2			
GLOB	1.7g/dL	1.5-2.8			
A/G	1.14				
TB	<0.1mg/dL	L 0.3-0.8			
GGT	9U/L	0-14			
AST	56U/L	0-98			
ALT	78U/L	H 31-53			
ALP	43U/L	L 70-145			
TBA	3.62umol/L				
AMY	205U/L	200-378			
LPS	64U/L				
LDH	191U/L	H 34-129			
CK	> 4000U/L	H 218-2705			
Crea	1.0mg/dL	0.8-1.8			
UA	<10umol/L	0-130			
BUN	21.81mg/dL	10.12-24.17			
BUN/CREA	85.127	21.000-236.000			
GLU	261.92mg/dL	H 75.14-145.24			
TC	66.24mg/dL	H 34.65-52.75			
TG	134.23mg/dL	26.10-153.12			
tCO2	16.9mmol/L	13.0-22.0			
Ca	8.83mg/dL	5.60-12.00			
PHOS	7.60mg/dL	H 1.21-4.90			

CK> detection limit. Please dilute sample and re-test

WAT:0

EMP:0

CHE:0

1910D6602

RESULTS

F06

ANIMAL NAME: F06 Leos

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 7

AGE Group: Juvenile

SAMPLE TYPE: Whole Blood

REAGENT BATCH NO.: 9220185

PLATE ID: 006509220185

OPERATOR ID:

LAB.:

TEST TIME: 2023-04-21 10:27

MACHINE ID: 120007423

PRINT TIME: 2023-04-21 10:27

Ver: V1.00.00.87/1.00.01.44




Assay	Result	Ref	Low	Normal	High
APTT	134.4s				
PT	14.1s				
TT	20.1s				
Fib	1.99g/L				

WAT:1

EMP:0

CHE:0

6173H7254



Note: The project curves from top to bottom are: Fib, APTT, PT, TT.

RADIOMETER ABL90 SERIES

ABL90 1393-090R0199N0004

09:19 AM

4/21/2023

PATIENT REPORT

Syringe - S 65uL

Sample #

16737

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

7212

Blood gas values

pH	7.342		[	-	]
pCO ₂	34.9	mmHg	[	-	]
pO ₂	85.9	mmHg	[	-	]

Oximetry values

ctHb	5.7	g/dL	[	-	]
Hct _C	17.6	%			
sO ₂	95.5	%	[	-	]
FO ₂ Hb	89.4	%	[	-	]
FCOHb	3.8	%	[	-	]
FHHb	4.2	%	[	-	]
FMetHb	2.6	%	[	-	]

Electrolyte values

cK ⁺	3.3	meq/L	[	-	]
cNa ⁺	144	meq/L	[	-	]
cCa ²⁺	2.14	meq/L	[	-	]
cCl ⁻	104	meq/L	[	-	]

Metabolite values

cGlu	253	mg/dL	[	-	]
cLac	5.5	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _C	18.9	mmol/L
p50 _C	29.01	mmHg
ABE _C	-6.3	mmol/L

Notes

c Calculated value(s)

Solution pack lot: NL-13




Printed 9:19:45AM 4/21/2023

Sensor cassette run #:

2588-190

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO6_EOR	Analysis Date 04/21/2023 09:04:25	Operator MEB

Analyser Alarms			Analysis Alarms		MIC, SCH, QCi, XB	
			Normal range			
WBC	1.7	L 10 ³ /mm ³	2.5	13.8	WBC 	
LYM%	--,--	%				
MON%	--,--	%				
GRA%	--,--	%				
(EOS%)	--,--	%				
LYM#	--,--	10 ³ /mm ³				
MON#	--,--	10 ³ /mm ³				
GRA#	--,--	10 ³ /mm ³				
EOS#	--,--	10 ³ /mm ³				
RBC	2.46	L 10 ⁶ /mm ³	4.80	7.20	RBC 	
HGB	6.8	L g/dl	10.6	16.0		
HCT	15.4	L %	33.9	50.1		
MCV	62	μm ³	62	79		
MCH	27.8	H pg	19.0	25.6		
MCHC	44.4	H g/dl	28.4	35.0		
RDW	--,--	%				
PLT	193	10 ³ /mm ³	0	962	PLT 	
MPV	--,--	μm ³				

RESULTS



ANIMAL NAME:Aemfo6 eor

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:8

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922757

PLATE ID:01980922757

OPERATOR ID:

LAB.:

TEST TIME:2023-04-21 10:40

MACHINE ID:120007423

PRINT TIME:2023-04-21 10:40

Ver:V1.00.00.87/1.00.01.44

Assay	Result	Ref	Low	Normal	High
ALB	3.4g/dL	2.2-3.7			
TP	8.4g/dL	H 5.5-7.2			
GLOB	4.9g/dL	H 1.5-2.8			
A/G	0.69				
TB	> 14.7mg/dL	H 0.3-0.8			
GGT	<2U/L	0-14			
AST	28U/L	0-98			
ALT	80U/L	H 31-53			
ALP	<5U/L	L 70-145			
TBA	<1.00umol/L				
AMY	101U/L	L 200-378			
LPS	56U/L				
LDH	66U/L	34-129			
CK	> 4000U/L	H 218-2705			
Crea	0.7mg/dL	L 0.8-1.8			
UA	<10umol/L	0-130			
BUN	21.47mg/dL	10.12-24.17			
BUN/CREA	132.916	21.000-236.000			
GLU	246.70mg/dL	H 75.14-145.24			
TC	282.51mg/dL	H 34.65-52.75			
TG	<26.10mg/dL	L 26.10-153.12			
tCO2	19.8mmol/L	13.0-22.0			
Ca	9.02mg/dL	5.60-12.00			
PHOS	> 18.60mg/dL	H 1.21-4.90			

TB, CK, PHOS> detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

283414A8058

RESULTS



ANIMAL NAME: Fo6_eor

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 9

AGE Group: Juvenile

SAMPLE TYPE: Whole Blood

REAGENT BATCH NO.: 9220185

PLATE ID: 006509220185

OPERATOR ID:

LAB.:

TEST TIME: 2023-04-21 10:51

MACHINE ID: 120007423

PRINT TIME: 2023-04-21 10:51

Ver: V1.00.00.87/1.00.01.44


Assay	Result	Ref	Low	Normal	High
APTT	128.6s				
PT	16.2s				
TT	15.1s				
Fib	1.24g/L				

WAT: 2

EMP: 0

CHE: 0

74517F8698



Note: The project curves from top to bottom are: APTT, PT, TT, Fib.

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

10:16 AM

4/21/2023

PATIENT REPORT

Syringe - S 65uL

Sample #

16739

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

11Hr

Blood gas values

pH 7.510 [-]

pCO₂ 25.2 mmHg [-]pO₂ 93.3 mmHg [-]

Oximetry values

ctHb 6.5 g/dL [-]

Hct_C 19.8 % [-]sO₂ 98.2 % [-]FO₂Hb 92.8 % [-]

FCOHb 1.8 % [-]

FHHb 1.7 % [-]

FMetHb 3.7 % [-]

Electrolyte values

cK⁺ 3.4 meq/L [-]cNa⁺ 144 meq/L [-]cCa²⁺ 2.64 meq/L [-]cCl⁻ 105 meq/L [-]

Metabolite values

cGlu 149 mg/dL [-]

cLac 3.4 mmol/L [-]

Calculated values

cHCO₃⁻(P)_C 20.1 mmol/Lp50_θ 22.22 mmHgABE_C -2.6 mmol/L

Notes

c Calculated value(s)

θ Estimated value(s)

Solution pack lot: NL-13




Printed 10:16:39AM 4/21/2023

Sensor cassette run #:

2588-190

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO6_1H	Analysis Date 04/21/2023 10:04:45	Operator JOY

Analyser Alarms		Analysis Alarms		QCi, XB	
WBC	1.4	L	10 ³ /mm ³	Normal range 2.5 13.8	
LYM%	---		%		
MON%	---		%		
GRA%	---		%		
(EOS%)	---		%		
LYM#	---		10 ³ /mm ³		
MON#	---		10 ³ /mm ³		
GRA#	---		10 ³ /mm ³		
EOS#	---		10 ³ /mm ³		
					
				WBC	
RBC	3.31	L	10 ⁶ /mm ³	4.80 7.20	
HGB	8.6	L	g/dl	10.6 16.0	
HCT	20.6	L	%	33.9 50.1	
MCV	62		μm ³	62 79	
MCH	25.9	H	pg	19.0 25.6	
MCHC	41.5	H	g/dl	28.4 35.0	
RDW	---		%		
					
				RBC	
PLT	228		10 ³ /mm ³	0 962	
MPV	---		μm ³		
					
				PLT	

RESULTS

ANIMAL NAME: Fo6_1h

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 14

AGE Group: Juvenile

SAMPLE TYPE: Whole Blood

REAGENT BATCH NO.: 922757

PLATE ID: 01980922757

OPERATOR ID:

LAB.:

TEST TIME: 2023-04-21 11:51

MACHINE ID: 120007423

PRINT TIME: 2023-04-21 11:51

Ver: V1.00.00.87/1.00.01.44



Assay	Result	Ref	Low	Normal	High
ALB	3.7g/dL	H 2.2-3.7			
TP	9.3g/dL	H 5.5-7.2			
GLOB	5.6g/dL	H 1.5-2.8			
A/G	0.66				
TB	> 14.7mg/dL	H 0.3-0.8			
GGT	<2U/L	0-14			
AST	49U/L	0-98			
ALT	70U/L	H 31-53			
ALP	<5U/L	L 70-145			
TBA	<1.00umol/L				
AMY	111U/L	L 200-378			
LPS	45U/L				
LDH	159U/L	H 34-129			
CK	> 4000U/L	H 218-2705			
Crea	1.3mg/dL	0.8-1.8			
UA	<10umol/L	0-130			
BUN	27.70mg/dL	H 10.12-24.17			
BUN/CREA	89.236	21.000-236.000			
GLU	143.91mg/dL	75.14-145.24			
TC	357.67mg/dL	H 34.65-52.75			
TG	<26.10mg/dL	L 26.10-153.12			
tCO2	21.2mmol/L	13.0-22.0			
Ca	11.28mg/dL	5.60-12.00			
PHOS	17.26mg/dL	H 1.21-4.90			

TB, CK > detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

022014A2309

RESULTS



ANIMAL NAME: Fo6_1h

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 15

AGE Group: Juvenile

SAMPLE TYPE: Whole Blood

REAGENT BATCH NO.: 9220185

PLATE ID: 006509220185

OPERATOR ID:

LAB.:

TEST TIME: 2023-04-21 12:02

MACHINE ID: 120007423

PRINT TIME: 2023-04-21 12:02

Ver: V1.00.00.87/1.00.01.44


Assay	Result	Ref	Low	Normal	High
APTT	93.6s				
PT	14.2s				
TT	17.4s				
Fib	1.69g/L				

WAT:0

EMP:0

CHE:0

18107E2956



Note: The project curves from top to bottom are: APTT, PT, TT, Fib.

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

12:17 PM

4/21/2023

PATIENT REPORT

Syringe - S 65uL

Sample #

16743

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

3hr

Blood gas values

pH	7.546		[	-	]
pCO ₂	20.8	mmHg	[	-	]
pO ₂	90.2	mmHg	[	-	]

Oximetry values

cHb	6.0	g/dL	[	-	]
Hct _c	18.5	%			
sO ₂	98.5	%	[	-	]
FO ₂ Hb	91.8	%	[	-	]
FCOHb	1.1	%	[	-	]
FHHb	1.4	%	[	-	]
FMethb	5.7	%	[	-	]

Electrolyte values

cK ⁺	3.2	meq/L	[	-	]
cNa ⁺	142	meq/L	[	-	]
cCa ²⁺	2.63	meq/L	[	-	]
cCl ⁻	108	meq/L	[	-	]

Metabolite values

cGlu	149	mg/dL	[	-	]
cLac	4.1	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	18.0	mmol/L
p50 _e	21.06	mmHg
ABE _c	-4.0	mmol/L

Notes

c Calculated value(s)

e Estimated value(s)

Solution pack lot: NL-13










Printed 12:17:38PM 4/21/2023

Sensor cassette run #:

2588-190

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO6_3H	Analysis Date 04/21/2023 12:00:53	Operator MEB

Analyser Alarms		Analysis Alarms		QCI, XB																																							
<table style="width: 100%;"> <tr> <td style="width: 15%;">WBC</td> <td style="width: 15%;">0.8</td> <td style="width: 15%;">L $10^3/\text{mm}^3$</td> <td style="width: 15%; text-align: center;">2.5 13.8</td> <td style="width: 40%;"></td> </tr> <tr> <td>LYM%</td> <td>---</td> <td>%</td> <td></td> <td rowspan="8" style="text-align: right; vertical-align: middle;"> WBC  </td> </tr> <tr> <td>MON%</td> <td>---</td> <td>%</td> <td></td> </tr> <tr> <td>GRA%</td> <td>---</td> <td>%</td> <td></td> </tr> <tr> <td>(EOS%)</td> <td>---</td> <td>%</td> <td></td> </tr> <tr> <td>LYM#</td> <td>---</td> <td>$10^3/\text{mm}^3$</td> <td></td> </tr> <tr> <td>MON#</td> <td>---</td> <td>$10^3/\text{mm}^3$</td> <td></td> </tr> <tr> <td>GRA#</td> <td>---</td> <td>$10^3/\text{mm}^3$</td> <td></td> </tr> <tr> <td>EOS#</td> <td>---</td> <td>$10^3/\text{mm}^3$</td> <td></td> </tr> </table>						WBC	0.8	L $10^3/\text{mm}^3$	2.5 13.8		LYM%	---	%		WBC 	MON%	---	%		GRA%	---	%		(EOS%)	---	%		LYM#	---	$10^3/\text{mm}^3$		MON#	---	$10^3/\text{mm}^3$		GRA#	---	$10^3/\text{mm}^3$		EOS#	---	$10^3/\text{mm}^3$	
WBC	0.8	L $10^3/\text{mm}^3$	2.5 13.8																																								
LYM%	---	%		WBC 																																							
MON%	---	%																																									
GRA%	---	%																																									
(EOS%)	---	%																																									
LYM#	---	$10^3/\text{mm}^3$																																									
MON#	---	$10^3/\text{mm}^3$																																									
GRA#	---	$10^3/\text{mm}^3$																																									
EOS#	---	$10^3/\text{mm}^3$																																									
<table style="width: 100%;"> <tr> <td style="width: 15%;">RBC</td> <td style="width: 15%;">2.70</td> <td style="width: 15%;">L $10^6/\text{mm}^3$</td> <td style="width: 15%; text-align: center;">4.80 7.20</td> <td style="width: 40%;"></td> </tr> <tr> <td>HGB</td> <td>7.1</td> <td>L g/dl</td> <td style="text-align: center;">10.6 16.0</td> <td rowspan="7" style="text-align: right; vertical-align: middle;"> RBC  </td> </tr> <tr> <td>HCT</td> <td>16.7</td> <td>L %</td> <td style="text-align: center;">33.9 50.1</td> </tr> <tr> <td>MCV</td> <td>62</td> <td>μm^3</td> <td style="text-align: center;">62 79</td> </tr> <tr> <td>MCH</td> <td>26.4</td> <td>H pg</td> <td style="text-align: center;">19.0 25.6</td> </tr> <tr> <td>MCHC</td> <td>42.8</td> <td>H g/dl</td> <td style="text-align: center;">28.4 35.0</td> </tr> <tr> <td>RDW</td> <td>---</td> <td>%</td> <td></td> </tr> </table>						RBC	2.70	L $10^6/\text{mm}^3$	4.80 7.20		HGB	7.1	L g/dl	10.6 16.0	RBC 	HCT	16.7	L %	33.9 50.1	MCV	62	μm^3	62 79	MCH	26.4	H pg	19.0 25.6	MCHC	42.8	H g/dl	28.4 35.0	RDW	---	%									
RBC	2.70	L $10^6/\text{mm}^3$	4.80 7.20																																								
HGB	7.1	L g/dl	10.6 16.0	RBC 																																							
HCT	16.7	L %	33.9 50.1																																								
MCV	62	μm^3	62 79																																								
MCH	26.4	H pg	19.0 25.6																																								
MCHC	42.8	H g/dl	28.4 35.0																																								
RDW	---	%																																									
<table style="width: 100%;"> <tr> <td style="width: 15%;">PLT</td> <td style="width: 15%;">143</td> <td style="width: 15%;">$10^3/\text{mm}^3$</td> <td style="width: 15%; text-align: center;">0 962</td> <td style="width: 40%;"></td> </tr> <tr> <td>MPV</td> <td>---</td> <td>μm^3</td> <td></td> <td style="text-align: right; vertical-align: middle;"> PLT  </td> </tr> </table>						PLT	143	$10^3/\text{mm}^3$	0 962		MPV	---	μm^3		PLT 																												
PLT	143	$10^3/\text{mm}^3$	0 962																																								
MPV	---	μm^3		PLT 																																							

RESULTS

ANIMAL NAME:Fo6_3h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:20

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922757

PLATE ID:01980922757

OPERATOR ID:

LAB.:

TEST TIME:2023-04-21 13:19

MACHINE ID:120007423

PRINT TIME:2023-04-21 13:19

Ver:V1.00.00.87/1.00.01.44



Assay	Result	Ref	Low	Normal	High
ALB	3.3g/dL	2.2-3.7			
TP	8.1g/dL	H 5.5-7.2			
GLOB	4.7g/dL	H 1.5-2.8			
A/G	0.70				
TB	> 14.7mg/dL	H 0.3-0.8			
GGT	<2U/L	0-14			
AST	109U/L	H 0-98			
ALT	63U/L	H 31-53			
ALP	<5U/L	L 70-145			
TBA	<1.00umol/L				
AMY	42U/L	L 200-378			
LPS	20U/L				
LDH	359U/L	H 34-129			
CK	3360U/L	H 218-2705			
Crea	0.9mg/dL	0.8-1.8			
UA	<10umol/L	0-130			
BUN	33.17mg/dL	H 10.12-24.17			
BUN/CREA	143.466	21.000-236.000			
GLU	131.77mg/dL	75.14-145.24			
TC	335.97mg/dL	H 34.65-52.75			
TG	<26.10mg/dL	L 26.10-153.12			
tCO2	19.4mmol/L	13.0-22.0			
Ca	10.85mg/dL	5.60-12.00			
PHOS	12.98mg/dL	H 1.21-4.90			

TB> detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

545114A7586

RESULTS




ANIMAL NAME:Fo6_3h		OWNER NAME:	
Animal:Rabbit		Medical ID:	
SAMPLE ID:21		AGEGroup:Juvenile	
SAMPLE TYPE:Whole Blood		REAGENT BATCH NO.:9220185	
PLATE ID:006509220185		OPERATOR ID:	
LAB.:		TEST TIME:2023-04-21 13:30	
MACHINE ID:120007423		PRINT TIME:2023-04-21 13:30	
Ver:V1.00.00.87/1.00.01.44			

Assay	Result	Ref	Low	Normal	High
APTT	20.6s				
PT	56.8s				
TT	10.8s				
Fib	1.35g/L				

WAT:1	EMP:0	CHE:0
-------	-------	-------

1777J8254



Note: The project curves from top to bottom are:APTT,PT,TT,Fib.

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004

03:11 PM 4/21/2023

PATIENT REPORT

Syringe - S 65uL

Sample #

16745

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified

37.0 °C

6h

Blood gas values

pH 7.513 [-]

pCO₂ 19.7 mmHg [-]

pO₂ 87.2 mmHg [-]

Oximetry values

cHb 5.7 g/dL [-]

Hct_c 17.5 % [-]

sO₂ 98.3 % [-]

FO₂Hb 90.4 % [-]

FCOHb 1.0 % [-]

FHHb 1.6 % [-]

FMetHb 7.0 % [-]

Electrolyte values

cK⁺ 3.9 meq/L [-]

cNa⁺ 141 meq/L [-]

cCa²⁺ 2.59 meq/L [-]

cCl⁻ 107 meq/L [-]

Metabolite values

cGlu 150 mg/dL [-]

cLac 7.2 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 15.8 mmol/L

p50_e 21.51 mmHg

ABE_c -6.6 mmol/L

Notes

c Calculated value(s)

e Estimated value(s)

Solution pack lot: NL-13

Printed 3:11:52PM 4/21/2023

Sensor cassette run #:


2588-190


RESULT


Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		

Sample ID FO6_6H	Analysis Date 04/21/2023 14:56:53	Operator MEB
----------------------------	---	------------------------

Analyser Alarms Analysis Alarms	QCI, XB
---	---------

WBC	2.3	L $10^3/\text{mm}^3$	Normal range 2.5 13.8	
LYM%	---	%		WBC 
MON%	---	%		
GRA%	---	%		
(EOS%)	---	%		
LYM#	---	$10^3/\text{mm}^3$		
MON#	---	$10^3/\text{mm}^3$		
GRA#	---	$10^3/\text{mm}^3$		
EOS#	---	$10^3/\text{mm}^3$		

RBC	2.44	L $10^6/\text{mm}^3$	4.80 7.20	
HGB	6.4	L g/dl	10.6 16.0	RBC 
HCT	14.9	L %	33.9 50.1	
MCV	61	L μm^3	62 79	
MCH	26.3	H pg	19.0 25.6	
MCHC	43.1	H g/dl	28.4 35.0	
RDW	---	%		

PLT	96	L $10^3/\text{mm}^3$	0 962	
MPV	---	μm^3		PLT 

RESULTS



ANIMAL NAME: Fo6_6h

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 25

AGE Group: Juvenile

SAMPLE TYPE: Whole Blood

REAGENT BATCH NO.: 922757

PLATE ID: 01980922757

OPERATOR ID:

LAB.:

TEST TIME: 2023-04-21 16:02

MACHINE ID: 120007423

PRINT TIME: 2023-04-21 16:02

Ver: V1.00.00.87/1.00.01.44

Assay	Result	Ref	Low	Normal	High
ALB	3.0g/dL	2.2–3.7			
TP	7.2g/dL	5.5–7.2			
GLOB	4.2g/dL	H 1.5–2.8			
A/G	0.71				
TB	> 14.7mg/dL	H 0.3–0.8			
GGT	<2U/L	0–14			
AST	227U/L	H 0–98			
ALT	82U/L	H 31–53			
ALP	<5U/L	L 70–145			
TBA	<1.00umol/L				
AMY	<5U/L	L 200–378			
LPS	<7U/L				
LDH	383U/L	H 34–129			
CK	> 4000U/L	H 218–2705			
Crea	<0.1mg/dL	L 0.8–1.8			
UA	<10umol/L	0–130			
BUN	43.42mg/dL	H 10.12–24.17			
BUN/CREA	—	21.000–236.000			
GLU	125.20mg/dL	75.14–145.24			
TC	320.74mg/dL	H 34.65–52.75			
TG	<26.10mg/dL	L 26.10–153.12			
tCO2	18.3mmol/L	13.0–22.0			
Ca	10.27mg/dL	5.60–12.00			
PHOS	11.92mg/dL	H 1.21–4.90			

— means it can't be calculated.

TB, CK > detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

0742514A7375

RESULTS



ANIMAL NAME:Fo6_6h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:26

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9220088

PLATE ID:006509220088

OPERATOR ID:

LAB.:

TEST TIME:2023-04-21 16:22

MACHINE ID:120007423

PRINT TIME:2023-04-21 16:22

Ver:V1.00.00.87/1.00.01.44


Assay	Result	Ref	Low	Normal	High
APTT	135.6s				
PT	21.7s				
TT	51.0s				
Fib	1.32g/L				

WAT:1

EMP:0

CHE:0

7129D8539



Note: The project curves from top to bottom are:APTT,PT,TT,Fib.

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 09:02 AM 4/22/2023
 PATIENT REPORT Syringe - S 65uL Sample # 16747

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

24 H

Blood gas values

pH	7.430		[	-	]
pCO ₂	24.1	mmHg	[	-	]
pO ₂	88.6	mmHg	[	-	]

Oximetry values

cHb	4.9	g/dL	[	-	]
Hct _C	15.1	%			
sO ₂	97.3	%	[	-	]
FO ₂ Hb	88.1	%	[	-	]
FCOHb	1.3	%	[	-	]
FHHb	2.4	%	[	-	]
FMetHb	8.2	%	[	-	]

Electrolyte values

cK ⁺	3.9	meq/L	[	-	]
cNa ⁺	145	meq/L	[	-	]
cCa ²⁺	2.54	meq/L	[	-	]
cCl ⁻	110	meq/L	[	-	]

Metabolite values

cGlu	130	mg/dL	[	-	]
cLac	5.6	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _C	16.0	mmol/L
p50 _θ	23.30	mmHg
ABE _C	-7.8	mmol/L

Notes

c Calculated value(s)
 e Estimated value(s)

Solution pack lot: NL-13 Sensor cassette run #: 2588-190
 Printed 9:02:24AM 4/22/2023

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO6_24	Analysis Date 04/22/2023 09:15:35	Operator JOY

Analyser Alarms			Analysis Alarms		MIC, SCH, QCi, XB	

RESULTS



ANIMAL NAME: Fo6_24

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 1

AGE Group: Juvenile

SAMPLE TYPE: Whole Blood

REAGENT BATCH NO.: 922757

PLATE ID: 01980922757

OPERATOR ID:

LAB.:

TEST TIME: 2023-04-22 10:06

MACHINE ID: 120007423

PRINT TIME: 2023-04-22 10:06

Ver: V1.00.00.87/1.00.01.44

Assay	Result	Ref	Low	Normal	High
ALB	2.8g/dL	2.2-3.7			
TP	6.1g/dL	5.5-7.2			
GLOB	3.4g/dL	H 1.5-2.8			
A/G	0.82				
TB	0.2mg/dL	L 0.3-0.8			
GGT	<2U/L	0-14			
AST	355U/L	H 0-98			
ALT	398U/L	H 31-53			
ALP	<5U/L	L 70-145			
TBA	2.69umol/L				
AMY	60U/L	L 200-378			
LPS	<7U/L				
LDH	1009U/L	H 34-129			
CK	> 4000U/L	H 218-2705			
Crea	0.5mg/dL	L 0.8-1.8			
UA	<10umol/L	0-130			
BUN	60.19mg/dL	H 10.12-24.17			
BUN/CREA	531.514	H 21.000-236.000			
GLU	128.74mg/dL	75.14-145.24			
TC	-mg/dL	34.65-52.75			
TG	581.85mg/dL	H 26.10-153.12			
tCO2	16.9mmol/L	13.0-22.0			
Ca	10.30mg/dL	5.60-12.00			
PHOS	14.33mg/dL	H 1.21-4.90			

-- means it can't be calculated.

CK> detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

2136514A2416

RESULTS

ANIMAL NAME: Fo6_24

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 2

AGE Group: Juvenile

SAMPLE TYPE: Whole Blood

REAGENT BATCH NO.: 9220088

PLATE ID: 006509220088

OPERATOR ID:

LAB.:

TEST TIME: 2023-04-22 10:18

MACHINE ID: 120007423

PRINT TIME: 2023-04-22 10:18

Ver: V1.00.00.87/1.00.01.44




Assay	Result	Ref	Low	Normal	High
APTT	126.6s				
PT	12.4s				
TT	16.6s				
Fib	2.33g/L				

WAT: 2

EMP: 0

CHE: 0

8413F3089



Note: The project curves from top to bottom are: APTT, PT, Fib, TT.

RADIOMETER ABL90 SERIES

ABL90 I393-050R0199N0004 09:19 AM 4/23/2023
PATIENT REPORT Syringe - S 65uL Sample # 16750

Identifications

Patient ID
Patient last name
Patient first name
Sample type Not specified
T 37.0 °C

48H

Blood gas values

pH	7.430		[	-	]
pCO ₂	29.7	mmHg	[	-	]
pO ₂	86.8	mmHg	[	-	]

Oximetry values

cHb	5.2	g/dL	[	-	]
Hct _c	15.8	%			
sO ₂	95.8	%	[	-	]
FO ₂ Hb	88.3	%	[	-	]
FCOHb	1.9	%	[	-	]
FHHb	3.9	%	[	-	]
FMetHb	5.9	%	[	-	]

Electrolyte values

cK ⁺	4.6	meq/L	[		]
cNa ⁺	136	meq/L	[	-	]
cCa ²⁺	2.70	meq/L	[	-	]
cCl ⁻	98	meq/L	[	-	]

Metabolite values

cGlu	271	mg/dL	[	-	]
cLac	1.3	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	19.7	mmol/L			
p50 _c	28.68	mmHg			
ABE _c	-4.3	mmol/L			

Notes


c Calculated value(s)


Solution pack lot: NL-13 Sensor cassette run #:
Printed 9:19:57AM 4/23/2023 2588-190


RESULT

Animal ID AEMFO6	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID 48HRS	Analysis Date 04/23/2023 09:15:37	Operator MEB

Analyser Alarms Analysis Alarms	MIC, SCH, QCI, XB
---	-------------------

WBC	6.8	$10^3/\text{mm}^3$	Normal range 2.5 13.8	
LYM%	---	%		
MON%	---	%		
GRA%	---	%		
(EOS%)	---	%		
LYM#	---	$10^3/\text{mm}^3$		
MON#	---	$10^3/\text{mm}^3$		
GRA#	---	$10^3/\text{mm}^3$		
EOS#	---	$10^3/\text{mm}^3$		
				WBC
				

RBC	2.46	$10^6/\text{mm}^3$	4.80 7.20	
HGB	5.9	g/dl	10.6 16.0	
HCT	14.8	%	33.9 50.1	
MCV	60	μm^3	62 79	
MCH	24.0	pg	19.0 25.6	
MCHC	40.0	g/dl	28.4 35.0	
RDW	---	%		
				RBC
				

PLT	168	$10^3/\text{mm}^3$	0 962	
MPV	---	μm^3		
				PLT
				

RESULTS

ANIMAL NAME:Aemfo6 48hr

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:1

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922757

PLATE ID:01980922757

OPERATOR ID:

LAB.:

TEST TIME:2023-04-23 10:13

MACHINE ID:120007423

PRINT TIME:2023-04-23 10:13

Ver:V1.00.00.87/1.00.01.44



Assay	Result	Ref	Low	Normal	High
ALB	2.5g/dL	2.2-3.7			
TP	5.7g/dL	5.5-7.2			
GLOB	3.1g/dL	H 1.5-2.8			
A/G	0.80				
TB	0.1mg/dL	L 0.3-0.8			
GGT	58U/L	H 0-14			
AST	448U/L	H 0-98			
ALT	490U/L	H 31-53			
ALP	115U/L	70-145			
TBA	16.87umol/L				
AMY	346U/L	200-378			
LPS	30U/L				
LDH	512U/L	H 34-129			
CK	> 4000U/L	H 218-2705			
Crea	0.8mg/dL	L 0.8-1.8			
UA	<10umol/L	0-130			
BUN	98.48mg/dL	H 10.12-24.17			
BUN/CREA	517.908	H 21.000-236.000			
GLU	242.20mg/dL	H 75.14-145.24			
TC	414.03mg/dL	H 34.65-52.75			
TG	> 609.00mg/dL	H 26.10-153.12			
tCO2	15.6mmol/L	13.0-22.0			
Ca	10.14mg/dL	5.60-12.00			
PHOS	13.76mg/dL	H 1.21-4.90			

CK、TG> detection limit. Please dilute sample and re-test

WAT:0

EMP:0

CHE:0

020413J9221

RESULTS



ANIMAL NAME:Aemfo6 48hr

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:2

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9220088

PLATE ID:006509220088

OPERATOR ID:

LAB.:

TEST TIME:2023-04-23 10:25

MACHINE ID:120007423

PRINT TIME:2023-04-23 10:25

Ver:V1.00.00.87/1.00.01.44


Assay	Result	Ref	Low	Normal	High
APTT	141.1s				
PT	7.5s				
TT	20.1s				
Fib	4.34g/L				

WAT:2

EMP:0

CHE:0

88247H9924



Note: The project curves from top to bottom are:PT,Fib,APTT,TT.