

Date	Rabbit ID	BW (Kg)	% BV removal	Group	Tele ID	EM Info/Particle Conc			
9/27/23	AEMFDH1240	1.67	45%	EM	8533	KC230919 0.891kg	0.67ml ket		
	pre-Anesthesia	End of Shock (+ min)	End of Res	1 h post Res	3H post Res	6H post Res	24H post Res	48H post Res	72H post Res
Lac (ABG/VBG)	1.4	8.1	8.2	5.3	8.1	10.3	4.5		
CBC	PLT: 256 RBC: 6.06 Hgb: 13.4 Hct: 40.4	PLT: 136 RBC: 3.38 Hgb: 8.1 Hct: 24	PLT: 504 RBC: 1.97 Hgb: 7.7 Hct: 12.5	PLT: 550 RBC: 2.23 Hgb: 8.1 Hct: 14.4	PLT: 477 RBC: 2.45 Hgb: 8.4 Hct: 15.7	PLT: 316 RBC: 2.24 Hgb: 7.7 Hct: 14.4	PLT: 150 RBC: 2.1 Hgb: 7.3 Hct: 13.3	PLT:	PLT:
HR	288	282	218	219	295	172	287		
MAP (Sys/Dia)	78 97/63	48 61/38	70 56/157	50 63/41	79 100/62	75 92/63	39 58/24		
TEG	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:	CK R: CK K: CK a: CK MA: CKH R: CKF MA:
COAG	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:	APTT: PT: TT: Fib:
CMP	✓	✓	✓	✓	✓	✓	✓		
Troponin Collection				✓		✓			
Time	7:09	9:56am	10:06am	11:06am	1:06pm	4:06pm	10:06am		
Hemorrhage start time: 7:56am									
Always ultracentrifuge blood containing EM to obtain plasma									

20% → 23.35ml
15% → 17.535ml
10% → 11.69ml

52.605ml

KC assays
BL ✓
FOS ✓
FOR ✓
1H ✓
3H ✓
5H ✓
24H ✓

Ket 1:14pm 9/28

RADIOMETER ABL90 SERIES

ABL90 1393-090R0199N0004

PATIENT REPORT

Syringe - S 65uL

06:57 AM

9/27/202

Sample #

19511

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified
37.0 °C

BL

Blood gas values

pH

7.460

pCO₂

36.6

mmHg

pO₂

84.7

mmHg

Oximetry values

? ctHb

12.0

g/dL

? Hct_c

36.9

%

sO₂

95.2

%

FO₂Hb

93.8

%

FCOHb

0.6

%

FHHb

4.7

%

FMetHb

0.9

%

Electrolyte values

cK⁺

4.3

meq/L

cNa⁺

139

meq/L

cCa²⁺

3.43

meq/L

cCl⁻

104

meq/L

Metabolite values

cGlu

137

mg/dL

cLac

1.4

mmol/L

Calculated values

cHCO₃⁻(P)_c

26.0

mmol/L

p50_c

29.74

mmHg

? ABE_c

2.2

mmol/L

Notes

c

ctHb

Calculated value(s)

0211: Quality control error(s) present

Solution pack lot: PD-10

Printed




6:57:20AM

9/27/2023

Sensor cassette run #:
2729-290

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO41_BL	Analysis Date 09/26/2023 10:12:31	Operator MEB

Analyser Alarms			Analysis Alarms		
Normal range					
WBC	3.5	$10^3/\text{mm}^3$	2.5	13.8	WBC 
LYM%	---	%			
MON%	---	%			
GRA%	---	%			
(EOS%)	---	%			
LYM#	---	$10^3/\text{mm}^3$			
MON#	---	$10^3/\text{mm}^3$			
GRA#	---	$10^3/\text{mm}^3$			
EOS#	---	$10^3/\text{mm}^3$			
RBC	6.06	$10^6/\text{mm}^3$	4.80	7.20	RBC 
HGB	13.4	g/dl	10.6	16.0	
HCT	40.4	%	33.9	50.1	
MCV	67	μm^3	62	79	
MCH	22.1	pg	19.0	25.6	
MCHC	33.1	g/dl	28.4	35.0	
RDW	---	%			
PLT	256	$10^3/\text{mm}^3$	0	962	PLT 
MPV	---	μm^3			

RESULTS

ANIMAL NAME:Fo41_bi

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:9

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:9230932

PLATE ID:019809230932

OPERATOR ID:

LAB.:

TEST TIME:2023-09-26 11:58

MACHINE ID:120007423

PRINT TIME:2023-09-26 11:58

Ver:V1.00.01.09/1.00.01.50



Assay	Result	Ref	Low	Normal	High
ALB	3.9g/dL	H 2.2-3.7			
TP	5.0g/dL	L 5.5-7.2			
GLOB	1.1g/dL	L 2.5-4.8			
A/G	3.72				
TB	0.1mg/dL	0.0-0.8			
GGT	6U/L	0-14			
AST	16U/L	0-98			
ALT	19U/L	5-106			
ALP	122U/L	20-145			
TBA	1.39umol/L				
AMY	243U/L	200-378			
LPS	137U/L	H 0-100			
LDH	172U/L	H 34-129			
CK	> 4000U/L	H 138-2705			
Crea	0.7mg/dL	0.7-1.8			
UA	<10.00umol/L	0.00-130.00			
BUN	13.01mg/dL	10.12-28.10			
BUN/CREA	73.272	21.000-236.000			
GLU	198.13mg/dL	H 75.14-171.19			
TC	62.79mg/dL	34.65-94.33			
TG	54.58mg/dL	26.10-153.12			
tCO2	25.9mmol/L	13.0-27.0			
Ca	11.67mg/dL	5.60-13.84			
PHOS	7.56mg/dL	H 1.21-4.90			

CK> detection limit. Please dilute sample and re-test

WAT:0

EMP:0

CHE:0

2836K3887

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 09:20 AM 9/27/2023
 PATIENT REPORT Syringe - S 65uL Sample # 19521

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

FOS

Blood gas values

pH 7.477 [-]

pCO₂ 34.4 mmHg [-]

pO₂ 92.6 mmHg [-]

Oximetry values

? cHb 8.1 g/dL [-]

? Hct_c 24.9 % [-]

sO₂ 97.4 % [-]

FO₂Hb 95.6 % [-]

FCOHb 0.7 % [-]

FHHb 2.6 % [-]

FMetHb 1.1 % [-]

Electrolyte values

cK⁺ 3.3 meq/L [-]

cNa⁺ 140 meq/L [-]

cCa²⁺ 2.91 meq/L [-]

cCl⁻ 97 meq/L [-]

Metabolite values

cGlu 291 mg/dL [-]

cLac 8.1 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 25.4 mmol/L

p50_θ 24.20 mmHg

? ABE_c 1.9 mmol/L

Notes

c Calculated value(s)

θ Estimated value(s)

cHb 0211: Quality control error(s) present

Solution pack lot: PD-10

Printed 9:20:30AM 9/27/2023

Sensor cassette run #:


2729-290

RESULT


Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO41_EOS	Analysis Date 09/27/2023 09:46:36	Operator MEB

Analyser Alarms Analysis Alarms


WBC	4.4	$10^3/\text{mm}^3$	Normal range 2.5 13.8	
LYM%	---	%		
MON%	---	%		
GRA%	---	%		
(EOS%)	---	%		
LYM#	---	$10^3/\text{mm}^3$		
MON#	---	$10^3/\text{mm}^3$		
GRA#	---	$10^3/\text{mm}^3$		
EOS#	---	$10^3/\text{mm}^3$		



RBC	3.68	$\text{L } 10^6/\text{mm}^3$	4.80	7.20
HGB	8.1	L g/dl	10.6	16.0
HCT	24.0	$\text{L } \%$	33.9	50.1
MCV	65	μm^3	62	79
MCH	21.9	pg	19.0	25.6
MCHC	33.5	g/dl	28.4	35.0
RDW	---	%		



PLT	136	$10^3/\text{mm}^3$	0	962
MPV	---	μm^3		





OWNER NAME:

Medical ID:

AGEGroup:Juvenile


REAGENT BATCH NO.:922562

OPERATOR ID:

TEST TIME:2023-09-27 10:34

PRINT TIME:2023-09-27 10:34

Ver.V1.00.01.09/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	2.0g/dL	L 2.2–3.7			
TP	4.0g/dL	L 5.5–7.2			
GLOB	2.0g/dL	L 2.5–4.8			
A/G	1.00				
TB	<0.0mg/dL	0.0–0.8			
GGT	8U/L	0–14			
AST	46U/L	0–98			
ALT	30U/L	5–106			
ALP	62U/L	20–145			
TBA	1.39umol/L				
AMY	238U/L	200–378			
LPS	87U/L	0–100			
LDH	265U/L	H 34–129			
CK	> 4000U/L	H 138–2705			
Crea	0.8mg/dL	0.7–1.8			
UA	<10.00umol/L	0.00–130.00			
BUN	20.00mg/dL	10.12–28.10			
BUN/CREA	95.907	21.000–236.000			
GLU	273.31mg/dL	H 75.14–171.19			
TC	56.12mg/dL	34.65–94.33			
TG	119.05mg/dL	26.10–153.12			
tCO2	20.3mmol/L	13.0–27.0			
Ca	11.06mg/dL	5.60–13.84			
PHOS	7.05mg/dL	H 1.21–4.90			

CK> detection limit. Please dilute sample and re-test

CHE:0

5220G5286

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 09:29 AM 9/27/2023
PATIENT REPORT Syringe - S 65uL Sample # 19522

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified

37.0 °C

FOR

Blood gas values

pH 7.342 [-]

pCO₂ 35.2 mmHg [-]

pO₂ 102 mmHg [-]

Oximetry values

? cHb 5.4 g/dL [-]

? Hct_c 16.6 % [-]

sO₂ 96.3 % [-]

FO₂Hb 91.1 % [-]

FCOHb 1.8 % [-]

FHHb 3.5 % [-]

FMetHb 3.6 % [-]

Electrolyte values

cK⁺ 2.7 meq/L [-]

cNa⁺ 150 meq/L [-]

cCa²⁺ 2.31 meq/L [-]

cCl⁻ 106 meq/L [-]

Metabolite values

cGlu 259 mg/dL [-]

cLac 8.2 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 19.1 mmol/L

p50_c 32.87 mmHg

? ABE_c -6.1 mmol/L

Notes

c Calculated value(s)
ctHb 0211: Quality control error(s) present

Solution pack lot: PD-10 Sensor cassette run #:
Printed 9:29:09AM 9/27/2023 2729-290

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO41_EOR	Analysis Date 09/27/2023 09:50:17	Operator MEB

Analyser Alarms		
Analysis Alarms		MIC, SCH

WBC	2.4	L $10^3/\text{mm}^3$	Normal range 2.5 13.8	
LYM%	---	%		WBC
MON%	---	%		
GRA%	---	%		
(EOS%)	---	%		
LYM#	---	$10^3/\text{mm}^3$		
MON#	---	$10^3/\text{mm}^3$		
GRA#	---	$10^3/\text{mm}^3$		
EOS#	---	$10^3/\text{mm}^3$		

RBC	1.97	L $10^6/\text{mm}^3$	4.80 7.20	
HGB	7.7	L g/dl	10.6 16.0	RBC
HCT	12.5	L %	33.9 50.1	
MCV	64	μm^3	62 79	
MCH	39.0	H pg	19.0 25.6	
MCHC	61.1	H g/dl	28.4 35.0	
RDW	---	%		

PLT	504	L $10^3/\text{mm}^3$	0 962	
MPV	---	μm^3		PLT

RESULTS



ANIMAL NAME:Fo41_eor

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:7

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:922562

PLATE ID:01980922562

OPERATOR ID:

LAB.:

TEST TIME:2023-09-27 10:46

MACHINE ID:120007423

PRINT TIME:2023-09-27 10:46

Ver:V1.00.01.09/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	3.5g/dL	2.2-3.7			
TP	10.9g/dL	H 5.5-7.2			
GLOB	7.4g/dL	H 2.5-4.8			
A/G	0.48				
TB	0.3mg/dL	0.0-0.8			
GGT	<2U/L	0-14			
AST	33U/L	0-98			
ALT	45U/L	5-106			
ALP	<5U/L	L 20-145			
TBA	> 120.00umol/L				
AMY	43U/L	L 200-378			
LPS	49U/L	0-100			
LDH	151U/L	H 34-129			
CK	> 4000U/L	H 138-2705			
Crea	0.6mg/dL	L 0.7-1.8			
UA	<10.00umol/L	0.00-130.00			
BUN	19.52mg/dL	10.12-28.10			
BUN/CREA	134.246	21.000-236.000			
GLU	188.47mg/dL	H 75.14-171.19			
TC	328.03mg/dL	H 34.65-94.33			
TG	<26.10mg/dL	L 26.10-153.12			
tCO2	20.2mmol/L	13.0-27.0			
Ca	9.85mg/dL	5.60-13.84			
PHOS	> 18.60mg/dL	H 1.21-4.90			

TBA, CK, PHOS> detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

4115614A6019

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 10:30 AM 9/27/2023
 PATIENT REPORT Syringe - S 65uL Sample # 19528

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified

37.0 °C

1H

Blood gas values

pH 7.564 [-]

pCO₂ 24.6 mmHg [-]

pO₂ 113 mmHg [-]

Oximetry values

cHb 6.2 g/dL [-]

Hct_c 19.0 %

sO₂ 98.6 % [-]

FO₂Hb 93.2 % [-]

FCOHb 0.8 % [-]

FHHb 1.3 % [-]

FMetHb 4.7 % [-]

Electrolyte values

cK⁺ 3.3 meq/L [-]

cNa⁺ 144 meq/L [-]

cCa²⁺ 2.71 meq/L [-]

cCl⁻ 104 meq/L [-]

Metabolite values

cGlu 161 mg/dL [-]

cLac 5.3 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 22.2 mmol/L

p50_e 21.12 mmHg

ABE_c 0.1 mmol/L

Notes

c Calculated value(s)

e Estimated value(s)

Solution pack lot: PD-10




Printed 10:30:30AM 9/27/2023

Sensor cassette run #:

2729-290

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO41_1H	Analysis Date 09/27/2023 10:58:08	Operator JOY

Analyser Alarms			Analysis Alarms		MIC	
			Normal range			
WBC	1.4	L	10 ³ /mm ³	2.5	13.8	
LYM%	--,--		%			
MON%	--,--		%			
GRA%	--,--		%			
(EOS%)	--,--		%			
LYM#	--,--		10 ³ /mm ³			
MON#	--,--		10 ³ /mm ³			
GRA#	--,--		10 ³ /mm ³			
EOS#	--,--		10 ³ /mm ³			
					WBC	
						
RBC	2.23	L	10 ⁶ /mm ³	4.80	7.20	
HGB	8.1	L	g/dl	10.6	16.0	
HCT	14.4	L	%	33.9	50.1	
MCV	65		μm ³	62	79	
MCH	36.5	H	pg	19.0	25.6	
MCHC	56.4	H	g/dl	28.4	35.0	
RDW	--,--		%			
					RBC	
						
PLT	550		10 ³ /mm ³	0	962	
MPV	--,--		μm ³			
					PLT	
						

RESULTS



ANIMAL NAME: Fo41_1h

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 11

AGE Group: Juvenile

SAMPLE TYPE: Plasma

REAGENT BATCH NO.: 922562

PLATE ID: 01980922562

OPERATOR ID:

LAB.:

TEST TIME: 2023-09-27 11:34

MACHINE ID: 120007423

PRINT TIME: 2023-09-27 11:34

Ver: V1.00.01.09/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	3.3g/dL	2.2-3.7			
TP	11.0g/dL	H 5.5-7.2			
GLOB	7.7g/dL	H 2.5-4.8			
A/G	0.43				
TB	0.9mg/dL	H 0.0-0.8			
GGT	<2U/L	0-14			
AST	20U/L	0-98			
ALT	38U/L	5-106			
ALP	<5U/L	L 20-145			
TBA	> 120.00umol/L				
AMY	<5U/L	L 200-378			
LPS	53U/L	0-100			
LDH	163U/L	H 34-129			
CK	> 4000U/L	H 138-2705			
Crea	0.9mg/dL	0.7-1.8			
UA	<10.00umol/L	0.00-130.00			
BUN	19.47mg/dL	10.12-28.10			
BUN/CREA	84.534	21.000-236.000			
GLU	100.34mg/dL	75.14-171.19			
TC	331.38mg/dL	H 34.65-94.33			
TG	<26.10mg/dL	L 26.10-153.12			
tCO2	25.8mmol/L	13.0-27.0			
Ca	11.79mg/dL	5.60-13.84			
PHOS	15.96mg/dL	H 1.21-4.90			

TBA, CK > detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

135814A8881

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 12:42 PM 9/27/2023
 PATIENT REPORT Syringe - S 65uL Sample # 19543

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

3H

Blood gas values

pH	7.554		[	-	]
pCO ₂	18.0	mmHg	[	-	]
pO ₂	112	mmHg	[	-	]

Oximetry values

ctHb	6.9	g/dL	[	-	]
Hct _C	21.3	%			
sO ₂	98.3	%	[	-	]
FO ₂ Hb	91.0	%	[	-	]
FCOHb	0.6	%	[	-	]
FHHb	1.6	%	[	-	]
FMetHb	6.8	%	[	-	]

Electrolyte values

cK ⁺	3.2	meq/L	[	-	]
cNa ⁺	146	meq/L	[	-	]
cCa ²⁺	2.83	meq/L	[	-	]
cCl ⁻	107	meq/L	[	-	]

Metabolite values

cGlu	170	mg/dL	[	-	]
cLac	8.1	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _C	15.9	mmol/L
p50 _θ	20.69	mmHg
ABE _C	-5.6	mmol/L




Notes

c Calculated value(s)
 θ Estimated value(s)

Solution pack lot: PD-10 Sensor cassette run #: 2729-290
 Printed 12:42:33PM 9/27/2023

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO41_3H	Analysis Date 09/27/2023 13:03:46	Operator JOY

Analyser Alarms			SCH		
Analysis Alarms					
Normal range					
WBC	1.0	L	10 ³ /mm ³	2.5 13.8	
LYM%	--		%		
MON%	--		%		WBC
GRA%	--		%		
(EOS%)	--		%		
LYM#	--		10 ³ /mm ³		
MON#	--		10 ³ /mm ³		
GRA#	--		10 ³ /mm ³		
EOS#	--		10 ³ /mm ³		
					
RBC	2.45	L	10 ⁶ /mm ³	4.80 7.20	RBC
HGB	8.4	L	g/dl	10.6 16.0	
HCT	15.7	L	%	33.9 50.1	
MCV	64		μm ³	62 79	
MCH	34.5	H	pg	19.0 25.6	
MCHC	53.9	H	g/dl	28.4 35.0	
RDW	--		%		
					
PLT	477		10 ³ /mm ³	0 962	PLT
MPV	--		μm ³		
					

RESULTS



ANIMAL NAME: Fo41_3h

OWNER NAME:

Animal: Rabbit

Medical ID:

SAMPLE ID: 14

AGE Group: Juvenile

SAMPLE TYPE: Plasma

REAGENT BATCH NO.: 922562

PLATE ID: 01980922562

OPERATOR ID:

LAB.:

TEST TIME: 2023-09-27 13:52

MACHINE ID: 120007423

PRINT TIME: 2023-09-27 13:52

Ver: V1.00.01.09/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	3.4g/dL	2.2-3.7			
TP	11.8g/dL	H 5.5-7.2			
GLOB	8.4g/dL	H 2.5-4.8			
A/G	0.41				
TB	0.5mg/dL	0.0-0.8			
GGT	<2U/L	0-14			
AST	49U/L	0-98			
ALT	41U/L	5-106			
ALP	<5U/L	L 20-145			
TBA	> 120.00umol/L				
AMY	<5U/L	L 200-378			
LPS	11U/L	0-100			
LDH	308U/L	H 34-129			
CK	> 4000U/L	H 138-2705			
Crea	0.8mg/dL	0.7-1.8			
UA	<10.00umol/L	0.00-130.00			
BUN	25.02mg/dL	10.12-28.10			
BUN/CREA	132.602	21.000-236.000			
GLU	107.44mg/dL	75.14-171.19			
TC	414.63mg/dL	H 34.65-94.33			
TG	<26.10mg/dL	L 26.10-153.12			
tCO2	21.9mmol/L	13.0-27.0			
Ca	12.62mg/dL	5.60-13.84			
PHOS	14.98mg/dL	H 1.21-4.90			

TBA, CK> detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

9205614A7138

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 03:29 PM 9/27/2023
 PATIENT REPORT Syringe - S 65uL Sample # 19561

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

6H

Blood gas values

pH	7.538		[	-	]
pCO ₂	15.8	mmHg	[	-	]
pO ₂	102	mmHg	[	-	]

Oximetry values

cHb	5.9	g/dL	[	-	]
Hct _c	18.1	%			
sO ₂	98.6	%	[	-	]
FO ₂ Hb	88.6	%	[	-	]
FCOHb	0.1	%	[	-	]
FHHb	1.3	%	[	-	]
FMetHb	10.0	%	[	-	]

Electrolyte values

cK ⁺	3.0	meq/L	[	-	]
cNa ⁺	145	meq/L	[	-	]
cCa ²⁺	2.92	meq/L	[	-	]
cCl ⁻	108	meq/L	[	-	]

Metabolite values

cGlu	148	mg/dL	[	-	]
cLac	10.3	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	13.4	mmol/L
p50 _θ	20.47	mmHg
ABE _c	-8.4	mmol/L

Notes

c Calculated value(s)
 e Estimated value(s)

Solution pack lot: PD-10 Sensor cassette run #: 2729-290
 Printed 3:29:40PM 9/27/2023

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 02:35 PM 9/27/2023
 PATIENT REPORT Syringe - S 65uL Sample # 19554

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

Blood gas values

pH	7.552		[	-	]
pCO ₂	14.8	mmHg	[	-	]
pO ₂	111	mmHg	[	-	]

Oximetry values

ctHb	5.9	g/dL	[	-	]
Hct _c	18.1	%			
sO ₂	99.0	%	[	-	]
FO ₂ Hb	89.9	%	[	-	]
FCOHb	0.1	%	[	-	]
FHHb	0.9	%	[	-	]
FMetHb	9.1	%	[	-	]

Electrolyte values

cK ⁺	3.1	meq/L	[	-	]
cNa ⁺	144	meq/L	[	-	]
cCa ²⁺	2.96	meq/L	[	-	]
cCl ⁻	107	meq/L	[	-	]

Metabolite values

cGlu	160	mg/dL	[	-	]
cLac	10.6	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	13.0	mmol/L
p50 _θ	20.25	mmHg
ABE _c	-8.6	mmol/L

Notes

c Calculated value(s)
 θ Estimated value(s)


Solution pack lot: PD-10 Sensor cassette run #:
 Printed 2:35:25PM 9/27/2023 2729-290

RESULT


Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO41_6H	Analysis Date 09/27/2023 15:46:48	Operator JOY

Analyser Alarms Analysis Alarms


WBC	0.7	L	10 ³ /mm ³	Normal range 2.5 13.8
LYM%	---		%	
MON%	---		%	
GRA%	---		%	
(EOS%)	---		%	
LYM#	---		10 ³ /mm ³	
MON#	---		10 ³ /mm ³	
GRA#	---		10 ³ /mm ³	
EOS#	---		10 ³ /mm ³	



RBC	2.24	L	10 ⁶ /mm ³	4.80 7.20
HGB	7.7	L	g/dl	10.6 16.0
HCT	14.4	L	%	33.9 50.1
MCV	64		μm ³	62 79
MCH	34.4	H	pg	19.0 25.6
MCHC	53.7	H	g/dl	28.4 35.0
RDW	---		%	



PLT	316		10 ³ /mm ³	0 962
MPV	---		μm ³	



RESULTS



ANIMAL NAME:Fo41_6h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:17

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:922562

PLATE ID:01980922562

OPERATOR ID:

LAB.:

TEST TIME:2023-09-27 16:27

MACHINE ID:120007423

PRINT TIME:2023-09-27 16:27

Ver:V1.00.01.09/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	3.1g/dL	2.2-3.7			
TP	10.7g/dL	H 5.5-7.2			
GLOB	7.6g/dL	H 2.5-4.8			
A/G	0.41				
TB	0.6mg/dL	0.0-0.8			
GGT	<2U/L	0-14			
AST	121U/L	H 0-98			
ALT	12U/L	5-106			
ALP	<5U/L	L 20-145			
TBA	> 120.00umol/L				
AMY	<5U/L	L 200-378			
LPS	<7U/L	0-100			
LDH	431U/L	H 34-129			
CK	1133U/L	138-2705			
Crea	0.9mg/dL	0.7-1.8			
UA	<10.00umol/L	0.00-130.00			
BUN	28.19mg/dL	H 10.12-28.10			
BUN/CREA	129.196	21.000-236.000			
GLU	75.55mg/dL	75.14-171.19			
TC	390.76mg/dL	H 34.65-94.33			
TG	<26.10mg/dL	L 26.10-153.12			
tCO2	21.2mmol/L	13.0-27.0			
Ca	12.91mg/dL	5.60-13.84			
PHOS	14.25mg/dL	H 1.21-4.90			

TBA> detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

20905614A6447

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 09:38 AM 9/28/2023
 PATIENT REPORT Syringe - S 65uL Sample # 19573

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

29/17

Blood gas values

pH	7.551		[	-	]
pCO ₂	27.1	mmHg	[	-	]
pO ₂	97.8	mmHg	[	-	]

Oximetry values

cHb	5.5	g/dL	[	-	]
Hct _c	16.9	%			
sO ₂	99.1	%	[	-	]
FO ₂ Hb	82.7	%	[	-	]
FCOHb	1.0	%	[	-	]
FHHb	0.8	%	[	-	]
FMetHb	15.5	%	[	-	]

Electrolyte values

cK ⁺	7.5	meq/L	[	-	]
cNa ⁺	141	meq/L	[	-	]
cCa ²⁺	2.23	meq/L	[	-	]
cCl ⁻	96	meq/L	[	-	]

Metabolite values

cGlu	175	mg/dL	[	-	]
cLac	4.5	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	23.7	mmol/L
p50 _e	19.65	mmHg
ABE _c	1.2	mmol/L

Notes

c Calculated value(s)
 e Estimated value(s)

Solution pack lot: PD-10 Sensor cassette run #:
 Printed 9:38:59AM 9/28/2023 2729-290

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 06:36 AM 9/28/2023
PATIENT REPORT Syringe - S 65uL Sample # 19566

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified

37.0 °C

7.159w

Blood gas values

pH 7.552 [-]

pCO₂ 25.1 mmHg [-]

pO₂ 94.4 mmHg [-]

Oximetry values

cHb 5.5 g/dL [-]

Hct_c 16.7 % [-]

sO₂ 98.7 % [-]

FO₂Hb 83.0 % [-]

FCOHb 1.0 % [-]

FHHb 1.1 % [-]

FMetHb 14.9 % [-]

Electrolyte values

cK⁺ 5.4 meq/L [-]

cNa⁺ 145 meq/L [-]

cCa²⁺ 2.32 meq/L [-]

cCl⁻ 102 meq/L [-]

Metabolite values

cGlu 151 mg/dL [-]

cLac 4.1 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 22.0 mmol/L

p50_θ 19.65 mmHg

ABE_c -0.4 mmol/L

Notes

c Calculated value(s)

e Estimated value(s)

Solution pack lot: PD-10

Printed 6:36:24AM 9/28/2023

Sensor cassette run #:

2729-290

RESULT

Animal ID	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID FO41_24H	Analysis Date 09/28/2023 09:57:44	Operator MEB

Analyser Alarms			Analysis Alarms		MIC

RESULTS



ANIMAL NAME:Fo41_24h

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:9

AGEGroup:Juvenile

SAMPLE TYPE:Plasma

REAGENT BATCH NO.:922562

PLATE ID:01980922562

OPERATOR ID:

LAB.:

TEST TIME:2023-09-28 11:01

MACHINE ID:120007423

PRINT TIME:2023-09-28 11:01

Ver:V1.00.01.09/1.00.01.50

Assay	Result	Ref	Low	Normal	High
ALB	3.0g/dL	2.2-3.7			
TP	9.4g/dL	H 5.5-7.2			
GLOB	6.5g/dL	H 2.5-4.8			
A/G	0.46				
TB	<0.0mg/dL	0.0-0.8			
GGT	<2U/L	0-14			
AST	<5U/L	0-98			
ALT	442U/L	H 5-106			
ALP	<5U/L	L 20-145			
TBA	> 120.00umol/L				
AMY	<5U/L	L 200-378			
LPS	<7U/L	0-100			
LDH	516U/L	H 34-129			
CK	2291U/L	138-2705			
Crea	4.8mg/dL	H 0.7-1.8			
UA	<10.00umol/L	0.00-130.00			
BUN	73.84mg/dL	H 10.12-28.10			
BUN/CREA	61.493	21.000-236.000			
GLU	143.03mg/dL	75.14-171.19			
TC	> 462.00mg/dL	H 34.65-94.33			
TG	513.40mg/dL	H 26.10-153.12			
tCO2	24.7mmol/L	13.0-27.0			
Ca	9.41mg/dL	5.60-13.84			
PHOS	18.38mg/dL	H 1.21-4.90			

TBA、TC> detection limit. Please dilute sample and re-test

* Abnormal sample: HEM? ICT? LIP?

WAT:0

EMP:0

CHE:0

640414A3297