

Date	Rabbit ID	BW (kg)	% BV removal	Group:					Tele ID	EM info/Particle Conc		
			40%	10%	7.50%	5%	2.50%					
5-9-23	B _{LR} 17	1.67							8215	N/A		
	pre-Anesthesia	End of Shock (+ min)	End of Res	remove + return in 10min every hour x 4					End of Bleed	24H Post Res	48H Post Res	72H Post Res
Lac (ABG/VBG)	1.2	5.1	8.7	7.0	6.8	3.1	2.7	2.4	3.8			
CBC (RBC/HGB/HCT)	5.40 11.9 35.7	3.41 7.7 22.4	2.87 6.4 18.7					2.9 2.84 6.4 18.5 18.8	2.91 6.4 18.8			
PLT	295	106	159					148	275			
HR	258	178	291	176	210	298	300	169	168			
MAP (Sys/Dia)	76/53	84/56	97/67	101/69	77/53	86/61	71/54	63/38	85/61			
Coag Panel	✓		✓					✓	✓			
CMP	✓		✓					✓	✓			
Troponin Collection	—							—				
Time	0620	0840	0850	0950	1050	1150	1250	1300	0850			
Hemorrhage start time: 0640												
									Weight (kg)			

20% 23.2 ml

10% 11.6 ml

15% 17.4 ml

7.5% 8.7 ml

10%

11.6 ml

5% 5.8 ml

2.5% 2.9 ml

66.8 mg KETAMINE IV

RADIOMETER ABL90 SERIES

ABL90 1393-090R0199N0004

PATIENT REPORT

Syringe - S 65uL

05:45 AM

5/9/2

Sample #

16

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified
37.0 °C

BL

Blood gas values

pH

7.511

pCO₂

35.6

mmHg

pO₂

83.3

mmHg

Oximetry values

ctHb

10.6

g/dL

Hct_c

32.4

%

sO₂

99.7

%

FO₂Hb

98.5

%

FCOHb

2.5

%

FHHb

0.3

%

‡ FMetHb

< 0.0

%

Electrolyte values

cK⁺

4.0

meq/L

cNa⁺

141

meq/L

cCa²⁺

3.26

meq/L

cCl⁻

104

meq/L

Metabolite values

cGlu

142

mg/dL

cLac

1.2

mmol/L

Calculated values

cHCO₃⁻(P)_c

28.5

mmol/L

p50_e

23.04

mmHg

ABE_c

5.3

mmol/L

Notes

- ‡ Value(s) below the reportable range
- c Calculated value(s)
- e Estimated value(s)
- FMetHb 0094: Value below reportable range < 0.0

Solution pack lot: NQ-16

Printed

5:45:50AM

5/9/2023


Sensor cassette run #:
2588-190


RESULT


Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		

Sample ID BASE	Analysis Date 05/08/2023 09:50:11	Operator MEB
--------------------------	---	------------------------

Analyser Alarms QC1, XB		
---	--	--

WBC	4.3	10 ³ /mm ³	Normal range 2.5 13.8	WBC 
LYM%	---	%		
MON%	---	%		
GRA%	---	%		
(EOS%)	---	%		
LYM#	---	10 ³ /mm ³		
MON#	---	10 ³ /mm ³		
GRA#	---	10 ³ /mm ³		
EOS#	---	10 ³ /mm ³		

RBC	5.40	10 ⁶ /mm ³	4.80 7.20	RBC 
HGB	11.9	g/dl	10.6 16.0	
HCT	35.7	%	33.9 50.1	
MCV	66	μm ³	62 79	
MCH	22.0	pg	19.0 25.6	
MCHC	33.3	g/dl	28.4 35.0	
RDW	---	%		

PLT	298	10 ³ /mm ³	0 962	PLT 
MPV	---	μm ³		

RESULTS

UMB

ANIMAL NAME:BLR17 base

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:1

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922655

PLATE ID:01980922655

OPERATOR ID:

LAB.:

TEST TIME:2023-05-08 10:44

MACHINE ID:120007423

PRINT TIME:2023-05-08 10:44

Ver:V1.00.00.87/1.00.01.44



Assay	Result	Ref	Low	Normal	High
ALB	2.6g/dL	2.2-3.7			
TP	4.7g/dL	L 5.5-7.2			
GLOB	2.1g/dL	1.5-2.8			
A/G	1.21				
TB	0.1mg/dL	L 0.3-0.8			
GGT	10U/L	0-14			
AST	19U/L	0-98			
ALT	42U/L	31-53			
ALP	156U/L	H 70-145			
TBA	4.36umol/L				
AMY	202U/L	200-378			
LPS	92U/L				
LDH	129U/L	H 34-129			
CK	> 4000U/L	H 218-2705			
Crea	0.5mg/dL	L 0.8-1.8			
UA	<10umol/L	0-130			
BUN	12.82mg/dL	10.12-24.17			
BUN/CREA	105.988	21.000-236.000			
GLU	170.93mg/dL	H 75.14-145.24			
TC	49.58mg/dL	34.65-52.75			
TG	117.93mg/dL	26.10-153.12			
tCO2	36.4mmol/L	H 13.0-22.0			
Ca	12.79mg/dL	H 5.60-12.00			
PHOS	8.69mg/dL	H 1.21-4.90			

CK> detection limit. Please dilute sample and re-test

WAT:0

EMP:0

CHE:0

2769D7059

RESULTS

ANIMAL NAME:BLR17 base

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:2

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9220185

PLATE ID:006509220185

OPERATOR ID:

LAB.:

TEST TIME:2023 05 08 10:58

MACHINE ID:120007423

PRINT TIME:2023-05-08 10:58

Ver:V1.00.00.87/1.00.01.44




Assay	Result	Ref	Low	Normal	High
APTT	133.6s				
PT	15.5s				
TT	25.8s				
Fib	1.38g/L				

WAT:1

EMP:0

CHE:0

27857G7905



Note: The project curves from top to bottom are:APTT,Fib,PT,TT.

RADIOMETER ABL90 SERIES

ABL90 1393-C90R0199N0004

PATIENT REPORT

Syringe - S 65uL

08:06 AM

Sample #

5/9/2023

16993

Identifications

Patient ID

Patient last name

Patient first name

Sample type

Not specified

T

37.0 °C

605

Blood gas values

pH	7.450		[	-	]
pCO ₂	33.1	mmHg	[	-	]
pO ₂	98.2	mmHg	[	-	]

Oximetry values

ctHb	7.5	g/dL	[	-	]
Hct _c	23.1	%			
‡ sO ₂	> 100.0	%	[	-	]
‡ FO ₂ Hb	> 100.0	%	[	-	]
FCOHb	2.5	%	[	-	]
‡ FHHb	< 0.0	%	[	-	]
‡ FMetHb	< 0.0	%	[	-	]

Electrolyte values

cK ⁺	4.0	meq/L	[	-	]
cNa ⁺	139	meq/L	[	-	]
cCa ²⁺	2.93	meq/L	[	-	]
cCl ⁻	103	meq/L	[	-	]

Metabolite values

cGlu	252	mg/dL	[	-	]
cLac	5.1	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	23.0	mmol/L
p50 _θ	24.40	mmHg
ABE _c	-0.8	mmol/L

Notes

‡	Value(s) above the reportable range
‡	Value(s) below the reportable range
c	Calculated value(s)
θ	Estimated value(s)
FHHb	0094: Value below reportable range < 0.0
FMetHb	0094: Value below reportable range < 0.0
FO ₂ Hb	0093: Value above reportable range > 100.0
sO ₂	0093: Value above reportable range > 100.0

Solution pack lot: NQ-16



Printed 8:06:19AM 5/9/2023

Sensor cassette run #:

2588-190

RESULT

Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID EOS	Analysis Date 05/09/2023 07:51:38	Operator MEB

Analyser Alarms		Analysis Alarms		MIC, SCH, QCI	
				Normal range	
WBC	7.0	10 ³ /mm ³	2.5	13.8	WBC 
LYM%	---	%			
MON%	---	%			
GRA%	---	%			
(EOS%)	---	%			
LYM#	---	10 ³ /mm ³			
MON#	---	10 ³ /mm ³			
GRA#	---	10 ³ /mm ³			
EOS#	---	10 ³ /mm ³			
RBC	3.41	L 10 ⁶ /mm ³	4.80	7.20	RBC 
HGB	7.7	L g/dl	10.6	16.0	
HCT	22.4	L %	33.9	50.1	
MCV	66	μm ³	62	79	
MCH	22.5	pg	19.0	25.6	
MCHC	34.3	g/dl	28.4	35.0	
RDW	---	%			
PLT	106	10 ³ /mm ³	0	962	PLT 
MPV	---	μm ³			

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 08:22 AM 5/9/2023
PATIENT REPORT Syringe - S 65uL Sample # 16994

Identifications

Patient ID
Patient last name
Patient first name
Sample type Not specified
T 37.0 °C

EOR

Blood gas values

pH	7.419		[	-	]
pCO ₂	33.3	mmHg	[	-	]
pO ₂	72.3	mmHg	[	-	]

Oximetry values

cHb	6.2	g/dL	[	-	]
Hct _c	18.9	%			
sO ₂	95.9	%	[	-	]
FO ₂ Hb	94.8	%	[	-	]
FCOHb	2.5	%	[	-	]
FHHb	4.1	%	[	-	]
‡ FMetHb	< 0.0	%	[	-	]

Electrolyte values

cK ⁺	3.6	meq/L	[	-	]
cNa ⁺	139	meq/L	[	-	]
cCa ²⁺	2.82	meq/L	[	-	]
cCl ⁻	102	meq/L	[	-	]

Metabolite values

cGlu	211	mg/dL	[	-	]
cLac	8.7	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	21.6	mmol/L
p50 _e	22.57	mmHg
ABE _c	-2.7	mmol/L

Notes

‡ Value(s) below the reportable range
c Calculated value(s)
e Estimated value(s)
FMetHb 0094: Value below reportable range < 0.0

Solution pack lot: NQ-16 Sensor cassette run #:
Printed 8:22:18AM 5/9/2023 2588-190

RESULT


Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID EOR	Analysis Date 05/09/2023 08:06:58	Operator MEB

Analyser Alarms Analysis Alarms

QCi


WBC	6.6	$10^3/\text{mm}^3$	Normal range 2.5 13.8	
LYM%	--,--	%		
MON%	--,--	%		
GRA%	--,--	%		
(EOS%)	--,--	%		
LYM#	--,--	$10^3/\text{mm}^3$		
MON#	--,--	$10^3/\text{mm}^3$		
GRA#	--,--	$10^3/\text{mm}^3$		
EOS#	--,--	$10^3/\text{mm}^3$		

WBC




RBC	2.87	L $10^6/\text{mm}^3$	4.80 7.20
HGB	6.4	L g/dl	10.6 16.0
HCT	18.7	L %	33.9 50.1
MCV	65	μm^3	62 79
MCH	22.1	pg	19.0 25.6
MCHC	34.0	g/dl	28.4 35.0
RDW	--,--	%	

RBC



PLT	159	$10^3/\text{mm}^3$	0 962
MPV	--,--	μm^3	

PLT



RESULTS

ANIMAL NAME:BLR17 eor

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:1

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922562

PLATE ID:01980922562

OPERATOR ID:

LAB.:

TEST TIME:2023-05-09 09:10

MACHINE ID:120007423

PRINT TIME:2023-05-09 09:10

Ver:V1.00.00.87/1.00.01.44



Assay	Result	Ref	Low	Normal	High
ALB	1.7g/dL	L 2.2-3.7			
TP	3.6g/dL	L 5.5-7.2			
GLOB	1.9g/dL	1.5-2.8			
A/G	0.90				
TB	<0.1mg/dL	L 0.3-0.8			
GGT	5U/L	0-14			
AST	97U/L	0-98			
ALT	61U/L	H 31-53			
ALP	149U/L	H 70-145			
TBA	2.72umol/L				
AMY	208U/L	200-378			
LPS	42U/L				
LDH	264U/L	H 34-129			
CK	3476U/L	H 218-2705			
Crea	0.9mg/dL	0.8-1.8			
UA	<10umol/L	0-130			
BUN	16.46mg/dL	10.12-24.17			
BUN/CREA	77.523	21.000-236.000			
GLU	193.97mg/dL	H 75.14-145.24			
TC	53.01mg/dL	H 34.65-52.75			
TG	217.25mg/dL	H 26.10-153.12			
tCO2	18.3mmol/L	13.0-22.0			
Ca	9.81mg/dL	5.60-12.00			
PHOS	6.53mg/dL	H 1.21-4.90			
WAT:0			EMP:0		CHE:0

5252K7845

RESULTS

ANIMAL NAME:BLR17 eor

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:2

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9220185

PLATE ID:006509220185

OPERATOR ID:

LAB.:

TEST TIME:2023-05-09 09:22

MACHINE ID:120007423

PRINT TIME:2023-05-09 09:22

Ver:V1.00.00.87/1.00.01.44




Assay	Result	Ref	Low	Normal	High
APTT	138.9s				
PT	13.3s				
TT	19.8s				
Fib	1.93g/L				

WAT:2

EMP:0

CHE:0

9640J8527



RADIOMETER ABL90 SERIES

ABL90 1393-090R0199N0004
PATIENT REPORT

Syringe - S 65uL

09:05 AM
Sample #

5/9/2023
17000

Identifications

Patient ID
Patient last name
Patient first name
Sample type
T

Not specified
37.0 °C

10%

Blood gas values

pH	7.446		[	-	]
pCO ₂	33.1	mmHg	[	-	]
pO ₂	80.8	mmHg	[	-	]

Oximetry values

cHb	6.5	g/dL	[	-	]
Hct _c	20.0	%			
sO ₂	99.2	%	[	-	]
FO ₂ Hb	97.5	%	[	-	]
FCOHb	2.6	%	[	-	]
FHHb	0.8	%	[	-	]
‡ FMetHb	< 0.0	%	[	-	]

Electrolyte values

cK ⁺	3.8	meq/L	[	-	]
cNa ⁺	138	meq/L	[	-	]
cCa ²⁺	3.01	meq/L	[	-	]
cCl ⁻	101	meq/L	[	-	]

Metabolite values

cGlu	228	mg/dL	[	-	]
cLac	7.0	mmol/L	[	-	]

Calculated values

cHCO ₃ ⁻ (P) _c	22.8	mmol/L
p50 _e	24.46	mmHg
ABE _c	-1.1	mmol/L

Notes

‡ Value(s) below the reportable range
c Calculated value(s)
e Estimated value(s)
e FMetHb 0094: Value below reportable range < 0.0

Solution pack lot: NQ-16
Printed 9:05:35AM 5/9/2023

Sensor cassette run #:
2588-190

RESULT

Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		

Sample ID 10P	Analysis Date 05/09/2023 08:50:30	Operator MEB
-------------------------	---	------------------------

Analyser Alarms Analysis Alarms	QCi
---	-----

<table> <tr> <td style="width: 15%;">WBC</td> <td style="width: 15%;">5.3</td> <td style="width: 15%;">10³/mm³</td> <td style="width: 15%;">Normal range</td> <td style="width: 15%;">2.5 13.8</td> </tr> <tr> <td>LYM%</td> <td>--.--</td> <td>%</td> <td></td> <td></td> </tr> <tr> <td>MON%</td> <td>--.--</td> <td>%</td> <td></td> <td></td> </tr> <tr> <td>GRA%</td> <td>--.--</td> <td>%</td> <td></td> <td></td> </tr> <tr> <td>(EOS%)</td> <td>--.--</td> <td>%</td> <td></td> <td></td> </tr> <tr> <td>LYM#</td> <td>--.--</td> <td>10³/mm³</td> <td></td> <td></td> </tr> <tr> <td>MON#</td> <td>--.--</td> <td>10³/mm³</td> <td></td> <td></td> </tr> <tr> <td>GRA#</td> <td>--.--</td> <td>10³/mm³</td> <td></td> <td></td> </tr> <tr> <td>EOS#</td> <td>--.--</td> <td>10³/mm³</td> <td></td> <td></td> </tr> </table>	WBC	5.3	10 ³ /mm ³	Normal range	2.5 13.8	LYM%	--.--	%			MON%	--.--	%			GRA%	--.--	%			(EOS%)	--.--	%			LYM#	--.--	10 ³ /mm ³			MON#	--.--	10 ³ /mm ³			GRA#	--.--	10 ³ /mm ³			EOS#	--.--	10 ³ /mm ³			WBC
WBC	5.3	10 ³ /mm ³	Normal range	2.5 13.8																																										
LYM%	--.--	%																																												
MON%	--.--	%																																												
GRA%	--.--	%																																												
(EOS%)	--.--	%																																												
LYM#	--.--	10 ³ /mm ³																																												
MON#	--.--	10 ³ /mm ³																																												
GRA#	--.--	10 ³ /mm ³																																												
EOS#	--.--	10 ³ /mm ³																																												

<table> <tr> <td style="width: 15%;">RBC</td> <td style="width: 15%;">3.11</td> <td style="width: 15%;">L 10⁶/mm³</td> <td style="width: 15%;"></td> <td style="width: 15%;">4.80 7.20</td> </tr> <tr> <td>HGB</td> <td>6.8</td> <td>L g/dl</td> <td></td> <td>10.6 16.0</td> </tr> <tr> <td>HCT</td> <td>20.2</td> <td>L %</td> <td></td> <td>33.9 50.1</td> </tr> <tr> <td>MCV</td> <td>65</td> <td>μm³</td> <td></td> <td>62 79</td> </tr> <tr> <td>MCH</td> <td>21.7</td> <td>pg</td> <td></td> <td>19.0 25.6</td> </tr> <tr> <td>MCHC</td> <td>33.4</td> <td>g/dl</td> <td></td> <td>28.4 35.0</td> </tr> <tr> <td>RDW</td> <td>--.--</td> <td>%</td> <td></td> <td></td> </tr> </table>	RBC	3.11	L 10 ⁶ /mm ³		4.80 7.20	HGB	6.8	L g/dl		10.6 16.0	HCT	20.2	L %		33.9 50.1	MCV	65	μm ³		62 79	MCH	21.7	pg		19.0 25.6	MCHC	33.4	g/dl		28.4 35.0	RDW	--.--	%			RBC
RBC	3.11	L 10 ⁶ /mm ³		4.80 7.20																																
HGB	6.8	L g/dl		10.6 16.0																																
HCT	20.2	L %		33.9 50.1																																
MCV	65	μm ³		62 79																																
MCH	21.7	pg		19.0 25.6																																
MCHC	33.4	g/dl		28.4 35.0																																
RDW	--.--	%																																		

<table> <tr> <td style="width: 15%;">PLT</td> <td style="width: 15%;">160</td> <td style="width: 15%;">10³/mm³</td> <td style="width: 15%;"></td> <td style="width: 15%;">0 962</td> </tr> <tr> <td>MPV</td> <td>--.--</td> <td>μm³</td> <td></td> <td></td> </tr> </table>	PLT	160	10 ³ /mm ³		0 962	MPV	--.--	μm ³			PLT
PLT	160	10 ³ /mm ³		0 962							
MPV	--.--	μm ³									

RADIOMIR ABL9 SE

ABL90 1393-090R0199NOC
PATIENT REPORT

- S 65uL

0.09 AM
Sample #

Identifications

Patient ID
Patient last name
Patient first name
Sample type
T

7.5

No. ed
37.1

Blood gas values

pH

pCO₂

pO₂

Oximetry values

ctHb

Hcl_c

‡ sO₂

FO₂Hb

FCOHb

‡ FHHb

‡ FMetHb

Electrolyte values

cK⁺

cNa⁺

cCa²⁺

cCl⁻

Metabolite values

cGlu

cLac

Calculated values

cHCO₃⁻(P)_c

p50_θ

ABE_c

mmHg

mmHg

g/dL

2%

> 10%

99

2

< 0.1

< 0.1

3.9

138

2.91

103

208

6.8

22.3

23.35

-0.9

Notes

- ‡ Value(s) above the reportable range
- ‡ Value(s) below the reportable range
- c Calculated value(s)
- θ Estimated value(s)
- 0094: Value below reportable range
- 0094: Value below reportable range
- 0093: Value above reportable range
- 0093: Value above reportable range

ution pack lot: NQ-16
10:09:23AM 5/9/2023


Sensette run #: 2588


RESULT


Animal ID BLR107	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		

Sample ID 7	Analysis Date 05/09/2023 09:53:26	Operator MEB
-----------------------	---	------------------------

Analyser Alarms		MIC, QCI
Analysis Alarms		

WBC	5.1	10 ³ /mm ³	Normal range 2.5 13.8	
LYM%	--.--	%		WBC 
MON%	--.--	%		
GRA%	--.--	%		
(EOS%)	--.--	%		
LYM#	--.--	10 ³ /mm ³		
MON#	--.--	10 ³ /mm ³		
GRA#	--.--	10 ³ /mm ³		
EOS#	--.--	10 ³ /mm ³		

RBC	3.13	L 10 ⁶ /mm ³	4.80 7.20	
HGB	6.9	L g/dl	10.6 16.0	RBC 
HCT	20.4	L %	33.9 50.1	
MCV	65	μm ³	62 79	
MCH	21.9	pg	19.0 25.6	
MCHC	33.7	g/dl	28.4 35.0	
RDW	--.--	%		

PLT	156	10 ³ /mm ³	0 962	
MPV	--.--	μm ³		PLT 

RADIOMETER ABL90 SERIES

ABL90 I393-090R0199N0004 11:08 AM 5/9/2023
 PATIENT REPORT Syringe - S 65uL Sample # 17018

Identifications

Patient ID
 Patient last name
 Patient first name
 Sample type Not specified
 T 37.0 °C

5%

Blood gas values

pH 7.507 [-]
 pCO₂ 32.1 mmHg [-]
 pO₂ 71.8 mmHg [-]

Oximetry values

ctHb 6.4 g/dL [-]
 Hct_c 19.6 %
 sO₂ 98.0 % [-]
 FO₂Hb 95.9 % [-]
 FCOHb 2.6 % [-]
 FHHb 2.0 % [-]
 ‡ FMetHb < 0.0 % [-]

Electrolyte values

cK⁺ 3.5 meq/L [-]
 cNa⁺ 138 meq/L [-]
 cCa²⁺ 2.95 meq/L [-]
 cCl⁻ 102 meq/L [-]

Metabolite values

cGlu 175 mg/dL [-]
 cLac 3.1 mmol/L [-]

Calculated values

cHCO₃⁻(P)_c 25.4 mmol/L
 p50_θ 22.99 mmHg
 ABE_c 2.2 mmol/L

Notes




‡ Value(s) below the reportable range
 c Calculated value(s)
 θ Estimated value(s)
 FMetHb 0094: Value below reportable range < 0.0

Solution pack lot: NQ-16
 Printed 11:08:14AM 5/9/2023

Sensor cassette run #
 2588-190

RESULT

Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID 5PER	Analysis Date 05/09/2023 10:52:37	Operator MEB

Analyser Alarms			QCi		WBC 
Analysis Alarms					
WBC	4.1	10 ³ /mm ³	Normal range 2.5 13.8		
LYM%	--.--	%			
MON%	--.--	%			
GRA%	--.--	%			
(EOS%)	--.--	%			
LYM#	--.--	10 ³ /mm ³			
MON#	--.--	10 ³ /mm ³			
GRA#	--.--	10 ³ /mm ³			
EOS#	--.--	10 ³ /mm ³			
					RBC
RBC	2.96	L 10 ⁶ /mm ³	4.80	7.20	
HGB	6.6	L g/dl	10.6	16.0	
HCT	19.3	L %	33.9	50.1	
MCV	65	µm ³	62	79	
MCH	22.3	pg	19.0	25.6	
MCHC	34.1	g/dl	28.4	35.0	
RDW	--.--	%			
					PLT
PLT	155	10 ³ /mm ³	0	962	
MPV	--.--	µm ³			

0 139 3-09CRO199N00 - S 65UL
ENT EPORT
Sample # 12:00 PM 5/9/2023 17025

paid

PH
PCO₂

2 H₂O
2 H₂O

2. FO_2Hb
2. $FCOHb$

2# FMeHb
= electrolyte value

ONa⁺
CO₃²⁻

Metabolite va
6Glu

Calculated χ^2

ABEC

0
3
1

FCOHb
FHb



F01Hb
 F01Hb

105
105

Solution 8

RESULT

Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID 2.5	Analysis Date 05/09/2023 11:45:19	Operator MEB

Analyser Alarms				Analysis Alarms		MIC, SCH, QCI	
				WBC			
WBC	4.3	$10^3/\text{mm}^3$	Normal range				
			2.5	13.8			
LYM%	---	%					
MON%	---	%					
GRA%	---	%					
(EOS%)	---	%					
LYM#	---	$10^3/\text{mm}^3$					
MON#	---	$10^3/\text{mm}^3$					
GRA#	---	$10^3/\text{mm}^3$					
EOS#	---	$10^3/\text{mm}^3$					
							
				RBC			
RBC	2.86	L $10^6/\text{mm}^3$	4.80	7.20			
HGB	6.3	L g/dl	10.6	16.0			
HCT	18.6	L %	33.9	50.1			
MCV	65	μm^3	62	79			
MCH	21.9	pg	19.0	25.6			
MCHC	33.8	g/dl	28.4	35.0			
RDW	---	%					
							
				PLT			
PLT	150	$10^3/\text{mm}^3$	0	962			
MPV	---	μm^3					
							

RADIOMETER ABIES

00 1393-090R0199N0004
IENT REPORT

Syringe - S 65ul

5/9/2023
17027

Identifications

Patient ID
Patient last name
Patient first name
Sample type
T

Not specified
37.0 °C

Blood gas values

pH 7.508
pCO₂ 33.8
pO₂ 70.2

Oximetry values

ctHb 6.0
Hctc 18.4
sO₂ 97.3
FO₂Hb 95.1
FCOHb 2
FHHb 2
FMetHb < 0

Electrolyte values

cK⁺
cNa⁺
cCa²⁺
cCl⁻

Metabolite values

cGlu
cLac

Calculated values

cHCO₃⁻(P)_c nmol/L
p50_e mmHg
ABE_c mmol/L

Notes




Value(s) below
Calculated value
Estimated value
0094: Value
ble range
ble range < 0.0

Sensor cassette run #: 2588-190

Solution pack lot: NQ-16,
Printed 12:09:35PM

RESULT

Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID EOB	Analysis Date 05/09/2023 11:55:09	Operator MEB

Analyser Alarms		QCi	
Analysis Alarms			
WBC	4.4	10 ³ /mm ³	Normal range 2.5 13.8
LYM%	--,--	%	
MON%	--,--	%	
GRA%	--,--	%	
(EOS%)	--,--	%	
LYM#	--,--	10 ³ /mm ³	
MON#	--,--	10 ³ /mm ³	
GRA#	--,--	10 ³ /mm ³	
EOS#	--,--	10 ³ /mm ³	
			
RBC	2.84	L 10 ⁶ /mm ³	4.80 7.20
HGB	6.3	L g/dl	10.6 16.0
HCT	18.5	L %	33.9 50.1
MCV	65	μm ³	62 79
MCH	22.1	pg	19.0 25.6
MCHC	33.9	g/dl	28.4 35.0
RDW	--,--	%	
			
PLT	148	10 ³ /mm ³	0 962
MPV	--,--	μm ³	
			

RESULTS



ANIMAL NAME:Blr17 eob

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:7

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922655

PLATE ID:01980922655

OPERATOR ID:

LAB.:

TEST TIME:2023-05-09 12:59

MACHINE ID:120007423

PRINT TIME:2023-05-09 12:59

Ver:V1.00.00.87/1.00.01.44

Assay	Result	Ref	Low	Normal	High
ALB	2.0g/dL	L 2.2-3.7			
TP	3.9g/dL	L 5.5-7.2			
GLOB	1.9g/dL	1.5-2.8			
A/G	1.03				
TB	0.1mg/dL	L 0.3-0.8			
GGT	7U/L	0-14			
AST	168U/L	H 0-98			
ALT	107U/L	H 31-53			
ALP	161U/L	H 70-145			
TBA	6.62umol/L				
AMY	260U/L	200-378			
LPS	36U/L				
LDH	347U/L	H 34-129			
CK	2480U/L	218-2705			
Crea	0.5mg/dL	L 0.8-1.8			
UA	<10umol/L	0-130			
BUN	16.74mg/dL	10.12-24.17			
BUN/CREA	125.820	21.000-236.000			
GLU	161.13mg/dL	H 75.14-145.24			
TC	81.19mg/dL	H 34.65-52.75			
TG	381.68mg/dL	H 26.10-153.12			
tCO2	22.2mmol/L	H 13.0-22.0			
Ca	10.68mg/dL	5.60-12.00			
PHOS	5.33mg/dL	H 1.21-4.90			

WAT:0

EMP:0

CHE:0

3839J1585

RESULTS



ANIMAL NAME:BLR17 eob

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:8

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9220185

PLATE ID:006509220185

OPERATOR ID:

LAB.:

TEST TIME:2023-05-09 13:11

MACHINE ID:120007423

PRINT TIME:2023-05-09 13:11

Ver:V1.00.00.87/1.00.01.44


Assay	Result	Ref	Low	Normal	High
APTT	135.6s				
PT	13.0s				
TT	26.7s				
Fib	3.71g/L				

WAT:0

EMP:0

CHE:0

3960H2298



Note: The project curves from top to bottom are:Fib,APTT,PT,TT.

RADIOMETER ABL90 SERIES

01393-090R0199N0004
ENT REPORT

Syringe - S 65uL

08:56 AM
Sample #

5/10/2023
17053

Identifications

Patient ID

Patient last name

Patient first name

Sample type

T

Not specified
37.0 °C

24

17

24H

Blood gas values

pH 7.518
pCO₂ 30.5 mmHg
pO₂ 82.6 mmHg

Oximetry values

ctHb 6.3 g/dL
Hct_c 19.2 %
sO₂ 99.3 %
FO₂Hb 97.4 %
FCOHb 2.7 %
FHHb 0.7 %
FMetHb < 0.0 %

Electrolyte values

cK⁺ 6.7 meq/L
cNa⁺ 134 meq/L
cCa²⁺ 3.11 meq/L
cCl⁻ 97 meq/L

Metabolite values

cGlu 190 mg/dL
cLac 3.8 mmol/L

Calculated values

cHCO₃⁻(P)_c 24.8 mmol/L
p50_θ 22.63 mmHg
ABE_c 1.8 mmol/L

Notes

Value(s) below the reportable range

‡ Calculated value(s)

c Estimated value(s)

θ 0094: Value below reportable range < 0.0

FMetHb

Solution pack lot: NQ-16
Printed 8:56:47AM

5/10/2023

Sensor cassette run #:
2612-191

RESULT

Animal ID BLR17	Owner name	Owner first name
Name	Species Rabbit	
Date of birth		
Sample ID 24	Analysis Date 05/10/2023 08:42:04	Operator MEB


Analyser Alarms Analysis Alarms

MIC, SCH, QCI

WBC 1.2 L $10^3/\text{mm}^3$
LYM% --- %
MON% --- %
GRA% --- %
(EOS%) --- %
LYM# --- $10^3/\text{mm}^3$
MON# --- $10^3/\text{mm}^3$
GRA# --- $10^3/\text{mm}^3$
EOS# --- $10^3/\text{mm}^3$


Normal range
2.5 13.8

WBC




RBC 2.91 L $10^6/\text{mm}^3$ 4.80 7.20
HGB 6.4 L g/dl 10.6 16.0
HCT 18.8 L % 33.9 50.1
MCV 64 μm^3 62 79
MCH 22.0 pg 19.0 25.6
MCHC 34.2 g/dl 28.4 35.0
RDW --- %

RBC



PLT 275 $10^3/\text{mm}^3$ 0 962
MPV --- μm^3

PLT



RESULTS



ANIMAL NAME:Blr17 24hrs

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:7

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:9220185

PLATE ID:006509220185

OPERATOR ID:

LAB.:

TEST TIME:2023-05-10 10:42

MACHINE ID:120007423

PRINT TIME:2023-05-10 10:42

Ver:V1.00.00.87/1.00.01.44


Assay	Result	Ref	Low	Normal	High
APTT	121.3s				
PT	8.2s				
TT	18.4s				
Fib	4.64g/L				

WAT:2

EMP:0

CHE:0

29797G9753



Note: The project curves from top to bottom are:Fib,PT,APTT,TT.

RESULTS



ANIMAL NAME:Blr17 24hrs

OWNER NAME:

Animal:Rabbit

Medical ID:

SAMPLE ID:5

AGEGroup:Juvenile

SAMPLE TYPE:Whole Blood

REAGENT BATCH NO.:922562

PLATE ID:01980922562

OPERATOR ID:

LAB.:

TEST TIME:2023-05-10 10:29

MACHINE ID:120007423

PRINT TIME:2023-05-10 10:29

Ver:V1.00.00.87/1.00.01.44

Assay	Result	Ref	Low	Normal	High
ALB	2.1g/dL	L 2.2-3.7			
TP	5.2g/dL	L 5.5-7.2			
GLOB	3.1g/dL	H 1.5-2.8			
A/G	0.67				
TB	<0.1mg/dL	L 0.3-0.8			
GGT	6U/L	0-14			
AST	358U/L	H 0-98			
ALT	309U/L	H 31-53			
ALP	207U/L	H 70-145			
TBA	2.57umol/L				
AMY	211U/L	200-378			
LPS	21U/L				
LDH	950U/L	H 34-129			
CK	> 4000U/L	H 218-2705			
Crea	0.7mg/dL	L 0.8-1.8			
UA	<10umol/L	0-130			
BUN	14.01mg/dL	10.12-24.17			
BUN/CREA	76.774	21.000-236.000			
GLU	150.79mg/dL	H 75.14-145.24			
TC	194.11mg/dL	H 34.65-52.75			
TG	> 609.00mg/dL	H 26.10-153.12			
tCO2	19.6mmol/L	13.0-22.0			
Ca	9.52mg/dL	5.60-12.00			
PHOS	7.75mg/dL	H 1.21-4.90			

CK、TG> detection limit. Please dilute sample and re-test

WAT:0

EMP:0

CHE:0

7019K8950