
Name the Move

100 motion-design moves to name in your next Opus 5.5 prompt



60% of 496 complete prompts behind viral Opus 5.5 videos never name a move.

That leaves the motion up to the model. Name the move, and you tell it exactly what to animate.

703
prompts behind viral Opus 5.5 videos, each one labeled

100
named moves, each with a one-line prompt

12
previews rendered in code, with full prompts

by @nikolayxyz · Oct 2026


HOW TO USE

Name the move. Get the move.

6 in 10 prompts behind viral Opus 5.5 videos never name a move.
That leaves the motion up to the model, as in the real prompt below.
Name the move, and you tell it exactly what to animate.
Here are 100 of them, each with a one-line prompt.

297 name no move

199 name at least one



496 complete prompts behind viral Opus 5.5 videos, one square each. The other 207 of 703 are fragments and not counted.

THE FORMULA

01 **Name the move**
Text Rise, Match Cut, Dolly Zoom: the names in this guide

\+

02 **What moves**
the headline's letters, a digit strip, the camera, 8,000 particles

\+

03 **Timing & easing**
60 ms apart, expo-out; a spring that passes the target by 8%

\+

04 **Where it settles**
sharp on the baseline; a damped jiggle to rest; one beat of hold

BEFORE · A REAL PROMPT, SAME OPENING LINE FROM 7 CREATORS — NO MOVE NAMED

`make a dynamic 15-second motion graphics video that shows what an incredible motion designer you are, like it's your showreel… go all out.`

AFTER · ONE MOVE, NAMED — NAMES THE MOVE

`Text Rise[01]: split the headline into lines and letters[02]; each line sits in its own mask and the letters rise from below it 60 ms apart, expo-out[03], settling sharp and straight[04].`


WORKS IN Claude Code with **Remotion**, **HyperFrames** or plain **HTML + GSAP**.

PAGES 3-8
The 12 from the video
a preview and a full prompt each

PAGES 9-19
The map
100 moves in 10 groups

PAGE 20
Notes
method, sources, credits

@nikolayxyz



#12 · TYPE & TEXT

Text Rise

Lines rise from a mask,
60 ms stagger, expo-out.

NAMED IN

5 of 703

viral Opus 5.5 prompts

see it move →
previews/text-rise.gif

FULL PROMPT COPY-PASTE

Text Rise: split the headline into lines and letters. Each line sits inside its own mask. Letters rise from below the mask's bottom edge, 60 ms apart, expo-out (cubic-bezier(0.16, 1, 0.3, 1)), starting blurred and tilted 7° and settling sharp and straight. Under each white letter an accent-colored copy rises 3 frames earlier, so a colored edge flashes on the way up. Exit the same way, upward, out through the top of the mask.



#11 · TYPE & TEXT

Weight Wave

A weight wave rolls through
the word, 100 → 900.

NAMED IN

0 of 703

viral Opus 5.5 prompts

see it move →
previews/weight-wave.gif

FULL PROMPT COPY-PASTE

Weight Wave: set one word in a variable font and animate the wght axis letter by letter with a traveling wave (100 → 900 → 100) that sweeps left to right one and a half times in 2 seconds. Letters at the crest turn the accent color, get a soft glow and scale to 1.06. Put every letter in a fixed-width cell so the word never changes width.



#10 · DATA & NUMBERS

Odometer Roll

Digits roll like an odometer, blur on the spin.

NAMED IN

2 of 703

viral Opus 5.5 prompts

see it move →
previews/odometer.gif

FULL PROMPT COPY-PASTE

Odometer Roll: each digit is a vertical strip of 0–9 seen through a one-digit window. Spin the strips 2–4 full turns and land on the target number, digits landing left to right 7 frames apart, expo-out, with a 0.2-digit overshoot that settles. Blur each strip vertically in proportion to its speed. Flash a short accent bar under each digit as it lands.



#9 · TIMING & PHYSICS

Jelly Spring

It lands with squash and stretch, then settles.

NAMED IN


4 of 703

viral Opus 5.5 prompts

see it move →
previews/jelly.gif

FULL PROMPT COPY-PASTE

Jelly Spring: drop a rounded square onto a floor line under gravity. On impact squash it to 1.35 × 0.68 from the bottom edge (keep the area constant), stretch to 0.86 × 1.2 on the rebound, one smaller bounce, then a damped jiggle to rest. The label on it follows 2–3 frames behind (follow-through). Exit with an anticipation squash and a launch.



#8 · UI & PRODUCT

Screen Zoom

Camera follows the cursor, eases in on the click.

NAMED IN

10 of 703

viral Opus 5.5 prompts

see it move →
previews/screen-zoom.gif

FULL PROMPT COPY-PASTE

Screen Zoom: a UI window and a cursor moving on a curved path to the main button. The camera follows the cursor and eases in to 1.9× (ease-in-out), with a 2-frame lag. On click: the cursor dips to 0.9, the button presses to 0.96 and springs back, a ring ripples out, results stagger in from the button, and the camera eases back out to show it all.



#7 · TRANSITIONS & CUTS

Match Cut

Cut on the circle: it becomes the next shot's sun.

NAMED IN

2 of 703

viral Opus 5.5 prompts

see it move →
previews/match-cut.gif

FULL PROMPT COPY-PASTE

Match Cut: shot A ends with a white ball resting at the center of the frame. Hard cut to shot B, where a circle of exactly the same size and position is the sun setting over layered mountains. Keep the shape and position identical across the cut and change everything else. Keep one slow camera push running through the cut.



#6 · TRANSITIONS & CUTS

Zoom-Through

Dive through the O into the next scene.

NAMED IN


3 of 703

viral Opus 5.5 prompts

see it move →
previews/zoom-through.gif

FULL PROMPT COPY-PASTE

Zoom-Through: put the next scene inside the counter of the letter O, then dive the camera into it. Scale in log space from 1× to 60× so the speed feels constant, keep the counter's center gliding to the frame center, add radial zoom blur at peak speed, and let the inner scene grow slower than the letter so you fly into it.



#5 · PARTICLES, FLUIDS & SHADERS

Dither Dissolve

Dissolve to the next scene with an ordered dither.

NAMED IN

3 of 703

viral Opus 5.5 prompts

see it move →
previews/dither.gif

FULL PROMPT COPY-PASTE

Dither Dissolve: render a glossy orb, then convert it to a two-tone ordered Bayer 8×8 dither with big 8 px cells, sweeping a diagonal front across it. Sweep the dither threshold out from the center to dissolve the orb into the next shape, a dithered ring. Write it as a fragment shader driven only by the frame number.



#4 · LIGHT, GLASS & MATERIALS

Liquid Glass

A glass lens refracts the type, chromatic edges.

NAMED IN


4 of 703

viral Opus 5.5 prompts

see it move →
previews/liquid-glass.gif

FULL PROMPT COPY-PASTE

Liquid Glass: a pill-shaped glass lens (430 × 260, fully rounded) slides across bold type on a slowly drifting mesh gradient. Inside the lens, magnify the background 1.15× and bend it toward the rim using the rounded-rect SDF, sample R, G and B at slightly different offsets at the edge, and add a top-left specular rim, an inner shadow and light frost.



#3 · CAMERA

Dolly Zoom

Dolly out, zoom in: subject holds, world stretches.

NAMED IN


0 of 703

viral Opus 5.5 prompts

see it move →
previews/dolly-zoom.gif

FULL PROMPT COPY-PASTE

Dolly Zoom: a glossy sphere on a pedestal in a long corridor of white gates fading into fog. Pull the camera back while narrowing the field of view from 96° to 24°, so the sphere keeps exactly the same size on screen (distance × tan(fov / 2) stays constant). The corridor stretches behind it; the subject holds. End with a fast push in.



#2 · 3D & SPACE

Exploded View

Split the phone into
layers along Z, label each.

NAMED IN


8 of 703

viral Opus 5.5 prompts

see it move →
previews/exploded-view.gif

FULL PROMPT COPY-PASTE

Exploded View: build a phone from six layers (glass, OLED, frame, battery, board, back). At a 3/4 angle, separate the layers along their normal with a 1.6-frame stagger, expo-out and a slight fan rotation, then hold with thin leader lines and a numbered label on each layer. Snap them back together with ease-in-out and flip the phone to its back.



#1 · PARTICLES, FLUIDS & SHADERS

Particle Morph

8,000 particles swarm
off the word into a grid.

NAMED IN

0 of 703

viral Opus 5.5 prompts

see it move →
previews/particle-morph.gif

FULL PROMPT COPY-PASTE

Particle Morph: sample 8,000 points from a word drawn into an offscreen canvas. Tear the word apart with a shockwave from the center, wind the particles into a two-armed spiral with curl noise while their color shifts from white to the accent, then land them tile by tile into the target layout (a 4 × 3 grid) and fuse each tile solid. Draw each particle as a streak along its speed; every position is a pure function of the frame.

100 moves in 10 groups

Each one comes with a one-line starter prompt on its group's page.

● in the video, with a preview and a full prompt on pages 3–8

01 Type & text — p. 10

001 **Text Rise** ●
002 **Weight Wave** ●
003 Typewriter
004 Scramble Decode
005 Kinetic Punch
006 Split-Flap
007 Tracking Expand
008 Word Stack
009 Text on Path
010 Blur Focus Type

02 Reveals & masks — p. 11

011 Mask Wipe
012 Iris Open
013 Shape Reveal
014 Line Draw
015 Split Reveal
016 Spotlight Reveal
017 Venetian Blinds
018 Ink Bleed Reveal
019 Counter-Scale Reveal
020 Gradient Wipe

03 Transitions & cuts — p. 12

021 **Match Cut** ●
022 **Zoom-Through** ●
023 Whip Pan
024 Layered Wipe
025 Shape Morph
026 Push Transition
027 Glitch Cut
028 Light Leak Cut
029 Cut on the Beat
030 Page Curl

04 Camera — p. 13

031 **Dolly Zoom** ●
032 Slow Push-In
033 Pull-Back Reveal
034 Orbit
035 Parallax Layers
036 Crane Up
037 Tracking Shot
038 Camera Shake
039 Rack Focus
040 Handheld Drift

05 Timing & physics — p. 14

041 **Jelly Spring** ●
042 Spring Overshoot
043 Stagger Cascade
044 Anticipation
045 Follow-Through
046 Expo Ease-Out
047 Arc Motion
048 Speed Ramp
049 Bounce Settle
050 Hold on the Beat

06 Data & numbers — p. 15

051 **Odometer Roll** ●
052 Count-Up
053 Bar Race
054 Line Chart Draw
055 Donut Fill
056 Chart Morph
057 Tick Burst
058 Data Points Pop
059 Heatmap Wave
060 Number Underline

07 UI & product — p. 16

061 **Screen Zoom** ●
062 Cursor Click
063 Bento Assemble
064 Card Flip
065 Shared-Element Expand
066 Device Slide-In
067 Notification Drop
068 Typing in UI
069 Hover Lift
070 Skeleton to Content

08 Light, glass & materials — p. 17

071 **Liquid Glass** ●
072 Light Sweep
073 Glow Pulse
074 Lens Flare Pass
075 God Rays
076 Frosted Panel
077 Mesh Gradient Flow
078 Chrome Reflection
079 Neon Flicker
080 Grain & Vignette

09 Particles, fluids & shaders — p. 18

081 **Particle Morph** ●
082 **Dither Dissolve** ●
083 Confetti Burst
084 Spark Trail
085 Metaball Goo
086 Ink in Water
087 Halftone Pass
088 Noise Displacement
089 Pixel Sort
090 Chromatic Hit

10 3D & space — p. 19

091 **Exploded View** ●
092 Turntable
093 Isometric Stack
094 Assemble from Parts
095 Logo Extrude
096 Wireframe to Render
097 Fly-Through
098 Floating Objects
099 Shadow Sweep
100 Portal Reveal

@nikolayxyz

Type & text

10 moves · 2 in the video, full prompts on p. 3

001 **Text Rise**
#12 IN THE VIDEO · P. 3
Split the headline into lines and letters; each line sits in its own mask and the letters rise from below it 60 ms apart, expo-out.

002 **Weight Wave**
#11 IN THE VIDEO · P. 3
Animate a variable font's weight axis letter by letter as a wave, 100 → 900 → 100, sweeping left to right; crest letters take the accent color.

003 **Typewriter**
Type the line character by character, about 30 ms per character, with a blinking block cursor that keeps blinking two beats after the last letter.

004 **Scramble Decode**
Each character cycles through random glyphs for 8–12 frames, then locks into the real letter, left to right.

005 **Kinetic Punch**
Hit one keyword per beat: scale it from 1.4 to 1 with a hard ease-out while the rest of the line holds still.

006 **Split-Flap**
Flip every letter like an airport board: the top half folds down over 4 frames, cycling 3–5 characters before landing on the target.

007 **Tracking Expand**
Start the word with tight letter-spacing (–0.1em) and ease it open to +0.02em over one second while it fades in.

008 **Word Stack**
Drop the words one by one into a tight left-aligned stack, 120 ms apart, each landing with a 6 px overshoot.

009 **Text on Path**
Run the caption along a curved SVG path and animate its start offset so the text slides along the curve and stops at the end.

010 **Blur Focus Type**
Letters start at 20 px blur and 120% scale, then sharpen to zero blur and 100% with a staggered ease-out.

Reveals & masks

10 moves · starter prompts

011	**Mask Wipe**	Reveal the image with a straight clip-path wipe at 15°, 0.6 s, ease-in-out, with a thin accent line riding the leading edge.
012	**Iris Open**	Open the scene from a circle that grows from the subject's center to the full frame, expo-out.
013	**Shape Reveal**	Reveal the next shot through a rounded-rect or logo-shaped mask that scales up past the frame edges.
014	**Line Draw**	Draw the outline with stroke-dashoffset from 0 to 100% in 0.8 s, then fade the fill in underneath.
015	**Split Reveal**	Slice the frame into six horizontal bands that slide apart in alternating directions to reveal what is behind.
016	**Spotlight Reveal**	Move a soft circular light across a dark frame so content appears only where it passes, then open it to full.
017	**Venetian Blinds**	Reveal through ten vertical slats that rotate open in a left-to-right stagger.
018	**Ink Bleed Reveal**	Reveal the image through an ink-blot mask that spreads from one point, with a noise-distorted organic edge.
019	**Counter-Scale Reveal**	Grow a small frame to full size while the photo inside eases from 130% down to 100%, so they move against each other.
020	**Gradient Wipe**	Dissolve to the next scene through a soft-edged wipe driven by a luminance map, darkest areas first.

Transitions & cuts

10 moves · 2 in the video, full prompts on p. 5, 6

021 **Match Cut**
#7 IN THE VIDEO · P. 5
End shot A on a shape centered in frame; hard cut to shot B where a different object of exactly the same shape, size and position takes over.

022 **Zoom-Through**
#6 IN THE VIDEO · P. 6
Put the next scene inside the counter of a letter and dive the camera into it, scaling in log space from 1× to 60×.

023 **Whip Pan**
Swing the frame sideways with strong horizontal motion blur over 6 frames and land in the next scene moving the same way.

024 **Layered Wipe**
Sweep three color panels across the frame 3 frames apart; the last panel uncovers the next scene.

025 **Shape Morph**
Morph the main shape of scene A, a circle, into the main shape of scene B, a card, while everything else crossfades.

026 **Push Transition**
Let the new scene push the old one out of frame horizontally, both moving together on one ease-in-out with no gap.

027 **Glitch Cut**
Cut through 3–4 frames of RGB split, horizontal slice offsets and a brief flash, then snap to the clean shot.

028 **Light Leak Cut**
Hide the edit under an 8-frame warm light leak that washes across the frame.

029 **Cut on the Beat**
Place every cut exactly on a kick drum hit and hold each shot for a whole number of beats.

030 **Page Curl**
Turn the scene like a page, curling from the bottom-right corner with a soft shadow under the fold.

Camera

10 moves · 1 in the video, full prompt on p. 7

031	**Dolly Zoom** #3 IN THE VIDEO · P. 7	Pull the camera back while narrowing the field of view from 96° to 24°, so the subject holds its size and the background stretches.
032	**Slow Push-In**	Push in from 1.00 to 1.06 over the whole shot with a slight ease-in to build tension.
033	**Pull-Back Reveal**	Start on a detail that fills the frame and pull back to reveal it belongs to a much larger scene.
034	**Orbit**	Circle the camera 40° around the subject at a constant distance, ease-in-out, keeping it centered.
035	**Parallax Layers**	Split the scene into three depth layers and move them at 1×, 0.6× and 0.3× during a sideways camera slide.
036	**Crane Up**	Raise the camera from table height to top-down while tilting to keep the subject framed.
037	**Tracking Shot**	Follow the moving subject at a fixed offset while the background slides past with motion blur.
038	**Camera Shake**	On impact, shake the frame 8–12 px with decaying amplitude over 10 frames, plus 2 frames of blur.
039	**Rack Focus**	Shift focus from the foreground object to the background over half a second; the front blurs as the back sharpens.
040	**Handheld Drift**	Add slow noise of 2–3 px at about 0.3 Hz to camera position and rotation so it feels filmed.

Timing & physics

10 moves · 1 in the video, full prompt on p. 4

041	**Jelly Spring** #9 IN THE VIDEO · P. 4	Drop it onto the floor: squash to 1.35 × 0.68 on impact, keeping the area, stretch on the rebound, then a damped jiggle to rest.
042	**Spring Overshoot**	Move elements on a spring (stiffness about 170, damping about 12) so they pass their target by roughly 8% and settle.
043	**Stagger Cascade**	Start the items 40 ms apart in reading order on the same ease-out, so the group arrives as a wave.
044	**Anticipation**	Before the main move, pull back 10% in the opposite direction for 4 frames, then launch.
045	**Follow-Through**	Let secondary parts such as a label, tail or shadow stop 2–4 frames after the main body and settle with a small wobble.
046	**Expo Ease-Out**	Use cubic-bezier(0.16, 1, 0.3, 1) for every entrance: fast start, long soft landing.
047	**Arc Motion**	Move objects along curved arcs instead of straight lines, peaking about 20% above the straight path.
048	**Speed Ramp**	Play the move at 2×, drop to 0.25× for the key moment, then ramp back up to 2×.
049	**Bounce Settle**	Drop it under gravity and let it bounce three times, each bounce 40% of the previous height.
050	**Hold on the Beat**	Freeze the composition for one beat after each big move so the eye can catch up.

Data & numbers

10 moves · 1 in the video, full prompt on p. 4

051	**Odometer Roll** #10 IN THE VIDEO · P. 4	Make each digit a 0–9 strip in a one-digit window; spin 2–4 turns and land left to right with a small overshoot and vertical motion blur.
052	**Count-Up**	Count from 0 to the target on an ease-out so it slows into the final value, using tabular figures.
053	**Bar Race**	Grow the bars and re-sort them by value at every step, sliding each to its new rank over 0.4 s.
054	**Line Chart Draw**	Draw the line left to right with a glowing dot at its head, then fill the area under it at 20% opacity.
055	**Donut Fill**	Sweep the arc clockwise from 0 to the value, expo-out, while the percentage counts up in the center.
056	**Chart Morph**	Morph the bar chart into a line chart through shared data points.
057	**Tick Burst**	When the number lands, burst eight short lines outward from it and fade them within 10 frames.
058	**Data Points Pop**	Pop the scatter points in from zero scale on a spring, staggered by their x value.
059	**Heatmap Wave**	Light up the grid cells in a diagonal wave, each easing from transparent to its value color.
060	**Number Underline**	After the key figure lands, draw an accent underline under it left to right in 0.3 s.

UI & product

10 moves · 1 in the video, full prompt on p. 5

061	**Screen Zoom** #8 IN THE VIDEO · P. 5	Let the camera follow the cursor and ease in to about 1.9× on the click, then ease back out when the result appears.
062	**Cursor Click**	Move a cursor on a curved path to the button; on click it dips to 0.9, the button presses to 0.96 and a ripple ring expands.
063	**Bento Assemble**	Fly the cards into a bento grid from scattered offsets with a stagger, then expand one card to full screen.
064	**Card Flip**	Flip the card 180° on the Y axis with perspective to show its back, with a shadow that shrinks mid-flip.
065	**Shared-Element Expand**	Grow the tapped thumbnail seamlessly into the full detail view, keeping its corners and image continuous.
066	**Device Slide-In**	Slide the phone mockup in from below with a 5° tilt that straightens as it lands.
067	**Notification Drop**	Drop a toast from the top with spring overshoot, hold it 1.5 s, then slide it back up.
068	**Typing in UI**	Type the prompt into the input field with a moving caret, then light up the send button.
069	**Hover Lift**	On hover, lift the card 8 px, grow its shadow and tilt it 3° toward the cursor.
070	**Skeleton to Content**	Show shimmering grey skeleton blocks, then crossfade each into its real content from top to bottom.

Light, glass & materials

10 moves · 1 in the video, full prompt on p. 7

071	**Liquid Glass** #4 IN THE VIDEO · P. 7	Slide a glass pill over the type: magnify 1.15× inside, bend toward the rim, split RGB at the edge and add a top-left specular highlight.
072	**Light Sweep**	Pass a soft diagonal highlight across the logo or chrome type, left to right in 0.6 s.
073	**Glow Pulse**	Pulse the accent glow from 0 to 60% opacity and back on every beat.
074	**Lens Flare Pass**	Streak a lens flare across the frame as the light source crosses the center.
075	**God Rays**	Cast volumetric light rays from behind the subject and let them rotate slowly.
076	**Frosted Panel**	Slide a frosted-glass panel (20 px backdrop blur, white 10% fill, 1 px light border) over a moving gradient.
077	**Mesh Gradient Flow**	Drift four soft color blobs slowly behind the content to make a living mesh gradient.
078	**Chrome Reflection**	Map a moving environment reflection onto the type so it reads as polished metal.
079	**Neon Flicker**	Switch the neon on with three quick flickers before it holds steady, with a soft bloom.
080	**Grain & Vignette**	Add fine moving film grain at about 5% and a soft vignette to pull the frame together.

Particles, fluids & shaders

10 moves · 2 in the video, full prompts on p. 6, 8

081	**Particle Morph** #1 IN THE VIDEO · P. 8	Sample 8,000 points from the word, burst them into a curl-noise swirl, then land them in the next shape.
082	**Dither Dissolve** #5 IN THE VIDEO · P. 6	Render the scene through an ordered Bayer 8×8 dither with big cells, then sweep the threshold to dissolve into the next scene.
083	**Confetti Burst**	On success, burst 120 confetti pieces from the button with gravity, spin and air drag.
084	**Spark Trail**	Leave short-lived sparks behind the moving object that fade out over 12 frames.
085	**Metaball Goo**	Merge circles into blobby goo with a blur-plus-contrast filter so they pull apart like liquid.
086	**Ink in Water**	Spread colored ink from one point with fluid, curling edges, then let it settle.
087	**Halftone Pass**	Turn the image into a halftone dot pattern whose dot size follows brightness, then sweep back to the photo.
088	**Noise Displacement**	Warp the image with animated noise displacement that fades from strong to zero as it settles.
089	**Pixel Sort**	Smear the bright pixels downward in streaks for a melting, glitchy transition.
090	**Chromatic Hit**	On the beat, split the red and blue channels 6 px apart and snap them back over 4 frames.

3D & space

10 moves · 1 in the video, full prompt on p. 8

091	**Exploded View** #2 IN THE VIDEO · P. 8	Split the product into its layers along Z with a stagger, label each layer with a leader line, then snap it back together.
092	**Turntable**	Rotate the product 360° on a slow ease-in-out under soft studio light with a contact shadow.
093	**Isometric Stack**	Tilt the UI screens into an isometric stack and fan them apart in depth.
094	**Assemble from Parts**	Fly the parts in from outside the frame and click them into place one by one with tiny impacts.
095	**Logo Extrude**	Extrude the flat logo into 3D depth while the camera swings 30° to show its side.
096	**Wireframe to Render**	Start the object as a wireframe, then wipe across it to the fully shaded render.
097	**Fly-Through**	Move the camera through a tunnel of objects at a constant speed with motion blur at the edges.
098	**Floating Objects**	Let the 3D objects bob slowly, ±4 px over a 3 s period, with tiny rotations so the scene feels alive.
099	**Shadow Sweep**	Move the light so the object's long shadow sweeps across the floor and reveals the text under it.
100	**Portal Reveal**	Open a circular portal in the scene and push the camera through it into the next world.

Notes & credits

PREVIEWS	12 previews rendered in code by @nikolayxyz; the other 88 prompts are starters, not render-tested. Moving previews: github.com/NikolayBohdanov/name-the-move.
BUILT WITH	Remotion, three.js and GLSL shaders. No stock footage and no frames from other people's videos.
THE 12	Picked by hand for what polished motion work leans on, not by how often prompts ask for them.
METHOD	703 prompts from github.com/yihui-dev/awesome-opus5-5-videos, snapshot 13 Oct 2026; 297 of 496 complete prompts name no move; labels by Claude Haiku, spot-checked.
NAMED IN N OF 703	How many of the 703 prompts ask for the move by name: regex candidates, each one read by hand.
CREDITS	Inspired by @beamnxw's "600 motion design ideas".
LICENSE	Free to use. Credit @nikolayxyz.

Name the move.
Get the move.

Name the Move · v1, October 2026