1. Starting already initiated by me LDAP external server locally

```
PS C:\Users\Nikolay.Valkov\TRAINING\PingDirectory\bat> ./start-server.bat
```

```
Directory Server (Ping Identity Directory Server 8.3.0.9 build 20230830234206Z, Rv8.3.0.9-GA) has started successfully
PS C:\Users\Nikolay.Valkov\TRAINING\PingDirectory\bat>
```

2. After installation of ApacheDirStudio establishing connection to the data store



3. Start Ping Federate locally after its installation

```
PS C:\Users\Nikolay.Valkov\TRAINING\pingfederate-11.3.2\pingfederate\bin> ./run.bat
PingFederate running...
```

4. Starting the application PF



5. Connecting Ping Directory as Date store in Ping Federate with IDPadapter

Not secure https://localhost:9999/pingfederate/app#/idpConnections

Personal | Miscellaneous | Atlassian | Microsoft | Claud | Linux | On-Call | CUSTOMERS | IDtech

License Error: Expiration date passed on Nov 16 2023 - Trans

PingFederate

AUTHENTICATION | APPLICATIONS | SECU

Integration

- IdP Connections
- IdP Adapters
- Authentication API Applications
- IdP Default URL

IdP Connections | IdP Connection

Connection Type | Connection Options | Metadata URL | General Info | Browser S

Summary information for your IdP connection. Click a heading in a section to edit a particular configu

SSO Application Endpoint https://localhost:9031/sp/startSSO.ping?PartnerIdpId=i

Summary

IdP Connection

Connection Type

Connection Role	IdP
Browser SSO Profiles	true
Protocol	SAML 2.0
WS-Trust STS	false
OAuth Assertion Grant	false
Inbound Provisioning	false

License Error: Expiration date passed on Nov 16 2023 - Transaction processing has stopped.

PingFederate

AUTHENTICATION | APPLICATIONS | SECURITY | SYSTEM

Integration

- IdP Connections
- IdP Adapters
- Authentication API Applications

IdP Adapters

IdP adapters look up session information and provide user identification to PingFederate. Here you can manage instances of adapters that may be used to fulfill attribute contracts in mappings.

Instance Name	Instance ID	Type	Parent Name	Actio
idPHTML	Instance1	HTML Form IdP Adapter		Delete

PingFederate

AUTHENTICATION APPLICATIONS SECURITY SYSTEM

< Integration

IdP Connections

IdP Adapters

Authentication API Applications

IdP Default URL

IdP Adapters | Create Adapter Instance

Type | IdP Adapter | Extended Contract | Adapter Attributes | Adapter Contract Mapping | Summary

IdP adapter instance summary information.

Create Adapter Instance

Type

Instance Name	idPHTML
Instance ID	Instance1
Type	HTML Form IdP Adapter
Class Name	com.pingidentity.adapters.htmlform.i