

[hackerrank.com](https://www.hackerrank.com)

Solve Sorting Questions | Algorithms

2-3 хвилини

Sorting

One common task for computers is to sort data. For example, people might want to see all their files on a computer sorted by size. Since sorting is a simple problem with many different possible solutions, it is often used to introduce the study of algorithms.

Insertion Sort

These challenges will cover *Insertion Sort*, a simple and intuitive sorting algorithm. We will first start with an already sorted list.

Insert element into sorted list

Given a sorted list with an unsorted number e in the rightmost cell, can you write some simple code to *insert* e into the array so that it remains sorted?

Print the array every time a value is shifted in the array until the array is fully sorted. The goal of this challenge is to follow the correct order of insertion sort.

Guideline: You can copy the value of e to a variable and consider its cell "empty". Since this leaves an extra cell empty on the right, you can shift everything over until V can be inserted. This will create a duplicate of each value, but when you reach the right spot, you can replace it with e .

Input Format

There will be two lines of input:

- *Size* - the size of the array
- *Arr* - the array containing *Size* — 1 sorted integers and 1 unsorted integer *e* in the rightmost cell

Output Format

On each line, output the entire array every time an item is shifted in it.

Constraints

$$1 \leq \textit{Size} \leq 1000$$

$$-10000 \leq e \leq 10000, e \in \textit{Arr}$$

Sample Input

```
5
2 4 6 8 3
```

Sample Output

```
2 4 6 8 8
2 4 6 6 8
2 4 4 6 8
2 3 4 6 8
```

Explanation

3 is removed from the end of the array.

In the 1st line **8** > **3**, so **8** is shifted one cell to the right.

In the 2nd line **6** > **3**, so **6** is shifted one cell to the right.

In the 3rd line **4** > **3**, so **4** is shifted one cell to the right.

In the 4th line **2** < **3**, so **3** is placed at position 2.

Task

Complete the method *insertionSort* which takes in one parameter:

- *Arr* - an array with the value *e* in the right-most cell.

Next Challenge

In the [next Challenge](#), we will complete the insertion sort itself!