



Kakhovka pool drawdown: modelled surface (terrain-reconstructed) vs Sentinel-1 and Sentinel-2 observations; not observed is not dry


(a) model 06-07
2054 km² water




(b) model 06-09
1965 km² water



(c) model 06-13
1821 km² water



(d) model: day the
bed falls dry



model (p95f surface)

■ pool water

■ bed exposed since 06-05

day of exposure

■ 06-06

■ 06-07


■ 06-08

■ 06-09-10


■ 06-11-13

■ still wet 06-13


(e) S1 06-01
1964 km² dark, IoU 0.98




(f) S1 06-08
1705 km² dark, IoU 0.97



(g) S1 06-13
1938 km² dark, IoU 0.85



(h) S1 06-21
2077 km² dark




Sentinel-1 (VH, Otsu)

■ VH dark: open water
or smooth wet mud


■ dark on 06-01, not now

■ pool not observed


(i) S2 classes 06-05
99% observed




(j) S2 classes 07-05
93% observed



(k) S2 classes 09-08
99% observed



(l) S2 water 06-20
648 km²



Sentinel-2 (p25 k10e)

■ open water

■ shallow or mixed water

■ wet sediment

■ dry bare sediment

■ sparse herbaceous

■ dense herbaceous

■ reed or flooded vegetation

■ built hard surface

■ ambiguous

■ observed, not water (l)