

Summarization (CRQA, EEG)

References

- [1] Frolov, N., Maksimenko, V. and Hramov, A. (2020), *Revealing a multiplex brain network through the analysis of recurrences* Chaos: An Interdisciplinary Journal of Nonlinear Science 30(12), 121108.
- [2] *Recurrence quantification analysis of periodic dynamics in the default mode network in first-episode drug-naïve schizophrenia*. Psychiatry Research: Neuroimaging, 329, 111583.
- [3] *Recurrence quantification analysis of rs-fMRI data: A method to detect subtle changes in the TgF344-AD rat model*. Computer Methods and Programs in Biomedicine, 257, 108378.
- [4] Lameu, E. L., Yanchuk, S., Macau, E. E. N., Borges, F. S., Iarosz, K. C., Caldas, I. L., Protachevich, P. R., Borges, R. R., Viana, R. L., Szezech, J. D., Batista, A. M. and Kurths, J. (2018). Recurrence quantification analysis for the identification of burst phase synchronisation. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 28(8), 085701. <https://doi.org/10.1063/1.5024324>
- [5] Lombardi, A., Guccione, P. and Mascolo, L. (2014). Analysis of fMRI data using the complex systems approach. In *20th IMEKO TC4 International Symposium and 18th International Workshop on ADC Modelling and Testing* (pp. 293-298). Benevento, Italy.
- [6] Pitsik, E. (2025). Recurrence quantification analysis and theta-band functional networks detect age-related changes in brain sensorimotor system: VR-based approach. *The European Physical Journal Special Topics*. <https://doi.org/10.1140/epjs/s11734-025-01509-y>
- [7] Guglielmo, G., Wiltshire, T. J. and Louwerse, M. (2022). Training machine learning models to detect group differences in neurophysiological data using recurrence quantification analysis based features. *ICAART 2022 - 14th International Conference on Agents and Artificial Intelligence*, 430-434.
- [8] Lopes, M. A., Zhang, J., Krzeminski, D., Hamandi, K., Chen, Q., Livi, L. and Masuda, N. (2020). Recurrence quantification analysis of dynamic brain networks. *European Journal of Neuroscience*, 00, 1-20. <https://doi.org/10.1111/ejn.14960>
- [9] Pentari, A., Tzagkarakis, G., Tsakalides, P., Simos, P., Bertstas, G., Kavroulakis, E., Marias, K., Simos, N. J. and Papadaki, E. (2022). Changes in resting-state functional connectivity in neuropsychiatric lupus: A dynamic approach based on recurrence quantification analysis. *Biomedical Signal Processing and Control*, 72, 103285. <https://doi.org/10.1016/j.bspc.2021.103285>
- [10] Pentari, A., Simos, N., Tzagarakis, G., Kagialis, A., Bertstas, G., Kavroulakis, E., Gratsia, E., Sidiropoulos, P., Boumpas, D. T. and Papadaki, E. (2023). Altered hippocampal connectivity dynamics predicts

- memory performance in neuropsychiatric lupus: A resting-state fMRI study using cross-recurrence quantification analysis. *Lupus Science & Medicine*, 10(1), e000920. <https://doi.org/10.1136/lupus-2023-000920>
- [11] Gruszczyńska, I., Mosdorf, R., Sobaniec, P., Żochowska-Sobaniec, M. and Borowska, M. (2019). Epilepsy identification based on EEG signal using RQA method. *Advances in Medical Sciences*, 64(1), 58-64. <https://doi.org/10.1016/j.advms.2018.08.003>
 - [12] Mo, J., Zhang, J., Hu, W., Wang, X., Zhao, B., Zhang, K. and Zhang, C. (2022). Neural underpinnings of default mode network on empathy revealed by intracranial stereoelectroencephalography. *Psychiatry and Clinical Neurosciences*, 76(12), 659-666. <https://doi.org/10.1111/pcn.13470>
 - [13] Vanithamani Palanisamy, A. Ranichitra, and Radhamani Ellapparaj, A differential biomarker based on recurrence quantification analysis of EEG signal and genetic algorithm for epilepsy diagnosis. *Journal of Artificial Intelligence and System Modelling*, 2(2):74–85, 2024. 10.22034/jaism.2024.450400.1046
 - [14] Ngamga, E. J., Bialonski, S., Marwan, N., Kurths, J., Geier, C. and Lehnertz, K. (2016). Evaluation of selected recurrence measures in discriminating pre-ictal and inter-ictal periods from epileptic EEG data. *Physics Letters A*, 380(16), 1419–1425. <https://doi.org/10.1016/j.physleta.2016.02.024>
 - [15] Fan, M. and Chou, C.-A. (2019). Detecting abnormal pattern of epileptic seizures via temporal synchronization of EEG signals. *IEEE Transactions on Biomedical Engineering*, 66(3), 601-608. <https://doi.org/10.1109/TBME.2018.2850959>
 - [16] P. Núñez, J. Poza, C. Gómez, V. Barroso-García, A. Maturana-Candelas, M. A. Tola-Arribas, M. Cano, and R. Hornero, Characterization of the dynamic behavior of neural activity in Alzheimer’s disease: exploring the non-stationarity and recurrence structure of EEG resting-state activity, *Journal of Neural Engineering*, vol. 17, no. 1, p. 016071, 2020, doi: <https://doi.org/10.1088/1741-2552/ab71e9>.
 - [17] Yang, C., Luan, G., Liu, Z. and Wang, Q. (2019). Dynamical analysis of epileptic characteristics based on recurrence quantification of S EEG recordings. *Physica A: Statistical Mechanics and its Applications*, 523, 507–515. <https://doi.org/10.1016/j.physa.2019.02.017>
 - [18] Rangaprakash, D. (2014). Connectivity analysis of multichannel EEG signals using recurrence based phase synchronization technique. *Computers in Biology and Medicine*, 46, 11-21. <https://doi.org/10.1016/j.compbiomed.2013.10.025>

- [19] Trulla, L. L., Giuliani, A., Zbilut, J. P., and Webber, C. L., “Recurrence Quantification Analysis of the Logistic Equation with Transients,” *Physics Letters A*, vol. 223, no. 4-5, pp. 255–260, 1996. doi: 10.1016/S0375-9601(96)00741-4
- [20] Webber, C. L. and Zbilut, J. P., “Recurrence Quantification Analysis of Nonlinear Dynamical Systems,” in *Tutorials in Contemporary Nonlinear Methods for the Behavioral Sciences*, pp. 26–94, 2005.
- [21] Thomasson, N., Hoeppner, T. J., Webber, C. L., and Zbilut, J. P., “Application of Recurrence Quantification Analysis to EEG Signals,” *International Journal of Computer Research*, 2002.
- [22] Marwan, N., Schinkel, S., and Kurths, J., “Recurrence Plots 25 Years Later – Gaining Confidence in Dynamical Transitions,” *EPL (Europhysics Letters)*, vol. 101, no. 2, p. 20007, 2013. doi: 10.1209/0295-5075/101/20007
- [23] Heunis, T., Aldrich, C., Peters, J. M., Jeste, S. S., Sahin, M., Scheffer, C., and de Vries, P. J., “Recurrence quantification analysis of resting state EEG signals in autism spectrum disorder – a systematic methodological exploration of technical and demographic confounders in the search for biomarkers,” *BMC Medicine*, vol. 16, no. 1, p. 101, 2018.
- [24] Eckmann, J.-P., Kamphorst, S. O. and Ruelle, D. (1987). Recurrence plots of dynamical systems. *Europhysics Letters*, 4(9), 973–977.
- [25] Timothy, L. T., Krishna, B. M. and Nair, U. (2017). Classification of mild cognitive impairment EEG using combined recurrence and cross recurrence quantification analysis. *International Journal of Psychophysiology*, 120, 86–95. <https://doi.org/10.1016/j.ijpsycho.2017.07.006>
- [26] Kashyap, A. and Keilholz, S. (2019). Dynamic properties of simulated brain network models and empirical resting-state data. *Network Neuroscience*, 3(2), 405–426. https://doi.org/10.1162/netn_a.00070
- [27] Carrubba, S., Frilot, C. and Marino, A. A. (2019). Optimization of recurrence quantification analysis for detecting the presence of multiple sclerosis. *Journal of Medical and Biological Engineering*, 39(6), 806–815. <https://doi.org/10.1007/s40846-019-00462-1>