```
<!DOCTYPE html>
       <link rel="stylesheet" type="text/css" href="logstyle.css">
       <link rel="icon" href="icon.png">
       <title>Login Session</title>
       <div class="Animatedheadline">
           <h1>&emsp;Niko's LoginSession</h1>
       <script src="loginscript.js"></script>
       <form id="form" onkeydown="if (event.keyCode === 13) {saveInputs(); preventDefault(); document.getElementById('form').submit();}">
           <label for="username">Username</label>
           <input type="text" placeholder="Username is required" id="username">
           <label for="password">Password</label>
           <input type="password" placeholder="Password is required" id="password">
           <button type="button" id="togglePasswordBtn" onclick="togglePassword()">Show</button>
           <label for="email">Email (optional)</label>
           <input type="email" placeholder="Enter your email" id="email">
           <div id="RememberMe-container" >
               <input type ="checkbox" class="check-box"> Remember me
           <input type="button" class="submit-btn" onclick="saveInputs()" value=" Submit">
           <div id="success-message"></div>
       <div id="Cookies-container">
           <div id="CF-container">COOKIES FOUND ON THIS SITE!</div>
           <input class="form-check-input1" type="checkbox" id="flexSwitchCheckChecked1" checked> Allow all.
           <label class="form-check-label" for="flexSwitchCheckChecked"></label>
           <input class="form-check-input2" type="checkbox" id="flexSwitchCheckChecked2" unchecked>Allow only-essential.
           <label class="form-check-label" for="flexSwitchCheckChecked"></label>
           <input class="form-check-input3" type="checkbox" id="flexSwitchCheckDisabled" disabled>Reject all.
           <label class="form-check-label" for="flexSwitchCheckDisabled"></label>
       <div id="message-container">
           Hello there, this is my first ever program in HTML using CSS and JS too!<br/>for you could use "Testing" for username and "Testing123" for password,
           or even your desired username and password, everything is acceptable by my program. After submiting please take some time to send me feedback so i can involve!<br>
           You could easily download my whole code here:
       <div id="IOmessage-container">
               <h2>AWAITING FOR INPUTS<span class="DOTS-container">.../h2>
```

```
function saveInputs() {
       var temp username = document.getElementById("username").value;
       var temp password = document.getElementById("password").value;
       var temp_email = document.getElementById("email").value;
       document.getElementById("success-message").innerHTML = "Successful login \sqrt{";
       document.getElementById("success-message").classList.add("success");
       if(temp email === '') {
          document.getElementById("IOmessage-container").innerHTML =
          "-Username given: " + temp username + "<br>" +
          "-Password given: " + temp password + "<br>"+
11
          "-Email given (optional): N/A" +
          13
       }else {
          document.getElementById("IOmessage-container").innerHTML =
          "-Username given: " + temp username + "<br>" +
          "-Password given: " + temp_password+ "<br>" +
          "<br>-Email given (optional): " + temp email +
          "<br><a href='https://nikoszapantis.github.io/'> \(\infty\) 
       console.log(temp username);
       console.log(temp password);
   function togglePassword() {
       var passwordInput = document.getElementById("password");
       if(passwordInput.type === "password") {
          passwordInput.type = "text";
          togglePasswordBtn.innerHTML = "Hide";
       }else {
          passwordInput.type = "password";
          togglePasswordBtn.innerHTML = "Show";
35 }
```

9 :-align: ce ;in: 10px a :h: 400px; ;ht: 350px; ;ing: 45px; ;ground-col !er-radius: