



ATISH
RENEWABLES

RAISE YOUR GREEN ENERGY

END-TO-END SOLAR EPC



RESIDENTIAL



COMMERCIAL



INDUSTRIAL



ATISH
RENEWABLES

RAISE YOUR GREEN ENERGY

Reflected Light

Direct Light

Scattered Light



TECHNICAL SPECIFICATION

SOLAR PANEL (30 YEARS WARRANTY)

- Multi busbar solar cell
- Higher lifetime power yield
- Extreme weather conditions
- Higher power output
- Low temperature deficient
- Anti - pid resistance
- Special customized solution

adani
Solar

TATA
POWER SOLAR

PAHAL
SOLAR

WAAREE
One with the Sun

RAYZON
SOLAR



TECHNOLOGY FOR SOLAR ROOF TOP POWER PROJECTS

Premium quality encapsulation Material ensuing high quality lamination leading to Better Performance.

Polyester tedlar used as a back sheet Prevents from moisture and mechanical Damage.

Weather resistant frame - seal helps Preventing water seepage and products the System from humidity.

Anodized Aluminum frame gives the System strong, corrosion - Free structural Support.

Produced in an ISO 9001:2008 & 14001: 2004 certified Production Facilities.

Product quality confirms to IEC 61215 Standards, 25 - years limited warranty on Power output & 5 - year product warranty 25- year performance warranty

SOLAR INVERTER (10 YEARS WARRANTY)

- Onsite warranty - Dedicated
- Service network
- Lifetime free monitoring server
- Inbuilt - DC SPD - Support
- Zero Export Device
- Tech / Installation / Service Support
- Onsite Services
- Make in India



SOLAR CABEL

Make: R R Cable/ Apar / Polycab / Avocab flexible DC cables with XEPO & XEPI Insulation with E-Beam Technology, and manufactured to meet relevant international Standards like BS, ASTM, IEC, IS, VDE, UL. Cable Customization can be made of specific Request.

RR CABLE
WIRES & CABLES

MAKE:

POLYCAB
IDEAS. CONNECTED.


APAR
CABLE SOLUTIONS

AVOCAB
WIRES & CABLES



ATISH RENEWABLES

RAISE YOUR GREEN ENERGY




SOLAR PROTECTION UNIT (5 YEARS WARRANTY)

MAKE:




FEATURES	SOLAR ACDB/DCDB
Ambient	-10 to 60 Degree C
Type of Enclosure	IP66 Polycarbonate material
Inputs/Outputs	1 in 1 out, 2 in 2 out, 3 in 3 out, 4 in 4 out
AC Switching	600/1000/1500 VDC Disconnection
Surge Protection	DC SPD Type 2, fuse with or without indications
Box/Top	Opaque/Transparent



THREE PHASE ACDB



SINGLE PHASE ACDB




DCDB 2IN2OUT




COPPER LIGHTING ARRESTER WITH EARTHING ROD

A lightning arrester is a device used on solar power systems to protect the Insulation and conductors of the system from the damaging effects of lightning. The typical lightning arrester has a high - voltage terminal and a ground terminal. Lightning conductor is categorized based on area or radius within which it provides protection.



SOLAR PV PANEL MOUNTING STRUCTURE (5 YEARS WARRANTY)

We provide foundation layout so you can easily & faster do foundation work. Base frame & upper channel for fixing panels will get fixed by but bolts and that is also with slots so you do not get any problem while doing assembly of structure. we have designed specific upper channel & bracket in that panel will get fixed by END CLIP & MID CLIP so there will be no issue of hole matching and also easy to fix panel from top side.



- G.I Structure with box pipe and multiple size as per requirement.
- J-C BMP END CLIP & MID CLIP Will be of S.S. 304 material.
- All M.s part will come with Hot DIP Galvanizing.
- Our Maximum component length is 1.5 mtr so you can easily store it, Transport it & easily lifting upto terrace or roof.
- High strength and corrosion resistance
- Foundation Bolts are not included in above rates. But if you require Then we can provide you as per your requirement.
- Degree 22 Degree. Easy to install light weight minimum space required.

WHY ATISH RENEWABLES ?



24/7 SERVICE SUPPORT



PROJECT & SERVICE TRACKING ANDROID APP



SINGLE WINDOW SOLUTIONS



USE OF HIGH QUALITY MATERIALS



HIGHLY TRAINED TECHNICAL
TEAM OF SOLAR EXPERTS



FAST ACCEPTANCE OF NEWLY & LATEST
AVAILABLE TECHNOLOGY



DEDICATED SUPPORT OF
SERVICE STAFF



TIMELY PROJECT EXECUTION
AND FAST LISONING



ATISH
RENEWABLES



+91 6359 260 330 | 78620 16090



atishrenewables@gmail.com