

SAATHI — UI / UX Specification

React implementation contract based on the supplied HTML visual reference. Prototype values are visual placeholders and must not become production data.

1. Visual Language

Property	Reference
Background	#f5f7f8 / #f7faf9
Primary navigation	#123f4c
Teal accent	#2d8d87
Success	#3f8c65
Warning	#b27b27
Danger	#b64a49
Cards	White, 18–24 px radius, light border, soft shadow
Typography	Inter/system-ui style
Responsive breakpoint	Reference collapses around 850 px; profile grid around 520–600 px

2. Public Landing / Authentication

The supplied UI uses a split landing screen: left side contains SAATHI branding, the eyebrow 'Victim well-being monitoring & support', the headline 'A quiet support layer through the case journey.', descriptive copy and feature pills. The right side contains the secure-access card.

Auth card states: Log in and Sign up tabs; role selection; login flow; signup account step; OTP verification step; account setup step. Preserve the role-card design and step indicators.

3. Role Selection

Role	Description shown in reference
Victim / User	Well-being, case journey and support
Psychologist / Counsellor	Well-being requests and counselling follow-up
District Officer	Legal assistance, protection and case coordination
State / National Administrator	Aggregated monitoring and programme analytics

4. Signup UI Flow

- 1 Step 1: choose role.
- 2 Step 2: create account — full name, mobile number, optional email, password, confirmation.
- 3 Step 3: OTP verification — six-digit OTP, verify, resend and back actions.
- 4 Step 4: account setup — preferred language, city/district, read-only verified account mobile, optional emergency contact.

The reference explicitly displays: 'This verification is for your own account mobile number. It is separate from any emergency contact number'. Keep this distinction visible in the production UI.

5. Victim / User Dashboard

- Hero: supportive welcome, case/well-being/support explanation.
- Primary actions: Start today's well-being check; Get human support; I'm not safe.
- Today's next step card.
- Case stage, next hearing and support-request KPIs.
- Status explanation card.

Important: the reference currently contains illustrative distress scores, case dates and counts. These are not authoritative data and must be replaced with backend values or empty states.

6. Well-being Check

- Open-ended question: 'How have you been feeling since your last check-in, and what has been affecting you the most?'
- Large textarea with 'Write whatever you feel comfortable sharing...'
- Save & exit and Submit response.
- Voice support placeholder can remain disabled/not-configured until a real transcription service exists.
- AI support entry point.
- Clear non-diagnostic safety copy.

7. AI Support

- Chat-style conversation panel.
- User message aligned to the right; assistant message aligned to the left.
- Text input, Send and voice control.
- Persistent disclaimer that AI does not replace counsellors, doctors, lawyers, police or emergency services.
- Immediate-danger reports switch to the safety flow rather than continuing ordinary AI chat.

8. My Case

Empty state: four ingestion method cards — Document / Photo Scan, e-Courts CNR Lookup, Voice Statement, Guided Questions — plus upload area for PDF/JPG/PNG. Once a real case is ingested, hide the ingestion interface and show the case workspace.

- Case KPIs: current stage, next hearing, relief/compensation status, protection status.
- Case-at-a-glance card.
- Case ID/CNR, complaint/FIR date, incident category, police station/jurisdiction, court, source.
- Statutory case lifecycle timeline.
- Case summary.
- Documents and authorised updates.
- Update case details action.

9. Progress / Summary

- My progress with trend/history.
- Why it changed.

- 14-day trend only when enough real check-ins exist.
- Well-being summary only from authorised check-in history.
- Explain how the summary is produced.

Never render fake charts, scores or trend data as if they were real.

10. Support

- Counsellor — request callback.
- Legal aid — request legal help.
- Protection / relocation — raise safety request.
- My support requests table with backend status.

11. Counsellor Dashboard

- Well-being care dashboard.
- New mental well-being requests.
- Assigned people / elevated / critical / pending sessions metrics only when backend data exists.
- Authorised case view.
- Distress/emotion model information must not be presented as clinical diagnosis.
- Record support action.

12. District Officer Dashboard

- Case assistance dashboard.
- New assistance requests.
- Authorised case details.
- Legal representation / lawyer assignment.
- Assignment history.
- Coordination.
- Documents and court updates.

Lawyer roster must come from the backend. The prototype's hardcoded lawyer names are visual examples only.

13. State / National Administrator

- Programme overview.
- Aggregated risk/priority distribution.
- 7-day escalation trend.
- District analytics.
- State analytics.
- Policy indicators.

Individual sensitive victim details are excluded from the default administrator view.

14. Safety Modal

The reference contains an 'Are you in immediate danger?' modal with an immediate-help action and a back action. In MVP, do not claim that a call, police alert or emergency dispatch has happened unless an actual backend integration exists.

15. React Component Map

```
App
├── PublicLayout
│   ├── Landing
│   ├── RoleSelector
│   ├── Login
│   ├── Signup
│   ├── OTPVerification
│   ├── ProfileSetup
│   └── ProtectedLayout
│       ├── Sidebar
│       ├── Topbar
│       ├── NotificationPanel
│       ├── RoleRoutes
│       ├── Victim
│       ├── Counsellor
│       ├── DistrictOfficer
│       ├── Administrator
│       ├── Shared
│       ├── Card
│       ├── Button
│       ├── StatusPill
│       ├── EmptyState
│       ├── LoadingState
│       ├── ErrorState
│       └── SafetyModal
```

16. UI Acceptance Tests

- Landing visually follows supplied reference.
- Role selection precedes role-specific login/signup.
- Signup progresses through password → OTP → profile setup.
- Account mobile shows Verified after backend verification.
- Emergency contact is visibly separate.
- All async states have loading, success, empty and error states.
- No prototype values are treated as production data.
- Responsive layouts work on desktop and mobile.
- Keyboard focus and form labels are present.