

Nil Piñana Rodés  
1/5/2021


It's required install npm you can install for this command: **npm install**  
it is also required to install chrome driver this driver you can find it on the following page:  
<https://chromedriver.storage.googleapis.com/index.html?path=90.0.4430.24/>

The file to be downloaded must be inserted in the goat where you have chrome, the directory with which the app is configured is:

**C:\Program Files\Google\Chrome\Application\chormedirever.exe**

in case it is different you should only update the directory in the following scripts.


### Open\_Web.py in line 12

A screenshot of a code editor showing the file 'Open\_Web.py'. The code is as follows:

```
1 from selenium import webdriver
2 from time import sleep
3 from tkinter import messagebox
4 import sys
5
6
7 url = sys.argv[1]
8 xTime = sys.argv[2]
9
10
11 def Open_CloseWebside(url, xTime):
12     driver = webdriver.Chrome(r'C:\Program Files\Google\Chrome\Application\chromedriver.exe')
13     driver.get(str(url))
14     sleep(int(xTime))
15     driver.close()
16 Open_CloseWebside(url,xTime)
```

A red box highlights the path 'C:\Program Files\Google\Chrome\Application\chromedriver.exe' in line 12, and a red arrow points to it from the right.

### Select\_DB.py in line 159

A screenshot of a code editor showing the file 'Select\_DB.py'. The code is as follows:


```
154 print(url, 'web')
155 print("Sec -> ",arrSec[s])
156 print("Mins -> ",arrMins[s])
157 print("Hor -> ",arrHor[s])
158
159 driver = webdriver.Chrome(r'C:\Program Files\Google\Chrome\Application\chromedriver.exe')
160 driver.get(str(url))
161
162 time.sleep(arrMins[s]*60)# *60
163 time.sleep(arrSec[s])
164 time.sleep(arrHor[s]*3600)#*3600
165
```

A red box highlights the path 'C:\Program Files\Google\Chrome\Application\chromedriver.exe' in line 159, and a red arrow points to it from the right.

And for execute the program execute this command: **npm start**


### Create Routine

This app is based on a calendar of desktop and web apps. In which you can define the name of the routine to whom:

A screenshot of a web form titled "Create a Routine". It features a dark blue background with a light green border. At the top, the title "Create a Routine" is displayed in white. Below the title is a white text input field containing the word "Morning". Underneath the input field is a purple button with the text "Create" in white.


Once you click "create" what it will do will be connected to the database and create a table with the name you have inserted. The whole database manager part I do with SQLite3 and python.

### **Insert App**

A screenshot of a web form titled "Add in routine". It has a tan background with a light green border. The form contains a text input field with the URL "https://www.youtube.com/". Below this is a label "Delay time" followed by three stacked text input fields containing "seconds", "Mins", and "hours". At the bottom left is a green circular button labeled "Start", and at the bottom center is a purple button labeled "Insertar".

In this part we can put the directory of the app.exe or a url, if we click on "insert app" it will insert the time and the dir or url in the table that we have selected in the input "create routine". change if we press "start" without directly opening the dir or app with the corresponding time delay.

### **My routine**



The part of "my routine" the oven end is still being developed but it does its functionality which is that when we press the "Start routine" button we will run consecutively the applications of the table that we have selected in the input "Create routine".

If you only need to open the applications of the selected routine at the same time, just press Open All. and will run applications regardless of time. what I have in mind for later is to be able to make it possible to see the routines with their corespnsnets apps and the time in the purple section that at the moment there is nothing.