VIT®

Vellore Institute of Technology

(Deemed to be University under section 3 of UGC Act, 1956)

NAME: KAVINILA C

REG NO: 23MIS0004

COURSE TITLE: AGILE DEVELOPMENT PROCESS AND DEVOPS

COURSE CODE: ISWE406P

SLOT: L49+L50

FACULTY NAME: SWETHA BHATTACHARYA

Case Study 1: New Project Version Control Setup

Scenario: You are assigned to develop a Library Management System. Before coding, your team decides to enable version control.

Tasks:

- **Create a project folder and open it in VS Code**
- **Initialize a Git repository**
- **Create a Python file and track it using Git**
- **Commit the initial version**

Steps to proceed:

1.create a folder ass-1

2.initialize repository –

git init 3.commiting

initial version

git add lms.py

git commit -m “initial code”





Case Study 2: Tracking Daily Code Changes

Scenario: You are working on a Student Registration Module. You make small updates daily and need to record them.

Tasks:

- **Modify an existing file**
- **Check file differences**
- **Stage and commit changes**
- **View commit history**

Steps to proceed:

1. modify code - adding student registration module to lms.py
2. staging and commiting the

   changes git add lms.py

   git commit -m “added student registration module

   to the code” git push origin main

   git log –oneline

TIMELINE lms.py

- added student registration modul... 40 secs
- File Saved 1 min
- File Saved
- File Saved 5 mins
- initial code Deeptha-D 28 mins
- File Saved 29 mins

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
PS E:\ass-1\add_ass1> git add lms.py
PS E:\ass-1\add_ass1> git commit -m "added student registration module to the code"
[main 8ef1e58] added student registration module to the code
 1 file changed, 49 insertions(+), 18 deletions(-)
PS E:\ass-1\add_ass1> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 795 bytes | 397.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Deeptha-D/add_ass1.git
   e84043c..8ef1e58  main -> main
PS E:\ass-1\add_ass1>
```

lms.py | lms.py (e84043ce) ↔ lms.py (8ef1e58e)

E: > ass-1 > add_ass1 > lms.py

```python
# Simple Library Management System

books = []
issued_books = []

while True:
    print("\n--- Library Management System ---")
    print("1. Add Book")
    print("2. View Books")
    print("3. Issue Book")
    print("4. Return Book")
    print("5. Exit")

    choice = input("Enter your choice (1-5): ")

    if choice == "1":
        book = input("Enter book name: ")
        books.append(book)
        print("Book added successfully.")

    elif choice == "2":
        if len(books) == 0:
            print("No books available.")
        else:
```

```python
# Library Management

books = []
issued_books = []
students = []

while True:
    print("\n--- Library Management System ---")
    print("1. Register Student")
    print("2. Add Book")
    print("3. View Books")
    print("4. Issue Book")
    print("5. Return Book")
    print("6. View Students")
    print("7. Exit")

    choice = input("Enter your choice (1-7): ")

    # Student Registration
    if choice == "1":
        student_id = input("Enter Student ID: ")
        if student_id not in students:
            students.append(student_id)
            print("Student registered successfully.")
        else:
            print("Student already registered.")

    # Add Book
    elif choice == "2":
        book = input("Enter book name: ")
        books.append(book)
        print("Book added successfully.")

    # View Books
    elif choice == "3":
        if len(books) == 0:
            print("No books available.")
        else:
```

E: > ass-1 > add_ass1 > lms.py

```python
while True:
    elif choice == "3":
        if book in books:
            books.remove(book)
            issued_books.append(book)
            print("Book issued successfully.")
        else:
            print("Book not available.")

    elif choice == "4":
        book = input("Enter book name to return: ")
        if book in issued_books:
            issued_books.remove(book)
            books.append(book)
            print("Book returned successfully.")
        else:
            print("This book was not issued.")

    elif choice == "5":
        print("Thank you for using the Library System.")
        break

    else:
        print("Invalid choice. Please try again.")
```

```python
while True:
    elif choice == "4":
        if student_id in students:
            if book in books:
                issued_books.append(book)
                print("Book issued successfully.")
            else:
                print("Book not available.")
        else:
            print("Student not registered. Please register first.")

    # Return Book
    elif choice == "5":
        book = input("Enter book name to return: ")
        if book in issued_books:
            issued_books.remove(book)
            books.append(book)
            print("Book returned successfully.")
        else:
            print("This book was not issued.")

    # View Students
    elif choice == "6":
        if len(students) == 0:
            print("No students registered.")
        else:
            print("Registered Students:")
            for s in students:
                print("-", s)

    # Exit
    elif choice == "7":
        print("Thank you for using the Library Management System.")
        break

    else:
        print("Invalid choice. Please try again.")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS E:\ass-1\add_ass1> git log --oneline
>>
8ef1e58 (HEAD -> main, origin/main, origin/HEAD) added student registration module to the code
e84043c initial code
57e9e04 Initial commit
PS E:\ass-1\add_ass1>
```

TIMELINE lms.py

added student registration module to the code Deeptha-D	2 mins
File Saved	
File Saved	3 mins
File Saved	6 mins
initial code Deeptha-D	29 mins
File Saved	31 mins

Case Study 3: Feature Development Using Branches

Scenario: A new Login feature must be developed without disturbing main code.

Tasks:

- **Create a new branch**
- **Add login-related code**
- **Commit changes**
- **Switch between branches**

Steps to proceed:

- 1.create a new branch --- git branch login-feature 2.commiting changes
- Git checkout login-feature Git add login.py
- Git commit -m “login file is created”



Case Study 4:

Merging Feature into Main Code

Scenario: The login feature is tested and approved.

Tasks:

- **Switch to main branch**
- **Merge feature branch**
- **Verify merged content**

Steps to proceed:

1. switching to main branch git checkout main
2. merging login branch with the main branch git merge login-feature
3. verification - git branch –merged

```
PS E:\ass-1\add_ass1> git branch
PS E:\ass-1\add_ass1> git branch
* login-feature
  main
PS E:\ass-1\add_ass1> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS E:\ass-1\add_ass1> git merge login-feature
Updating 8ef1e58..6491ee8
Fast-forward
 login.py | 12 ++++++++++++
 1 file changed, 12 insertions(+)
 create mode 100644 login.py
PS E:\ass-1\add_ass1> git branch
  login-feature
* main
PS E:\ass-1\add_ass1> git branch --merged
  login-feature
* main
```

Case Study 5:

Working with Remote Repository

Scenario: The project must be shared using GitHub.

Tasks:

- **Create remote repository**
- **Add remote origin**

- **Push code to GitHub**

Steps to proceed:

1. create a repository in github “add_ass1”
2. clone git repository with code https://github.com/Deeptha-D/add_ass1.git
3. pushing to remote

   repository git add

   lms.py

   git add login.py

   git commit -m “pushed to

   repository” git push origin

   main





Case Study 6:

Undoing Mistakes

Scenario: A file is modified incorrectly. Tasks:

- **View file changes**
- **Discard uncommitted changes**

Steps to proceed:

1. modify file (unnecessary print statements is added)
2. discard the uncommited changes Git add login.py

   Git restore login.py (or) Git restore –staged login.py
3. view difference git diff

TIMELINE login.py

- File Saved 4 mins
- File Saved 6 mins
- added two unnn... 7 mins
- File Saved 9 mins
- File Saved
- login file is created... 15 hrs
- File Saved

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS E:\ass-1\add_ass1> git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   login.py

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        lms

no changes added to commit (use "git add" and/or "git commit -a")
PS E:\ass-1\add_ass1> git add login.py
PS E:\ass-1\add_ass1> git restore login.py
PS E:\ass-1\add_ass1> git restore --staged login.py
PS E:\ass-1\add_ass1> git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
```

login.py M | login.py (6491ee84) ↔ login.py (7cbec74c)

E: > ass-1 > add_ass1 > login.py

```python
# login.py

username = "admin"
password = "1234"

u = input("Enter username: ")
p = input("Enter password: ")

if u == username and p == password:
    print("Login successful")
else:
    print("Invalid credentials")
```

```python
# login.py

username = "admin"
password = "1234"

u = input("Enter username: ")
p = input("Enter password: ")

if u == username and p == password:
    print("Login successful")
else:
    print("Invalid credentials")
print("hello world")
print("exit the application")
#added two print statements that is unnecessary
```

```
PS E:\ass-1\add_ass1> git diff
diff --git a/login.py b/login.py
index 080492c..9649233 100644
--- a/login.py
+++ b/login.py
@@ -10,6 +10,4 @@ if u == username and p == password:
     print("Login successful")
 else:
     print("Invalid credentials")
-print("hello world")
-print("exit the application")
-#added two print statements that is unnecessary
\ No newline at end of file
+print("hello world")
\ No newline at end of file
PS E:\ass-1\add_ass1>
```

Case Study 7: Handling Merge Conflicts

Scenario: Two developers edited the same file.

Tasks:

- **Merge branches**
- **Resolve conflicts**
- **Commit resolved changes**

Steps to proceed:

1.simulating by creating two different branches for team members

2.command:

git checkout main git checkout main git checkout -b member1 git add login.py git commit -m "developer 1 modified with basic code"

git checkout main

git checkout -b

member2 git add

login.py

git commit -m "developer 2 modified with

validation message" git checkout main

git merge

member1 git

merge member2

(conflict happens . open login.py file and choose the best one and

remove the marks) git add login.py

git commit -m "Resolved merge conflict in

login.py" git push origin main



```
TIMELINE login.py
File Saved                1 min
File Saved
Undo / Redo               2 mins
File Saved
developer 2 modifie...    8 mins
File Saved                9 mins
File Saved
developer 1 modifi...     10 mins
File Saved
File Saved                11 mins
File Saved                6 hrs
File Saved
File Saved
added two unnncessary ...
File Saved
File Saved
login file is created...  21 hrs
File Saved
```

```
PROBLEMS   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS

PS E:\ass-1\add_ass1> git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
PS E:\ass-1\add_ass1> git merge member1
Updating 7cbec74..dc79c09
Fast-forward
 login.py | 19 ++++--------------
 1 file changed, 4 insertions(+), 15 deletions(-)
PS E:\ass-1\add_ass1> git merge dev2
merge: dev2 - not something we can merge
PS E:\ass-1\add_ass1> git merge member2
Auto-merging login.py
CONFLICT (content): Merge conflict in login.py
Automatic merge failed; fix conflicts and then commit the result.
PS E:\ass-1\add_ass1> git add login.py
PS E:\ass-1\add_ass1> git commit -m "resolved the merge conflict"
[main 6069f1c] resolved the merge conflict
PS E:\ass-1\add_ass1> git push origin main
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 16 threads
Compressing objects: 100% (12/12), done.
```

```
login.py 9+, M ×
login.py > ...
1  def login(username, password):
2      if username == "admin" and password == "1234":
   Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
3  <<<<<<< HEAD (Current Change)
4          return "Login successful"
5      return "Login failed"
6  =======
7          print("Welcome Admin")
8          return True
9      return False
10 >>>>>>> member2 (Incoming Change)
11
```

Case Study 8: Ignoring Unwanted Files

Scenario: Log and temporary files should not be tracked. Tasks:

- **Create .gitignore file**
- **Add ignore patterns**

Steps to proceed:

1. create .gitignore file and adding patterns
2. git add .gitignore

   Git commit -m ".gitignore file is created and ignore pattern is added"





Case Study 9:

Collaborating with Team

Scenario: A teammate pushed new changes.

Tasks:

- **Fetch latest changes**
- **Pull updates**
- **Resolve conflicts if any**

Steps to proceed:

I made changes in login file which my team member previously pushed when I tried to push it failed so before pushing I have to pull and then push again Git pull origin main

Git add login.py

Git commit -m ”resolved conflict” Git push origin main

```
TIMELINE  login.py
File Saved                1 min
File Saved                2 mins
modified login code...    5 mins
File Saved                8 mins
File Saved                13 mins
File Saved
modified the hard ...     19 mins
File Saved                21 mins
developer 2 modifie...    1 day
developer 1 modified wit

PS E:\team-member\add_ass1> git add login.py
PS E:\team-member\add_ass1> git commit -m "modified login code"
[main a18ad54] modified login code
 1 file changed, 1 insertion(+)
PS E:\team-member\add_ass1> git push origin main
To https://github.com/Deeptha-D/add_ass1.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/Deeptha-D/add_ass1.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
```

```
add_ass1 > login.py > ...
1
2   def hash_password(password):
3       return hashlib.sha256(password.encode()).hexdigest()
4
5   def login(username, password):
6       if username in users_db and users_db[username] == hash_password(password):
7           return "Login successful"
    Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
8   <<<<<<< HEAD (Current Change)
9
10      return "Invalid password"
11
12  =======
13      return "Login failed"
14  >>>>>>> a9c5e0e445b4ff92a9785de705849d42881effdc (Incoming Change)
15
                                                    Resolve in Merge Editor
```

```
TIMELINE  login.py
File Saved                1 min
File Saved                2 mins
modified login code...    5 mins
File Saved                8 mins
File Saved                13 mins
File Saved
modified the hard ...     19 mins
File Saved                21 mins
developer 2 modifie...    1 day
developer 1 modified wit...
added two unnncessary ...
login file is created  Deep...

PS E:\team-member\add_ass1> git pull origin main
remote: Enumerating objects: 10, done.
remote: Counting objects: 100% (10/10), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 1), reused 6 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 751 bytes | 19.00 KiB/s, done.
From https://github.com/Deeptha-D/add_ass1
 * branch            main       -> FETCH_HEAD
   feac7fd..a9c5e0e  main       -> origin/main
Auto-merging login.py
CONFLICT (content): Merge conflict in login.py
Automatic merge failed; fix conflicts and then commit the result.
PS E:\team-member\add_ass1> git add login.py
Automatic merge failed; fix conflicts and then commit the result.
Automatic merge failed; fix conflicts and then commit the result.
Automatic merge failed; fix conflicts and then commit the result.
Automatic merge failed; fix conflicts and then commit the result.
PS E:\team-member\add_ass1> git add login.py
PS E:\team-member\add_ass1> git commit -m "resolved conflict"
[main 519b8b2] resolved conflict
PS E:\team-member\add_ass1> git push origin main
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 16 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 568 bytes | 113.00 KiB/s, done.
```

Case Study 10:

Final Project Release

Scenario:

Project is ready for final

submission.

Tasks:

- **Review commit history**
- **Push final code**
- **Prepare release version**

Steps to proceed:

1. reviewing commit history -- git reflog
2. push final code ----- git push origin main
3. prepare release version

git tag -a v1.0 -m "final project

release" git push origin v1.0

README.md

PROBLEMS 3 OUTPUT DEBUG CONSOLE TERMINAL PORTS

OUTLINE

TIMELINE login.py

- Undo / Redo 15 mins
- File Saved
- modified login code Deeptha-D 19 mins
- File Saved 21 mins
- File Saved 22 mins
- File Saved 31 mins
- modified the hard coded login m... 33 mins
- File Saved 47 mins
- File Saved 23 hrs
- File Saved 1 day
- File Saved
- Undo / Redo
- File Saved
- developer 2 modified with validation m...
- File Saved
- File Saved
- developer 1 modified with basic code D...
- File Saved
- File Saved
- File Saved
- File Saved
- File Saved
- added two unnncessary print statement...
- File Saved
- File Saved
- login file is created Deeptha-D
- File Saved

```
PS E:\ass-1\add_ass1> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS E:\ass-1\add_ass1> git reflog
519b8b2 (HEAD -> main, origin/main, origin/HEAD) HEAD@{0}: pull origin main: Fast-forward
a9c5e0e HEAD@{1}: commit (merge): login code
db3dd63 HEAD@{2}: commit: .gitignore file is created and ignore pattern is added
6069f1c HEAD@{3}: commit (merge): resolved the merge conflict
dc79c09 (member1) HEAD@{4}: merge member1: Fast-forward
7cbec74 HEAD@{5}: checkout: moving from member2 to main
3781ce1 (member2) HEAD@{6}: commit: developer 2 modified with validation message
7cbec74 HEAD@{7}: checkout: moving from member1 to member2
dc79c09 (member1) HEAD@{8}: commit: developer 1 modified with basic code
7cbec74 HEAD@{9}: checkout: moving from member2 to member1
7cbec74 HEAD@{10}: checkout: moving from main to member2
7cbec74 HEAD@{11}: checkout: moving from member1 to main
7cbec74 HEAD@{12}: checkout: moving from main to member1
7cbec74 HEAD@{13}: commit: added two unnncessary print statements
6491ee8 (login-feature) HEAD@{14}: merge login-feature: Fast-forward
8ef1e58 HEAD@{15}: checkout: moving from login-feature to main
6491ee8 (login-feature) HEAD@{16}: commit: login file is created
8ef1e58 HEAD@{17}: checkout: moving from main to login-feature
8ef1e58 HEAD@{18}: commit: added student registration module to the code
e84043c HEAD@{19}: commit: initial code
57e9e04 HEAD@{20}: clone: from https://github.com/Deeptha-D/add_ass1.git
PS E:\ass-1\add_ass1> git push origin main
Everything up-to-date
PS E:\ass-1\add_ass1> git tag -a v1.0 -m "final project release"
PS E:\ass-1\add_ass1> git push origin v1.0
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 169 bytes | 169.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Deeptha-D/add_ass1.git
 * [new tag]         v1.0 -> v1.0
```


team5
Public
main
6 Branches
0 Tags
Switch branches/tags
Find or create a branch...
Branches
Tags
main
default
kavi
likitha
siva
sumathi
vedha
View all branches

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git branch -a
* main
  remotes/origin/HEAD -> origin/main
  remotes/origin/kavi
  remotes/origin/likitha
  remotes/origin/main
  remotes/origin/siva
  remotes/origin/sumathi
  remotes/origin/vedha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
```

OUTPUT DEBUG CONSOLE PROBLEMS TERMINAL PORTS

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git branch -a
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout likitha
branch 'likitha' set up to track 'origin/likitha'.
Switched to a new branch 'likitha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "one"
[likitha d7110c1] one
 1 file changed, 3 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin likitha
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 356 bytes | 178.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   73bf551..d7110c1  likitha -> likitha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge likitha
Updating 73bf551..d7110c1
Fast-forward
 bill.py | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
fatal: unable to access 'https://github.com/Sivashree-117/team5.git/':
nect to server
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   73bf551..d7110c1  main -> main
```

Files

likitha

Go to file t

atm.py

bill.py

team5 / bill.py

Sivashree-117 one

Code Blame 3 lines (3 loc) · 108 Bytes Raw

```
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout kavi
branch 'kavi' set up to track 'origin/kavi'.
Switched to a new branch 'kavi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..d7110c1
Fast-forward
 bill.py | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "two"
[kavi 31eea94] two
 1 file changed, 5 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin kavi
From https://github.com/Sivashree-117/team5
 * branch            kavi       -> FETCH_HEAD
Already up to date.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin kavi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 420 bytes | 140.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   73bf551..31eea94  kavi -> kavi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge kavi
Updating d7110c1..31eea94
Fast-forward
 bill.py | 5 +++++
 1 file changed, 5 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   d7110c1..31eea94  main -> main
```

Files

kavi

Go to file t

atm.py

bill.py

team5 / bill.py

Sivashree-117 two

Code Blame 8 lines (7 loc) · 236 Bytes Raw

```python
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0

 # First 100 units → ₹2/unit
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout vedha
branch 'vedha' set up to track 'origin/vedha'.
Switched to a new branch 'vedha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..31eea94
Fast-forward
 bill.py | 7 +++++++
 1 file changed, 7 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "three"
[vedha eda1ab3] three
 1 file changed, 6 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin vedha
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 388 bytes | 388.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   73bf551..eda1ab3  vedha -> vedha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Everything up-to-date
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge vedha
Updating 31eea94..eda1ab3
Fast-forward
 bill.py | 7 ++++++-
 1 file changed, 6 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   31eea94..eda1ab3  main -> main
```

Files

vedha

Go to file

atm.py

bill.py

team5 / bill.py

Sivashree-117 three

Code Blame 13 lines (11 loc) · 375 Bytes Raw

```python
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0

# First 100 units → ₹2/unit
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2

# Next 100 units → ₹3/unit
    if units > 100:
        second_units = min(units - 100, 100)
        second_charge = second_units * 3
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout sumathi
branch 'sumathi' set up to track 'origin/sumathi'.
Switched to a new branch 'sumathi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..eda1ab3
Fast-forward
 bill.py | 12 ++++++++++++
 1 file changed, 12 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "four"
[sumathi 957169a] four
 1 file changed, 11 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin sumathi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 435 bytes | 145.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   73bf551..957169a  sumathi -> sumathi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
Fast-forward
 bill.py | 12 +++++++++++-
 1 file changed, 11 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   eda1ab3..957169a  main -> main
```

Files

sumathi

Go to file t

atm.py

bill.py

team5 / bill.py

Sivashree-117 four

Code Blame 23 lines (19 loc) · 630 Bytes Raw

```python
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0

# First 100 units → ₹2/unit
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2

# Next 100 units → ₹3/unit
    if units > 100:
        second_units = min(units - 100, 100)
        second_charge = second_units * 3

# Remaining units → ₹5/unit
    if units > 200:
        remaining_units = units - 200
        remaining_charge = remaining_units * 5
    else:
        remaining_units = 0

    # Total bill
    total = first_charge + second_charge + remaining_charge
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout siva
branch 'siva' set up to track 'origin/siva'.
Switched to a new branch 'siva'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
fatal: unable to access 'https://github.com/Sivashree-117/team5.git/':
nect to server
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating 73bf551..957169a
Fast-forward
 bill.py | 22 ++++++++++++++++++++++
 1 file changed, 22 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "five"
[siva 05eb5c1] five
 1 file changed, 13 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin siva
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 522 bytes | 174.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   73bf551..05eb5c1  siva -> siva
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge siva
Updating 957169a..05eb5c1
Fast-forward
 bill.py | 14 +++++++++++++-
 1 file changed, 13 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   957169a..05eb5c1  main -> main
```

siva

Go to file

atm.py

bill.py

Code Blame 35 lines (28 loc) · 1.01 KB Raw

```python
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2

# Next 100 units → ₹3/unit
    if units > 100:
        second_units = min(units - 100, 100)
        second_charge = second_units * 3

# Remaining units → ₹5/unit
    if units > 200:
        remaining_units = units - 200
        remaining_charge = remaining_units * 5
    else:
        remaining_units = 0

    # Total bill
    total = first_charge + second_charge + remaining_charge

    # Display breakdown
    print(f"Units = {units}")
    print(f"First 100 units = 100 * 2 = {first_charge}")
    print(f"Second 100 units = 100 * 3 = {second_charge}")
    print(f"Remaining {remaining_units} units = {remaining_units} * 5 = {remaining_ch
    print(f"Total Bill = {total}")


# Take input manually
units = int(input("Enter number of units consumed: "))
calculate_bill(units)
```

// Main branch

Files

main

Go to file

atm.py

bill.py

team5 / bill.py

Sivashree-117 five

Code Blame 35 lines (28 loc) · 1.01 KB Raw

```python
def calculate_bill(units):
    # Initialize charges
    first_charge = second_charge = remaining_charge = 0

  # First 100 units → ₹2/unit
    if units > 0:
        first_units = min(units, 100)
        first_charge = first_units * 2

  # Next 100 units → ₹3/unit
    if units > 100:
        second_units = min(units - 100, 100)
        second_charge = second_units * 3

  # Remaining units → ₹5/unit
    if units > 200:
        remaining_units = units - 200
        remaining_charge = remaining_units * 5
    else:
        remaining_units = 0

    # Total bill
    total = first_charge + second_charge + remaining_charge

    # Display breakdown
    print(f"Units = {units}")
    print(f"First 100 units = 100 * 2 = {first_charge}")
```

// Output

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> python bill.py
Enter number of units consumed: 800
Units = 800
First 100 units = 100 * 2 = 200
Second 100 units = 100 * 3 = 300
Remaining 600 units = 600 * 5 = 3000
Total Bill = 3500
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
```

Program 2

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout likitha
branch 'likitha' set up to track 'origin/likitha'.
Switched to a new branch 'likitha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm1"
[likitha ce00eb7] atm1
 1 file changed, 4 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin likitha
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 379 bytes | 189.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   fa034be..ce00eb7  likitha -> likitha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge likitha
Updating fa034be..ce00eb7
Fast-forward
 atm.py | 4 ++++
 1 file changed, 4 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   fa034be..ce00eb7  main -> main
```



```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout kavi
branch 'kavi' set up to track 'origin/kavi'.
Switched to a new branch 'kavi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..ce00eb7
Fast-forward
 atm.py | 4 ++++
 1 file changed, 4 insertions(+)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm2"
[kavi b9ea960] atm2
 1 file changed, 4 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin kavi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 444 bytes | 444.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   fa034be..b9ea960  kavi -> kavi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge kavi
Updating ce00eb7..b9ea960
Fast-forward
 atm.py | 5 ++++-
 1 file changed, 4 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Sivashree-117/team5.git
   ce00eb7..b9ea960  main -> main
```



```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout vedha
branch 'vedha' set up to track 'origin/vedha'.
Switched to a new branch 'vedha'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..b9ea960
Fast-forward
 atm.py | 9 ++++++++-
 1 file changed, 8 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm3"
[vedha ae2932d] atm3
 1 file changed, 5 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin vedha
From https://github.com/Sivashree-117/team5
 * branch            vedha      -> FETCH_HEAD
Already up to date.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge vedha
Updating b9ea960..ae2932d
Fast-forward
 atm.py | 6 +++++-
 1 file changed, 5 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 410 bytes | 410.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   b9ea960..ae2932d  main -> main
```

Files

vedha

Go to file

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm

Code Blame 12 lines (12 loc) · 427 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
    if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout sumathi
branch 'sumathi' set up to track 'origin/sumathi'.
Switched to a new branch 'sumathi'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..ae2932d
Fast-forward
 atm.py | 13 ++++++++++++-
 1 file changed, 12 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm4"
[sumathi 4af835a] atm4
 1 file changed, 6 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin sumathi
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 385 bytes | 385.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   fa034be..4af835a  sumathi -> sumathi
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Everything up-to-date
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge sumathi
Updating ae2932d..4af835a
Fast-forward
'origin/siva'.
Switched to a new branch 'siva'
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git pull origin main
From https://github.com/Sivashree-117/team5
 * branch            main       -> FETCH_HEAD
Updating fa034be..4af835a
Fast-forward
 atm.py | 18 ++++++++++++++++++-
 1 file changed, 17 insertions(+), 1 deletion(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm5"
[siva 15a47f2] atm5
 1 file changed, 9 insertions(+), 2 deletions(-)
```

Files

sumathi

Go to file t

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm4

Code Blame 17 lines (17 loc) · 546 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
     if amount > balance:
        print("Insufficient balance")
        continue
    # Deduct amount
    balance -= amount
```

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout siva
M       atm.py
Switched to branch 'siva'
Your branch is ahead of 'origin/siva' by 5 commits.
  (use "git push" to publish your local commits)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git branch
  kavi
  likitha
  main
* siva
  sumathi
  vedha
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git add .
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git commit -m "atm5"
[siva 8bda325] atm5
 1 file changed, 2 insertions(+), 2 deletions(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git merge siva
Updating 15a47f2..8bda325
Fast-forward
 atm.py | 4 ++--
 1 file changed, 2 insertions(+), 2 deletions(-)
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 312 bytes | 156.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Sivashree-117/team5.git
   15a47f2..8bda325  main -> main
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
```

Files

siva

Go to file

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm5

Code Blame 24 lines (24 loc) · 830 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
    if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
    if amount > balance:
        print("Insufficient balance")
        continue
    # Deduct amount
    balance -= amount
    print("Withdrawal successful!")
    print("Updated balance:", balance)
    # Ask to continue or exit
    choice = input("\nDo you want to continue or exit? (Continue/exit): ").lower()
    if choice == "exit":
        print("\nThank you for using the ATM,", name)
        break
```

//main

Files

main

Go to file

atm.py

bill.py

team5 / atm.py

Sivashree-117 atm5

Code Blame 24 lines (24 loc) · 831 Bytes Raw

```python
# ATM Withdrawal Program
name = input("Enter your name: ")
balance = int(input("Enter your account balance: "))
print("\nWelcome", name)
print("Your current balance is:", balance)
while True:
    amount = int(input("\nEnter withdrawal amount (multiple of 100): "))
    # Check multiple of 100
    if amount % 100 != 0:
        print("Please enter the amount in multiples of 100")
        continue
    # Check sufficient balance
     if amount > balance:
        print("Insufficient balance")
        continue
    # Deduct amount
    balance -= amount
    print("Withdrawal successful!")
    print("Updated balance:", balance)
    # Ask to continue or exit
    choice = input("\nDo you want to continue or exit? (continue/exit): ").lower()
    if choice == "exit":
        print("\nThank you for using the ATM,", name)
        break
```

// output

```
PS C:\Users\sivas\OneDrive\Desktop\agile\team5> python atm.py
Enter your name: Agile team
Enter your account balance: 10000

Welcome Agile team
Your current balance is: 10000

Enter withdrawal amount (multiple of 100): 117
Please enter the amount in multiples of 100

Enter withdrawal amount (multiple of 100): 3000
Withdrawal successful!
Updated balance: 7000

Do you want to continue or exit? (continue/exit): continue

Enter withdrawal amount (multiple of 100): 2000
Withdrawal successful!
Updated balance: 5000

Do you want to continue or exit? (continue/exit): exit

Thank you for using the ATM, Agile team
PS C:\Users\sivas\OneDrive\Desktop\agile\team5>
```