User managerp2applications:

Maincontroller:

```
m/example/UserManager/controllers/MainController.java - Eclipse IDE
                                                                                                                                                                                                                                                                                                                                                                                                                    a
                                                                                                                                                                                                                                                                                                                                                                                                                                          X
oject Run Window Help
Q 😭 🐉 💀
🗓 🛮 User.java 🔑 application.properties 🚇 MainController.java 🗴 🗓 UserManagerp2Application.java
                                         @PostMapping("/update2"
              859
                                         public String updateDetails(@RequestParam("nameedit") String nameedit, @RequestParam("emailedit") String emailedit, @
ArrayList<User> userList = new ArrayList<>();
try
              86
              89
              90
91
                                                                  User u = userService.GetUserById(Integer.valueOf(currID));
userService.setUser(u, nameedit, emailedit, passwordedit);
                                                                    userList.add(u);
Iterable<User> users = userList;
modelMap.put("user", users);
              92
93
94
95
           96
97
98
99
100
                                                       catch (NumberFormatException e)
                                                                e.printStackTrace();
                                                       catch(Exception e)
            101
                                                                e.printStackTrace();
            102
            103
            104
105
                                                          odelMap.put("IDedit", currID);
                                                      return "update2";
           106
            197
                                       }
            108 }
                                                                                                                                                                                                                                                                                                                                    🖺 Markers 🗆 Properties 🤻 Servers 🗯 Data Source Explorer 🔓 Snippets 📮 Console 🗵
      | UseManagerp2Application | UseManagerp2Appl
                                                                                                                                                                                                                                                                                                                                                   Resource not found
                                                                                                                                                                                                                                                                                                                                                   Completed 404 NOT_FOUND
"ERROR" dispatch for GET "/e
                                                                                                                                                                                                                                                                                                                                            Mapped to org.springframewor
Using 'application/json', gi
Writing [{timestamp=Tue Apr
Exiting from "ERROR" dispate
```

```
X
/example/UserManager/controllers/MainController.java - Eclipse IDE
ect Run Window Help
Q # 8 8
 return false;
try
    40
    41
42
    43
                               double db = Double.parseDouble(s);
    45
     46
47
                          catch(NumberFormatException e)
                       {
    return false;
     48
49
50
51
52
                         return true;
                  @PostMapping("/update")
public String saveDetails(@RequestParam("id") String id, ModelMap modelMap) {
    53°
54
55
56
57
58
59
                              User user = userService.GetUserById(Integer.valueOf(id));
                              ArrayList<User> userList = new ArrayList<>();
     60
61
                               if(user != null)
     62
                                    userList.add(user);
                                                                                                                                                                    Markers □ Properties ♣ Servers ♣ Data Source Explorer ► Snippets □ Console ×
 UserManagerp2Application [lava Application] 2022-04-26 15:57:20.175 DEBUG 6808 --- [nio-8086-exec-2] o.s.w.s.r.ResourceHttpRequestHandler
                                                                                                                                                                          : Resource not found
 2022-04-26 15:57:20.175 DEBUG 6808 --- [nio-8086-exec-2] o.s.wb.servlet.DispatcherServlet 2022-04-26 15:57:20.175 DEBUG 6808 --- [nio-8086-exec-2] o.s.wb.servlet.DispatcherServlet 2022-04-26 15:57:20.180 DEBUG 6808 --- [nio-8086-exec-2] o.s.wb.servlet.DispatcherServlet 2022-04-26 15:57:20.184 DEBUG 6808 --- [nio-8086-exec-2] o.s.ws.m.m.a.RequestMappingMandlerMapping 2022-04-26 15:57:20.200 DEBUG 6808 --- [nio-8086-exec-2] o.s.ws.m.m.a.HttpEntityMethodProcessor 2022-04-26 15:57:20.210 DEBUG 6808 --- [nio-8086-exec-2] o.s.ws.m.m.a.HttpEntityMethodProcessor 2022-04-26 15:57:20.251 DEBUG 6808 --- [nio-8086-exec-2] o.s.ws.m.m.a.HttpEntityMethodProcessor 2022-04-26 15:57:20.251 DEBUG 6808 --- [nio-8086-exec-2] o.s.ws.servlet.DispatcherServlet
                                                                                                                                                                           Resource not found
Completed 404 NOT_FOUND
"ERROR" dispatch for GET "/e
Mapped to org.springframewor
Using 'application/json', gi
                                                                                                                                                                        : Writing [{timestamp=Tue Apr
: Exiting from "ERROR" dispate
```

Usercontroller:

Userexceptioncontroller:

User.java

```
### Sentity // This tells Hibernate to make a table out of this class public class User/Active Integer id;

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class public class User {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

#### Sentity // This tells Hibernate to make a table out of this class user {

####
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 o
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   ×
             Q 🔡 🐉 😢
                                                                                                                                                                         public String getPassword() {
    return password;
                       21
22
23
                                                      public void setPassword(String password) {
    this.password = password;

    Markers □ Properties ♣ Servers ♠ Data Source Explorer ▷ Snippets □ Console ×

                | UserManagerp2Application | Dava Application | Dav
                                                                                                                                                                                                                                         Smart Insert 1:1:0
                                                                                                                                                                                      Writable
             /example/UserManager/entities/User.java - Eclipse IDE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  П
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  ×
             ect Run Window Help
                   public void setPassword(String password) {
    this.password = password;
                       28°
29
30
31
                                                      public Integer getId() {
   return id;
                                                      public void setId(Integer id) {
   this.id = id;
                       33
34
35
36
37
38
39
40
                                                        public String getName() {
                                                        public void setName(String name) {
   this.name = name;
                                                        public String getEmail() {
   return email;
                   45
46
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         ÷ ■ X % | R 0 0 0 0 0 0 0 0

    Markers □ Properties ♣ Servers ♣ Data Source Explorer ₺ Snippets □ Console ×

                | UserManager/Application | Dava Application | Dava
```

```
- o
/example/UserManager/entities/User.java - Eclipse IDE
et Run Window Help
| ▼ 의 실 영 ▼ ② ▼ 및 ▼ 및 ▼ 및 ▼ 및 ▼ 용 의 ※ ▼ 위 를 함 및 ▼ 일 ▼ 장 ▼ © 라 다 ▼ 연
                                                                                                                                                                                                                                                                                                                                                                                                                                                              Q 2 8
    34
                                 public String getName() {
    return name;
 38
39
40**
41
42
43
44**
45
46
47
48**
49
50
51
52**
53
54
55
55
57
}
                                public void setName(String name) {
   this.name = name;
                                public String getEmail() {
    return email;
                              }
                                public void setEmail(String email) {
   this.email = email;
                            }
                                public String toString() {
   return (id.toString() + " " + name + " " + email + " " + password);
                                                                                                                                                                                                                                                                                                                                                                       Markers □ Properties ♣ Servers ♣ Data Source Explorer □ Snippets □ Console ×
   LMakers Properties #Serves #Blota Source Explorer Dispipets Vicinsole > UserManagery Application | 1982 Appl
```

```
/example/UserManager/entities/User.java - Eclipse IDE
                                                                                                                                                                                                                                                                                                                                                                                                                  - 0 X
Q [왕] 왕 ts
     34
35
                              public String getName() {
     36<sup>6</sup>
37
38
39
40<sup>9</sup>
41
42
43
44<sup>9</sup>
                             public void setName(String name) {
   this.name = name;
                              public String getEmail() {
    return email;
       45
46
47
                             1
                              public void setEmail(String email) {
   this.email = email;
       48°
49
50
51
52°
53
54
55
56
57 }
                              @Override
public String toString() {
    return (id.toString() + " " + name + " " + email + " " + password);
    .

    Markers □ Properties ♣ Servers ■ Data Source Explorer □ Snippets □ Console ×

   | WeekManager/Application | Java Application | Java Application | LeverManager/Application | Java Application | LeverManager/Application | LeverManager/Appl
```

Userexception:

```
m/example/UserManager/exceptions/UserNotFoundException.java - Eclipse IDE

| Image: Complete | Image: I
```

Userrepository:

Userservices:

```
example/UserManager/services/UserService java - Edipse IDE

t Run Window Help

**Description**

**Diserspana**

**Miscroption**

**Miscroption
```

Jsp pages:

```
| Window Help |
```

```
WEB-INF/jsp/indexjsp - Eclipse IDE

It Run Window Help

Userjava 2 MainControl. 2 UserControl. 3 UserExceptio. 2 UserNotfound. 3 UserReposito. 4 UserService. 3 error. 5 Bindex.jsp × 1 index.jsp × 1
```

```
WEB-INF/jsp/mouser.jsp - Eclipse IDE

IX Run Window Help

Wes Land Window Help

Wes Land
```

```
- 0
o/WEB-INF/jsp/update2.jsp - Eclipse IDE
  oject Run Window Help
당 ♥ |◎||월||방 ♥ ② ♥ 및 ♥ 및 ♥ ■ ♥ 통 ♥ |※||중 중 ※ 부 | 원 ♥ 중 ♥ ♥ 중 ♥ ♥ □ ♥ | 만 |
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Q 🔡 🐉 🕏
□ Userjava ② UserNotfound... ② UserReposito... ② UserService... ③ errorjsp ⑤ indexjsp ⑥ nouserjsp ⑥ updatejsp ⑥ update2jsp × %

1 k%e page language="java" contentType="text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%

3 <a href="text-align: com/jsp/jstl/core"">text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%
3 <a href="text-align: com/jsp/jstl/core"">text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%
3 <a href="text-align: com/jsp/jstl/core"">text/html; charset=ISO-8859-1"
pageEncoding="ISO-8859-1"%
3 <a href="text-align: com/jsp/jstl/core"">text/html; charset=ISO-8859-1"</a>
3 <a href="text-align: com/jsp/jstl/core" "prefix="c" %">text-align: com/jsp/jstl/core "prefix="c" %">text-ali
                                 5 <!DOCTYPE html>
                                            <meta charset="ISO-8859-1">
<title>Insert title here</title>
                       10 </head>
                       11 <body>
                                                                          <style>
table, th, td {
  border: 1px solid black;
  margin: auto;
                       13
14
15
16
17
18
19
20
21
22
23
24
                                                                                }
.center {
    text-align: center;
    align-items:center;
                                                                            a{
text-decoration:None;
                                                                            color:black:}

    Markers □ Prope

                                                                                                                                     ties # Servers # Data Source Explorer Schippets Console ×
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Markes = Properties = Series = Data Source Explore = Simples = Volume = Volume = Simples = Volume = Volu
```



