## CREATING MY PORTFOLIO PROJECT SOURCE CODE

Prepared By: Niladri Chowdhury

## index.html

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
  <head>
    <meta charset="UTF-8">
    <title> Responsive Portfolio Website | CodingLab
</title>
   <link rel="stylesheet" href="style.css">
    <!-- Fontawesome CDN Link -->
    <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.2/css/all.min.css"/>
     <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
   </head>
<body>
  <!-- Move to up button -->
  <div class="scroll-button">
    <a href="#home"><i class="fas fa-arrow-up"></i></a>
  </div>
 <!-- navgaition menu -->
  <nav>
   <div class="navbar">
     <div class="logo"><a href="#">Portfolio.</a></div>
     <a href="#home">Home</a>
         <a href="#about">About</a>
          <a href="#skills">Skills</a>
```

```
<a href="#services">Services</a>
          <a href="#contact">Contact</a>
          <div class="cancel-btn">
            <i class="fas fa-times"></i></i>
          </div>
      <div class="media-icons">
        <a href="#"><i class="fab fa-facebook-</pre>
f"></i></a>
        <a href="#"><i class="fab fa-twitter"></i></a>
        <a href="#"><i class="fab fa-youtube"></i></a>
        <a href="#"><i class="fab fa-instagram"></i></a>
        <a href="#"><i class="fab fa-blogger"></i></a>
      </div>
    </div>
    <div class="menu-btn">
      <i class="fas fa-bars"></i></i>
    </div>
  </nav>
<!-- Home Section Start -->
<section class="home" id="home">
   <div class="home-content">
    <div class="text">
       <div class="text-one">Hello,</div>
       <div class="text-two">I'm Priyanka Das</div>
       <div class="text-three">B.Tech Final Year</div>
       <div class="text-four">From Kolkata</div>
     </div>
     <div class="button">
       <button>Hire Me</button>
```

```
</div>
   </div>
 </section>
<!-- About Section Start -->
<section class="about" id="about">
  <div class="content">
    <div class="title"><span>About Me</span></div>
  <div class="about-details">
    <div class="left">
      <img src="images/profpic.png" alt="">
    </div>
    <div class="right">
      <div class="topic">Learning Is My Passion</div>
      I am Niladri. I am persuing final year B. Tech. in
the department of Electronics and Communication Engg.,
in University of Engineering and Management Kolkata
which is also known as UEMK. I am a person with a lot
of enthusiasm to learn new things and I follow the
motto "Live Life to the Fullest". I mainly believe that
hard work really matters in our progress which also
helps me as well to maintain a 9.34 cgpa till now in my
B.Tech. I love to learn about digital circuits,
microprocessors and other technologies as well. I feel
if hardware is like our body then software is like our
heart; I am also interested in coding and enjoy learning
new programming languages and upgrade myself more. I
have learn so many things from my college like time
management , how we respect ourselves. I am the person
who always believing my self and confident about what I
believe. My motto in my life was one of the inspiring
quote by swami vivekananda. "Arise , Awake until you
```

```
reach your goal" . I used to spent my free time to
collect inspiring quotations which give relief to the
mind.
      <div class="button">
        <button>Download CV</button>
      </div>
    </div>
  </div>
  </div>
</section>
<!-- My Skill Section Start -->
<!-- Section Tag and Other Div will same where we need
to put same CSS -->
<section class="skills" id="skills">
<div class="content">
   <div class="title"><span>My Skills</span></div>
   <div class="skills-details">
     <div class="text">
       <div class="topic">Skills Reflects Our
Knowledge</div>
       I would say that people would describe me as a
good communicator because I'm always able to articulate
people's needs. I'm able to quickly pick up on subtle
hints and nonverbal clues, and I believe this has helped
contribute to my success. I know about C, Java, Data
structure and recently learning HTML, CSS and Javascript.
I also have knowledge over github.
       <div class="experience">
         <div class="num">3</div>
```

```
<div class="exp">Years of <br>Coding experience
</div>
       </div>
     </div>
     <div class="boxes">
       <div class="box">
         <div class="topic">C++</div>
         <div class="per">80%</div>
       </div>
       <div class="box">
         <div class="topic">JAVA</div>
         <div class="per">90%</div>
       </div>
       <div class="box">
         <div class="topic">Data Structure</div>
         <div class="per">80%</div>
       </div>
       <div class="box">
         <div class="topic">HTML,CSS & Javascript</div>
         <div class="per">Learning</div>
       </div>
     </div>
   </div>
</div>
</section>
<!-- My Services Section Start -->
<section class="services" id="services">
   <div class="content">
     <div class="title"><span>My Services</span></div>
     <div class="boxes">
```

```
<div class="box">
         <div class="icon">
           <i class="fas fa-desktop"></i></i>
       </div>
       <div class="topic">Web Devlopment</div>
       Created a restaurent website, flight booking
website, Learning portal website and recently preparing
a quiz portal website.
     </div>
       <div class="box">
         <div class="icon">
           <i class="fas fa-paint-brush"></i></i>
       </div>
       <div class="topic">Graphic Design</div>
       Created various posters, blogs using an app
called Canva.
     </div>
       <div class="box">
         <div class="icon">
           <i class="fas fa-robot"></i></i>
       </div>
       <div class="topic">Humanoid Robot Making</div>
       Creating a Humanoid Robot which can walk,
talk, dance, detect obstacles and can carry small
objects.
     </div>
       <div class="box">
         <div class="icon">
           <i class="fab fa-android"></i></i>
       </div>
       <div class="topic">PCB Design</div>
```

```
>Designed a Touch Capacitive based PCB Light
Panel
     </div>
       <div class="box">
         <div class="icon">
           <i class="fas fa-book"></i></i>
       </div>
       <div class="topic">Quotes</div>
       Writing quotes over YourQuote.in for many
Years.
     </div>
       <div class="box">
         <div class="icon">
           <i class="fas fa-tablet-alt"></i></i>
       </div>
       <div class="topic">Apps Devlopment</div>
       Created a mini word puzzle.
     </div>
   </div>
   </div>
 </section>
<!-- Contact Me section Start -->
<section class="contact" id="contact">
  <div class="content">
    <div class="title"><span>Contact Me for a Cup of
    Coffee</span></div>
    <div class="text">
      <div class="topic">Have Any Project?</div>
      As the saying goes "A rolling stone gather no
mosses". I would love to work on new projects and over
new technologies as well. I will make sure to bring out
```

```
the best output as your expectation and wouldn't
dissapoint you. 
      <div class="button">
        <button>Let's Chat</putton>
      </div>
    </div>
  </div>
</section>
<!-- Footer Section Start -->
<footer>
  <div class="text">
    <span>Created By <a href="#">Niladri
Chowdhury</a> | &#169; 2022 All Rights
Reserved</span>
 </div>
</footer>
  <script src="script.js"></script>
</body>
</html>
```

## Script.js

```
// Sticky Navigation Menu JS Code
let nav = document.querySelector("nav");
let scrollBtn = document.querySelector(".scroll-button
a");
console.log(scrollBtn);
let val;
window.onscroll = function() {
```

```
if(document.documentElement.scrollTop > 20){
    nav.classList.add("sticky");
    scrollBtn.style.display = "block";
  }else{
    nav.classList.remove("sticky");
    scrollBtn.style.display = "none";
// Side NavIgation Menu JS Code
let body = document.querySelector("body");
let navBar = document.querySelector(".navbar");
let menuBtn = document.querySelector(".menu-btn");
let cancelBtn = document.querySelector(".cancel-btn");
menuBtn.onclick = function(){
  navBar.classList.add("active");
  menuBtn.style.opacity = "0";
  menuBtn.style.pointerEvents = "none";
  body.style.overflow = "hidden";
  scrollBtn.style.pointerEvents = "none";
cancelBtn.onclick = function(){
  navBar.classList.remove("active");
  menuBtn.style.opacity = "1";
  menuBtn.style.pointerEvents = "auto";
  body.style.overflow = "auto";
  scrollBtn.style.pointerEvents = "auto";
// Side Navigation Bar Close While We Click On
Navigation Links
let navLinks = document.querySelectorAll(".menu li a");
for (var i = 0; i < navLinks.length; i++) {</pre>
```

```
navLinks[i].addEventListener("click" , function() {
    navBar.classList.remove("active");
    menuBtn.style.opacity = "1";
    menuBtn.style.pointerEvents = "auto";
});
}
```

## Style.css

```
/* Google Font CDN Link */
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wg
ht@400;500;600;700&family=Ubuntu:wght@400;500;700&displa
y=swap');
*{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
 text-decoration: none;
  scroll-behavior: smooth;
/* Custom Scroll Bar CSS */
::-webkit-scrollbar {
    width: 10px;
::-webkit-scrollbar-track {
    background: #f1f1f1;
::-webkit-scrollbar-thumb {
    background: #6e93f7;
    border-radius: 12px;
```

```
transition: all 0.3s ease;
::-webkit-scrollbar-thumb:hover {
    background: #4070f4;
/* navbar styling */
nav{
 position: fixed;
 width: 100%;
 padding: 20px 0;
 z-index: 998;
 transition: all 0.3s ease;
 font-family: 'Ubuntu', sans-serif;
nav.sticky{
 background: #4070f4;
  padding: 13px 0;
nav .navbar{
 width: 95%;
 display: flex;
 justify-content: space-between;
 align-items: center;
 margin: auto;
nav .navbar .logo a{
 font-weight: 800;
 font-size: 45px;
 color: #40f4eb;
```

```
nav.sticky .navbar .logo a{
 color: #fff;
nav .navbar .menu{
 display: flex;
 position: relative;
nav .navbar .menu li{
  list-style: none;
 margin: 0 8px;
.navbar .menu a{
 font-size: 18px;
 font-weight: 500;
 color: #0E2431;
 padding: 6px 0;
 transition: all 0.4s ease;
.navbar .menu a:hover{
 color: #4070f4;
nav.sticky .menu a{
  color: #FFF;
nav.sticky .menu a:hover{
 color: #0E2431;
.navbar .media-icons a{
 color: #4070f4;
 font-size: 18px;
 margin: 0 6px;
```

```
nav.sticky .media-icons a{
 color: #FFF;
}
/* Side Navigation Menu Button CSS */
nav .menu-btn,
.navbar .menu .cancel-btn{
  position: absolute;
 color: #fff;
 right: 30px;
 top: 20px;
 font-size: 20px;
 cursor: pointer;
 transition: all 0.3s ease;
 display: none;
nav .menu-btn{
  color: #4070f4;
nav.sticky .menu-btn{
  color: #FFF;
.navbar .menu .menu-btn{
 color: #fff;
/* home section styling */
.home{
 height: 100vh;
 width: 100%;
```

```
background: url("images/4546180.png") no-repeat;
 background-size: cover;
 background-position: center;
 background-attachment: fixed;
 font-family: 'Ubuntu', sans-serif;
.home .home-content{
 width: 90%;
 height: 100%;
 margin: auto;
 display: flex;
 flex-direction: column;
 justify-content: center;
.home .text-one{
 font-size: 25px;
 color: #0E2431;
.home .text-two{
 color: #0E2431;
 font-size: 75px;
 font-weight: 600;
 margin-left: -3px;
.home .text-three{
 font-size: 40px;
 margin: 5px 0;
 color: #40dff4;
.home .text-four{
 font-size: 23px;
```

```
margin: 5px 0;
 color: #0E2431;
.home .button{
 margin: 14px 0;
.home .button button{
  outline: none;
  padding: 8px 16px;
  border-radius: 6px;
 font-size: 25px;
 font-weight: 400;
  background: #4070f4;
  color: #fff;
  cursor: pointer;
  border: 2px solid transparent;
  transition: all 0.4s ease;
.home .button button:hover{
  border-color: #4070f4;
 background-color: #fff;
  color: #4070f4;
/* About Section Styling */
/* Those Elements Where We Have Apply Same CSS,
I'm Selecting Directly 'Section Tag' and 'Class' */
section{
 padding-top: 40px;
section .content{
```

```
width: 80%;
  margin: 40px auto;
  font-family: 'Poppins', sans-serif;
.about .about-details{
  display: flex;
 justify-content: space-between;
  align-items: center;
section .title{
 display: flex;
 justify-content: center;
  margin-bottom: 40px;
section .title span{
 color: #0E2431;
 font-size: 30px;
 font-weight: 600;
  position: relative;
  padding-bottom: 8px;
section .title span::before,
section .title span::after{
  content: '';
  position: absolute;
 height: 3px;
 width: 100%;
 background: #4070f4;
  left: 0;
  bottom: 0;
```

```
section .title span::after{
  bottom: -7px;
 width: 70%;
 left: 50%;
 transform: translateX(-50%);
.about .about-details .left{
  width: 45%;
.about .left img{
 height: 400px;
 width: 400px;
 object-fit: cover;
 border-radius: 12px;
.about-details .right{
 width: 55%;
section .topic{
 color: #0E2431;
 font-size: 25px;
 font-weight: 500;
  margin-bottom: 10px;
.about-details .right p{
 text-align: justify;
  color: #0E2431;
section .button{
 margin: 16px 0;
```

```
section .button button{
  outline: none;
  padding: 8px 16px;
  border-radius: 4px;
 font-size: 25px;
  font-weight: 400;
  background: #4070f4;
  color: #fff;
  border: 2px solid transparent;
  cursor: pointer;
  transition: all 0.4s ease;
section .button button:hover{
  border-color: #4070f4;
  background-color: #fff;
  color: #4070f4;
 /* My Skills CSS */
 .skills{
   background: #F0F8FF;
 .skills .content{
   padding: 40px 0;
 .skills .skills-details{
   display: flex;
   justify-content: space-between;
   align-items: center;
 .skills-details .text{
```

```
width: 50%;
.skills-details p{
  color: #0E2431;
  text-align: justify;
.skills .skills-details .experience{
 display: flex;
 align-items: center;
 margin: 0 10px;
.skills-details .experience .num{
 color: #0E2431;
 font-size: 80px;
.skills-details .experience .exp{
 color: #0E2431;
 margin-left: 20px;
 font-size: 18px;
 font-weight: 500;
 margin: 0 6px;
.skills-details .boxes{
 width: 45%;
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
.skills-details .box{
 width: calc(100% / 2 - 20px);
 margin: 20px 0;
```

```
.skills-details .boxes .topic{
 font-size: 20px;
 color: #4070f4;
.skills-details .boxes .per{
 font-size: 60px;
 color: #4070f4;
/* My Services CSS */
.services .boxes{
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
.services .boxes .box{
 margin: 20px 0;
 width: calc(100% / 3 - 20px);
 text-align: center;
 border-radius: 12px;
 padding: 30px 10px;
 box-shadow: 0 5px 10px rgba(0, 0, 0, 0.12);
 cursor: default;
 transition: all 0.4s ease;
.services .boxes .box:hover{
 background: #4070f4;
 color: #fff;
.services .boxes .box .icon{
```

```
height: 50px;
 width: 50px;
 background: #4070f4;
 border-radius: 50%;
 text-align: center;
 line-height: 50px;
 font-size: 18px;
 color: #fff;
 margin: 0 auto 10px auto;
 transition: all 0.4s ease;
.boxes .box:hover .icon{
 background-color: #fff;
 color: #4070f4;
.services .boxes .box:hover .topic,
.services .boxes .box:hover p{
 color: #0E2431;
 transition: all 0.4s ease;
.services .boxes .box:hover .topic,
.services .boxes .box:hover p{
 color: #fff;
/* Contact Me CSS */
.contact{
 background: #F0F8FF;
.contact .content{
 margin: 0 auto;
 padding: 30px 0;
```

```
.contact .text{
 width: 80%;
 text-align: center;
 margin: auto;
/* Footer CSS */
footer{
 background: #4070f4;
 padding: 15px 0;
 text-align: center;
 font-family: 'Poppins', sans-serif;
footer .text span{
 font-size: 17px;
 font-weight: 400;
  color: #fff;
footer .text span a{
 font-weight: 500;
  color: #FFF;
footer .text span a:hover{
 text-decoration: underline;
/* Scroll TO Top Button CSS */
.scroll-button a{
 position: fixed;
 bottom: 20px;
 right: 20px;
```

```
color: #fff;
  background: #4070f4;
  padding: 7px 12px;;
 font-size: 18px;
  border-radius: 6px;
  box-shadow: rgba(0, 0, 0, 0.15);
  display: none;
/* Responsive Media Query */
@media (max-width: 1190px) {
  section .content{
    width: 85%;
@media (max-width: 1000px) {
  .about .about-details{
    justify-content: center;
    flex-direction: column;
  .about .about-details .left{
    display: flex;
    justify-content: center;
    width: 100%;
  .about-details .right{
    width: 90%;
    margin: 40px 0;
  .services .boxes .box{
    margin: 20px 0;
```

```
width: calc(100% / 2 - 20px);
  }
@media (max-width: 900px) {
  .about .left img{
    height: 350px;
    width: 350px;
  }}
@media (max-width: 750px) {
  nav .navbar{
    width: 90%;
  nav .navbar .menu{
    position: fixed;
    left: -100%;
    top: 0;
    background: #0E2431;
    height: 100vh;
    max-width: 400px;
    width: 100%;
    padding-top: 60px;
    flex-direction: column;
    align-items: center;
    transition: all 0.5s ease;
  .navbar.active .menu{
    left: 0;
  nav .navbar .menu a{
    font-size: 23px;
    display: block;
```

```
color: #fff;
  margin: 10px 0;
nav.sticky .menu a:hover{
  color: #4070f4;
nav .navbar .media-icons{
  display: none;
nav .menu-btn,
.navbar .menu .cancel-btn{
  display: block;
.home .text-two{
 font-size: 65px;
.home .text-three{
 font-size: 35px;
.skills .skills-details{
  align-items: center;
  justify-content: center;
 flex-direction: column;
.skills-details .text{
  width: 100%;
 margin-bottom: 50px;
.skills-details .boxes{
  justify-content: center;
  align-items: center;
```

```
width: 100%;
  .services .boxes .box{
    margin: 20px 0;
    width: 100%;
  .contact .text{
    width: 100%;
}}
@media (max-width: 500px){
  .home .text-two{
    font-size: 55px;
  .home .text-three{
    font-size: 33px;
  .skills-details .boxes .per{
   font-size: 50px;
    color: #4070f4;
```