

MALANJKHAND COPPER PROJECT
HINDUSTAN COPPER LIMITED
(A Govt. of India Enterprise)
P.O. MALANJKHAND - 481 116 DISTT. BALAGHAT (M. P.)
Fax: 07637 - 257038 / 32, Tel: 07637 – 257195

Committee of Sustainable Development Unit.

Member of Sustainable Development Unit for Malanjkhand Copper Project

S.No	Name	Designation	Capacity
1.	Shri G.D Gupta	GM (Mines)	Chairman
2.	Shri Rajeev Chordia	DGM (Civil)	Secretary
3.	Shri Adwait Kumar	DGM (Electrical)/ M&C	Member
4.	Shri Nagesh G. Shenoy	DGM (Mines)-UG	Member
5.	Shri K.R. Hansdah	DGM (Mines)-MM	Member
6.	Shri Vimal Kumar	DGM (Elec)	Member
7.	Shri Ajay Giri	DGM (Concentrator)	Member
8.	Dr. R.K. Bala	AGM (Medical & HS)	Member
9.	Shri S C Rana	AGM (VTO)	Member
10.	Shri Manish Arun Gavai	AGM (Civil)	Member
11.	Shri D R Ray	AGM (Mechanical)	Member
12.	Shri Lokesh Purohit	AGM (Finance)	Member
13.	Shri Sanjay Shivdarshi	AGM (HR)	Member
14.	Shri V.N Mishra	CM (Exploration)	Coordinator
15.	Shri H.S. Panigrahi	Manager (HR)-CSR	Member
16.	Shri T Sahu	Dy.Manager (Env)	Member

NOISE MONITORING REPORT

Report No.:-	AN/NE/HCL/2021/9-5	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhand Copper Project) P.O. Malanjkhand-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-5
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Open Pit	Date of Monitoring	22/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1352 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	Slightly
4.	Noise Level (dBA)	
	L _{max}	81.9
	L _{min}	32.5
	L ₁₀	67.5
	L ₅₀	62.6
	L ₉₀	61.3
	Leq Day (6:00 a.m. to 10:00 p.m.)	65.4
	Leq Night (10:00 p.m. to 6:00 a.m.)	49.6
	Leq	63.1

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by

Sam
Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory

S.D. Garway
Dr. (Mrs.) S.D. Garway
(Quality Manager)

NOISE MONITORING REPORT


Report No.:-	AN/NE/HCL/2021/9-1	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-1
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Mines Office	Date of Monitoring	21/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1350 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	Official
3.	Sources of Pollution	
	Traffic movement	Slightly
4.	Noise Level (dBA)	
	L _{max}	80.6
	L _{min}	32.4
	L ₁₀	61.5
	L ₅₀	57.8
	L ₉₀	56.2
	Leq Day (6:00 a.m. to 10:00 p.m.)	59.5
	Leq Night (10:00 p.m. to 6:00 a.m.)	46.1
	Leq	54.2

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by



Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory



Dr. (Mrs.) S.D. Garway
(Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

NOISE MONITORING REPORT

Report No.:-	AN/NE/HCL/2021/9-2	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-2
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Primary Crusher	Date of Monitoring	21/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1352 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	Highly
3.	Sources of Pollution	
	Traffic movement	No
4.	Noise Level (dBA)	
	L _{max}	84.2
	L _{min}	33.8
	L ₁₀	65.1
	L ₅₀	58.6
	L ₉₀	51.7
	Leq Day (6:00 a.m. to 10:00 p.m.)	57.6
	Leq Night (10:00 p.m. to 6:00 a.m.)	45.9
	Leq	55.4

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by

smf
Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory

Dr. (Mrs.) S.D. Garway
Dr. (Mrs.) S.D. Garway
(Quality Manager)

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export Inspection Council (EIC); AGMARK.

TEST REPORT

NOISE MONITORING REPORT


Report No.:-	AN/NE/HCL/2021/9-3	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhand Copper Project) P.O. Malanjkhand-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-3
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Secondary Crusher	Date of Monitoring	21/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SLM-100 Make: Envirotech
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	Slightly
4.	Noise Level (dBA)	
	L _{max}	86.7
	L _{min}	32.6
	L ₁₀	64.5
	L ₅₀	53.2
	L ₉₀	51.8
	L _{Day} (6:00 a.m. to 10:00 p.m.)	62.6
	L _{Night} (10:00 p.m. to 6:00 a.m.)	47.8
	Leq	53.6

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by



Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory



Dr. (Mrs.) S.D. Garway
(Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.
Email : support@anacon.in;
Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.
We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.
In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export inspection council (EIC); AGMARK.

NOISE MONITORING REPORT


Report No.:-	AN/NE/HCL/2021/9-4	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-4
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	DG Set	Date of Monitoring	22/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1350 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	No
4.	Noise Level (dBA)	
	L _{max}	84.6
	L _{min}	31.4
	L ₁₀	62.2
	L ₅₀	59.5
	L ₉₀	56.6
	L _{Day} (6:00 a.m. to 10:00 p.m.)	60.9
	L _{Night} (10:00 p.m. to 6:00 a.m.)	44.5
	Leq	57.3

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by



Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory



Dr. (Mrs.) S.D. Garway
(Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

NOISE MONITORING REPORT

Report No.:-	AN/NE/HCL/2021/9-6	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-6
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Leaching Plant	Date of Monitoring	22/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SLM-100 Make: Envirotech
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	Yes
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	No
4.	Noise Level (dBA)	
	L _{max}	86.4
	L _{min}	31.8
	L ₁₀	64.2
	L ₅₀	59.6
	L ₉₀	56.1
	L _{Day} (6:00 a.m. to 10:00 p.m.)	60.4
	L _{Night} (10:00 p.m. to 6:00 a.m.)	44.9
	Leq	57.5

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by

Smyl
 Mr. Sandip Bakde
 (Technical Manager)

Authorized Signatory

S.D. Garway
 Dr. (Mrs.) S.D. Garway
 (Quality Manager)

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export Inspection Council (EIC); AGMARK.

NOISE MONITORING REPORT


Report No.:-	AN/NE/HCL/2021/9-8	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-8
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Township	Date of Monitoring	23/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1352 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	Slightly
3.	Sources of Pollution	
	Traffic movement	Slightly
4.	Noise Level (dBA)	
	L _{max}	76.5
	L _{min}	33.7
	L ₁₀	61.8
	L ₅₀	54.6
	L ₉₀	52.1
	L _{Day} (6:00 a.m. to 10:00 p.m.)	54.3
	L _{Night} (10:00 p.m. to 6:00 a.m.)	41.6
	Leq	50.2

Thanks for utilizing our services.


For ANACON LABORATORIES PVT. LTD.

Verified by



Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory



Dr. (Mrs.) S.D. Garway
(Quality Manager)

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export inspection council (EIC); AGMARK.

TEST REPORT
NOISE MONITORING REPORT


Report No.:-	AN/NE/HCL/2021/9-11	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-11
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Borkhera Village	Date of Monitoring	24/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1352 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	No
4.	Noise Level (dBA)	
	L _{max}	81.6
	L _{min}	31.2
	L ₁₀	56.1
	L ₅₀	49.8
	L ₉₀	48.2
	L _{Day} (6:00 a.m. to 10:00 p.m.)	50.6
	L _{Night} (10:00 p.m. to 6:00 a.m.)	41.8
	L _{eq}	50.2

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by



 Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory



 Dr. (Mrs.) S.D. Garway
(Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

NOISE MONITORING REPORT

Report No.:-	AN/NE/HCL/2021/9-7	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-7
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Pouni Village	Date of Monitoring	23/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1350 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	Yes
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	Highly
4.	Noise Level (dBA)	
	L _{max}	82.7
	L _{min}	32.6
	L ₁₀	60.8
	L ₅₀	53.4
	L ₉₀	51.7
	L _{Day} (6:00 a.m. to 10:00 p.m.)	52.3
	L _{Night} (10:00 p.m. to 6:00 a.m.)	40.5
	L _{eq}	51.8

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by

smf.
 Mr. Sandip Bakde
 (Technical Manager)

Authorized Signatory

S.D. Garway
 Dr. (Mrs.) S.D. Garway
 (Quality Manager)

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export inspection council (EIC); AGMARK.

NOISE MONITORING REPORT

Report No.:-	AN/NE/HCL/2021/9-10	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhand Copper Project) P.O. Malanjkhand-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-10
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Tailing Pond Pump	Date of Monitoring	24/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SL-1350 Make: HTC
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	No
4.	Noise Level (dBA)	
	L _{max}	83.7
	L _{min}	32.1
	L ₁₀	67.5
	L ₅₀	53.6
	L ₉₀	52.1
	L _{Day} (6:00 a.m. to 10:00 p.m.)	55.9
	L _{Night} (10:00 p.m. to 6:00 a.m.)	46.5
	L _{eq}	52.3

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by

snuf
Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory

Stamp
Dr. (Mrs.) S.D. Garway
(Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Bulburi, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS); Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export inspection council (EIC); AGMARK.

TEST REPORT

NOISE MONITORING REPORT

Report No.:-	AN/NE/HCL/2021/9-9	Report Date:-	31/05/2021
Issued to	M/s Hindustan Copper Limited (Malanjkhanda Copper Project) P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)		
Type of Work:-	Ambient Noise Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 131-N-9
Sample Drawn By:	Anacon Representative	Data Received Date	27/05/2021
Sampling Location	Intake Pump House	Date of Monitoring	23/05/2021

Sl. No.	Parameters	Description
1.	Noise Level Meter	Model: SLM-100 Make: Envirotech
	Data Collection	Manual Type/Data Logger Type
2.	Location	
	Congested	No
	Environmentally sensitive	No
	Areas Category	No
3.	Sources of Pollution	
	Traffic movement	No
4.	Noise Level (dBA)	
	L _{max}	86.6
	L _{min}	40.5
	L ₁₀	65.8
	L ₅₀	63.3
	L ₉₀	60.7
	L _{Day} (6:00 a.m. to 10:00 p.m.)	64.1
	L _{Night} (10:00 p.m. to 6:00 a.m.)	45.8
	Leq	61.4

Thanks for utilizing our services.

For ANACON LABORATORIES PVT. LTD.

Verified by

Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory

Dr. (Mrs.) S.D. Garway
(Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in;

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship. In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified.
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi.
- Approved by Food Safety & Standards Authority of India under FSS Act.
- Bureau of Indian Standards (BIS), Agricultural & Processed Food Products Export Development Authority (APEDA).
- Export inspection council (EIC), AGMARK

TEST REPORT

Report No. – ALPL/02062021/1

ISSUED TO: M/s Hindustan Copper Ltd. Malanjkhanda Copper Project, P.O. Malanjkhanda – 481116, Dist :- Balaghat (M.P.)	Sample Inward No. : 2021/Mon-130-SW-1 to 3 Report Issue Date : 02/06/2021 Your Reference : P.O.No. 19419 Reference Date : 09.08.2019
--	---

Sample Category : Surface Water
Sample Particulars : 1) Chhinditola Talab
2) Karamsara Talab
3) Datla Nala Before Mixing to Sone River

Sample Registration Date : 27/05/2021	Analysis Starting Date : 28/05/2021
Quantity received : 5 L each	Analysis Completion Date : 01/06/2021
Sample tested as received	Tests required : As per work order
	Sampled by : Anacon representative Mr. Akshay Bahulkar
Sampling Date : 25/05/2021	Sampling Time : 11.20 am, 12.40 & 1.50 pm.

BIOASSAY TEST RESULTS FOR THE MONTH OF MAY-2021

Sr. No.	Test Parameter	Test Method	CPCB Requirement	Test Result		
				Sample No. 1 Chhinditola Talab	Sample No. 2 Karamsara Talab	Sample No. 3 Datla Nala Before Mixing to Sone River
1	Bioassay test carried out at room temperature (25°C) in as such water sample without dilution.	APHA 22 nd addn	Minimum 90 % survival after 96 hours with 100% effluent	94% survival in as such sample for 96 Hrs. at room temp.	98% survival in as such sample for 96 Hrs. at room temp.	96% survival in as such sample for 96 Hrs. at room temp.

NOTES : • Please see watermark "Original Test Report" in blue color to confirm the authenticity of this report. • Results shall be referred to tested sample(s) and applicable to tested parameters only. • Test report shall not be reproduced except in full without prior written approval of Anacon Labs. • Liability of Anacon Labs is limited to invoiced amount only. • Non-perishable and perishable sample(s) shall be disposed off after 30 days and 15 days respectively from the date of issue of Test Report, unless specified otherwise.

REMARKS: Based upon request of party, sample was tested for above mentioned parameter only.


For ANACON LABORATORIES PVT. LTD.,

Verified by



Roshani Thakur
(Sr. Chemist)

Authorized Signatory



Dr. (Mrs.) S.D. Garway
(Quality Manager)

AIR MONITORING ANALYSIS REPORT

Report No.:-	AN/AA/HCL/2021/10-1	Report Date:-	31/05/2021
Issued to :-	M/s Hindustan Copper Limited (Malanjkhanda Copper Project)	Address:-	P.O. Malanjkhanda-481 116. Dist:- Balaghat (M.P.)
Type of Work :-	Ambient Air Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 129-1 to 6
Sample Drawn By :-	Anacon Representative	Sample Received Date	27/05/2021
Date of Analysis :-	28/05/2021 to 29/05/2021	Testing Period	01 Day

Sr. No.	LOCATION	Date of sampling	PM ₁₀ µg /m ³	PM _{2.5} µg /m ³	SO ₂ µg /m ³	NO ₂ µg /m ³	CO mg /m ³
Method			IS:5182 (Part 23)	USEPA-40 (Part 50)	IS:5182 (Part 2)	IS:5182 (Part 6)	IS:5182 (Part 10)
1.	Township	21/05/2021	56.2	21.7	9.4	18.2	0.273
2.	Pouni Village	21/05/2021	62.8	27.3	11.2	16.8	0.256
3.	Tailing Pond Pump House	22/05/2021	51.9	18.1	6.7	14.3	0.183
4.	Mines Open Pit	22/05/2021	67.3	31.6	11.6	23.7	0.294
5.	Secondary Crusher	23/05/2021	62.8	27.3	9.1	16.8	0.281
6.	D.G.Sets	23/05/2021	54.2	23.7	7.3	17.1	0.269
CPCB Standards			100 (24 hrs)	60 (24 hrs)	80 (24 hrs)	80 (24 hrs)	2.0 (8 hrs)

Equipment used for sampling	Respirable Dust Sampler	Fine Particulate Sampler
Make	CEIS	CEIS
Model No.	CEIS-121	CEIS-131
Serial No.	1) 224-GA-2020 2) 225-GA-2020	1) 219-2020 2) 220-2020
Calibrated On	13.08.2020	13.08.2020
Next Calibration	12.07.2021	12.07.2021

Thanks for utilizing our services.

For ANACON LABORATORIES PVT.LTD.

Verified by

Sandip
 Mr. Sandip Bakde
 (Technical Manager)

Authorized Signatory

S.D. Garway
 Dr. (Mrs.) S.D. Garway
 (Quality Manager)

Laboratory address : FP-34, 35, Food Park, 5 Star Industrial Estate, MIDC Butibori, Nagpur - 441 122.

Email : support@anacon.in

Please Visit us at : www.anaconlaboratories.com

Thanks for your faith and trust in our services. We at Anacon Laboratories cherish our relationship.

We put in a lot of hard work to ensure that you have a seamless experience at every step of our relationship.

In order to ensure that your next experience will be significantly better, we welcome your feedback over email on feedback@anacon.in.

- ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 Certified
- Recognized By Ministry of Environment & Forests (MoEF), New Delhi
- Approved by : Food Safety & Standards Authority of India under FSS Act;
- Bureau of Indian Standards (BIS), Agricultural & Processed Food Products Export Development Authority (APEDA);
- Export inspection council (EIC), AGMARK.

TEST REPORT

AIR MONITORING ANALYSIS REPORT

Report No.:-	AN/AA/HCL/2021/10-2	Report Date:-	31/05/2021
Issued to :-	M/s Hindustan Copper Limited (Malanjkhand Copper Project)	Address:-	P.O. Malanjkhand-481 116. Dist:- Balaghat (M.P.)
Type of Work :-	Ambient Air Monitoring (May-2021)	Sample Ref.No. :-	2021/Mon- 129-7 to 11
Sample Drawn By :-	Anacon Representative	Sample Received Date	27/05/2021
Date of Analysis :-	28/05/2021 to 29/05/2021	Testing Period	01 Day


Sr. No.	LOCATION	Date of sampling	PM ₁₀ µg /m ³	PM _{2.5} µg /m ³	SO ₂ µg /m ³	NO ₂ µg /m ³	CO mg /m ³
Method			IS:5182 (Part 23)	USEPA-40 (Part 50)	IS:5182 (Part 2)	IS:5182 (Part 6)	IS:5182 (Part 10)
7.	Leaching Plant	24/05/2021	67.1	31.6	12.6	27.1	0.307
8.	Primary Crusher	24/05/2021	72.9	32.8	11.4	18.3	0.276
9.	Borkhera Village	25/05/2021	54.3	16.7	9.2	16.8	0.259
10.	Intake Pump House	25/05/2021	48.2	18.3	6.8	14.2	0.217
11.	Mines Office	26/05/2021	61.7	26.8	8.7	21.6	0.261
CPCB Standards			100 (24 hrs)	60 (24 hrs)	80 (24 hrs)	80 (24 hrs)	2.0 (8 hrs)

Equipment used for sampling	Respirable Dust Sampler	Fine Particulate Sampler
Make	CEIS	CEIS
Model No.	CEIS-121	CEIS-131
Serial No.	1) 224-GA-2020 2) 225-GA-2020	1) 219-2020 2) 220-2020
Calibrated On	13.08.2020	13.08.2020
Next Calibration	12.07.2021	12.07.2021

Thanks for utilizing our services.

For ANACON LABORATORIES PVT.LTD.

Verified by


Mr. Sandip Bakde
(Technical Manager)

Authorized Signatory


Dr. (Mrs.) S.D. Garway
(Quality Manager)