

Microsoft Ai-102 Practice Test

designing and implementing a microsoft azure ai solution

Last exam update: Sep
28, 2025

Page 2 out of 29. Viewing questions 11-
20 out of 284

⚙️ Change Exam
Settings



💎 Upgrade to
Premium

📋 View Marked
Questions

Question 11

HOTSPOT

You are developing a service that records lectures given in English (United Kingdom).



You have a method named `append_to_transcript_file` that takes translated text and a language identifier.

You need to develop code that will provide transcripts of the lectures to attendees in their respective language. The supported languages are English, French, Spanish, and German.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
speech_key = os.environ['SPEECH__SUBSCRIPTION__KEY']
service_region = os.environ['SPEECH__SERVICE__REGION']
def translate_speech():
    translation_config = speechsdk.translation.SpeechTranslationConfig(
        subscription=speech_key, region=service_region)
    translation_config.speech_recognition_language = "en-GB"
    languages = 
    for language in languages: translation_config.add_target_language(language)
    audio_config = speechsdk.audio.AudioConfig(use_default_microphone=True)
    recognizer = speechsdk.translation.
    translation_config=translation_config, audio_config=audio_config)
    result = recognizer.recognize_once()
    if result.reason == speechsdk.ResultReason.TranslatedSpeech:
        append_to_transcript_file(result.text, "en")
        for language in result.translations:
            append_to_transcript_file(result.translations[language], language)
```

Hide Answer

Mark Question: ☐

Answer:

Answer Area

```
speech_key = os.environ['SPEECH_SUBSCRIPTION_KEY']
service_region = os.environ['SPEECH_SERVICE_REGION']

def translate_speech():
    translation_config = speechsdk.translation.SpeechTranslationConfig(
        subscription=speech_key, region=service_region)
    translation_config.speech_recognition_language = "en-GB"
    languages = [
        ('en-GB'),
        ('fr', 'de', 'es')
        ('French', 'Spanish', 'German')
        ('languages')]

    for language in languages: translation_config.add_target_language(language)
    audio_config = speechsdk.audio.AudioConfig(use_default_microphone=True)
    recognizer = speechsdk.translation.

        translation_config=translation_config, audio_config=audio_config)
    result = recognizer.recognize_once()
    if result.reason == speechsdk.ResultReason.TranslatedSpeech:
        append_to_transcript_file(result.text, "en")
        for language in result.translations:
            append_to_transcript_file(result.translations[language], language)
```

Discussions

write your answer...

SEND

0 / 1000

Question 12

HOTSPOT You develop a test method to verify the results retrieved from a call to the Computer Vision API. The call is used to analyze the existence of company logos in images. The call returns a collection of brands named brands.

You have the following code segment.

```
for brand in image_analysis.brands:
```

```
    if brand_confidence >= 0.75:
```

```
        print(f"\nLogo of {brand_name} between {brand.rectangle_x}, {brand.rectangle_x + brand.rectangle.w}, {brand.rectangle.y}, {brand.rectangle.y + brand.rectangle.h}")
```

For each of the following statements, select Yes if the statement is true.

Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements

Yes

The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.

☐

The code will return coordinates for the top-left corner of the rectangle that contains the brand logo of the displayed brands.

☐

The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.

☐

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Statements

Yes

The code will return the name of each detected brand with a confidence equal to or higher than 75 percent.

☒

The code will return coordinates for the top-left corner of the rectangle that contains the brand logo of the displayed brands.

☒

The code will return coordinates for the bottom-right corner of the rectangle that contains the brand logo of the displayed brands.

☐

Box 1: Yes -

Box 2: Yes -

Coordinates of a rectangle in the API refer to the top left corner.

Box 3: No -

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/computer-vision/concept-brand-detection>

Discussions

write your answer...

SEND

0 / 1000

Question 13

You have an Azure OpenAI model named AI1.

You are building a web app named App1 by using the Azure OpenAI SDK.

You need to configure App1 to connect to AI1.

What information must you provide?

- A. the endpoint, key, and model name
- B. the deployment name, key, and model name
- C. the deployment name, endpoint, and key
- D. the endpoint, key, and model type

Hide Answer

Mark Question: ☐

Answer:

C

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 14

You have a chatbot that was built by using the Microsoft Bot Framework.

You need to debug the chatbot endpoint remotely.

Which two tools should you install on a local computer? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Fiddler
- B. Bot Framework Composer
- C. Bot Framework Emulator
- D. Bot Framework CLI
- E. ngrok
- F. nginx

Hide Answer

Mark Question: ☐

Answer:

CE

Bot Framework Emulator is a desktop application that allows bot developers to test and debug bots, either locally or remotely. ngrok is a cross-platform application that allows you to expose a web server running on your local machine to the internet. Essentially, what we'll be doing is using ngrok to forward messages from external channels on the web directly to our local machine to allow debugging, as opposed to the standard messaging endpoint configured in the Azure portal.

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-service-debug-emulator>

User Votes:

A 0%

B 0%

C 0%

D 0%

E 0%

F 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐ E ☐ F ☐

write your answer...

SEND

0 / 1000

Question 15

You have an Azure subscription that contains an Azure Cognitive Service for Language resource.

You need to identify the URL of the REST interface for the Language service.

Which blade should you use in the Azure portal?

A. Identity

B. Keys and Endpoint

C. Networking

D. Properties

Hide Answer

Mark Question: ☐

Answer:

B

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

Question 16**HOTSPOT**

You have an Azure subscription that contains an Azure OpenAI resource.

You configure a model that has the following settings:

Temperature: 1

Top probabilities: 0.5

Max response tokens: 100

You ask the model a question and receive the following response.

```
{
  "choices": [
    {
      "finish_reason": "stop",
      "index": 0,
      "message": {
        "content": "The founders of Microsoft are Bill Gates and Paul Allen. They co-founded the company",
        "role": "assistant"
      }
    }
  ],
  "created": 1679014554,
  "id": "chatcmpl-6usfn2yyjkbmESe3G4jaQR6bDSc01",
  "model": "gpt-3.5-turbo-0301",
  "object": "chat.completion",
  "usage": {
    "completion_tokens": 86,
    "prompt_tokens": 37,
    "total_tokens": 123
  }
}
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area**Statements****Yes**

The subscription will be charged 86 tokens for the execution of the session.

☐

The text completion was truncated because the Max response tokens value was exceeded.

☐

The `prompt_tokens` value will be included in the calculation of the Max response tokens value.

☐

"/>
Answer:**Answer Area****Statements**

The subscription will be charged 86 tokens for the execution of the session.

Yes

☐

No

☒

The text completion was truncated because the Max response tokens value was exceeded.

☐☒

The `prompt_tokens` value will be included in the calculation of the Max response tokens value.

☒☐**Discussions**

write your answer...

SEND

0 / 1000

Question 17

You are developing a system that will monitor temperature data from a data stream. The system must generate an alert in response to atypical values. The solution must minimize development effort.

What should you include in the solution?

- A. Multivariate Anomaly Detection
- B. Azure Stream Analytics
- C. metric alerts in Azure Monitor
- D. Univariate Anomaly Detection

Hide Answer

Mark Question: ☐

Answer:

D

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 18

You have an Azure subscription. The subscription contains an Azure OpenAI resource that hosts a GPT-4 model named Model1 and an app named App1. App1 uses Model1.

You need to ensure that App1 will NOT return answers that include hate speech.

What should you configure for Model1?

- A. the Frequency penalty parameter
- B. abuse monitoring
- C. a content filter
- D. the Temperature parameter

Hide Answer

Mark Question: ☐

Answer:

C

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 19

HOTSPOT

You have an Azure OpenAI resource named AI1 that hosts three deployments of the GPT 3.5 model. Each deployment is optimized for a unique workload.

You plan to deploy three apps. Each app will access AI1 by using the REST API and will use the deployment that was optimized for the app's intended workload.

You need to provide each app with access to AI1 and the appropriate deployment. The solution must ensure that only the apps can access AI1.

What should you use to provide access to AI1, and what should each app use to connect to its appropriate deployment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Provide access to AI1 by using:

- An API key
- A bearer token
- A shared access signature (SAS) token

Connect to the deployment by using:

- An API key
- A deployment endpoint
- A deployment name
- A deployment type

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Provide access to AI1 by using:

An API key
A bearer token
A shared access signature (SAS) token

Connect to the deployment by using:

An API key
A deployment endpoint
A deployment name
A deployment type

Discussions

write your answer...

SEND

0 / 1000

Question 20

DRAG DROP

You are building a customer support chatbot.

You need to configure the bot to identify the following:

Code names for internal product development

Messages that include credit card numbers

The solution must minimize development effort.

Which Azure Cognitive Service for Language feature should you use for each requirement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features

Custom named entity recognition (NER)
Key phrase extraction
Language detection
Named Entity Recognition (NER)
Personally Identifiable Information (PII) detection
Sentiment analysis

Answer Area

Identify code names for internal product development:

Identify messages that include credit card numbers:

Hide Answer

Mark Question: ☐

Answer:

ANSWER AREA

Identify code names for internal product development:

Identify messages that include credit card numbers:

Discussions

write your answer...

SEND

0 / 1000

To page 1

To page 3

[Terms](#)

[Privacy](#)

[Facebook](#)

[Twitter](#)

[YouTube](#)

[Reddit](#)

[Pinterest](#)

info@examgo.com