

Microsoft Ai-102 Practice Test

designing and implementing a microsoft azure ai solution

Last exam update: Sep 28, 2025

Page 3 out of 29. Viewing questions 21-30 out of 284

Change Exam Settings



Upgrade to Premium

View Marked Questions

Question 21

HOTSPOT You are designing a conversation flow to be used in a chatbot.

You need to test the conversation flow by using the Microsoft Bot Framework Emulator.

How should you complete the .chat file? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
user=User1
bot=watchbot
user: I want a new watch.
```

```
bot: [ ] [Delay=3000]
```

Attachment
ConversationUpdate
Typing

```
bot: I can help you with that! Let me see what I can find.
```

```
bot: Here's what I found.
```

```
bot:
```

```
[AttachmentLayout= ]
```

adaptivecard
carousel
thumbnail

```
[Attachment=https://contoso.blob.core.windows.net/watch01.jpg]
```

```
[Attachment=https://contoso.blob.core.windows.net/watch02.jpg]
```

```
user: I like the first one.
```

```
bot: Sure, pulling up more information.
```

```
bot: [Attachment=cards\watchProfileCard.json
```

```
user: That's nice! Thank you.
```

```
bot: Sure, you are most welcome!
```

adaptivecard
carousel
list

Hide Answer

Mark Question: ☐


Answer:

Answer Area

user=User1

bot=watchbot

user: I want a new watch.


bot: [][Delay=3000]

Attachment
ConversationUpdate
Typing

bot: I can help you with that! Let me see what I can find.

bot: Here's what I found.

bot:

[AttachmentLayout= ]

adaptivecard
carousel
thumbnail

[Attachment=https://contoso.blob.core.windows.net/watch01.jpg]

[Attachment=https://contoso.blob.core.windows.net/watch02.jpg]

user: I like the first one.

bot: Sure, pulling up more information.

bot: [Attachment=cards\watchProfileCard.json

user: That's nice! Thank you.

bot: Sure, you are most welcome!

]
adaptivecard
carousel
list

Reference:

<https://docs.microsoft.com/en-us/azure/bot-service/bot-builder-howto-add-media-attachments?view=azure-bot-service-4.0&tabs=csharp>

Discussions

write your answer...

SEND

0 / 1000

Question 22

You have an Azure Cognitive Search solution and a collection of handwritten letters stored as JPEG files.

You plan to index the collection. The solution must ensure that queries can be performed on the contents of the letters.

You need to create an indexer that has a skillset.

Which skill should you include?

A. image analysis

B. optical character recognition (OCR)

C. key phrase extraction

D. document extraction

Hide Answer

Mark Question: ☐

Answer:

B

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND


0 / 1000

Question 23

You are building a chatbot by using the Microsoft Bot Framework Composer as shown in the exhibit. (Click the Exhibit tab.)

GetUserDetails > **BeginDialog** > **Text**

Show code



Prompt for text

Text Input

Collection information - Ask for a word or ser

[Learn more](#)

Bot Asks

User input

Property ?

(SCOPE).name

Output format ?

Value ?

Expected responses (intent :
#TextInput_Response_FuwyF4)

The chatbot contains a dialog named GetUserDetails. GetUserDetails contains a TextInput control that prompts users for their name.

The user input will be stored in a property named name.

You need to ensure that you can dispose of the property when the last active dialog ends.

Which scope should you assign to name?

A. dialog

B. user

C. turn

D. conversation

Hide Answer

Mark Question: ☐

Answer:

A

The dialog scope associates properties with the active dialog. Properties in the dialog scope are retained until the dialog ends.

Incorrect Answers:

A: The conversation scope associates properties with the current conversation. Properties in the conversation scope have a lifetime of the conversation itself.

These properties are in scope while the bot is processing an activity associated with the conversation (for example, multiple users together in a Microsoft Teams channel).

B: The user scope associates properties with the current user. Properties in the user scope do not expire. These properties are in scope while the bot is processing an activity associated with the user.

C: The turn scope associates properties with the current turn. Properties in the turn scope expire at the end of the turn.

Reference:

<https://docs.microsoft.com/en-us/composer/concept-memory?tabs=v2x>

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 24

You have the following data sources:

Finance: On-premises Microsoft SQL Server database

Sales: Azure Cosmos DB using the Core (SQL) API

Logs: Azure Table storage

HR: Azure SQL database

You need to ensure that you can search all the data by using the Azure Cognitive Search REST API.

What should you do?

A. Configure multiple read replicas for the data in Sales.

B. Mirror Finance to an Azure SQL database.

C. Ingest the data in Logs into Azure Data Explorer.

D. Ingest the data in Logs into Azure Sentinel.

Hide Answer

Mark Question: ☐

Answer:

B

On-premises Microsoft SQL Server database cannot be used as an index data source.

Note: Indexer in Azure Cognitive Search: : Automate aspects of an indexing operation by configuring a data source and an indexer that you can schedule or run on demand. This feature is supported for a limited number of data source types on Azure.

Indexers crawl data stores on Azure.

Azure Blob Storage

Azure Data Lake Storage Gen2 (in preview)

Azure Table Storage

Azure Cosmos DB

Azure SQL Database

SQL Managed Instance

SQL Server on Azure Virtual Machines

Reference:

<https://docs.microsoft.com/en-us/azure/search/search-indexer-overview#supported-data-sources>

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 25

HOTSPOT You are creating an enrichment pipeline that will use Azure Cognitive Search. The knowledge store contains unstructured JSON data and scanned PDF documents that contain text.

Which projection type should you use for each data type? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

JSON data:

▼
File projection
Object projection
Table projection

Scanned data:

▼
File projection
Object projection
Table projection

Hide Answer

Mark Question: ☐

Answer:

Answer Area

JSON data:

▼
File projection
Object projection
Table projection

Scanned data:

▼
File projection
Object projection
Table projection

Box 1: Object projection -

Object projections are JSON representations of the enrichment tree that can be sourced from any node.

Box 2: File projection -

File projections are similar to object projections and only act on the normalized_images collection.

Reference:

<https://docs.microsoft.com/en-us/azure/search/knowledge-store-projection-overview>

Discussions

write your answer...

SEND

0 / 1000

Question 26

HOTSPOT

You have an Azure subscription that is linked to a Microsoft Entra

tenant. The subscription ID is x1xx11x1-x111-xxxx-xxxx-x1111xxx11x1 and the tenant ID is 1y1y1yyy-1y1y-y1y1-yy11-y1y1y1111y1.

The subscription contains an Azure OpenAI resource named OpenAI1 that has a primary API key of 1111a111a11a111aaa11a1a1a11a1aa. OpenAI1 has a deployment named embeddings1 that uses the text-embedding-ada-002 model.

You need to query OpenAI1 and retrieve embeddings for text input.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
Uri endpoint = new Uri("https://openai1.openai.azure.com");
AzureKeyCredential credentials = new AzureKeyCredential("
x1xx11x1-x111-xxxx-xxxx-x1111xxx11x1
1111a111a11a111aaa11a1a1a11a1aa
1y1y1yyy-1y1y-y1y1-yy11-y1y1y1111y1

OpenAIClient openAIClient = new (endpoint, credentials);
EmbeddingsOptions embeddingOptions = new EmbeddingsOptions(input_text_string);
var returnValue = openAIClient.GetEmbeddings("
embeddings1
OpenAI1
text-embedding-ada-002
", embeddingOptions);

foreach (float item in returnValue.Value.Data[0].Embedding)
{
    Console.WriteLine(item);
}
```

Hide Answer

Mark Question: ☐

Answer:

Answer Area

```
Uri endpoint = new Uri("https://openai1.openai.azure.com");
AzureKeyCredential credentials = new AzureKeyCredential("
x1xx11x1-x111-xxxx-xxxx-x1111xxx11x1
1111a111a11a111aaa11a1a1a11a1aa
1y1y1yyy-1y1y-y1y1-yy11-y1y1y1111y1

OpenAIClient openAIClient = new (endpoint, credentials);
EmbeddingsOptions embeddingOptions = new EmbeddingsOptions(input_text_string);
var returnValue = openAIClient.GetEmbeddings("
embeddings1
OpenAI1
text-embedding-ada-002
", embeddingOptions);

foreach (float item in returnValue.Value.Data[0].Embedding)
{
    Console.WriteLine(item);
}
```

Discussions

write your answer...

SEND

Question 27

HOTSPOT You are developing the shopping on-the-go project.

You need to build the Adaptive Card for the chatbot.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

```
{
  "$schema": "http://adaptivecards.io.schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.3",
  "body": [
    {
      "type": "TextBlock",
      "size": "Medium",
      "weight": "Bolder",
      "text": "${
        if(language == 'en', 'en', name)
        name
        name.en
        name[language]
      },
    {
      "type": "TextBlock",
      "$when": "${stockLevel != 'OK'}"
      "$when": "${stockLevel == 'OK'}"
      "$when": "${stockLevel.OK}"
      "text": "${stockLevel}",
      "color": "Attention"
    },
    {
      "type": "Image",
      "url": "${image.uri}",
      "size": "Medium",
      "altText": "${
        image.altText.en
        image.altText.language
        image.altText.[language]
        image.altText.[language]
      }"
    }
  ]
}
```

Hide Answer

Mark Question: ☐

Answer:


```

{
  "$schema": "http://adaptivecards.io.schemas/adaptive-card.json",
  "type": "AdaptiveCard",
  "version": "1.3",
  "body": [
    {
      "type": "TextBlock",
      "size": "Medium",
      "weight": "Bolder",
      "text": "${
        if(language == 'en', 'en', name)
        name
        name.en
        name[language]
      }"
    },
    {
      "type": "TextBlock",
      "${when}: "${stockLevel != 'OK'}"
      "${when}: "${stockLevel == 'OK'}"
      "${when}: "${stockLevel.OK}"
      "text": "${stockLevel}",
      "color": "Attention"
    },
    {
      "type": "Image",
      "url": "${image.uri}",
      "size": "Medium",
      "altText": "${
        image.altText.en
        image.altText.language
        image.altText.[language]
        image.altText.[language]
      }"
    }
  ]
}

```

Box 1: name [language]

Chatbot must support interactions in English, Spanish, and Portuguese.

Box 2: \$when:\${stockLevel != 'OK'}

Product displays must include images and warnings when stock levels are low or out of stock.

Box 3: image.altText[language]

Discussions

write your answer...

SEND

0 / 1000

Question 28

You create five bots by using Microsoft Bot Framework Composer.

You need to make a single bot available to users that combines the bots. The solution must support dynamic routing to the bots based on user input.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Create a composer extension.

B. Change the Recognizer/Dispatch type.

C. Create an Orchestrator model.

D. Enable WebSockets.

E. Create a custom recognizer JSON file.

F. Install the Orchestrator package.

Hide Answer

Mark Question: ☐

Answer:

BCF

User Votes:

A 0%

B 0%

C 0%

D 0%

E 0%

F 0%

Discussions

vote your answer: A ☐ B ☒ C ☒ D ☐ E ☐ F ☒ thank you

write your answer...

SEND

0 / 1000

Question 29

HOTSPOT

You have a collection of press releases stored as PDF files.

You need to extract text from the files and perform sentiment analysis.

Which service should you use for each task? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Extract text:

Azure Cognitive Search
Computer Vision
Form Recognizer

Perform sentiment analysis:

Azure Cognitive Search
Computer Vision
Form Recognizer
Language

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Extract text:

Azure Cognitive Search
Computer Vision
Form Recognizer

Perform sentiment analysis:

Azure Cognitive Search
Computer Vision
Form Recognizer
Language

Discussions

write your answer...

SEND

0 / 1000

DRAG DROP You are developing an application that will recognize faults in components produced on a factory production line. The components are specific to your business. You need to use the Custom Vision API to help detect common faults. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order. Select and Place:

Actions

Train the classifier model.

Upload and tag images.

Initialize the training dataset.

Train the object detection model.

Create a project.

Answer Area

Hide Answer

Mark Question: ☐

Answer:

Actions

Initialize the training dataset.

Train the object detection model.

Answer Area

Create a project.

Upload and tag images.

Train the classifier model.

Step 1: Create a project -
Create a new project.
Step 2: Upload and tag the images
Choose training images. Then upload and tag the images.
Step 3: Train the classifier model.

Train the classifier -
Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/custom-vision-service/getting-started-build-a-classifier>

Discussions

write your answer...

SEND

To page 2

To page 4

[Terms](#)

[Privacy](#)

[Facebook](#)

[Twitter](#)

[YouTube](#)

[Reddit](#)

[Pinterest](#)

info@examgo.com