

Microsoft Ai-102 Practice Test

designing and implementing a microsoft azure ai solution

Last exam update: Sep 28 ,2025

Page 4 out of 29. Viewing questions 31-40 out of 284

⚙ Change Exam Settings



💎 Upgrade to Premium

🔍 View Marked Questions

Question 31

You are building a chatbot.

You need to configure the chatbot to query a knowledge base.

Which dialog class should you use?

A. QnAMakerDialog

B. AdaptiveDialog

C. SkillDialog

D. ComponentDialog

Hide Answer

Mark Question: ☐

Answer:

A

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☒ B ☐ C ☐ D ☐ thank you

write your answer...

SEND

0 / 1000

Question 32

HOTSPOT You develop an application that uses the Face API.

You need to add multiple images to a person group.

How should you complete the code? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
Parallel.For(0, PersonCount, async i =>
{
    Guid personId = persons[i].PersonId;
    string personImageDir = $"/path/to/person/{i}/images";
    foreach (string imagePath in Directory.GetFiles(personImageDir, "*.jpg"))
    {
        using ( 

|        |
|--------|
| ▼      |
| File   |
| Stream |
| Uri    |
| Url    |

 t = File.OpenRead(imagePath))

        {
            await faceClient.PersonGroupPerson. 

|                        |
|------------------------|
| ▼                      |
| AddFaceFromStreamAsync |
| AddFaceFromUrlAsync    |
| CreateAsync            |
| GetAsync               |



            (personGroupId, personId, t);
        }
    }
});
```

Hide Answer

Mark Question: ☐

Answer:

Answer Area

```
Parallel.For(0, PersonCount, async i =>
{
    Guid personId = persons[i].PersonId;
    string personImageDir = $"/path/to/person/{i}/images";
    foreach (string imagePath in Directory.GetFiles(personImageDir, "*.jpg"))
    {
        using ( 

|        |
|--------|
| ▼      |
| File   |
| Stream |
| Uri    |
| Url    |

 t = File.OpenRead(imagePath))

        {
            await faceClient.PersonGroupPerson. 

|                        |
|------------------------|
| ▼                      |
| AddFaceFromStreamAsync |
| AddFaceFromUrlAsync    |
| CreateAsync            |
| GetAsync               |



            (personGroupId, personId, t);
        }
    }
});
```

Box 1: Stream -

The File.OpenRead(String) method opens an existing file for reading.

Example: Open the stream and read it back.

using (FileStream fs = File.OpenRead(path))

Box 2: CreateAsync -

Create the persons for the PersonGroup. Persons are created concurrently.

Example:

await faceClient.PersonGroupPerson.CreateAsync(personGroupId, personName);

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/face/face-api-how-to-topics/how-to-add-faces>

Discussions

write your answer...

SEND

0 / 1000

Question 33

HOTSPOT You are building a model that will be used in an iOS app. You have images of cats and dogs. Each image contains either a cat or a dog.

You need to use the Custom Vision service to detect whether the images is of a cat or a dog.

How should you configure the project in the Custom Vision portal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Project Types:

	▼
Classification	
Object Detection	

Classification Types:

	▼
Multiclass (Single tag per image)	
Multilabel (Multiple tags per image)	

Domains:

	▼
Audit	
Food	
General	
General (compact)	
Landmarks	
Landmarks (compact)	
Retail	
Retail (compact)	

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Project Types:

	▼
Classification	
Object Detection	

Classification Types:

	▼
Multiclass (Single tag per image)	
Multilabel (Multiple tags per image)	

Domains:

	▼
Audit	
Food	
General	
General (compact)	
Landmarks	
Landmarks (compact)	
Retail	
Retail (compact)	

Box 1: Classification -

Incorrect Answers:

An object detection project is for detecting which objects, if any, from a set of candidates are present in an image.

Box 2: Multiclass -

A multiclass classification project is for classifying images into a set of tags, or target labels. An image can be assigned to one tag only.

Incorrect Answers:

A multilabel classification project is similar, but each image can have multiple tags assigned to it.

Box 3: General -

General: Optimized for a broad range of image classification tasks. If none of the other specific domains are appropriate, or if you're unsure of which domain to choose, select one of the General domains.

Reference:

[https://cran.r-](https://cran.r-project.org/web/packages/AzureVision/vignettes/customvision.html)

[project.org/web/packages/AzureVision/vignettes/customvision.html](https://cran.r-project.org/web/packages/AzureVision/vignettes/customvision.html)

Discussions

write your answer...

SEND

0 / 1000

Question 34

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You develop an application to identify species of flowers by training a Custom Vision model.

You receive images of new flower species.

You need to add the new images to the classifier.

Solution: You add the new images, and then use the Smart Labeler tool.

Does this meet the goal?

A. Yes

B. No

Hide Answer

Mark Question: ☐

Answer:

B

The model need to be extended and retrained.

Note: Smart Labeler to generate suggested tags for images. This lets you label a large number of images more quickly when training a Custom Vision model.

User Votes:

A 0%

B 0%

Discussions

vote your answer: A ☐ B ☐

write your answer...

SEND

0 / 1000

Question 35

You are designing a content management system.

You need to ensure that the reading experience is optimized for users who have reduced comprehension and learning differences, such as dyslexia. The solution must minimize development effort.

Which Azure service should you include in the solution?

A. Azure AI Immersive Reader

B. Azure AI Translator

C. Azure AI Document Intelligence

D. Azure AI Language

Hide Answer

Mark Question: ☐

Answer:

A

User Votes:

A 0%

B 0%

C 0%

D 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐

write your answer...

SEND

0 / 1000

Question 36

HOTSPOT

You have an app named App1 that uses Azure AI Document Intelligence to analyze medical records and provide pharmaceutical dosage recommendations for patients.

You send a request to App1 and receive the following response.

```

{
  "status": "succeeded",
  "createdDateTime": "2023-09-14T21:01:02Z",
  "lastUpdatedDateTime": "2023-09-14T21:01:03Z",
  "analyzeResult": {
    "apiVersion": "2023-07-31",
    "modelId": "prebuilt-healthInsuranceCard.us",
    "stringIndexType": "utf16CodeUnit",
    "content": "Blood Pressure 118/72",
    "pages": [
      {
        ...
        "words": [
          {
            "content": "Blood",
            "polygon": [ ... ],
            "confidence": 0.766,
            "span": { ... }
          },
          {
            "content": "Pressure",
            "polygon": [ ... ],
            "confidence": 0.716,
            "span": { ... }
          },
          {
            "content": "118/72",
            "polygon": [ ... ],
            "confidence": 0.761,
            "span": { ... }
          }
        ],
        ...
      }
    ],
    "documents": [
      {
        "docType": "healthInsuranceCard.us",
        "boundingRegions": [ ... ]
      }
    ],
    "fields": {},
    "confidence": 1,
    "spans": [ ... ]
  }
}

```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
The chosen model is suitable for the intended use case.	☐	☐
The text content was recognized with greater than 70 percent confidence.	☐	☐
The form elements were recognized with greater than 70 percent confidence.	☐	☐

Hide Answer

Mark Question: ☐

Answer:

Answer Area

Statements

The chosen model is suitable for the intended use case.

Yes

☐

No

☒

The text content was recognized with greater than 70 percent confidence.

☒☐

The form elements were recognized with greater than 70 percent confidence.

☒☐

Discussions

write your answer...

SEND

0 / 1000

Question 37

DRAG DROP You plan to build a chatbot to support task tracking.

You create a Language Understanding service named lu1.

You need to build a Language Understanding model to integrate into the chatbot. The solution must minimize development time to build the model.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Answer Area

Train the application.

Publish the application.

Add a new application.

Add example utterances.

Add the prebuilt domain ToDo.

Hide Answer

Mark Question: ☐

Answer:

Actions

Answer Area

Train the application.

Publish the application.

Add a new application.

Add example utterances.

Add the prebuilt domain ToDo.

Add a new application.

Add example utterances.

Train the application.

Publish the application.

Step 1: Add a new application -

Create a new app -

1. Sign in to the LUIS portal with the URL of <https://www.luis.ai>.

2. Select Create new app.

3. Etc.

Step 2: Add example utterances.

In order to classify an utterance, the intent needs examples of user utterances that should be classified with this intent.

Step 3: Train the application -

Step 4: Publish the application -

In order to receive a LUIS prediction in a chat bot or other client application, you need to publish the app to the prediction endpoint.
Reference:
<https://docs.microsoft.com/en-us/azure/cognitive-services/luis/tutorial-intents-only>

Discussions

write your answer...

SEND

0 / 1000

Question 38

HOTSPOT

You build a bot named app1 by using the Microsoft Bot Framework.

You prepare app1 for deployment.

You need to deploy app1 to Azure.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

az deployment source --resource-group "RG1" --name "app1" --src "app1.zip"

bot
functionapp
vm
webapp

config
config-local-git
config-zip

Hide Answer

Mark Question: ☐

Answer:

Answer Area

az deployment source --resource-group "RG1" --name "app1" --src "app1.zip"

bot
functionapp
vm
webapp

config
config-local-git
config-zip

Discussions

write your answer...

SEND

0 / 1000

Question 39

You are building a multilingual chatbot.

You need to send a different answer for positive and negative messages.

Which two Language service APIs should you use? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Linked entities from a well-known knowledge base

B. Sentiment Analysis

C. Key Phrases

D. Detect Language

E. Named Entity Recognition

Hide Answer

Mark Question: ☐

Answer:

BD

B: The Text Analytics API's Sentiment Analysis feature provides two ways for detecting positive and negative sentiment. If you send a Sentiment Analysis request, the API will return sentiment labels (such as negative, neutral and positive) and confidence scores at the sentence and document-level.

D: The Language Detection feature of the Azure Text Analytics REST API evaluates text input for each document and returns language identifiers with a score that indicates the strength of the analysis.

This capability is useful for content stores that collect arbitrary text, where language is unknown.

Reference:

<https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-sentiment-analysis?tabs=version-3-1> <https://docs.microsoft.com/en-us/azure/cognitive-services/text-analytics/how-tos/text-analytics-how-to-language-detection>

User Votes:

A 0%

B 0%

C 0%

D 0%

E 0%

Discussions

vote your answer: A ☐ B ☐ C ☐ D ☐ E ☐

write your answer...

SEND

0 / 1000

Question 40

HOTSPOT

You have an Azure subscription that contains an Azure AI Document Intelligence resource named DI1.

You create a PDF document named Test.pdf that contains tabular data.

You need to analyze Test.pdf by using DI1.

How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

```
curl -v -i POST "{endpoint}/formrecognizer/document/models/" :analyze?api-version=2023-07-31" -H "Content-Type: application/json" -H "{yourkey}" --data-ascii "{uriSource: 'test.pdf'}"
```

prebuilt-contract
prebuilt-document
prebuilt-layout
prebuilt-read

Key1
Ocp-Apim-Subscription-Key
Secret
Subscription-Key

Hide Answer

Mark Question: ☐

Answer:

Answer Area

```
curl -v -i POST "{endpoint}/formrecognizer/documentmodels/analyze?api-version=2023-07-31" -H "Content-Type: application/json"
```

prebuilt-contract
prebuilt-document
prebuilt-layout
prebuilt-read

-H "Ocp-Apim-Subscription-Key: {yourkey}" --data-ascii '{"urlSource": "test.pdf"}'

Discussions

write your answer...

SEND

0 / 1000

To page 3

To page 5

[Terms](#)

[Privacy](#)

[Facebook](#)

[Twitter](#)

[YouTube](#)

[Reddit](#)

[Pinterest](#)

info@examgo.com